



Power tool Accessories



Powertool Accessories

Drilling

| | |
|--------------------------------|---------|
| SDS Plus & Max Hammer Bits | 113-114 |
| Rebar Cutters | 114 |
| Masonry Drill Bits | 115 |
| Tile & Glass Drill Bits | 115 |
| Wood Auger & Wood Bits | 116-117 |
| HSS Drill Bits | 118-119 |
| Step Drills & Countersinks | 120 |
| Broaching Cutters & Pilot Rods | 121 |
| Drilling & Driver Sets | 122-123 |

Cutting

| | |
|-------------------------------------|---------|
| Holesaws & Accessories | 124 |
| Dry Diamond Core Bits & Accessories | 126 |
| Diamond Blades & Wheels | 127-128 |
| Bonded Abrasives | 128 |
| Circular Saw Blades | 129 |
| Jigsaw Blades & Sets | 130-131 |
| Reciprocating Saw Blades & Set | 132 |
| Multi-Tool Blades & Sets | 133-134 |

Abrasives

| | |
|--------------------------------|---------|
| Powertool Sanding | 135 |
| Hand Sanding | 136 |
| Powertool Wire Brushes | 137-138 |
| Flap Discs & Preparation Discs | 138 |

Chucks, Driver Bits & Adaptors

| | |
|--------------------------------------|---------|
| Chucks, Keys & Adaptors | 139 |
| Impact Driver Bits & Holders | 140 |
| Impact Driver Bit Sockets & Adaptors | 141 |
| Driver Bits, Holders & Sets | 142-143 |

Mixing

| | |
|----------------|-----|
| Mixing Paddles | 143 |
|----------------|-----|



SDS Plus Hammer Bits

Professional SDS Plus Hammer Bits



A high performance drill bit with a superior carbide tip to give extended durability. PGM approved to ensure the bits drill with dimensional precision and performance when used in concrete and masonry.

- Special Nickel Chromoly shank
- High quality BC20 Tungsten Carbide tip
- Cold formed blanks utilised up to 11mm diameter
- Fully heat treated to eliminate bending
- Twin flute design for increased drilling performance
- Shot-peened for increased strength and durability
- P.G.M. approved and marked



User Caution: Rebar drilling will result in reduced tool life. All chisel tip SDS drills can shear if the tip snags the reinforcing whilst passing alongside.
PGM. This mark is an international symbol of quality for masonry bits, governed by the independent Prüfgemeinschaft Mauerbohrer e.V. (PGM). The mark guarantees that the bits are manufactured and tested to ensure dimensional precision and performance. The DIBt (German Institute of Construction Technology) specifies that PGM marked drills should be used when geometrical exact holes are required for safety critical fixings. (5.5 & 6.5 do not carry the PGM mark)

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
| CLIP | | | | |
| AP4110 | 4.0 | 110 | 1 | 25 |
| AP4160 | 4.0 | 160 | 1 | 25 |
| AP5110 | 5.0 | 110 | 1 | 25 |
| AP5160 | 5.0 | 160 | 1 | 25 |
| AP5210 | 5.0 | 210 | 1 | 25 |
| AP55110 | 5.5 | 110 | 1 | 25 |
| AP55160 | 5.5 | 160 | 1 | 25 |
| AP55210 | 5.5 | 210 | 1 | 25 |
| AP6110 | 6.0 | 110 | 1 | 25 |
| AP6160 | 6.0 | 160 | 1 | 25 |
| AP6210 | 6.0 | 210 | 1 | 25 |
| AP6260 | 6.0 | 260 | 1 | 25 |
| AP6350 | 6.0 | 350 | 1 | 25 |
| AP65110 | 6.5 | 110 | 1 | 25 |
| AP65160 | 6.5 | 160 | 1 | 25 |
| AP65210 | 6.5 | 210 | 1 | 25 |
| AP65260 | 6.5 | 260 | 1 | 25 |
| AP7110 | 7.0 | 110 | 1 | 25 |
| AP7160 | 7.0 | 160 | 1 | 25 |
| AP7210 | 7.0 | 210 | 1 | 25 |
| AP7260 | 7.0 | 260 | 1 | 25 |
| AP8110 | 8.0 | 110 | 1 | 25 |
| AP8160 | 8.0 | 160 | 1 | 25 |
| AP8210 | 8.0 | 210 | 1 | 25 |
| AP8260 | 8.0 | 260 | 1 | 25 |
| AP8310 | 8.0 | 310 | 1 | 25 |
| AP8350 | 8.0 | 350 | 1 | 25 |
| AP8450 | 8.0 | 450 | 1 | 25 |
| AP9210 | 9.0 | 210 | 1 | 25 |
| AP10160 | 10.0 | 160 | 1 | 25 |
| AP10210 | 10.0 | 210 | 1 | 25 |
| AP10260 | 10.0 | 260 | 1 | 25 |
| AP10310 | 10.0 | 310 | 1 | 25 |
| AP10450 | 10.0 | 450 | 1 | 25 |
| AP10600 | 10.0 | 600 | 1 | 10 |
| AP101000 | 10.0 | 1000 | 1 | 10 |
| AP12160 | 12.0 | 160 | 1 | 25 |
| AP12210 | 12.0 | 210 | 1 | 25 |
| AP12260 | 12.0 | 260 | 1 | 20 |
| AP12310 | 12.0 | 310 | 1 | 20 |
| AP12450 | 12.0 | 450 | 1 | 20 |
| AP12600 | 12.0 | 600 | 1 | 10 |
| AP121000 | 12.0 | 1000 | 1 | 10 |
| AP13260 | 13.0 | 260 | 1 | 20 |
| AP14160 | 14.0 | 160 | 1 | 25 |

APS01

SDS Plus Hammer Bits

NEW



High quality, cost effective drill bit suitable for use in rotary hammers with the SDS plus tool system.

- Fully heat treated to eliminate bending
- Shot blast finish for rust protection

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
| CLIP | | | | |
| SDS4160 | 4.0 | 160 | 1 | 20 |
| SDS5110 | 5.0 | 110 | 1 | 20 |
| SDS5160 | 5.0 | 160 | 1 | 20 |
| SDS5210 | 5.0 | 210 | 1 | 20 |
| SDS55110 | 5.5 | 110 | 1 | 20 |
| SDS55160 | 5.5 | 160 | 1 | 20 |
| SDS55210 | 5.5 | 210 | 1 | 20 |
| SDS6110 | 6.0 | 110 | 1 | 20 |
| SDS6160 | 6.0 | 160 | 1 | 20 |
| SDS6210 | 6.0 | 210 | 1 | 20 |
| SDS6260 | 6.0 | 260 | 1 | 20 |
| SDS6360 | 6.0 | 360 | 1 | 10 |
| SDS65110 | 6.5 | 110 | 1 | 20 |
| SDS65160 | 6.5 | 160 | 1 | 20 |
| SDS65210 | 6.5 | 210 | 1 | 20 |
| SDS65260 | 6.5 | 260 | 1 | 20 |
| SDS7110 | 7.0 | 110 | 1 | 20 |
| SDS7160 | 7.0 | 160 | 1 | 20 |
| SDS7210 | 7.0 | 210 | 1 | 20 |
| SDS7260 | 7.0 | 260 | 1 | 20 |
| SDS8110 | 8.0 | 110 | 1 | 20 |
| SDS8160 | 8.0 | 160 | 1 | 20 |
| SDS8210 | 8.0 | 210 | 1 | 20 |
| SDS8260 | 8.0 | 260 | 1 | 20 |
| SDS8310 | 8.0 | 310 | 1 | 10 |
| SDS8360 | 8.0 | 360 | 1 | 10 |
| SDS8450 | 8.0 | 450 | 1 | 10 |
| SDS10160 | 10.0 | 160 | 1 | 20 |
| SDS10210 | 10.0 | 210 | 1 | 20 |
| SDS10260 | 10.0 | 260 | 1 | 20 |

SDS01

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
| CLIP | | | | |
| AP14210 | 14.0 | 210 | 1 | 20 |
| AP14260 | 14.0 | 260 | 1 | 20 |
| AP14310 | 14.0 | 310 | 1 | 20 |
| AP14450 | 14.0 | 450 | 1 | 20 |
| AP141000 | 14.0 | 1000 | 1 | 10 |
| AP15260 | 15.0 | 260 | 1 | 20 |
| AP16160 | 16.0 | 160 | 1 | 25 |
| AP16210 | 16.0 | 210 | 1 | 20 |
| AP16260 | 16.0 | 260 | 1 | 20 |
| AP16310 | 16.0 | 310 | 1 | 20 |
| AP16450 | 16.0 | 450 | 1 | 10 |
| AP16600 | 16.0 | 600 | 1 | 10 |
| AP161000 | 16.0 | 1000 | 1 | 10 |
| AP18210 | 18.0 | 210 | 1 | 10 |
| AP18260 | 18.0 | 260 | 1 | 10 |
| AP18310 | 18.0 | 310 | 1 | 10 |
| AP18450 | 18.0 | 450 | 1 | 10 |
| AP20210 | 20.0 | 210 | 1 | 10 |
| AP20310 | 20.0 | 310 | 1 | 10 |
| AP20450 | 20.0 | 450 | 1 | 10 |
| AP20600 | 20.0 | 600 | 1 | 5 |
| AP201000 | 20.0 | 1000 | 1 | 5 |
| AP22260 | 22.0 | 260 | 1 | 10 |
| AP22450 | 22.0 | 450 | 1 | 10 |
| AP22600 | 22.0 | 600 | 1 | 5 |
| AP24260 | 24.0 | 260 | 1 | 10 |
| AP24450 | 24.0 | 450 | 1 | 5 |
| AP25260 | 25.0 | 260 | 1 | 10 |
| AP25450 | 25.0 | 450 | 1 | 5 |
| AP25600 | 25.0 | 600 | 1 | 5 |
| AP251000 | 25.0 | 1000 | 1 | 5 |
| AP28450 | 28.0 | 450 | 1 | 5 |
| AP30450 | 30.0 | 450 | 1 | 5 |

APS01

SDS Plus Steels



- Point** - Breaks up concrete & masonry.
- Chisel/Spade** - Breaks up concrete & masonry. Also removes plaster or rendering.
- Tile** - Angled head design for easy removal of tiles, plaster or rendering.
- Gouge** - Removes mortar from brickwork prior to re-pointing.

| Product Code | Drill Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|--------------|-------------|----------------|--------------------|
| CASE (6 PCS) | | | | |
| AP6DS | - | - | 6 | 30 |
| | 5.0 | 110 | 1 | |
| | 5.5 | 110 | 1 | |
| | 7.0 | 110 | 1 | |
| | 6.0 | 160 | 1 | |
| | 8.0 | 160 | 1 | |
| | 10.0 | 160 | 1 | |

APS02

| Product Code | Type | W (mm) | L (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|--------|--------|----------------|--------------------|
| CLIP | | | | | |
| SDSP | Point | N/A | 250 | 1 | 10 |
| SDSC | Chisel | 20 | 250 | 1 | 10 |
| SDSS | Spade | 40 | 250 | 1 | 10 |
| SDST | Tile | 40 | 250 | 1 | 10 |
| SDSG | Gouge | 22 | 250 | 1 | 10 |

SPC01

SDS Max Bits

SDS Max Hammer Bits



For drilling large diameter holes in concrete, stone and masonry. Suitable for use in large rotary hammers with the SDS Max tool holder system.

- Narrow angle 4-cutter head greatly reduces jamming and provides smooth drilling
- High quality Tungsten Carbide tips
- Shot peened for extra strength and durability

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
| CLIP | | | | |
| SDSM12340 | 12 | 340 | 1 | 5 |
| SDSM12540 | 12 | 540 | 1 | 5 |
| SDSM14340 | 14 | 340 | 1 | 5 |
| SDSM14540 | 14 | 540 | 1 | 5 |
| SDSM16340 | 16 | 340 | 1 | 5 |
| SDSM16540 | 16 | 540 | 1 | 5 |
| SDSM18340 | 18 | 340 | 1 | 5 |
| SDSM18540 | 18 | 540 | 1 | 5 |
| SDSM18690 | 18 | 690 | 1 | 5 |
| SDSM18920 | 18 | 920 | 1 | 5 |
| SDSM20340 | 20 | 340 | 1 | 5 |
| SDSM20540 | 20 | 540 | 1 | 5 |
| SDSM20690 | 20 | 690 | 1 | 5 |
| SDSM20920 | 20 | 920 | 1 | 5 |
| SDSM22340 | 22 | 340 | 1 | 5 |
| SDSM22540 | 22 | 540 | 1 | 5 |
| SDSM22690 | 22 | 690 | 1 | 5 |
| SDSM22920 | 22 | 920 | 1 | 5 |
| SDSM24340 | 24 | 340 | 1 | 5 |
| SDSM24540 | 24 | 540 | 1 | 5 |
| SDSM25340 | 25 | 340 | 1 | 5 |
| SDSM25540 | 25 | 540 | 1 | 5 |
| SDSM25690 | 25 | 690 | 1 | 5 |
| SDSM25920 | 25 | 920 | 1 | 5 |
| SDSM26340 | 26 | 340 | 1 | 5 |
| SDSM26540 | 26 | 540 | 1 | 5 |
| SDSM28340 | 28 | 340 | 1 | 5 |
| SDSM28540 | 28 | 540 | 1 | 5 |
| SDSM30340 | 30 | 340 | 1 | 5 |
| SDSM30540 | 30 | 540 | 1 | 5 |
| SDSM32340 | 32 | 340 | 1 | 5 |
| SDSM32540 | 32 | 540 | 1 | 5 |

MAX01

SDS Rebar Cutters


SDS Shank Rebar Cutters (Complete)




Rotary rebar cutters are designed for use in SDS plus hammer machines switched to ROTARY MODE ONLY.

Drilling with the hammer action switched on will result in serious damage to the tool. Please read the instructions and use the recommended R.P.M.

- High temperature brazing
- Heavy duty Tungsten Carbide tips
- Made in U.S.A



How to use Rebar Cutters



| Product Code | Ø (mm) | Length (mm) | Rec. R.P.M | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|------------|----------------|--------------------|
| TUBE | | | | | |
| MSRB10* | 10.0 | 300 | 750-1000 | 1 | 10 |
| MSRB12* | 12.0 | 300 | 600-850 | 1 | 10 |
| MSRB14* | 14.0 | 300 | 600-850 | 1 | 10 |
| MSRB16 | 16.0 | 300 | 500-750 | 1 | 10 |
| MSRB18 | 18.0 | 300 | 500-750 | 1 | 10 |
| MSRB20 | 20.0 | 300 | 450-600 | 1 | 10 |

* PRODUCTS ARE NOT VENTED

RBR01

SDS Max Steels



- Point** - Breaks up concrete & masonry.
- Chisel** - Breaks up concrete & masonry, removes plaster or rendering.
- Slotting Tool** - Removes mortar from brickwork prior to re-pointing.

| Product Code | Type | W (mm) | L (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|---------------|--------|--------|----------------|--------------------|
| CLIP | | | | | |
| SDSMP280 | Point | N/A | 280 | 1 | 5 |
| SDSMP400 | Point | N/A | 400 | 1 | 5 |
| SDSMC280 | Chisel | 25 | 280 | 1 | 5 |
| SDSMC400 | Chisel | 25 | 400 | 1 | 5 |
| SDSMC40050 | Chisel | 50 | 400 | 1 | 5 |
| SDSMC30075 | Chisel | 75 | 300 | 1 | 5 |
| SDSMST | Slotting Tool | 25 | 280 | 1 | 5 |

MAX01

Rebar Cutters (Head Only)



Used with rebar adaptor to drill through in-situ rebar when drilling into concrete.

ROTARY MODE ONLY

| Product Code | Ø (mm) | L (mm) | Rec R.P.M | Carton Qty (packs) |
|--------------------|--------|--------|-----------|--------------------|
| TUBE - 1PCS | | | | |
| MRB22HO | 22.0 | 115 | 450-600 | 10 |
| MRB24HO | 24.0 | 115 | 350-500 | 10 |
| MRB25HO | 25.0 | 115 | 350-500 | 10 |

RBR01

Adaptor for Cutter Heads



Used with 22, 24 & 25mm rebar cutter heads.

ROTARY MODE ONLY

| Product Code | Length (mm) | Carton Qty (packs) |
|--------------------|-------------|--------------------|
| TUBE - 1PCS | | |
| STDS212 | 220 | 10 |

RBR01

Masonry Drill Bits

Masonry Drill Bits



A premium quality masonry bit for use in cordless and corded drill drivers in both rotary and hammer action.

Ideal for drilling brick, block and concrete.

- 135° High Grade Industrial Carbide Tip
- Ground flute
- Silver/black finish
- Heat treated

| Product Code | Ø (mm) | Length (mm) | Pack Qty | Carton Qty |
|--------------|--------|-------------|----------|------------|
| | | | (pcs) | (packs) |
| PACK | | | | |
| APM475 | 4.0 | 75 | 1 | 100 |
| APM4150 | 4.0 | 150 | 1 | 100 |
| APM585 | 5.0 | 85 | 1 | 100 |
| APM5150 | 5.0 | 150 | 1 | 100 |
| APM5585 | 5.5 | 85 | 1 | 100 |
| APM55150 | 5.5 | 150 | 1 | 100 |
| APM6100 | 6.0 | 100 | 1 | 100 |
| APM6150 | 6.0 | 150 | 1 | 100 |
| APM6200 | 6.0 | 200 | 1 | 50 |
| APM6300 | 6.0 | 300 | 1 | 30 |
| APM65100 | 6.5 | 100 | 1 | 100 |
| APM65150 | 6.5 | 150 | 1 | 100 |
| APM65200 | 6.5 | 200 | 1 | 50 |
| APM65300 | 6.5 | 300 | 1 | 30 |
| APM7100 | 7.0 | 100 | 1 | 100 |
| APM7150 | 7.0 | 150 | 1 | 100 |
| APM7300 | 7.0 | 300 | 1 | 40 |
| APM8120 | 8.0 | 120 | 1 | 50 |
| APM8150 | 8.0 | 150 | 1 | 50 |
| APM8200 | 8.0 | 200 | 1 | 50 |
| APM8300 | 8.0 | 300 | 1 | 25 |
| APM10120 | 10.0 | 120 | 1 | 50 |
| APM10150 | 10.0 | 150 | 1 | 50 |
| APM10200 | 10.0 | 200 | 1 | 40 |
| APM10300 | 10.0 | 300 | 1 | 30 |
| APM10400 | 10.0 | 400 | 1 | 30 |
| APM12150 | 12.0 | 150 | 1 | 50 |
| APM12200 | 12.0 | 200 | 1 | 30 |
| APM12300 | 12.0 | 300 | 1 | 30 |
| APM12400 | 12.0 | 400 | 1 | 10 |
| APM14150 | 14.0 | 150 | 1 | 40 |
| APM14200 | 14.0 | 200 | 1 | 30 |
| APM14400 | 14.0 | 400 | 1 | 20 |
| APM16150 | 16.0 | 150 | 1 | 30 |
| APM16200 | 16.0 | 200 | 1 | 20 |
| APM16300 | 16.0 | 300 | 1 | 20 |
| APM16400 | 16.0 | 400 | 1 | 15 |
| APM20200 | 20.0 | 200 | 1 | 15 |
| APM20400 | 20.0 | 400 | 1 | 10 |
| APM25400 | 25.0 | 400 | 1 | 10 |

MPG01

TCT Multi-Purpose Drill Bits



Designed to drill steel, wood, masonry, PVCu, ceramics and concrete.

Diamond-ground cutting edges allow fast drilling even in hard materials.

ROTARY MODE ONLY.

- High quality European diamond ground carbide tip with 135° angle point
- High temperature copper brazed
- Ground flute
- Silver and gold finish
- Heat treated

| Product Code | Ø (mm) | Length (mm) | Pack Qty | Carton Qty |
|--------------|--------|-------------|----------|------------|
| | | | (pcs) | (packs) |
| PACK | | | | |
| MP475 | 4.0 | 75 | 1 | 100 |
| MP4150 | 4.0 | 150 | 1 | 100 |
| MP585 | 5.0 | 85 | 1 | 100 |
| MP5150 | 5.0 | 150 | 1 | 100 |
| MP55100 | 5.5 | 100 | 1 | 100 |
| MP55150 | 5.5 | 150 | 1 | 100 |
| MP6100 | 6.0 | 100 | 1 | 100 |
| MP6150 | 6.0 | 150 | 1 | 100 |
| MP65100 | 6.5 | 100 | 1 | 100 |
| MP65150 | 6.5 | 150 | 1 | 100 |
| MP7100 | 7.0 | 100 | 1 | 100 |
| MP7150 | 7.0 | 150 | 1 | 100 |
| MP8150 | 8.0 | 150 | 1 | 50 |
| MP10150 | 10.0 | 150 | 1 | 50 |

MMP01



Dry Diamond Drill Bits



Ideal for drilling a clean hole into hard materials such as porcelain, ceramic, marble, granite and glass.

ROTARY MODE ONLY.

- Up to 10x more holes
- Over 40% faster
- Vacuum brazed diamond technology
- Suitable for dry or wet use
- Wax insert aids cooling and prolongs life
- Non-slip hex shank

| Product Code | Ø (mm) | Length (mm) | Pack Qty | Carton Qty |
|--------------|--------|-------------|----------|------------|
| | | | (pcs) | (packs) |
| PACK | | | | |
| VBD5 | 5.0 | 65 | 1 | 10 |
| VBD6 | 6.0 | 65 | 1 | 10 |
| VBD7 | 7.0 | 80 | 1 | 10 |
| VBD8 | 8.0 | 80 | 1 | 10 |
| VBD10 | 10.0 | 80 | 1 | 10 |
| VBD12 | 12.0 | 80 | 1 | 10 |
| VBD15 | 15.0 | 80 | 1 | 10 |
| VBD20 | 20.0 | 80 | 1 | 10 |
| VBD25 | 25.0 | 80 | 1 | 10 |

ATD01

How to use Dry Diamond Drill Bits



1. Ensure the drill bit is fastened securely in the chuck. Hold the drill firmly in both hands and start to drill at a 45° angle to the work surface. This will produce a small crescent shaped groove.



2. When the groove is formed, slowly bring the drill up to 90° to the work surface. The tool should carry on drilling through the material without slipping.

Ceramic, Tile & Glass Drill Bits

TCT Tile & Glass Bits



For accurate drilling of glass and ceramics.

A lubricant such as water is recommended when drilling glass.

Use the bit in ROTARY MODE ONLY at a low R.P.M.

- Cross ground, spear shaped Tungsten Carbide tip
- Shot blast finish

| Product Code | Ø (mm) | Length (mm) | Pack Qty | Carton Qty |
|--------------|--------|-------------|----------|------------|
| | | | (pcs) | (packs) |
| PACK | | | | |
| TG5 | 5.0 | 70 | 1 | 125 |
| TG6 | 6.0 | 75 | 1 | 125 |
| TG65 | 6.5 | 75 | 1 | 125 |
| TG7 | 7.0 | 80 | 1 | 125 |
| TG8 | 8.0 | 80 | 1 | 125 |
| TG10 | 10.0 | 100 | 1 | 125 |

TGD01



Wood Auger Bits

Wood Auger Bits



A high performance wood drill for drilling a deep hole into various types of timber. Available with a hex or SDS Plus shank.

- Silver/black finish
- High grade carbon steel
- Screw point



| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
|--------------|--------|-------------|----------------|--------------------|

TUBE

Hex Shank

| | | | | |
|---------|------|-----|---|----|
| HA10100 | 10.0 | 100 | 1 | 10 |
| HA12100 | 12.0 | 100 | 1 | 10 |
| HA16100 | 16.0 | 100 | 1 | 10 |
| HA20100 | 20.0 | 100 | 1 | 10 |
| HA22100 | 22.0 | 100 | 1 | 10 |
| HA25100 | 25.0 | 100 | 1 | 10 |
| HA32100 | 32.0 | 100 | 1 | 10 |
| HA16155 | 16.0 | 155 | 1 | 10 |
| HA19155 | 19.0 | 155 | 1 | 10 |
| HA20155 | 20.0 | 155 | 1 | 10 |
| HA22155 | 22.0 | 155 | 1 | 10 |
| HA25155 | 25.0 | 155 | 1 | 10 |
| HA32155 | 32.0 | 155 | 1 | 10 |
| HA6235 | 6.0 | 235 | 1 | 10 |
| HA8235 | 8.0 | 235 | 1 | 10 |
| HA10235 | 10.0 | 235 | 1 | 10 |
| HA12235 | 12.0 | 235 | 1 | 10 |
| HA13235 | 13.0 | 235 | 1 | 10 |
| HA14235 | 14.0 | 235 | 1 | 10 |
| HA16235 | 16.0 | 235 | 1 | 10 |
| HA18235 | 18.0 | 235 | 1 | 10 |
| HA19235 | 19.0 | 235 | 1 | 10 |
| HA20235 | 20.0 | 235 | 1 | 10 |
| HA22235 | 22.0 | 235 | 1 | 10 |
| HA24235 | 24.0 | 235 | 1 | 10 |
| HA25235 | 25.0 | 235 | 1 | 10 |
| HA26235 | 26.0 | 235 | 1 | 10 |
| HA28235 | 28.0 | 235 | 1 | 10 |
| HA30235 | 30.0 | 235 | 1 | 10 |
| HA32235 | 32.0 | 235 | 1 | 10 |
| HA8460 | 8.0 | 460 | 1 | 10 |
| HA10460 | 10.0 | 460 | 1 | 10 |
| HA12460 | 12.0 | 460 | 1 | 10 |
| HA14460 | 14.0 | 460 | 1 | 10 |
| HA16460 | 16.0 | 460 | 1 | 10 |
| HA18460 | 18.0 | 460 | 1 | 10 |
| HA20460 | 20.0 | 460 | 1 | 10 |
| HA22460 | 22.0 | 460 | 1 | 10 |
| HA26460 | 26.0 | 460 | 1 | 10 |

SDS Shank

| | | | | |
|---------|------|-----|---|----|
| SA6200 | 6.0 | 200 | 1 | 10 |
| SA8200 | 8.0 | 200 | 1 | 10 |
| SA10235 | 10.0 | 235 | 1 | 10 |
| SA12235 | 12.0 | 235 | 1 | 10 |
| SA16235 | 16.0 | 235 | 1 | 10 |
| SA20235 | 20.0 | 235 | 1 | 10 |
| SA22235 | 22.0 | 235 | 1 | 10 |
| SA25235 | 25.0 | 235 | 1 | 10 |

WAH02

High Performance Impact Auger Bits



Specifically designed to drill a clean hole into all natural woods.

This high quality drill will out perform a standard Auger drill in lifetime and performance.

Designed for impact drivers.

- 3x longer life
- Spurred cutting edge for a fast even cut
- Unique twist design for clean, smooth chip removal
- Burr-free lead screw point for quick, on-target starts without material build up
- High carbon steel (S55C) with precise all hardened treatment
- Made in Japan

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
|--------------|--------|-------------|----------------|--------------------|

PACK

Hex Shank

| | | | | |
|------|------|-----|---|---|
| IA8 | 8.0 | 170 | 1 | 6 |
| IA22 | 22.0 | 205 | 1 | 6 |
| IA32 | 32.0 | 205 | 1 | 6 |

IA801

High Performance Deep Cut Auger Bits



A high performance Auger bit specifically designed to drill a clean hole into all natural woods. This high quality drill will out perform a standard Auger drill in lifetime and performance.

- 3x longer life
- Spurred cutting edge for a fast even cut
- Unique twist design for clean, smooth chip removal
- Burr-free lead screw point for quick, on-target starts without material build up
- High carbon steel (S55C) with precise all hardened treatment
- Made in Japan

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
|--------------|--------|-------------|----------------|--------------------|

PACK

Hex Shank

| | | | | |
|------|------|-----|---|----|
| DA8 | 8.0 | 400 | 1 | 25 |
| DA10 | 10.0 | 460 | 1 | 25 |
| DA14 | 14.0 | 460 | 1 | 25 |
| DA16 | 16.0 | 460 | 1 | 25 |
| DA18 | 18.0 | 460 | 1 | 25 |
| DA20 | 20.0 | 460 | 1 | 25 |
| DA22 | 22.0 | 460 | 1 | 25 |
| DA25 | 25.0 | 460 | 1 | 25 |
| DA32 | 32.0 | 460 | 1 | 25 |

IA801

Speed Auger Bits



Speed Augers with a four fluted cutter, designed for rapid chip ejection and cleaner hole drilling in timber.

- Silver/Red finish with painted flutes
- High grade carbon steel
- Screw point



| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
|--------------|--------|-------------|----------------|--------------------|

TUBE

| | | | | |
|-------|------|-----|---|----|
| SPA16 | 16.0 | 159 | 1 | 12 |
| SPA20 | 20.0 | 159 | 1 | 12 |
| SPA25 | 25.0 | 159 | 1 | 10 |

WAH03

Wood Bits

Carpenters Kit

Speed Augers & Flat Wood Bits



Short length drills that are ideal for drilling in-between joists and studding when first fixing pipes and cables.

Contains three speed augers, each having four flutes for rapid chip ejection and cleaner drilling plus two flat bits for larger holes.

Ideal for use with impact drivers to further reduce overall tool and drill working length.

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
| KIT | | | | |
| CKIT | | | 5 | 10 |
| SAB 16.0 | 16.0 | 159 | 1 | |
| SAB 20.0 | 20.0 | 159 | 1 | |
| SAB 25.0 | 25.0 | 159 | 1 | |
| FWB 32.0 | 32.0 | 152 | 1 | |
| FWB 40.0 | 40.0 | 152 | 1 | |

SAB - Speed Auger Bit FWB - Flat Wood Bit MHK01

Flat Wood Bits



The twin cutting edged and integral centre point enhances speed and provides rapid chip removal when drilling various types of timber and man-made boards.

- Three point design for faster, cleaner holes
- Bright finish
- Compound angle, ground recessed cutting edge for superior cutting
- 1/4" Quick release hexagonal shank for use in both 3 jaw chucks and 1/4" quick release adaptors

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|------------------------|--------|-------------|----------------|--------------------|
| PACK | | | | |
| Short Flat Bits | | | | |
| FB6* | 6.0 | 152 | 1 | 250 |
| FB8* | 8.0 | 152 | 1 | 250 |
| FB10 | 10.0 | 152 | 1 | 250 |
| FB12 | 12.0 | 152 | 1 | 250 |
| FB13 | 13.0 | 152 | 1 | 250 |
| FB14 | 14.0 | 152 | 1 | 250 |
| FB15 | 15.0 | 152 | 1 | 250 |
| FB16 | 16.0 | 152 | 1 | 250 |
| FB18 | 18.0 | 152 | 1 | 250 |
| FB19 | 19.0 | 152 | 1 | 250 |
| FB20 | 20.0 | 152 | 1 | 250 |
| FB22 | 22.0 | 152 | 1 | 250 |
| FB24 | 24.0 | 152 | 1 | 250 |
| FB25 | 25.0 | 152 | 1 | 250 |
| FB26 | 26.0 | 152 | 1 | 250 |
| FB28 | 28.0 | 152 | 1 | 250 |
| FB30 | 30.0 | 152 | 1 | 250 |
| FB32 | 32.0 | 152 | 1 | 250 |
| FB35 | 35.0 | 152 | 1 | 250 |
| FB38 | 38.0 | 152 | 1 | 250 |
| *SINGLE POINT TIP | | | WFB01 | |
| Long Flat Bits | | | | |
| 932548 | 10.0 | 400 | 1 | 20 |
| 932483 | 12.0 | 400 | 1 | 20 |
| 932276 | 14.0 | 400 | 1 | 20 |
| 932197 | 16.0 | 400 | 1 | 20 |
| 932784 | 18.0 | 400 | 1 | 20 |
| 932356 | 20.0 | 400 | 1 | 20 |
| 932149 | 22.0 | 400 | 1 | 20 |
| 932225 | 24.0 | 400 | 1 | 20 |
| 932108 | 25.0 | 400 | 1 | 20 |
| 932472 | 28.0 | 400 | 1 | 20 |
| 932534 | 32.0 | 400 | 1 | 20 |
| WFB01 | | | | |

Extension Rods

Used where there is restricted access and in conjunction with a 1/4" shank Flat Wood Bit. (Allen key provided).

| Product Code | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|----------------|--------------------|
| PACK | | | |
| FBEQR150 | 150 | 1 | 150 |
| FBEQR300 | 300 | 1 | 150 |
| WFB01 | | | |

Brad Point Wood Bits



For drilling small diameter holes into various types of timber and man-made board.

- High grade HSS steel for longer life
- Fully ground
- Up to 3x the heat resistance of standard carbon steel bits



| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
| PACK | | | | |
| BP3 | 3.0 | 60 | 1 | 10 |
| BP4 | 4.0 | 75 | 1 | 10 |
| BP5 | 5.0 | 87 | 1 | 10 |
| BP6 | 6.0 | 92 | 1 | 10 |
| BP7 | 7.0 | 108 | 1 | 10 |
| BP8 | 8.0 | 118 | 1 | 10 |
| BP10 | 10.0 | 133 | 1 | 10 |
| BP12 | 12.0 | 150 | 1 | 10 |
| BPW01 | | | | |

NEW MIXED SETS AVAILABLE!



5 Piece

8 Piece

| Product Code | Description | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-------------|----------------|--------------------|
| CASE | | | |
| BP5DS | 2-6mm* | 5 | 30 |
| BP8DS | 3-10mm* | 8 | 20 |
| * Increments of 1mm | | BPW02 | |

TCT Hinge Cutter



- Tungsten Carbide cutting edges for long life
- Bright/black finish
- 12.7mm shank compatible with both pillar drills (13mm capacity) and 1/2" industrial routers

For cutting blind holes into MDF and chipboard to accept cantilever door hinges.

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
| CASE | | | | |
| 35HC | 35 | 60 | 1 | 10 |
| WAH01 | | | | |

HSS Drill Bits

HSS M35 Cobalt Jobber Drill Bits - DIN338



Manufactured from a high quality M35 grade steel. Ideal for drilling holes into stainless steel and other alloy materials.

The 135° split point prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- M35 alloyed HSS steel with 5% Cobalt content
- High heat resistance for particularly tough metal drilling
- Manufactured to DIN338
- Dimensionally precise



| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------|--------|-------------|----------------|--------------------|
| TUBE | | | | |
| Metric | | | | |
| HSSCO1 | 1.0 | 34 | 10 | 10 |
| HSSCO15 | 1.5 | 40 | 10 | 10 |
| HSSCO2 | 2.0 | 49 | 10 | 10 |
| HSSCO25 | 2.5 | 57 | 10 | 10 |
| HSSCO3 | 3.0 | 61 | 10 | 10 |
| HSSCO32 | 3.2 | 65 | 10 | 10 |
| HSSCO33 | 3.3 | 65 | 10 | 10 |
| HSSCO35 | 3.5 | 70 | 10 | 10 |
| HSSCO4 | 4.0 | 75 | 10 | 10 |
| HSSCO42 | 4.2 | 75 | 10 | 10 |
| HSSCO45 | 4.5 | 80 | 10 | 10 |
| HSSCO48 | 4.8 | 86 | 10 | 10 |
| HSSCO5 | 5.0 | 86 | 10 | 10 |
| HSSCO55 | 5.5 | 93 | 10 | 10 |
| HSSCO6 | 6.0 | 93 | 10 | 10 |
| HSSCO65 | 6.5 | 101 | 10 | 10 |
| HSSCO68 | 6.8 | 109 | 10 | 10 |
| HSSCO7 | 7.0 | 109 | 10 | 10 |
| HSSCO75 | 7.5 | 109 | 5 | 10 |
| HSSCO8 | 8.0 | 117 | 5 | 10 |
| HSSCO85 | 8.5 | 117 | 5 | 10 |
| HSSCO9 | 9.0 | 125 | 5 | 10 |
| HSSCO95 | 9.5 | 125 | 5 | 10 |
| HSSCO100 | 10.0 | 133 | 5 | 10 |
| HSSCO102 | 10.2 | 133 | 5 | 10 |
| HSSCO105 | 10.5 | 133 | 5 | 10 |
| HSSCO110 | 11.0 | 142 | 5 | 10 |
| HSSCO115 | 11.5 | 142 | 5 | 10 |
| HSSCO120 | 12.0 | 151 | 5 | 10 |
| HSSCO125 | 12.5 | 151 | 5 | 10 |
| HSSCO130 | 13.0 | 151 | 5 | 10 |

HCI01

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------|--------|-------------|----------------|--------------------|
| PACK | | | | |
| Metric | | | | |
| HSSCOR1 | 1.0 | 34 | 1 | 10 |
| HSSCOR15 | 1.5 | 40 | 1 | 10 |
| HSSCOR2 | 2.0 | 49 | 1 | 10 |
| HSSCOR25 | 2.5 | 57 | 1 | 10 |
| HSSCOR3 | 3.0 | 61 | 1 | 10 |
| HSSCOR32 | 3.2 | 65 | 1 | 10 |
| HSSCOR33 | 3.3 | 65 | 1 | 10 |
| HSSCOR35 | 3.5 | 70 | 1 | 10 |
| HSSCOR4 | 4.0 | 75 | 1 | 10 |
| HSSCOR42 | 4.2 | 75 | 1 | 10 |
| HSSCOR45 | 4.5 | 80 | 1 | 10 |
| HSSCOR48 | 4.8 | 86 | 1 | 10 |
| HSSCOR5 | 5.0 | 86 | 1 | 10 |
| HSSCOR55 | 5.5 | 93 | 1 | 10 |
| HSSCOR6 | 6.0 | 93 | 1 | 10 |
| HSSCOR65 | 6.5 | 101 | 1 | 10 |
| HSSCOR7 | 7.0 | 109 | 1 | 10 |
| HSSCOR75 | 7.5 | 109 | 1 | 10 |
| HSSCOR8 | 8.0 | 117 | 1 | 10 |
| HSSCOR85 | 8.5 | 117 | 1 | 10 |
| HSSCOR9 | 9.0 | 125 | 1 | 10 |
| HSSCOR95 | 9.5 | 125 | 1 | 10 |
| HSSCOR100 | 10.0 | 133 | 1 | 10 |
| HSSCOR105 | 10.5 | 133 | 1 | 10 |
| HSSCOR110 | 11.0 | 142 | 1 | 10 |
| HSSCOR115 | 11.5 | 142 | 1 | 10 |
| HSSCOR120 | 12.0 | 151 | 1 | 10 |
| HSSCOR125 | 12.5 | 151 | 1 | 10 |
| HSSCOR130 | 13.0 | 151 | 1 | 10 |

HCI01

HSS M2 Ground Jobber Drill Bits - DIN338



For drilling carbon and alloy steel, cast iron, non-ferrous metal and plastics.

The 135° split point prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- High grade M2 alloyed HSS steel
- Manufactured to DIN338
- Dimensionally precise

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|-----------------|--------|-------------|----------------|--------------------|
| TUBE | | | | |
| Metric | | | | |
| HSSG1 | 1.0 | 34 | 10 | 10 |
| HSSG15 | 1.5 | 40 | 10 | 10 |
| HSSG2 | 2.0 | 49 | 10 | 10 |
| HSSG24 | 2.4 | 57 | 10 | 10 |
| HSSG25 | 2.5 | 57 | 10 | 10 |
| HSSG3 | 3.0 | 61 | 10 | 10 |
| HSSG31 | 3.1 | 65 | 10 | 10 |
| HSSG32 | 3.2 | 65 | 10 | 10 |
| HSSG33 | 3.3 | 65 | 10 | 10 |
| HSSG35 | 3.5 | 70 | 10 | 10 |
| HSSG38 | 3.8 | 75 | 10 | 10 |
| HSSG4 | 4.0 | 75 | 10 | 10 |
| HSSG41 | 4.1 | 75 | 10 | 10 |
| HSSG42 | 4.2 | 75 | 10 | 10 |
| HSSG45 | 4.5 | 80 | 10 | 10 |
| HSSG48 | 4.8 | 86 | 10 | 10 |
| HSSG49 | 4.9 | 86 | 10 | 10 |
| HSSG5 | 5.0 | 86 | 10 | 10 |
| HSSG51 | 5.1 | 86 | 10 | 10 |
| HSSG53 | 5.3 | 86 | 10 | 10 |
| HSSG55 | 5.5 | 93 | 10 | 10 |
| HSSG6 | 6.0 | 93 | 10 | 10 |
| HSSG64 | 6.4 | 101 | 10 | 10 |
| HSSG65 | 6.5 | 101 | 10 | 10 |
| HSSG68 | 6.8 | 109 | 10 | 10 |
| HSSG7 | 7.0 | 109 | 10 | 10 |
| HSSG75 | 7.5 | 109 | 5 | 10 |
| HSSG8 | 8.0 | 117 | 5 | 10 |
| HSSG85 | 8.5 | 117 | 5 | 10 |
| HSSG9 | 9.0 | 125 | 5 | 10 |
| HSSG95 | 9.5 | 125 | 5 | 10 |
| HSSG100 | 10.0 | 133 | 5 | 10 |
| HSSG102 | 10.2 | 133 | 5 | 10 |
| HSSG105 | 10.5 | 133 | 5 | 10 |
| HSSG110 | 11.0 | 142 | 5 | 10 |
| HSSG115 | 11.5 | 142 | 5 | 10 |
| HSSG120 | 12.0 | 151 | 5 | 10 |
| HSSG125 | 12.5 | 151 | 5 | 10 |
| HSSG130 | 13.0 | 151 | 5 | 10 |
| Imperial | | | | |
| HSIG116 | 1/16 | 1 1/4 | 10 | 10 |
| HSIG132 | 1/32 | 1 1/8 | 10 | 10 |
| HSIG564 | 3/64 | 2 | 10 | 10 |
| HSIG332 | 3/32 | 2 1/4 | 10 | 10 |
| HSIG764 | 7/64 | 2 3/4 | 10 | 10 |
| HSIG18 | 1/8 | 2 1/2 | 10 | 10 |
| HSIG964 | 9/64 | 2 3/4 | 10 | 10 |
| HSIG532 | 5/32 | 3 1/2 | 10 | 10 |
| HSIG316 | 3/16 | 3 1/2 | 10 | 10 |
| HSIG1364 | 13/64 | 3 3/4 | 10 | 10 |
| HSIG732 | 7/32 | 3 3/4 | 10 | 10 |
| HSIG14 | 1/4 | 4 | 10 | 10 |
| HSIG516 | 5/16 | 4 1/2 | 5 | 10 |
| HSIG2164 | 21/64 | 4 3/8 | 5 | 10 |
| HSIG38 | 3/8 | 5 | 5 | 10 |
| HSIG12 | 1/2 | 6 | 5 | 10 |

HGI01

HGI01

HSS M35 Cobalt Jobber Drill Bit Sets



HSSCO10DS



HSSCO5DS



HSSCO19DS

| Product Code | Description | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------------------|----------------|--------------------|
| CASE | | | |
| HSSCO5DS | 2-6mm (increments of 1mm) | 5 | 30 |
| HSSCO10DS | 1-10mm (increments of 1mm) | 10 | 20 |
| TIN | | | |
| HSSCO19DS | 1-10mm (increments of 0.5mm) | 19 | 20 |
| HSSCO25DS | 1-13mm (increments of 0.5mm) | 25 | 10 |

HDS01

HSS M2 Ground Jobber Drill Bit Sets



HSSG10DS



HSSG5DS



HSSG19DS

| Product Code | Description | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------------------|----------------|--------------------|
| CASE | | | |
| HSSG5DS | 2-6mm (increments of 1mm) | 5 | 30 |
| HSSG10DS | 1-10mm (increments of 1mm) | 10 | 20 |
| TIN | | | |
| HSSG19DS | 1-10mm (increments of 0.5mm) | 19 | 20 |
| HSSG25DS | 1-13mm (increments of 0.5mm) | 25 | 10 |

HDS01

HSS Drill Bits

HSS M2 Ground Long Jobber Drill Bits - DIN340



For drilling carbon and alloy steel, cast iron, non-ferrous metal and plastics.

The 135° split point prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- High grade M2 alloyed HSS steel
- Manufactured to DIN340
- Dimensionally precise

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------|--------|-------------|----------------|--------------------|
| TUBE | | | | |
| Metric | | | | |
| HSSGL2 | 2.0 | 85 | 10 | 10 |
| HSSGL25 | 2.5 | 95 | 10 | 10 |
| HSSGL3 | 3.0 | 100 | 10 | 10 |
| HSSGL32 | 3.2 | 106 | 10 | 10 |
| HSSGL35 | 3.5 | 112 | 10 | 10 |
| HSSGL4 | 4.0 | 119 | 10 | 10 |
| HSSGL42 | 4.2 | 119 | 10 | 10 |
| HSSGL45 | 4.5 | 126 | 10 | 10 |
| HSSGL48 | 4.8 | 132 | 10 | 10 |
| HSSGL5 | 5.0 | 132 | 10 | 10 |
| HSSGL55 | 5.5 | 139 | 10 | 10 |
| HSSGL6 | 6.0 | 139 | 10 | 10 |
| HSSGL65 | 6.5 | 148 | 5 | 10 |
| HSSGL7 | 7.0 | 156 | 5 | 10 |
| HSSGL8 | 8.0 | 165 | 5 | 10 |
| HSSGL9 | 9.0 | 175 | 5 | 10 |
| HSSGL100 | 10.0 | 184 | 5 | 10 |

HLG01

| PACK | | | | |
|---------------|-----|-----|---|----|
| Metric | | | | |
| HSSGLR3 | 3.0 | 100 | 1 | 10 |
| HSSGLR35 | 3.5 | 112 | 1 | 10 |
| HSSGLR4 | 4.0 | 119 | 1 | 10 |
| HSSGLR45 | 4.5 | 126 | 1 | 10 |
| HSSGLR5 | 5.0 | 132 | 1 | 10 |
| HSSGLR55 | 5.5 | 139 | 1 | 10 |
| HSSGLR6 | 6.0 | 139 | 1 | 10 |
| HSSGLR65 | 6.5 | 148 | 1 | 10 |
| HSSGLR7 | 7.0 | 156 | 1 | 10 |
| HSSGLR8 | 8.0 | 165 | 1 | 10 |

HLG01

HSS Roll Forged Jobber Drill Bits - DIN338



An economic HSS drill used for drilling steel, aluminium and non-ferrous metals, as well as plastic.

The 135° split point prevents the bit from drifting and enables faster penetration.

- HSS steel
- Black oxide finish
- Roll forged
- Manufactured to DIN338

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------|--------|-------------|----------------|--------------------|
| PACK | | | | |
| Metric | | | | |
| HSSRR1 | 1.0 | 34 | 2 | 10 |
| HSSRR15 | 1.5 | 40 | 2 | 10 |
| HSSRR2 | 2.0 | 49 | 2 | 10 |
| HSSRR25 | 2.5 | 57 | 2 | 10 |
| HSSRR3 | 3.0 | 61 | 2 | 10 |
| HSSRR33 | 3.3 | 65 | 2 | 10 |
| HSSRR35 | 3.5 | 70 | 2 | 10 |
| HSSRR4 | 4.0 | 75 | 2 | 10 |
| HSSRR45 | 4.5 | 80 | 2 | 10 |
| HSSRR5 | 5.0 | 86 | 2 | 10 |
| HSSRR55 | 5.5 | 93 | 2 | 10 |
| HSSRR6 | 6.0 | 93 | 2 | 10 |
| HSSRR65 | 6.5 | 101 | 1 | 10 |
| HSSRR7 | 7.0 | 109 | 1 | 10 |
| HSSRR8 | 8.0 | 109 | 1 | 10 |
| HSSRR85 | 8.5 | 117 | 1 | 10 |
| HSSRR9 | 9.0 | 125 | 1 | 10 |
| HSSRR100 | 10.0 | 133 | 1 | 10 |
| HSSRR110 | 11.0 | 142 | 1 | 10 |
| HSSRR120 | 12.0 | 151 | 1 | 10 |
| HSSRR130 | 13.0 | 151 | 1 | 10 |

HR101

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|-----------------|--------|-------------|----------------|--------------------|
| TUBE | | | | |
| Metric | | | | |
| HSSR1 | 1.0 | 34 | 10 | 10 |
| HSSR15 | 1.5 | 40 | 10 | 10 |
| HSSR2 | 2.0 | 49 | 10 | 10 |
| HSSR25 | 2.5 | 57 | 10 | 10 |
| HSSR3 | 3.0 | 61 | 10 | 10 |
| HSSR32 | 3.2 | 65 | 10 | 10 |
| HSSR33 | 3.3 | 65 | 10 | 10 |
| HSSR35 | 3.5 | 70 | 10 | 10 |
| HSSR36 | 3.6 | 70 | 10 | 10 |
| HSSR4 | 4.0 | 75 | 10 | 10 |
| HSSR42 | 4.2 | 75 | 10 | 10 |
| HSSR45 | 4.5 | 80 | 10 | 10 |
| HSSR48 | 4.8 | 86 | 10 | 10 |
| HSSR49 | 4.9 | 86 | 10 | 10 |
| HSSR5 | 5.0 | 86 | 10 | 10 |
| HSSR52 | 5.2 | 86 | 10 | 10 |
| HSSR55 | 5.5 | 93 | 10 | 10 |
| HSSR6 | 6.0 | 93 | 10 | 10 |
| HSSR65 | 6.5 | 101 | 10 | 10 |
| HSSR68 | 6.8 | 109 | 10 | 10 |
| HSSR7 | 7.0 | 109 | 10 | 10 |
| HSSR72 | 7.2 | 109 | 5 | 10 |
| HSSR75 | 7.5 | 109 | 5 | 10 |
| HSSR8 | 8.0 | 117 | 5 | 10 |
| HSSR85 | 8.5 | 117 | 5 | 10 |
| HSSR9 | 9.0 | 125 | 5 | 10 |
| HSSR95 | 9.5 | 125 | 5 | 10 |
| HSSR96 | 9.6 | 133 | 5 | 10 |
| HSSR100 | 10.0 | 133 | 5 | 10 |
| HSSR102 | 10.2 | 133 | 5 | 10 |
| HSSR105 | 10.5 | 133 | 5 | 10 |
| HSSR110 | 11.0 | 142 | 5 | 10 |
| HSSR115 | 11.5 | 142 | 5 | 10 |
| HSSR120 | 12.0 | 151 | 5 | 10 |
| HSSR125 | 12.5 | 151 | 5 | 10 |
| HSSR130 | 13.0 | 151 | 5 | 10 |
| Imperial | | | | |
| HSIR332 | 3/32 | 2 1/4 | 10 | 10 |
| HSIR764 | 7/64 | 2 3/4 | 10 | 10 |
| HSIR18 | 1/8 | 2 3/4 | 10 | 10 |
| HSIR964 | 9/64 | 2 3/4 | 10 | 10 |
| HSIR532 | 5/32 | 3 1/4 | 10 | 10 |
| HSIR316 | 3/16 | 3 1/2 | 10 | 10 |
| HSIR732 | 7/32 | 3 3/4 | 10 | 10 |
| HSIR14 | 1/4 | 4 | 10 | 10 |
| HSIR1764 | 17/64 | 4 1/4 | 10 | 10 |
| HSIR516 | 5/16 | 4 1/2 | 5 | 10 |
| HSIR38 | 3/8 | 5 | 5 | 10 |
| HSIR12 | 1/2 | 6 | 5 | 10 |

HR101

HSS Roll Forged Jobber Drill Bit Sets



HSSR19DS



HSSR170DS

| Product Code | Description | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--|----------------|--------------------|
| TIN | | | |
| HSSR19DS | 1-10mm (increments of 0.5mm) | 19 | 20 |
| HSSR25DS | 1-13mm (increments of 0.5mm) | 25 | 10 |
| CASE | | | |
| HSSR170DS | x10pcs 1-8mm (increments of 0.5mm) x5pcs 8.5-10mm (increments of 0.5mm) | 170 | 5 |

HDS02

HSS Drill Bits

HSS Blacksmiths Drill Bits



Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance when drilling larger diameter holes into all non-alloy materials. Can be used in a 1/2" chuck. The 118° split point prevents the bit from drifting. Mainly used for drilling sheet metal.

- Milled flute
- Dimensionally precise
- M2 Grade HSS with Black Oxide coating
- 12.5mm diameter shank

| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
| TUBE | | | | |
| BSD135 | 13.5 | 152 | 1 | 10 |
| BSD14 | 14.0 | 152 | 1 | 10 |
| BSD145 | 14.5 | 152 | 1 | 10 |
| BSD15 | 15.0 | 152 | 1 | 10 |
| BSD155 | 15.5 | 152 | 1 | 10 |
| BSD16 | 16.0 | 152 | 1 | 10 |
| BSD165 | 16.5 | 152 | 1 | 10 |
| BSD17 | 17.0 | 152 | 1 | 10 |
| BSD175 | 17.5 | 152 | 1 | 10 |
| BSD18 | 18.0 | 152 | 1 | 10 |
| BSD185 | 18.5 | 152 | 1 | 10 |
| BSD19 | 19.0 | 152 | 1 | 10 |
| BSD195 | 19.5 | 152 | 1 | 10 |
| BSD20 | 20.0 | 152 | 1 | 10 |
| BSD22 | 22.0 | 152 | 1 | 10 |
| BSD24 | 24.0 | 152 | 1 | 10 |
| BSD25 | 25.0 | 152 | 1 | 10 |

HBS01

HSS M2 Ground Stub Drill Bits



Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all non-alloy materials. The 135° split point prevents the bit from drifting. Mainly used for drilling sheet metal.

- Fully ground from solid material
- Dimensionally precise
- Manufactured to DIN1897



| Product Code | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|-------------|----------------|--------------------|
| TUBE | | | | |
| HSSGS32 | 3.2 | 49 | 10 | 10 |
| HSSGS33 | 3.3 | 49 | 10 | 10 |
| HSSGS4 | 4.0 | 55 | 10 | 10 |
| HSSGS41 | 4.1 | 55 | 10 | 10 |
| HSSGS42 | 4.2 | 55 | 10 | 10 |
| HSSGS49 | 4.9 | 62 | 10 | 10 |
| HSSGS5 | 5.0 | 62 | 10 | 10 |

HGS01

Cutters, Step Drills & Countersinks

Cone Cutters



For drilling, enlarging and de-burring holes in thin sheet metal up to a thickness of 2mm.

- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

| Product Code | Ø (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|----------------|--------------------|
| TUBE | | | |
| CC314 | 3-14 | 1 | 10 |
| CC520 | 5-20 | 1 | 10 |
| CC531 | 5-31 | 1 | 10 |
| CC1631 | 16-31 | 1 | 10 |

DCS02

De-Burring Countersinks



A single flute countersink designed for cleaning, chamfering or de-burring in alloy and non-alloy metals.

- Transverse hole for burr extraction
- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

| Product Code | Ø (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|----------------|--------------------|
| TUBE | | | |
| CS25 | 2-5 | 1 | 10 |
| CS510 | 5-10 | 1 | 10 |
| CS1015 | 10-15 | 1 | 10 |
| CS1520 | 15-20 | 1 | 10 |

DCS01

Step Drills



Ideal for drilling, enlarging or de-burring a precise hole into thin materials such as alloy and non-alloy metals up to a thickness of 4mm.

- Titanium Nitride coating to reduce friction and prolong life
- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

| Product Code | Ø (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|----------------|--------------------|
| TUBE | | | |
| SD412 | 4-12 | 1 | 10 |
| SD420 | 4-20 | 1 | 10 |
| SD430 | 4-30 | 1 | 10 |
| SD439 | 4-39 | 1 | 10 |

DCS03

3 Flute Countersinks



These engineering quality countersinks drill a precise recess to allow a fastener head to sit flush in alloy and non-alloy metals, timber and man-made boards.

- 90° head angle
- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

| Product Code | Ø (mm) | For Screw Ø (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------------|----------------|--------------------|
| TUBE | | | | |
| CS63 | 6.3 | 3.0 | 1 | 10 |
| CS83 | 8.3 | 3.5-4.0 | 1 | 10 |
| CS104 | 10.4 | 4.5-5.0 | 1 | 10 |
| CS124 | 12.4 | 6.0 | 1 | 10 |
| CS165 | 16.5 | 8.0 | 1 | 10 |
| CS205 | 20.5 | - | 1 | 10 |
| CS250 | 25.0 | - | 1 | 10 |

DCS01

Broaching Cutters & Pilot Pins

Broaching Cutters



Long

Short

Manufactured from a high grade M2 tool steel for drilling heavy gauge non-alloy materials, with magnetic drills. Pilot pin must be used to prevent drifting.

- Titanium-Aluminium-Nitride (TiAlN) coating ensures long service life due to 20% less friction and 20% greater hardness than even Titanium Nitride (TiN) coating
- High grade M2 HSS steel body
- Broaching cutter supplied complete with pilot pin



| Product Code | Ø (mm) | Cut Depth (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|----------------|----------------|--------------------|
|--------------|--------|----------------|----------------|--------------------|

| TUBE | | | | |
|-------------|----|----|---|----|
| Long Cutter | | | | |
| BCL12 | 12 | 50 | 1 | 10 |
| BCL13 | 13 | 50 | 1 | 10 |
| BCL14 | 14 | 50 | 1 | 10 |
| BCL15 | 15 | 50 | 1 | 10 |
| BCL16 | 16 | 50 | 1 | 10 |
| BCL17 | 17 | 50 | 1 | 10 |
| BCL18 | 18 | 50 | 1 | 10 |
| BCL20 | 20 | 50 | 1 | 10 |
| BCL21 | 21 | 50 | 1 | 10 |
| BCL22 | 22 | 50 | 1 | 10 |
| BCL24 | 24 | 50 | 1 | 10 |
| BCL26 | 26 | 50 | 1 | 2 |
| BCL28 | 28 | 50 | 1 | 2 |
| BCL30 | 30 | 50 | 1 | 2 |
| BCL32 | 32 | 50 | 1 | 2 |
| BCL39 | 39 | 50 | 1 | 10 |

BRO01

PILOT PINS INCLUDED

| Product Code | Ø (mm) | Cut Depth (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|----------------|----------------|--------------------|
|--------------|--------|----------------|----------------|--------------------|

| TUBE | | | | |
|--------------|----|----|---|----|
| Short Cutter | | | | |
| BCS12 | 12 | 30 | 1 | 10 |
| BCS13 | 13 | 30 | 1 | 10 |
| BCS14 | 14 | 30 | 1 | 10 |
| BCS15 | 15 | 30 | 1 | 10 |
| BCS16 | 16 | 30 | 1 | 10 |
| BCS17 | 17 | 30 | 1 | 10 |
| BCS18 | 18 | 30 | 1 | 10 |
| BCS19 | 19 | 30 | 1 | 10 |
| BCS20 | 20 | 30 | 1 | 10 |
| BCS21 | 21 | 30 | 1 | 10 |
| BCS22 | 22 | 30 | 1 | 10 |
| BCS23 | 23 | 30 | 1 | 10 |
| BCS24 | 24 | 30 | 1 | 10 |
| BCS25 | 25 | 30 | 1 | 10 |
| BCS26 | 26 | 30 | 1 | 2 |
| BCS27 | 27 | 30 | 1 | 2 |
| BCS28 | 28 | 30 | 1 | 2 |
| BCS29 | 29 | 30 | 1 | 2 |
| BCS30 | 30 | 30 | 1 | 2 |
| BCS32 | 32 | 30 | 1 | 2 |
| BCS33 | 33 | 30 | 1 | 2 |
| BCS35 | 35 | 30 | 1 | 10 |
| BCS36 | 36 | 30 | 1 | 10 |
| BCS38 | 38 | 30 | 1 | 10 |
| BCS39 | 39 | 30 | 1 | 10 |
| BCS40 | 40 | 30 | 1 | 10 |
| BCS50 | 50 | 30 | 1 | 10 |

BRO01

Replacement Pilot Pins



A pilot pin is used with broaching cutters in order to centre the bit when drilling.

| Product Code | Cutter Ø (mm) | Cutting Depth (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|---------------|--------------------|----------------|--------------------|
|--------------|---------------|--------------------|----------------|--------------------|

| TUBE | | | | |
|--------------|-------|----|---|----|
| Long Cutter | | | | |
| BCP501250 | 12-50 | 50 | 1 | 10 |
| Short Cutter | | | | |
| BCP301250 | 12-50 | 30 | 1 | 10 |

BRO01

TIMCO

PPE

Personal Protective Equipment

We offer a comprehensive range of eye and ear protection, safety goggles and masks, gloves, coveralls and hi-vis clothing

From page 214



Professional Drilling Sets

HSS M35 Cobalt Jobber Drill Bit Sets - DIN338

Manufactured from a high quality M35 grade steel. Ideal for drilling holes into stainless steel and other alloy materials.

19 Piece



10 Piece



5 Piece

- Fully ground from solid material
- M35 alloyed High Speed Steel (HSS) with 5% Cobalt content
- High heat resistance for particularly tough metal drilling
- Manufactured to DIN 338
- Dimensionally precise

NEW MIXED SETS AVAILABLE!

| Product Code | Description | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------------------|----------------|--------------------|
| CASE | | | |
| HSSCO5DS | 2-6mm (increments of 1mm) | 5 | 30 |
| HSSCO10DS | 1-10mm (increments of 1mm) | 10 | 20 |
| HDS01 | | | |
| TIN | | | |
| HSSCO19DS | 1-10mm (increments of 0.5mm) | 19 | 20 |
| HSSCO25DS | 1-13mm (increments of 0.5mm) | 25 | 10 |
| HDS01 | | | |

HSS M2 Ground Jobber Drill Bit Sets - DIN338

Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all non-alloy materials.

19 Piece



10 Piece



5 Piece

- Fully ground from solid material
- High grade M2 alloyed High Speed Steel (HSS)
- Manufactured to DIN 338
- Dimensionally precise

NEW MIXED SETS AVAILABLE!

| Product Code | Description | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------------------|----------------|--------------------|
| CASE | | | |
| HSSG5DS | 2-6mm (increments of 1mm) | 5 | 30 |
| HSSG10DS | 1-10mm (increments of 1mm) | 10 | 20 |
| HDS01 | | | |
| TIN | | | |
| HSSG19DS | 1-10mm (increments of 0.5mm) | 19 | 20 |
| HSSG25DS | 1-13mm (increments of 0.5mm) | 25 | 10 |
| HDS01 | | | |

HSS Roll Forged Jobber Drill Bits - DIN338

An economic HSS drill used for drilling steel, aluminium and non-ferrous metals, as well as plastic

19 Piece



170 Piece

- HSS steel
- Black oxide finish
- Roll forged
- Manufactured to DIN338

| Product Code | Description | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|----------------------------------|----------------|--------------------|
| TIN | | | |
| HSSR19DS | 1-10mm * | 19 | 20 |
| HSSR25DS | 1-13mm * | 25 | 10 |
| HSSR170DS | x10pcs 1-8mm* x5pcs 8.5-10mm* | 170 | 5 |

* Increments of 0.5mm

HDS02

HSS Brad Point Wood Bit Sets

For drilling small diameter holes into various types of timber and man-made boards.



8 Piece



5 Piece

- High grade High Speed Steel (HSS) for longer life
- Fully Ground
- Up to 3x the heat resistance of standard carbon steel bits

| Product Code | Description | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|----------------------------|----------------|--------------------|
| CASE | | | |
| BP5DS | 2-6mm (increments of 1mm) | 5 | 30 |
| BP8DS | 3-10mm (increments of 1mm) | 8 | 20 |
| BPW02 | | | |

Professional SDS Plus Hammer Bit Set



- Special nickel chromoly shank
- High quality European BC20 Tungsten Carbide tip
- Cold formed blanks utilised up to 11mm diameter
- Fully heat treated to eliminate bending
- Twin flute design for increased drilling performance
- Shot-peened for increased strength and durability

A set of high performance drill bits for drilling concrete and masonry. PGM approved to ensure drilling precision and performance. Contains the sizes used predominantly in plastic plug and masonry fixing applications

| Product Code | Drill Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|--------------|-------------|----------------|--------------------|
| CASE (6 PCS) | | | | |
| AP6DS | - | - | 6 | 30 |
| | 5.0 | 110 | 1 | |
| | 5.5 | 110 | 1 | |
| | 7.0 | 110 | 1 | |
| | 6.0 | 160 | 1 | |
| | 8.0 | 160 | 1 | |
| | 10.0 | 160 | 1 | |

APS02

Drilling & Driver Sets

Brad Point Drill Set

A 15 piece mixed selection of the most popular Brad Point wood drills.



15 PIECE

Set includes:

Drill Bits - 3.0 x 60(3), 3.5 x 70(2), 4.0 x 75(2), 4.5 x 80(1), 5.0 x 85(1), 5.5 x 90(1), 6.0 x 90(1), 6.5 x 95(1), 7.0 x 100(1), 8.0 x 110(1), 10.0 x 120(1)

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|----------------|--------------------|
| BLISTER PACK | | |
| B15SET | 15 | 6 ADS01 |

Masonry Drill Set

A mixed selection of 15 carbide tipped Masonry Drills. The range covers the most popular hole sizes for plastic plugs.



15 PIECE

Set includes:

Drill Bits - 4.0 x 75(1), 5.0 x 85(2), 5.5 x 85(3), 6.0 x 100(2), 7.0 x 100(3), 8.0 x 120(2), 10.0 x 120(2)

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|----------------|--------------------|
| BLISTER PACK | | |
| M15SET | 15 | 6 ADS01 |

Flat Wood Bit Set

A selection of quick release Flat Wood drills. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications.



7 PIECE

Set includes:

Drill Bits - 10.0 x 152(1), 12.0 x 152(1), 16.0 x 152(1), 19.0 x 152(1), 22.0 x 152(1), 25.0 x 152(1), 32.0 x 125(1)

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|----------------|--------------------|
| BLISTER PACK | | |
| F7SET | 7 | 6 ADS01 |

HSS Drill Set

A 15 piece mixed selection of the most popular HSS Ground Metal Drills with a 135° quick start split point, from 3mm and above.



15 PIECE


Set includes:

Drill Bits - 1.5 x 40(2), 2.0 x 49(2), 2.5 x 57(2), 3.0 x 61(1), 3.2 x 65(1), 3.5 x 70(1), 4.0 x 75(1), 4.5 x 80(1), 5.0 x 86(1), 6.0 x 93(1), 8.0 x 117(1), 10.0 x 133(1)

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|----------------|--------------------|
| BLISTER PACK | | |
| HSS15SET | 15 | 6 ADS01 |

HSS & Masonry Drill Set

A mixed selection of 12 HSS Ground Metal Drills with a 135° quick start split point and 5 carbide tipped Masonry Drills.



17 PIECE

Set includes:

HSS Drill Bits (mm) - 1.5 x 40(1), 2.0 x 49(1), 2.5 x 57(1), 3.0 x 61(1), 3.2 x 65(1), 3.5 x 70(1), 4.0 x 75(1), 4.5 x 80(1), 4.8 x 85(1), 5.0 x 86(1), 5.5 x 93(1), 6.0 x 93(1)

Masonry Drill Bits (mm) - 5.0 x 85(1), 5.5 x 85(1), 6.0 x 100(1), 7.0 x 100(1), 10.0 x 120(1)

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|----------------|--------------------|
| BLISTER PACK | | |
| MIX17SET | 17 | 6 ADS01 |

Driver Bit & HSS Drill Set

A selection of quick release HSS ground metal drills, S2 driver bits, socket drivers and a magnetic adaptor. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications.



20 PIECE

Set includes:

25mm Bits - PZ1(1), PZ2(1), PZ3(1), PH1(1), PH2(1), PH3(1), SL5.0(1), SL6.0(1)

HSS Drill Bits (mm) - 1.5 x 16(2), 2.0 x 22(2), 3.0 x 40(1), 3.5 x 48(1), 4.0 x 55(1), 4.5 x 55(1), 5.0 x 55(1), 6.0 x 65(1)


Socket Drivers - 6mm(1), 8mm(1), 10mm(1)

Magnetic Adaptor (1).

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|----------------|--------------------|
| BLISTER PACK | | |
| MIX20SET | 20 | 6 ADS01 |

Driver Bit Set

A 37 piece mixed selection of the most popular 25mm and 50mm S2 driver bits with a magnetic adaptor and an assortment of socket drivers.



37 PIECE

Set includes:

25mm Bits - PZ1(1), PZ2(1), PZ3(1), PH1(1), PH2(1), PH3(1), TX10(1), TX15(1), TX20(1), TX25(1), TX27(1), TX30(1), TX40(1), SL4.0(1), SL4.5(1), SL5.5(1), SL6.0(1), SL6.5(1), SL7.0(1), HX3.0(1), HX4.0(1), HX5.0(1), HX5.5(1), HX6.0(1)

50mm Bits - PZ1(1), PZ2(1), PZ3(1), PH1(1), PH2(1), PH3(1), SL5.5(1), SL7.0(1)

Socket Drivers - 5mm(1), 6mm(1), 8mm(1), 10mm(1)

Magnetic Bit Holder (1).

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|----------------|--------------------|
| BLISTER PACK | | |
| BIT37SET | 37 | 6 ADS01 |

Holesaws & Accessories

Variable Pitch



A variable pitch tooth pattern for efficient dust cleaning and gives superior cutting performance in wood, plastic, non-ferrous metals and man-made boards.

- High quality M3 grade HSS steel cutting edge
- Diameter stamped onto body for ease of size recognition
- Cutting Depth (mm): Wood - 38.0

| Product Code | Ø (mm) | Thread Mount (inch) | Arbor to Suit | Pack Qty (pcs) | Carton Qty (packs) |
|------------------|--------|---------------------|-----------------|----------------|--------------------|
| CLAMSHELL | | | | | |
| HS14 | 14.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS16 | 16.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS17 | 17.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS19 | 19.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS20 | 20.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS21 | 21.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS22 | 22.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS24 | 24.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS25 | 25.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS27 | 27.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS29 | 29.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS30 | 30.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HS32 | 32.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS35 | 35.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS37 | 37.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS38 | 38.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS40 | 40.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS41 | 41.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS43 | 43.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS44 | 44.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS46 | 46.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS48 | 48.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS51 | 51.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS52 | 52.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS54 | 54.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS57 | 57.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS60 | 60.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS64 | 64.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS65 | 65.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS67 | 67.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS68 | 68.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS70 | 70.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS73 | 73.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS76 | 76.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS79 | 79.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS83 | 83.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS86 | 86.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS89 | 89.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS92 | 92.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS95 | 95.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS98 | 98.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS102 | 102.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS105 | 105.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS108 | 108.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS111 | 111.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS114 | 114.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS121 | 121.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS127 | 127.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS140 | 140.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HS152 | 152.0 | 5/8 | AA2, SDSA2 | 1 | 6 |

BMH01

Constant Pitch



A constant pitch tooth pattern ensures smooth cutting and less 'chatter' when drilling metal, particularly thin sheet. Ideal for stainless steel.

- High quality M42 grade with 8% Cobalt HSS steel cutting edge
- Diameter stamped onto body for ease of size recognition
- Cutting Depth (mm): Wood - 38.0, Sheet Metal - 3.0, Stainless Steel - 2.0

| Product Code | Ø (mm) | Thread Mount (inch) | Arbor to Suit | Pack Qty (pcs) | Carton Qty (packs) |
|------------------|--------|---------------------|-----------------|----------------|--------------------|
| CLAMSHELL | | | | | |
| HSC16 | 16.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HSC17 | 17.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HSC20 | 20.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HSC22 | 22.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HSC25 | 25.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HSC30 | 30.0 | 1/2 | AA4, AA1, SDSA1 | 1 | 6 |
| HSC32 | 32.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC35 | 35.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC40 | 40.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC46 | 46.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC48 | 48.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC51 | 51.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC60 | 60.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC64 | 64.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC68 | 68.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC70 | 70.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC76 | 76.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC79 | 79.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC102 | 102.0 | 5/8 | AA2, SDSA2 | 1 | 6 |
| HSC165 | 165.0 | 5/8 | AA2, SDSA2 | 1 | 6 |

CMH01

Holesaw Arbors

AA4



AA1



AA2



SDSA1



SDSA2



| Product Code | For Holesaw Ø (mm) | Shank (mm) | Thread Shank | Pack Qty (pcs) | Carton Qty (packs) |
|------------------|--------------------|------------|--------------|----------------|--------------------|
| CLAMSHELL | | | | | |
| AA4 | 14-30 | Hex 9.5 | 1/2" | 1 | 6 |
| AA1 | 14-30 | Hex 11 | 1/2" | 1 | 6 |
| AA2 | 32-210 | Hex 11 | 5/8" | 1 | 6 |
| SDSA1 | 14-30 | SDS Plus | 1/2" | 1 | 6 |
| SDSA2 | 32-210 | SDS Plus | 5/8" | 1 | 6 |

BHA01

Holesaw Pilot Drills & Rod

HPD



HPDL



HPDC



HSE



| Product Code | Description | Ø (mm) | Total Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|------------------|--------------------------------|--------|-------------------|----------------|--------------------|
| CLAMSHELL | | | | | |
| HPD | HSS Pilot Drill | 6.35 | 75 | 1 | 10 |
| HPDL | HSS Pilot Drill | 6.35 | 105 | 1 | 10 |
| HPDC | HSS Cobalt Drill | 6.35 | 75 | 1 | 10 |
| HSE | Extension Rod for Hex 11 Shank | - | 300 | 1 | 6 |

BHA01

Diamond Cores & Blades

Core Types

Premium Dry Diamond Core

A premium quality 10mm turbo segmented universal core with rifled body for dust extraction. For use in most building materials including engineering bricks, clay products, and concrete block.

Dry Diamond Core

Universal dry diamond core with 8mm segments. For use in most building materials including engineering bricks, clay products, and concrete block.

Blade Types

Sintered Blades

Concentrate diamond powder segments are baked onto the blade body to form a matrix, giving a strong bond with good cutting performance and working life.

Laser Welded Blades

The segments are individually hot pressed separately to the blade body, which causes a super dense matrix to form giving superior life span and cutting ability. The segments are then laser welded to the steel body for a secure bond to prevent damage and guarantee the best cost per cut.

Cutting Edges

Segmented

Each defined cutting segment allows the blade to cool and expand during cutting. This enhances cutting performance, accuracy and the working life of the blade.

Turbo Segmented

Similar to segmented blades, these also use slots between segments to cool the blade and allow for expansion but with the added benefit of recess formed segments to give exceptional cutting speed with added dust extraction abilities.

Continuous Rim

With a continuous diamond matrix, these blades have exceptional cutting accuracy and chipping reduction. Making them ideally suited to cutting hard and brittle materials such as ceramic tiles and decorative stone such as marble.

Continuous Rim Turbo

These are a hybrid between continuous rim and segmented blades, which give a professional finish, superior cutting speed and a long working life.

All TIMCO diamond blades carry the **EN13236** standard

- S** Segmented
- C** Continuous
- O** Occasional Use
- F** Frequent Use

Diamond Cores

| | |
|-------------------------|--------------------------|
| General Purpose (PDCK5) | Premium (GPCP & PREMDCK) |
|-------------------------|--------------------------|

Diamond Blades

| | | |
|-----------------------|--------------------|---------------------|
| General Purpose (GPE) | Trade (GPL & GPLC) | Premium (GPLL & MM) |
|-----------------------|--------------------|---------------------|

Tile & Glass Blades

| | |
|----------------------|--------------|
| General Purpose (TE) | Premium (TP) |
|----------------------|--------------|

Materials

Asphalt over concrete

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Bricks:

Class A Engineering

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Class B Engineering

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Standard facing bricks

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Clay products

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Concrete:

Beams, kerbs, pipes & slabs

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Block paving, flag stones

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Flint aggregate

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

General purpose

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Heavy steel reinforcement

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Light steel reinforcement

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Roof tiles

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Concrete blocks:

Lightweight 3 - 7 Nm

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Medium density 7 - 12 Nm

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Solid density 12+ Nm

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Cement screed

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Slate tiles

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Stone:

Granite - Blocks & worktops

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Gritston

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Limestone

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Marble - Blocks & worktops

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Sandstone - Abrasive

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Sandstone - Indian

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

York stone

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Tiles:

Ceramic

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Granite

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Limestone

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Marble

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Natural Stone

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Porcelain

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Slate

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Terracotta

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Dry Diamond Core Bits & Accessories

Premium Dry Diamond Core Bits

NEW IMPROVED DESIGN



Premium grade diamond core drills for fast drilling into masonry, bricks and blocks. During drilling, the self-sharpening diamonds will not only give a clean and precise hole but also increase lifespan. Suitable for wet and dry cutting.

- Long life high quality diamond
- Fast cutting 10mm turbo segments
- Rifled body for excellent dust extraction
- Multiple slots for enhanced cooling
- Precision manufactured for low noise and vibration
- 1/2" BSP fitment
- Rotary use only

| Product Code | Drill Ø (mm) | Length (mm) | Segment Height (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------------|-------------|---------------------|----------------|--------------------|
| BOX | | | | | |
| GPCP22300 | 22 | 300 | 10 | 1 | 25 |
| GPCP28300 | 28 | 300 | 10 | 1 | 25 |
| GPCP32150 | 32 | 150 | 10 | 1 | 25 |
| GPCP38150 | 38 | 150 | 10 | 1 | 25 |
| GPCP48150 | 48 | 150 | 10 | 1 | 25 |
| GPCP52150 | 52 | 150 | 10 | 1 | 25 |
| GPCP65150 | 65 | 150 | 10 | 1 | 25 |
| GPCP78150 | 78 | 150 | 10 | 1 | 25 |
| GPCP82150 | 82 | 150 | 10 | 1 | 25 |
| GPCP91150 | 91 | 150 | 10 | 1 | 10 |
| GPCP107150 | 107 | 150 | 10 | 1 | 10 |
| GPCP117150 | 117 | 150 | 10 | 1 | 10 |
| GPCP127150 | 127 | 150 | 10 | 1 | 10 |
| GPCP152150 | 152 | 150 | 10 | 1 | 6 |

DCT02

Premium Dry Diamond Core Kit



A selection of 5 premium grade diamond core drills for fast drilling into masonry, bricks and blocks. During drilling, the self-sharpening diamonds will not only give a clean and precise hole but also increase lifespan. Suitable for wet and dry cutting. Supplied with accessories and carry case.

- Long life high quality diamond
- Fast cutting 10mm turbo segments
- Rifled body for excellent dust extraction
- Multiple slots for enhanced cooling
- Precision manufactured for low noise and vibration
- 1/2" BSP fitment
- Rotary use only



| Product Code | Drill Ø / To Fit (mm) | Length (mm) | Description | Pack Qty (pcs) |
|--|-----------------------|-------------|--------------|----------------|
| KIT (5 CORES AND 5 ACCESSORIES) | | | | |
| PREMDCK5 | - | - | KIT | 10 |
| | 38 | 150 | Diamond Core | 1 |
| | 52 | 150 | Diamond Core | 1 |
| | 65 | 150 | Diamond Core | 1 |
| | 117 | 150 | Diamond Core | 1 |
| | 127 | 150 | Diamond Core | 1 |
| | 1/2" BSP | 240 | Extension | 1 |
| | 1/2" BSP | 88 | Hex Adaptor | 1 |
| | 1/2" BSP | 115 | SDS Adaptor | 1 |
| | 8 | 200 | Pilot Drill | 1 |
| | 8 | 75 | Taper Drift | 1 |

DCT02

Dry Diamond Core Kit



Five of the most popular sizes and accessories in an aluminium case.

- Long life
- 8mm segments
- Core removal slots
- Low vibration
- 1/2" BSP fitment
- Rotary use only



| Product Code | Drill Ø / To Fit (mm) | Length (mm) | Description | Pack Qty (pcs) |
|--|-----------------------|-------------|--------------|----------------|
| KIT (5 CORES AND 5 ACCESSORIES) | | | | |
| PDCK5 | - | - | KIT | 10 |
| | 38 | 150 | Diamond Core | 1 |
| | 52 | 150 | Diamond Core | 1 |
| | 65 | 150 | Diamond Core | 1 |
| | 117 | 150 | Diamond Core | 1 |
| | 127 | 150 | Diamond Core | 1 |
| | 1/2" BSP | 240 | Extension | 1 |
| | 1/2" BSP | 88 | Hex Adaptor | 1 |
| | 1/2" BSP | 115 | SDS Adaptor | 1 |
| | 8 | 200 | Pilot Drill | 1 |
| | 8 | 75 | Taper Drift | 1 |

DCT02

Accessories Kit



| Product Code | Drill Ø / To Fit (mm) | Length (mm) | Description | Pack Qty (pcs) | Carton Qty (Packs) |
|----------------------------|-----------------------|-------------|-------------|----------------|--------------------|
| KIT (5 ACCESSORIES) | | | | | |
| DCAK5 | - | - | KIT | 5 | 25 |
| | 1/2" BSP | 240 | Extension | 1 | |
| | 1/2" BSP | 88 | Hex Adaptor | 1 | |
| | 1/2" BSP | 115 | SDS Adaptor | 1 | |
| | 8 | 200 | Pilot Drill | 1 | |
| | 8 | 75 | Taper Drift | 1 | |

DCT02

Adaptors & Extension



Hex Adaptor | A 1/2" Hex with 1/2" BSP (male) thread, for use with a standard core drill.



SDS Adaptor | An SDS Plus with 1/2" BSP (male) thread, for use with an SDS plus drill, when in rotary mode only.



BSP Extension | 1/2" BSP thread extension rod used where there is need for a deeper hole.

| Product Code | Description | Total Length (mm) | To Fit | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|---------------|-------------------|----------|----------------|--------------------|
| PACK | | | | | |
| DCAH88P | Hex Adaptor | 88 | 1/2" BSP | 1 | 10 |
| DCAH240P | Hex Adaptor | 240 | 1/2" BSP | 1 | 10 |
| DCAS115P | SDS Adaptor | 115 | 1/2" BSP | 1 | 10 |
| DCAS240P | SDS Adaptor | 240 | 1/2" BSP | 1 | 10 |
| DCE240P | BSP Extension | 240 | 1/2" BSP | 1 | 10 |

DCT02

Pilot Drill, Rod & Taper Drift



Pilot Drill | Morse taper TCT masonry drill bit used to prevent the core drifting.



Pilot Rod | Used once a hole has been drilled to prevent the core drifting.



Taper Drift | Used for knocking taper tool out of spindles and sockets.


| Product Code | Description | Ø (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|--------|-------------|----------------|--------------------|
| PACK | | | | | |
| DCPD13210 | Pilot Drill | 13 | 210 | 1 | 10 |
| DCPR225 | Pilot Rod | 12 | 225 | 1 | 10 |
| DCTD | Taper Drift | 8 | 75 | 1 | 10 |

DCT02

Diamond Blades & Wheels

Premium Diamond Blades

Turbo Continuous Cutting Edge



A premium quality diamond blade manufactured using the highest quality diamond powder and continuous turbo cutting edge for superior performance and working life with laser welded technology for strength and durability.

- 10mm segment height
- Extra long life
- Rapid and precise
- Low noise and vibration
- Self cooling



★★★★★
Concrete

★★★
Brick

★★★
Block

★★★
Stone

★★★★★
Hard Materials

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|---------------|-----------|----------------|--------------------|
| PACK | | | | | |
| MM115222 | 115 | 4½ | 22.23 | 1 | 10 |
| MM125222 | 125 | 5 | 22.23 | 1 | 10 |
| MM230222 | 230 | 9 | 22.23 | 1 | 25 |
| MM30020 | 300 | 12 | 20.00 | 1 | 10 |
| MM300222 | 300 | 12 | 22.23 | 1 | 10 |
| MM35020 | 350 | 14 | 20.00 | 1 | 10 |
| MM350254 | 350 | 14 | 25.40 | 1 | 10 |

DCT01

Turbo Segmented Cutting Edge



A premium quality diamond blade manufactured using the highest quality turbo segments for superior cutting performance and working life with laser welded technology for strength and durability.

- 12mm segment height
- Extra long life
- Rapid and precise
- Low noise and vibration
- Self cooling



★★★★★
Concrete

★★★★★
Brick

★★★★★
Block

★★★★★
Stone


★★★
Hard Materials

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|---------------|-----------|----------------|--------------------|
| PACK | | | | | |
| GPPL450254 | 450 | 18 | 25.40 | 1 | 5 |

DCT01

Trade Diamond Blades

Continuous Cutting Edge



A high quality diamond blade manufactured using premium diamond powder and a continuous turbo cutting edge.

- 10mm segment height
- Long life
- Fast cutting
- Heavy duty body
- Self cooling



★★★★★
Concrete

★★★★★
Brick

★★★★★
Block


★★★★★
Stone

★★★
Hard Materials

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|---------------|-----------|----------------|--------------------|
| PACK | | | | | |
| GPLC30020 | 300 | 12 | 20.00 | 1 | 10 |

DCT01

Segmented Cutting Edge



A high quality diamond blade manufactured using premium diamond powder and laser welded turbo segmented cutting edge.

- 10mm segment height
- Long life
- Fast cutting
- Heavy duty body
- Self cooling



★★★★★
Concrete

★★★★★
Brick

★★★★★
Block

★★★★★
Stone

★★★
Hard Materials

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|---------------|-----------|----------------|--------------------|
| PACK | | | | | |
| GPL115222 | 115 | 4½ | 22.23 | 1 | 10 |
| GPL125222 | 125 | 5 | 22.23 | 1 | 10 |
| GPL230222 | 230 | 9 | 22.23 | 1 | 25 |
| GPL30020 | 300 | 12 | 20.00 | 1 | 10 |

DCT01

General Purpose Diamond Blade

Segmented Cutting Edge



A sintered diamond blade manufactured using a heavy duty body and high quality cold pressed diamond powder into a segmented cutting edge.

- Heavy duty
- Self cooling



★★★ **Concrete** ★★★ **Brick** ★★★ **Block** ★★★ **Stone** ★★ **Hard Materials**

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | Segment Height (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|---------------|-----------|---------------------|----------------|--------------------|
| PACK | | | | | | |
| GPE115222 | 115 | 4½ | 22.23 | 7 | 1 | 10 |
| GPE115222SET | 115 | 4½ | 22.23 | 7 | 3 | 10 |
| GPE125222 | 125 | 5 | 22.23 | 7 | 1 | 10 |
| GPE230222 | 230 | 9 | 22.23 | 10 | 1 | 25 |
| GPE30020 | 300 | 12 | 20.00 | 10 | 1 | 10 |

DCT01

Diamond Blades & Wheels

Tile & Ceramic Diamond Blades

Premium - Thin Turbo Cutting Edge



- ★★★★ Tiles
- ★★★★ Marble
- ★★★★ Porcelain
- ★★★★ Stone

- Heavy duty self cooling body
- 10mm segment height

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|---------------|-----------|----------------|--------------------|
| PACK | | | | | |
| TP115222 | 115 | 4 1/2 | 22.23 | 1 | 10 |
| | | | | | DCT01 |

General Purpose - Continuous Cutting Edge



- ★★★ Tiles
- ★★★ Marble
- ★★★ Porcelain
- ★★★ Stone

- Heavy duty body
- 5mm segment height

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|---------------|-----------|----------------|--------------------|
| PACK | | | | | |
| TE10016 | 100 | 4 | 16.00 | 1 | 10 |
| TE115222 | 115 | 4 1/2 | 22.23 | 1 | 10 |
| TE180222 | 180 | 7 | 22.23 | 1 | 10 |
| | | | | | DCT01 |

Mortar Raking Blades

Segmented Cutting Edge



- ★★★ Mortar

- For raking mortar
- 7mm segment height
- 6.35mm segment width
- Heavy duty body

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|---------------|-----------|----------------|--------------------|
| PACK | | | | | |
| MRE115 | 115 | 4 1/2 | 22.23 | 1 | 10 |
| MRE125 | 125 | 5 | 22.23 | 1 | 10 |
| | | | | | DCT03 |

Cup Grinding Wheel

Double Row Segments



- A double row silver brazed blade. For smoothing and removing shutter marks from concrete.
- Vented for dust extraction
- 10mm segment depth

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|---------------|-----------|----------------|--------------------|
| BOX | | | | | |
| CGDE115 | 115 | 4 1/2 | 22.23 | 1 | 10 |
| | | | | | DCT04 |

Bonded Abrasives

Cutting Discs

- Used for cutting various types of metals
- Manufactured to European standard EN12413
- High cutting speed
- High stability
- Long life



| Product Code | Disc Ø (mm) | Bore (mm) | T (mm) | Max RPM | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|-----------|--------|---------|----------------|--------------------|
| BOX | | | | | | |
| FCM115222 | 115 | 22.23 | 2.5 | 13,300 | 50 | 4 |
| FCM230222 | 230 | 22.23 | 3.2 | 6,500 | 25 | 2 |
| FCM30020 | 300 | 20.00 | 3.2 | 5,000 | 25 | 2 |
| | | | | | | BAT01 |

T = THICKNESS

Grinding Disc

- Used for grinding various types of metals
- Manufactured to European standard EN12413
- High cutting speed
- High stability
- Long life



| Product Code | Disc Ø (mm) | Bore (mm) | T (mm) | Max RPM | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|-----------|--------|---------|----------------|--------------------|
| BOX | | | | | | |
| DGM115222 | 115 | 22.2 | 6.4 | 13,300 | 25 | 4 |
| | | | | | | BAT01 |

T = THICKNESS

Slitting Discs

- Used for cutting slits into various types of metals, including stainless steel / inox
- Manufactured to European standard EN12413
- High cutting speed
- High stability
- Long life



| Product Code | Disc Ø (mm) | Bore (mm) | T (mm) | Max RPM | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|-----------|--------|---------|----------------|--------------------|
| TIN | | | | | | |
| 10FCMT115222 | 115 | 22.2 | 1.0 | 13,300 | 10 | 40 |
| BOX | | | | | | |
| FCMT115222 | 115 | 22.2 | 1.0 | 13,300 | 25 | 16 |
| FCMT125222 | 125 | 22.2 | 1.0 | 12,200 | 25 | 16 |
| FCMT230222 | 230 | 22.2 | 1.9 | 6,500 | 25 | 4 |
| | | | | | | BAT01 |

T = THICKNESS

Circular Saw Blades



Blade Types

TCT (Tungsten Carbide Tip)



Professional quality blades made with high quality tungsten carbide tips to provide an excellent lifespan and flawless finish.

PCD (Polycrystalline Diamond)



High quality blades with polycrystalline diamond tipped teeth for faster, cleaner cutting ability and a longer life when cutting fibre cement board. Also ideal for laminated boards.

Cut Types

Rip Cut

- Coarse Finish

For Softwood, Chipboard & Partical board, OSB, Plasterboard

Rip/Cross Cut

- Medium Finish

For Softwood, Chipboard & Partical board, OSB, Plasterboard, Soft Fibreboard, Plasterboard

Cross Cut

- Fine Finish

For Softwood, Hardwood, Chipboard & Partical board, Fibreboard, MDF, OSB, Veneered Board, Plywood, Soft Fibreboard, Plasterboard

-5° Rake

- Fine Finish

For Aluminium Thin Walled Extrusions, Aluminum Panels, Plastic Extrusions, Veneered Board

PCD

Course / Medium Finish

For Fibre Cement Board, Aqua Board, Veneered Board, MDF

TCT Circular Saw Blades

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | No. of Teeth | Cut Type | Finish Type | Included Bushing Ring Size (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---|-------------|---------------|-----------|--------------|--------------|-------------|---------------------------------|----------------|--------------------|
| CLAM SHELL | | | | | | | | | |
| TCT Circular Saw Blades | | | | | | | | | |
| C1402016 | 140 | 5 1/2 | 20.0 | 16 | Rip | Coarse | - | 1 | 50 |
| C1502012 | 150 | 6 | 20.0 | 12 | Rip | Coarse | - | 1 | 50 |
| C1502040 | 150 | 6 | 20.0 | 40 | Cross | Fine | - | 1 | 50 |
| C1603016 | 160 | 6 1/4 | 30.0 | 16 | Rip | Coarse | 16.0 | 1 | 50 |
| C1603024 | 160 | 6 1/4 | 30.0 | 24 | Rip/Cross | Medium | 16.0 | 1 | 50 |
| C1653018 | 165 | 6 1/2 | 30.0 | 18 | Rip | Coarse | 16.0 & 20.0 | 1 | 50 |
| C1841624 | 184 | 7 1/4 | 16.0 | 24 | Rip | Coarse | - | 1 | 50 |
| C1841640 | 184 | 7 1/4 | 16.0 | 40 | Rip/Cross | Medium | - | 1 | 50 |
| C1843024 | 184 | 7 1/4 | 30.0 | 24 | Rip | Coarse | - | 1 | 50 |
| C1843040 | 184 | 7 1/4 | 30.0 | 40 | Rip/Cross | Medium | - | 1 | 50 |
| C1843060 | 184 | 7 1/4 | 30.0 | 60 | Cross | Fine | - | 1 | 50 |
| C1903024 | 190 | 7 1/2 | 30.0 | 24 | Rip | Coarse | 16.0 & 20.0 | 1 | 50 |
| C1903040 | 190 | 7 1/2 | 30.0 | 40 | Rip/Cross | Medium | 16.0 & 20.0 | 1 | 50 |
| C2103032 | 210 | 8 1/4 | 30.0 | 32 | Rip/Cross | Medium | 25.4 | 1 | 25 |
| C2163024 | 216 | 8 1/2 | 30.0 | 24 | Rip | Coarse | - | 1 | 25 |
| C2163040 | 216 | 8 1/2 | 30.0 | 40 | Rip/Cross | Medium | - | 1 | 25 |
| C2163060 | 216 | 8 1/2 | 30.0 | 60 | Cross | Fine | - | 1 | 25 |
| C2163080 | 216 | 8 1/2 | 30.0 | 80 | Cross | Fine | - | 1 | 25 |
| C2303030 | 230 | 9 | 30.0 | 30 | Rip | Coarse | - | 1 | 25 |
| C2303040 | 230 | 9 | 30.0 | 40 | Rip/Cross | Medium | - | 1 | 25 |
| C2353024 | 235 | 9 1/4 | 30.0 | 24 | Rip | Coarse | 16.0 & 20.0 | 1 | 25 |
| C2353040 | 235 | 9 1/4 | 30.0 | 40 | Rip/Cross | Medium | 16.0 & 20.0 | 1 | 25 |
| C2353060 | 235 | 9 1/4 | 30.0 | 60 | Cross | Fine | 16.0 & 20.0 | 1 | 25 |
| C2503040 | 250 | 10 | 30.0 | 40 | Rip/Cross | Medium | 16.0, 20.0 & 25.4 | 1 | 25 |
| C2503060 | 250 | 10 | 30.0 | 60 | Cross | Fine | 16.0, 20.0 & 25.4 | 1 | 25 |
| C2503080 | 250 | 10 | 30.0 | 80 | Cross | Fine | 16.0, 20.0 & 25.4 | 1 | 25 |
| C2543030 | 254 | 10 | 30.0 | 30 | Rip | Coarse | - | 1 | 20 |
| C2543040 | 254 | 10 | 30.0 | 40 | Rip/Cross | Medium | - | 1 | 20 |
| C2543060 | 254 | 10 | 30.0 | 60 | Cross | Fine | - | 1 | 20 |
| C2603030 | 260 | 10 1/4 | 30.0 | 30 | Rip | Coarse | - | 1 | 20 |
| C2603060 | 260 | 10 1/4 | 30.0 | 60 | Cross | Fine | - | 1 | 20 |
| C3003040 | 300 | 11 1/4 | 30.0 | 40 | Rip | Coarse | - | 1 | 20 |
| C3003060 | 300 | 11 1/4 | 30.0 | 60 | Rip/Cross | Medium | - | 1 | 20 |
| C3003080 | 300 | 11 1/4 | 30.0 | 80 | Cross | Fine | - | 1 | 20 |
| C3153030 | 315 | 12 1/2 | 30.0 | 30 | Rip | Coarse | - | 1 | 20 |
| C3153048 | 315 | 12 1/2 | 30.0 | 48 | Rip/Cross | Medium | - | 1 | 20 |
| C3153060 | 315 | 12 1/2 | 30.0 | 60 | Rip/Cross | Medium | - | 1 | 20 |
| TCT Hand-Held Cordless Circular Saw Blades | | | | | | | | | |
| T1361024 | 136 | 5 1/4 | 10.0 | 24 | Rip/Cross | Medium | - | 1 | 50 |
| T1501024 | 150 | 6 | 10.0 | 24 | Rip/Cross | Medium | - | 1 | 50 |
| T1651024 | 165 | 6 1/2 | 10.0 | 24 | Rip/Cross | Medium | - | 1 | 50 |
| T1651040 | 165 | 6 1/2 | 10.0 | 40 | Cross | Fine | - | 1 | 50 |
| T1652024 | 165 | 6 1/2 | 20.0 | 24 | Rip/Cross | Medium | - | 1 | 50 |
| T1652040 | 165 | 6 1/2 | 20.0 | 40 | Cross | Fine | - | 1 | 50 |
| T1903024 | 190 | 7 1/2 | 30.0 | 24 | Rip | Coarse | - | 1 | 50 |
| TCT 0° Mitre Circular Saw Blades | | | | | | | | | |
| Z2163024 | 216 | 8 1/2 | 30.0 | 24 | 0° Rip | Coarse | - | 1 | 25 |
| Z2163048 | 216 | 8 1/2 | 30.0 | 48 | 0° Rip/Cross | Medium | - | 1 | 25 |
| Z2503048 | 250 | 10 | 30.0 | 48 | 0° Rip/Cross | Medium | - | 1 | 25 |
| Z2503060 | 250 | 10 | 30.0 | 60 | 0° Cross | Fine | - | 1 | 25 |
| TCT -5° Circular Saw Blades | | | | | | | | | |
| A2163060 | 216 | 8 1/2 | 30.0 | 60 | -5° Rake | Fine | - | 1 | 25 |
| A2163080 | 216 | 8 1/2 | 30.0 | 80 | -5° Rake | Fine | - | 1 | 25 |
| A2503080 | 250 | 10 | 30.0 | 80 | -5° Rake | Fine | - | 1 | 25 |
| A3053048 | 305 | 12 | 30.0 | 48 | -5° Rake | Medium | - | 1 | 20 |
| A3053060 | 305 | 12 | 30.0 | 60 | -5° Rake | Medium | - | 1 | 20 |
| A3053080 | 305 | 12 | 30.0 | 80 | -5° Rake | Fine | - | 1 | 20 |

CIR01

PCD Fibre Cement Saw Blades

| Product Code | Disc Ø (mm) | Disc Ø (Inch) | Bore (mm) | No. of Teeth | Cut Type | Finish Type | Included Bushing Ring Size (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|------------------------------------|-------------|---------------|-----------|--------------|----------|-----------------|---------------------------------|----------------|--------------------|
| CLAM SHELL | | | | | | | | | |
| PCD Fibre Cement Saw Blades | | | | | | | | | |
| PCD160204 | 160 | 6 1/4 | 20.0 | 4 | PCD | Coarse / Medium | - | 1 | |
| PCD165204 | 165 | 6 1/2 | 20.0 | 4 | PCD | Coarse / Medium | - | 1 | |
| PCD190204 | 190 | 7 1/2 | 20.0 | 4 | PCD | Coarse / Medium | - | 1 | |
| PCD216308 | 216 | 8 1/2 | 30.0 | 8 | PCD | Coarse / Medium | - | 1 | |
| PCD250306 | 250 | 10 equiv. | 30.0 | 6 | PCD | Coarse / Medium | - | 1 | |

CIR01

Jigsaw Blades



Blade Material Types

Bi-M (Bi-Metal)

Combining the flexibility of a HCS body with a HSS hardened cutting edge, resulting in a tough, shatter resistant blade. Longer service life leads to greater cost effectiveness per blade.

HCS (High Carbon Steel)

High Carbon Steel Blades for use with softer materials, such as hard and soft wood, plastics and laminated boards.

HSS (High Speed Steel)

Hardened steel designed to cut hard materials such as mild steel, aluminium and other non-ferrous metals.

Cut Types

Straight

Standard blade type, comes in a variety of teeth types and blade lengths. Perfect for all general purpose applications.

Down

Reversed teeth to cut on the down-stroke. This prevents the splintering of decorative surfaces such as kitchen worktops.

Curve

These blades have a reduced blade depth to allow them to perform curved cuts.

Precision

These blades are made from a thicker plate to help achieve a 90° cut. It also makes this blade ideal for hardwood.

Teeth Types

MSS - Milled & Side Set

Rough/Coarse Cut

Basic tooth pattern used on the entry level blades. A quick but fairly rough cut.

MWS - Milled & Wavy Set

Fine/Medium Cut

This pattern is used to give a fine, straight cut.

SSS - Side Set & Sharpened

Fast/Medium Cut

This configuration gives a fast, medium cut.

GTG - Ground/Taper Ground

Clean/Quick Cut

These top quality blades give a clean, quick cut in both wood and plastic.

Bi-Metal Blades

LONGER SERVICE LIFE!



| Product Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | WL (mm) | TL (mm) | Cutting Cap. (mm) | Pack Qty TPI | Carton Qty (pcs) | Carton Qty (packs) |
|----------------------|--------------|--|----------|------------|---------|---------|-------------------|--------------|------------------|--------------------|
| PACK | | | | | | | | | | |
| Wood Cutting | | | | | | | | | | |
| AHGS14BI | T144DF | All Wood Types | Straight | SSS ● | 75 | 100 | 5.0-50.0 | 6 | 5 | 100 |
| AHC12BI | T101BF | All Wood / Plastic | Straight | GTG ● | 75 | 100 | 3.0-30.0 | 10 | 5 | 100 |
| AHC12RBI | T101BRF | Laminate | Down | GTG ● | 75 | 100 | 3.0-30.0 | 10 | 5 | 100 |
| Metal Cutting | | | | | | | | | | |
| AMG11BI | T118AF | Steel / Stainless Steel / Thin Sheet Metal | Straight | MWS ● | 50 | 76 | 1.0-3.0 | 21 | 5 | 100 |
| AMG12BI | T118BF | Steel / Stainless Steel / Alu. / Non-Ferrous | Straight | MWS ● | 50 | 76 | 2.5-6.0 | 12 | 5 | 100 |

WL= WORKING LENGTH TL=TOTAL LENGTH TPI= TEETH PER INCH JIG01

TCT High Carbon Steel Blade - Board Cutting



High Carbon Steel body with Tungsten Carbide Tip (TCT) cutting edge resulting in a tough blade which keeps its edge.

| Product Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | WL (mm) | TL (mm) | Cutting Cap. (mm) | Pack Qty TPI | Carton Qty (pcs) | Carton Qty (packs) |
|----------------------|--------------|---|----------|------------|---------|---------|-------------------|--------------|------------------|--------------------|
| PACK | | | | | | | | | | |
| Board Cutting | | | | | | | | | | |
| APC110 | T341HM | Glass Fibre Reinforced Plastic / Plasterboard | Straight | SSS ● | 106 | 132 | 5.0-50.0 | 6 | 5 | 100 |

WL= WORKING LENGTH TL=TOTAL LENGTH TPI= TEETH PER INCH JIG01

High Carbon Steel Blades - Wood Cutting



| Product Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | WL (mm) | TL (mm) | Cutting Cap. (mm) | Pack Qty TPI | Carton Qty (pcs) | Carton Qty (packs) |
|---------------------|--------------|----------------------------|-----------|------------|---------|---------|-------------------|--------------|------------------|--------------------|
| PACK | | | | | | | | | | |
| Wood Cutting | | | | | | | | | | |
| AHG13 | T111C | Softwood / Plastic | Straight | MSS ● | 75 | 100 | 4.0-50.0 | 8 | 5 | 100 |
| AHW12 | T119B | Softwood / Insulation Mat. | Straight | MWS ● | 50 | 76 | 2.0-15.0 | 12 | 5 | 100 |
| AHW12K | T119B0 | Softwood / Insulation Mat. | Curve | MWS ● | 50 | 76 | 2.0-15.0 | 12 | 5 | 100 |
| AHGS14 | T144D | All Wood Types | Straight | SSS ● | 75 | 100 | 5.0-50.0 | 6 | 5 | 100 |
| AHGS24 | T244D | All Wood Types | Curve | SSS ● | 75 | 100 | 5.0-50.0 | 6 | 5 | 100 |
| AHC14 | T101D | All Wood / Plastic | Straight | GTG ● | 75 | 100 | 10.0-45.0 | 6 | 5 | 100 |
| AHC12 | T101B | All Wood / Plastic | Straight | GTG ● | 75 | 100 | 3.0-30.0 | 10 | 5 | 100 |
| AHC14D | T101DP | All Wood / Plastic | Precision | GTG ● | 75 | 100 | 10.0-45.0 | 6 | 5 | 100 |
| AHC12K | T101AO | Softwood / Laminate | Curve | GTG ● | 50 | 76 | 1.5-15.0 | 18 | 5 | 100 |
| AHC12R | T101BR | Wood / Laminate / Plastic | Down | GTG ● | 75 | 100 | 3.0-30.0 | 10 | 5 | 100 |
| AHC32R | - | Wood / Laminate / Plastic | Down | GTG ● | 105 | 130 | 3.0-65.0 | 10 | 5 | 100 |

WL= WORKING LENGTH TL=TOTAL LENGTH TPI= TEETH PER INCH JIG01

High Speed Steel Blades - Metal Cutting



| Product Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | WL (mm) | TL (mm) | Cutting Cap. (mm) | Pack Qty TPI | Carton Qty (pcs) | Carton Qty (packs) |
|----------------------|--------------|---|----------|------------|---------|---------|-------------------|--------------|------------------|--------------------|
| PACK | | | | | | | | | | |
| Metal Cutting | | | | | | | | | | |
| AK14 | T127D | Non-Ferrous / Alu. / Steel / Plastic | Straight | MSS ● | 75 | 100 | 3.0-15.0 | 8 | 5 | 100 |
| AMG107 | T118G | Very Thin Sheet Metal | Straight | MWS ● | 50 | 76 | 0.5-1.5 | 32 | 5 | 100 |
| AMG11 | T118A | Thin Sheets of Steel and Stainless Steel | Straight | MWS ● | 50 | 76 | 1.0-3.0 | 21 | 5 | 100 |
| AMG21 | T218A | Thin Sheet / Steel | Curve | MWS ● | 50 | 76 | 1.0-3.0 | 21 | 5 | 100 |
| AMG12 | T118B | Steel / Stainless Steel / Non-Ferrous / Alu. | Straight | MWS ● | 50 | 76 | 2.5-6.0 | 12 | 5 | 100 |
| AMG31 | T318A | Pipes / Profiles / Thin Sheet Metal / Non-Ferrous | Straight | MWS ● | 110 | 132 | 1.0-3.0 | 21 | 5 | 100 |
| AMG32 | T318B | Steel / Non-Ferrous / Pipes | Straight | MWS ● | 110 | 132 | 2.5-6.0 | 12 | 5 | 100 |

WL= WORKING LENGTH TL=TOTAL LENGTH TPI= TEETH PER INCH JIG01

Jigsaw Blade Sets

Comprehensive set of jigsaw blades to cover a multitude of cutting requirements into wood, metal and plastic.



| Set Code | Blade Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | Working Length (mm) | Total Length (mm) | Cutting Capacity (mm) | TPI | Pack Qty (pcs) | Carton Qty (packs) |
|-----------------------------|------------|--------------|--|----------|------------|---------------------|-------------------|-----------------------|-------|----------------|--------------------|
| MIXED SET (10 PIECE) | | | | | | | | | | | |
| JIGSET10 | - | - | - | - | - | - | - | - | - | 10 | 10 |
| | AHG13 | T111C | Softwood / Plastic | Straight | MSS | 75 | 100 | 4.0-50.0 | 8.50 | 1 | |
| | AHGS14 | T144D | All Wood | Straight | SSS | 75 | 100 | 5.0-50.0 | 6.35 | 1 | |
| | AHC12 | T101B | All Wood / Plastic | Straight | GTG | 75 | 100 | 3.0-30.0 | 10.00 | 2 | |
| | AHC14 | T101D | All Wood / Plastic | Straight | GTG | 75 | 100 | 10.0-45.0 | 6.35 | 1 | |
| | AHC12R | T101BR | All Wood / Laminated Board / Plastic | Down | GTG | 75 | 100 | 3.0-30.0 | 10.00 | 1 | |
| | AHW12K | T119B0 | Softwood / Insulation | Curved | MWS | 50 | 76 | 1.5-15.0 | 19.00 | 1 | |
| | AMG11 | T118A | Thin Sheet Metal / Stainless Steel | Straight | MWS | 50 | 76 | 1.2-3.0 | 21.00 | 2 | |
| | AMG12 | T118B | Steel / Stainless Steel / Aluminium Non-Ferrous Metals | Straight | MWS | 50 | 76 | 2.5-6.0 | 13.00 | 1 | |

TPI = TEETH PER INCH

JIG01

Handy re-usable storage case with slide open and close lid. Ideal for keeping jigsaw blades in order.



| Set Code | Blade Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | Working Length (mm) | Total Length (mm) | Cutting Capacity (mm) | TPI | Pack Qty (pcs) | Carton Qty (packs) |
|-----------------------------|------------|--------------|--|----------|------------|---------------------|-------------------|-----------------------|-------|----------------|--------------------|
| MIXED SET (20 PIECE) | | | | | | | | | | | |
| JIGSET20 | - | - | - | - | - | - | - | - | - | 20 | 10 |
| | AHG13 | T111C | Softwood / Plastic | Straight | MSS | 75 | 100 | 4.0-50.0 | 8.50 | 2 | |
| | AHGS14 | T144D | All Wood | Straight | SSS | 75 | 100 | 5.0-50.0 | 6.35 | 2 | |
| | AHC12 | T101B | All Wood / Plastic | Straight | GTG | 75 | 100 | 3.0-30.0 | 10.00 | 4 | |
| | AHC14 | T101D | All Wood / Plastic | Straight | GTG | 75 | 100 | 10.0-45.0 | 6.35 | 2 | |
| | AHC12R | T101BR | All Wood / Laminated Board / Plastic | Down | GTG | 75 | 100 | 3.0-30.0 | 10.00 | 2 | |
| | AHW12K | T119B0 | Softwood / Insulation | Curved | MWS | 50 | 76 | 1.5-15.0 | 19.00 | 2 | |
| | AMG11 | T118A | Thin Sheet Metal / Stainless Steel | Straight | MWS | 50 | 76 | 1.2-3.0 | 21.00 | 4 | |
| | AMG12 | T118B | Steel / Stainless Steel / Aluminium Non-Ferrous Metals | Straight | MWS | 50 | 76 | 2.5-6.0 | 13.00 | 2 | |

TPI = TEETH PER INCH

JIG01



| Set Code | Blade Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | Working Length (mm) | Total Length (mm) | Cutting Capacity (mm) | TPI | Pack Qty (pcs) | Carton Qty (packs) |
|-----------------------------|------------|--------------|--|----------|------------|---------------------|-------------------|-----------------------|-----|----------------|--------------------|
| MIXED SET (16 PIECE) | | | | | | | | | | | |
| JIGSET | - | - | - | - | - | - | - | - | - | 16 | 10 |
| | AHG13 | T111C | Softwood / Plastic | Straight | MSS | 75 | 100 | 4.0-50.0 | 8 | 2 | |
| | AHGS14 | T144D | All Wood Types | Straight | SSS | 75 | 100 | 5.0-50.0 | 6 | 2 | |
| | AHC12 | T101B | All Wood / Plastic | Straight | GTG | 75 | 100 | 3.0-30.0 | 10 | 2 | |
| | AHC14 | T101D | All Wood / Plastic | Straight | GTG | 75 | 100 | 10.0-45.0 | 6 | 1 | |
| | AHC12R | T101BR | All Wood / Laminated Board / Plastic | Down | GTG | 75 | 100 | 3.0-30.0 | 10 | 2 | |
| | AHW12K | T119B0 | Softwood / Insulation | Curved | MWS | 50 | 76 | 1.5-15.0 | 12 | 2 | |
| | AMG11 | T118A | Thin Sheet Metal / Stainless Steel | Straight | MWS | 50 | 76 | 1.2-3.0 | 21 | 3 | |
| | AMG12 | T118B | Steel / Stainless Steel / Aluminium Non-Ferrous Metals | Straight | MWS | 50 | 76 | 2.5-6.0 | 13 | 2 | |

TPI = TEETH PER INCH

JIG01

Reciprocating Saw Blades



Blade Material Types

Bi-M (Bi-Metal)

Combining the flexibility of a HCS body with a HSS hardened cutting edge, resulting in a tough, shatter resistant blade. Longer service life leads to greater cost effectiveness per blade.

Tungsten Carbide Tip

Combining the flexibility of a HCS body with TCT cutting edge, resulting in a tough blade which keeps its edge.

HCS (High Carbon Steel)

High Carbon Steel Blades for use with softer materials, such as hard and soft wood, plastics and laminated boards.

Teeth Types

• MSS - Milled & Side Set

Rough/Coarse Cut

Basic tooth pattern used on the entry level blades. A quick but fairly rough cut.

• MWS - Milled & Wavy Set

Fine/Medium Cut

This pattern is used to give a fine, straight cut.

• SSS - Side Set & Sharpened

Fast/Medium Cut

This configuration gives a fast, medium cut.

• GTG - Ground/Taper Ground

Clean/Quick Cut

These top quality blades give a clean, quick cut in both wood and plastic.

Cutting Materials

Soft Wood • Green Wood • Plastic • Plasterboard • Some Bricks • Sheet Metal • Sandwich • Aluminium • Non-Ferrous • Stainless Steel

Bi-Metal Blades - Wood & Metal Cutting

LONGER SERVICE LIFE!



(A3020-150)

| Product Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | Working Length (mm) | Total Length (mm) | Cutting Cap. (mm) | TPI | Pack Qty (pcs) | Carton Qty (packs) |
|----------------------|--------------|--------------------------|----------|------------|---------------------|-------------------|-------------------|-----|----------------|--------------------|
| PACK | | | | | | | | | | |
| Wood Cutting | | | | | | | | | | |
| A3021-300BI | S1411DF | All Wood / Plastic | Straight | MSS | 275 | 300 | <250 | 6 | 5 | 20 |
| A3020-150 | S610VF | Wood with Metal (Nails) | Straight | MSS | 125 | 150 | <100 | 5-8 | 5 | 20 |
| A3020-228 | S1110VF | Wood with Metal (Nails) | Straight | MSS | 203 | 228 | <175 | 5-8 | 5 | 20 |
| Metal Cutting | | | | | | | | | | |
| A3018-280 | - | Steel / SS / Non-Ferrous | Straight | MWS | 255 | 280 | 3.0-12.0 | 10 | 5 | 20 |
| A3013-150 | S922BF | Steel / SS / Non-Ferrous | Straight | MWS | 125 | 150 | 3.0-8.0 | 14 | 5 | 20 |
| A3013-200 | S1122BF | Steel / SS / Non-Ferrous | Straight | MWS | 200 | 225 | 3.0-8.0 | 14 | 5 | 20 |
| A3015-150 | S922AF | Steel / Sheet Metal | Straight | MWS | 125 | 150 | 0.7-3.0 | 24 | 5 | 20 |
| A3015-200 | S1122AF | Steel / Sheet Metal | Straight | MWS | 200 | 225 | 0.7-3.0 | 24 | 5 | 20 |
| A3014-150 | S922EF | Steel / Stainless Steel | Straight | MWS | 125 | 150 | 1.5-4.0 | 18 | 5 | 20 |
| A3014-200 | S1122EF | Steel / Stainless Steel | Straight | MWS | 200 | 225 | 1.5-4.0 | 18 | 5 | 20 |

TPI = TEETH PER INCH SAB01

Tungsten Carbide Tipped Blade - Block/Brick Cutting

LONGER SERVICE LIFE!



(AB305-215)

| Product Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | Working Length (mm) | Total Length (mm) | Cutting Cap. (mm) | TPI | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------------|------------------------------|----------|------------|---------------------|-------------------|-------------------|-----|----------------|--------------------|
| PACK | | | | | | | | | | |
| AB305-215 | S1243HM | Aircrete Block / Some Bricks | Straight | MSS | 260 | 305 | <215 | 2 | 1 | 25 |

TPI = TEETH PER INCH SAB01

HCS Blades - Wood Cutting

(A3029-240)



| Product Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | Working Length (mm) | Total Length (mm) | Cutting Cap. (mm) | TPI | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------------|---------------------------------|----------|------------|---------------------|-------------------|-------------------|------|----------------|--------------------|
| PACK | | | | | | | | | | |
| A3021-150 | S644D | Wood / Plastic / Sandwich | Curve | SSS | 125 | 150 | 6.0-100 | 6 | 5 | 20 |
| A3023-200 | S2345X | Wood / Man-Made Board / Plastic | Straight | SSS | 175 | 200 | 6.0-150 | 6-10 | 5 | 20 |
| A3029-240 | S1531L | Green Wood | Straight | SSS | 215 | 240 | <190 | 5 | 5 | 20 |
| A3035-240 | S1542K | Green / Fuel / Damp Wood | Straight | SSS | 215 | 240 | 15.0-190 | 3 | 5 | 20 |

TPI = TEETH PER INCH SAB01

Reciprocating Saw Blade Set



Comprehensive set of reciprocating saw blades to cover a multitude of cutting requirements into wood, metal and plastic.

Includes a handy re-usable storage case

| Set Code | Blade Code | Bosch Equiv. | Materials | Cut Type | Teeth Type | Working Length (mm) | Total Length (mm) | Cutting Capacity (mm) | TPI | Pack Qty (pcs) | Carton Qty (packs) |
|-----------------------------|------------|--------------|-------------------------------------|----------|------------|---------------------|-------------------|-----------------------|------|----------------|--------------------|
| MIXED SET (10 PIECE) | | | | | | | | | | | |
| SABSET10 | - | - | - | - | - | - | - | - | - | 10 | 5 |
| | A3029-240 | S1531L | Green Wood | Straight | SSS | 215 | 240 | <190 | 5 | 2 | |
| | A3020-150 | S610VF | Thin Sheet Metal / All Wood / Nails | Straight | MSS | 125 | 150 | <100 | 5-8 | 2 | |
| | A3035-240 | S1542K | Green / Fuel / Damp Wood | Straight | SSS | 215 | 240 | 15-190 | 3 | 2 | |
| | A3015-150 | S922AF | Steel / Thin Sheet Metal / Pipes | Straight | MWS | 125 | 150 | 0.7-3.0 | 24 | 2 | |
| | A3023-200 | S2345X | All Wood / Plastic | Straight | SSS | 175 | 200 | 6.0-150 | 6-10 | 2 | |

TPI = TEETH PER INCH SAB01

Multi-Tool Blades

MULTI-PACKS NOW AVAILABLE



Blade Material Types

Titanium Coated

High performance M42 bi-metal blades with a protective hardened titanium coat to improve performance and increase working life.

Bi-M (Bi-Metal)

Combining the flexibility of a HCS body with a HSS hardened cutting edge, resulting in a tough, shatter resistant blade. Longer service life leads to greater cost effectiveness per blade.

Carbon Steel

Carbon steel are typically used for timber cutting. Available in a range of widths and cutting depths to suit multiple jobs.

Cutting Materials

Titanium Coated

Softwood • Hardwood • Steel • Non-Ferrous • Sheet Metal • Plastic • Laminate

Bi-M (Bi-Metal)

Softwood • Hardwood • Steel • Non-Ferrous • Sheet Metal • Plastic • Laminate

Carbon Steel

Softwood • Plastic • Plasterboard

Titanium Coated Bi-Metal Blades - Wood & Metal Cutting

3x LONGER SERVICE LIFE!

Radial Blade



Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims.

| Product Code | Size Ø (mm) | Cutting Depth (mm) | Teeth Pitch (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|--------------------|------------------|----------------|--------------------|
| MTR87TN | 87 | 26 | 1.3 | 1 | 10 |

Straight Fine Cut Blade



For general work. Flush cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic.

| Product Code | Size (mm) | Cutting Depth (mm) | Teeth Pitch (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------|--------------------|------------------|----------------|--------------------|
| MT32TN | 32 | 54 | 1.4 | 1 | 10 |
| MT32TN5 | 32 | 54 | 1.4 | 5 | 5 |
| MT44TN | 44 | 54 | 1.4 | 1 | 10 |
| MT44TN5 | 44 | 54 | 1.4 | 5 | 5 |
| MT69TN | 69 | 42 | 1.4 | 1 | 10 |

Bi-Metal Blades - Wood & Metal Cutting

LONGER SERVICE LIFE!

Radial Blade



Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims.

| Product Code | Size Ø (mm) | Cutting Depth (mm) | Teeth Pitch (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|--------------------|------------------|----------------|--------------------|
| MTR87BI | 87 | 26 | 1.3 | 1 | 10 |

Fine Straight Cut Blade



Flush cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic.

| Product Code | Size (mm) | Cutting Depth (mm) | Teeth Pitch (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------|--------------------|------------------|----------------|--------------------|
| MT10BI | 10 | 40 | 1.4 | 1 | 10 |
| MT20BI | 20 | 40 | 1.4 | 1 | 10 |
| MT20BI5 | 20 | 40 | 1.4 | 5 | 5 |
| MT32BI | 32 | 42 | 1.4 | 1 | 10 |
| MT32BI5 | 32 | 42 | 1.4 | 5 | 5 |
| MT44BI | 44 | 54 | 1.4 | 1 | 10 |
| MT44BI5 | 44 | 54 | 1.4 | 5 | 5 |
| MT69BI | 69 | 42 | 1.4 | 1 | 10 |

Carbon Steel Blades - Wood & Plastic Cutting

Radial Blade



Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims.

| Product Code | Size Ø (mm) | Cutting Depth (mm) | Teeth Pitch (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-------------|--------------------|------------------|----------------|--------------------|
| MTR87 | 87 | 26 | 1.4 | 1 | 10 |

Straight Fine Cut Blade



Flush cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic.

| Product Code | Size (mm) | Cutting Depth (mm) | Teeth Pitch (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------|--------------------|------------------|----------------|--------------------|
| MT10FT | 10 | 40 | 1.4 | 1 | 10 |
| MT20FT | 20 | 40 | 1.4 | 1 | 10 |
| MT32FT | 32 | 42 | 1.4 | 1 | 10 |
| MT32FT5 | 32 | 42 | 1.4 | 5 | 5 |
| MT44FT | 44 | 54 | 1.4 | 1 | 10 |
| MT69FT | 69 | 42 | 1.4 | 1 | 10 |
| MT69FT5 | 69 | 42 | 1.4 | 5 | 5 |

Straight Coarse Cut Blade



Coarse cut blades are designed to give a quick, coarse cut into wood, plasterboard and many types of plastic.

| Product Code | Size (mm) | Cutting Depth (mm) | Teeth Pitch (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------|--------------------|------------------|----------------|--------------------|
| MT32CT | 32 | 42 | 1.69 | 1 | 10 |
| MT32CT5 | 32 | 42 | 1.69 | 5 | 5 |
| MT44CT | 44 | 54 | 1.69 | 1 | 10 |
| MT69CT | 69 | 42 | 1.69 | 1 | 10 |
| MT69CT5 | 69 | 42 | 1.69 | 5 | 5 |

Serrated Wavy Edge Saw Blade



The serrated blade is ideal for cutting soft materials such as cardboard, polystyrene, carpet, rubber and leather.

| Product Code | Size (mm) | Cutting Depth (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-----------|--------------------|----------------|--------------------|
| BLISTER PACK | | | | |
| MT69SE | 69 | 42 | 1 | 10 |

MTB01

Flexible Scraper Blade



Ideal for many scraping applications such as removing paint, glues and silicone.

| Product Code | Size (mm) | Cutting Depth (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-----------|--------------------|----------------|--------------------|
| BLISTER PACK | | | | |
| MT52SC | 52 | 35 | 1 | 10 |

MTB01

Diamond Carbide Grit Carbon Steel Blades

Radial Blade



Ideal for cutting tiles, porous concrete and plaster

| Product Code | Size Ø (mm) | Cutting Depth (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-------------|--------------------|----------------|--------------------|
| BLISTER PACK | | | | |
| MTR65CG | 65 | 10 | 1 | 10 |

MTB01

Boot Blade



Designed to remove grout from in-between tiles. The boot design rapidly removes the grout without damaging the tiles.

| Product Code | Size (mm) | Cutting Depth (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-----------|--------------------|----------------|--------------------|
| BLISTER PACK | | | | |
| MTBOOT | 59 | 45 | 1 | 10 |

MTB01

Delta Sanding Pad



To be used in conjunction with triangular sanding sheets. For sanding wood, metal and plastics.

| Product Code | Size (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-----------|----------------|--------------------|
| BLISTER PACK | | | |
| MT93SP | 93 | 1 | 5 |

MTB01

Sanding Sheets



Universal use on most surfaces, the hook and loop backing makes it easy to remove from the sanding pad.

| Product Code | Size (mm) | Grit | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-----------|------|----------------|--------------------|
| BLISTER PACK | | | | |
| MTP60 | 93 | 60 | 10 | 120 |
| MTP80 | 93 | 80 | 10 | 120 |

MTB01

Multi-Tool Blade Sets



Convenient eight piece mixed set of popular blades. Ideal for multiple applications.

| Product Code | Blade Code | Size (mm) | Cutting Depth (mm) | Teeth Pitch (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|------------|-----------|--------------------|------------------|----------------|--------------------|
| BLISTER PACK | | | | | | |
| MT8PSET | - | - | - | - | 4 | 10 |
| | MT10BI | 10 | 40 | 1.4 | 1 | |
| | MT20BI | 20 | 40 | 1.4 | 1 | |
| | MT32BI | 32 | 42 | 1.4 | 1 | |
| | MT69BI | 69 | 42 | 1.4 | 1 | |
| | MT87BI | Ø 87 | 26 | 1.3 | 1 | |
| | MT32CT | 32 | 40 | 1.69 | 1 | |
| | MT69CT | 69 | 42 | 1.69 | 1 | |
| | MT52SC | 52 | 35 | N/A | 1 | |

MTB01



Convenient four piece mixed set of popular blades. Ideal for multiple applications.

| Product Code | Blade Code | Size (mm) | Cutting Depth (mm) | Teeth Pitch (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|------------|-----------|--------------------|------------------|----------------|--------------------|
| BLISTER PACK | | | | | | |
| MT4PSET | - | - | - | - | 4 | 10 |
| | MT32BI | 32 | 42 | 1.4 | 1 | |
| | MT69BI | 69 | 42 | 1.4 | 1 | |
| | MT32CT | 32 | 40 | 1.69 | 1 | |
| | MT69CT | 69 | 42 | 1.69 | 1 | |

MTB01

Powertool Sanding

Sanding Belts



- Heat resistant backing
- Long life
- Anti-clog coating

Manufactured using a heat resistant cloth backing and premium quality aluminium oxide grit. Designed to maintain sanding performance, prolong lifespan and meet the extreme requirements of modern belt sanders.

| Product Code | Size W x L (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------------|------|----------------|----------------|--------------------|
| PACK | | | | | |
| 231069 | 75 x 533 | 40 | Coarse | 5 | 60 |
| 231841 | 75 x 533 | 80 | Medium | 5 | 60 |
| 231645 | 75 x 533 | 120 | Fine | 5 | 60 |
| 231429 | 75 x 457 | 40 | Coarse | 5 | 60 |
| 231987 | 75 x 457 | 80 | Medium | 5 | 60 |
| 231321 | 75 x 457 | 120 | Fine | 5 | 60 |
| 231147 | 100 x 610 | 40 | Coarse | 5 | 60 |
| 231258 | 100 x 610 | 80 | Medium | 5 | 60 |
| 231369 | 100 x 610 | 120 | Fine | 5 | 60 |

Punched 1/3 Sanding Sheets



- Crack resistant
- Long life
- Anti-clog coating

High quality aluminium oxide abrasive with a high strength heat and wear resistant backing paper to provide a superior lifespan. Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

| Product Code | Size W x L (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------------|-------------|----------------|----------------|--------------------|
| PACK | | | | | |
| 231050 | 93 x 185 | 80 | Medium | 5 | 50 |
| 231855 | 93 x 185 | 120 | Fine | 5 | 50 |
| 231666 | 93 x 185 | 180 | Extra Fine | 5 | 50 |
| 231112 | 93 x 185 | 80/120/180* | Assorted | 5 | 50 |

* 2 x 80 / 2 x 120 / 1 x 180 Grit

Unpunched 1/3 Sanding Sheets



- Crack resistant
- Long life
- Anti-clog coating

High quality aluminium oxide abrasive with a high strength heat and wear resistant backing paper to provide a superior lifespan. Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

| Product Code | Size W x L (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------------|-------------|----------------|----------------|--------------------|
| PACK | | | | | |
| 231467 | 93 x 230 | 60 | Coarse | 5 | 50 |
| 231900 | 93 x 230 | 80 | Medium | 5 | 50 |
| 231751 | 93 x 230 | 120 | Fine | 5 | 50 |
| 231222 | 93 x 230 | 180 | Extra Fine | 5 | 50 |
| 231599 | 93 x 230 | 80/120/180* | Assorted | 5 | 50 |

* 2 x 80 / 2 x 120 / 1 x 180 Grit

Delta Sanding Pads



- Crack resistant
- Hook & loop
- Anti-clog coating

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

| Product Code | Size W x L (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------------|-------------|----------------|----------------|--------------------|
| PACK | | | | | |
| 231005 | 95 x 95 | 60 | Coarse | 5 | 100 |
| 231119 | 95 x 95 | 80 | Medium | 5 | 100 |
| 231410 | 95 x 95 | 120 | Fine | 5 | 100 |
| 231360 | 95 x 95 | 180 | Extra Fine | 5 | 100 |
| 231909 | 95 x 95 | 240 | Extra Fine | 5 | 100 |
| 231333 | 95 x 95 | 80/120/180* | Assorted | 5 | 100 |

* 2 x 80 / 2 x 120 / 1 x 180 Grit

Detail Sanding Sheets




- Crack resistant
- Hook & loop
- Anti-clog coating

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

| Product Code | Size W x L (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------------|------|----------------|----------------|--------------------|
| PACK | | | | | |
| 231753 | 95 x 136 | 80 | Medium | 5 | 100 |
| 231081 | 95 x 136 | 120 | Fine | 5 | 100 |
| 231811 | 95 x 136 | 180 | Extra Fine | 5 | 100 |

ABR08

Random Orbital Discs



- Crack resistant
- Hook & loop
- Anti-clog coating

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

| Product Code | Ø (mm) | Ø (inch) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|----------|-------------|----------------|----------------|--------------------|
| PACK | | | | | | |
| 231019 | 125 | 5 | 60 | Coarse | 5 | 100 |
| 231555 | 125 | 5 | 80 | Medium | 5 | 100 |
| 231378 | 125 | 5 | 120 | Fine | 5 | 100 |
| 231200 | 125 | 5 | 180 | Extra Fine | 5 | 100 |
| 231992 | 125 | 5 | 80/120/180* | Assorted | 5 | 100 |
| 231084 | 150 | 6 | 60 | Coarse | 5 | 100 |
| 231080 | 150 | 6 | 80 | Medium | 5 | 100 |
| 231144 | 150 | 6 | 120 | Fine | 5 | 100 |
| 231719 | 150 | 6 | 180 | Extra Fine | 5 | 100 |
| 231859 | 150 | 6 | 80/120/180* | Assorted | 5 | 100 |


ABR03

* 2 x 80 / 2 x 120 / 1 x 180 Grit

Drylining Discs

BEST SELLER

High quality sandpaper discs with white aluminium oxide abrasive for effective material removal. Perforated for excellent dust extraction. Available in a wide variety of abrasive grades to allow for varied results, from rapid material removal through to final finishing.



- Anti-slip hook & loop backing
- Lightweight and flexible backing paper
- Designed for use with all leading brands of drywall power sanders

| Product Code | Ø (mm) | Ø (inch) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|---------------|--------|----------|------|----------------|----------------|--------------------|
| BUNDLE | | | | | | |
| 231101 | 225 | 9 | 40 | Coarse | 25 | 7 |
| 231546 | 225 | 9 | 60 | Coarse | 25 | 7 |
| 231894 | 225 | 9 | 80 | Medium | 25 | 8 |
| 231434 | 225 | 9 | 100 | Medium | 25 | 8 |
| 231025 | 225 | 9 | 120 | Fine | 25 | 8 |
| 231175 | 225 | 9 | 150 | Fine | 25 | 8 |
| 231232 | 225 | 9 | 180 | Extra Fine | 25 | 8 |
| 231741 | 225 | 9 | 220 | Extra Fine | 25 | 8 |


ABR03

Hand Sanding



Sandpaper Rolls

Yellow Sandpaper Roll



- Crack resistant
- Long life
- Anti-clog coating


Manufactured using lightweight 180g backing paper, allowing for excellent flexibility and malleability without tearing and cracking. The premium quality aluminium oxide grit allows for excellent material removal.

Ideal for preparation of intricate & delicate applications.

| Product Code | Length (m) | Width (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------|------------|------|----------------|----------------|--------------------|
| ROLL | | | | | | |
| 231541 | 10 | 115 | 60 | Coarse | 1 | 6 |
| 231999 | 10 | 115 | 80 | Medium | 1 | 6 |
| 231405 | 10 | 115 | 120 | Fine | 1 | 6 |

ABR01

Green Sandpaper Roll



- Crack resistant
- Long life
- Anti-clog coating

Manufactured using premium 225g backing paper, allowing for hard wearing and flexible sanding performance. The premium quality aluminium oxide grit allows for excellent material removal.

Ideal for hand and powertool sanding.

| Product Code | Length (m) | Width (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------|------------|------|----------------|----------------|--------------------|
| ROLL | | | | | | |
| 231022 | 10 | 115 | 60 | Coarse | 1 | 6 |
| 231117 | 10 | 115 | 80 | Medium | 1 | 6 |
| 231823 | 10 | 115 | 120 | Fine | 1 | 6 |

ABR01

Red Sandpaper Roll



- Crack resistant
- Long life
- Anti-clog coating

Manufactured using heavy duty 250g backing paper, allowing for long lasting and hard wearing sanding performance. Premium quality calcined aluminium oxide grit allows for excellent material removal.

Ideal for woodworking, painting and decorating.

| Product Code | Length (m) | Width (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------|------------|------|----------------|----------------|--------------------|
| ROLL | | | | | | |
| 231004 | 10 | 115 | 60 | Coarse | 1 | 6 |
| 231210 | 10 | 115 | 80 | Medium | 1 | 6 |
| 231311 | 10 | 115 | 120 | Fine | 1 | 6 |

ABR01

Full Sanding Sheets



High quality aluminium oxide abrasive with a high strength anti-crack backing paper to provide a superior lifespan. Ideal for heavy hand or power sanding on wood, paint, varnish, plaster and filler.

| Product Code | Size W x L (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------------|-------------|----------------|----------------|--------------------|
| PACK | | | | | |
| 231002 | 230 x 280 | 80 | Medium | 5 | 10 |
| 231191 | 230 x 280 | 120 | Fine | 5 | 10 |
| 231505 | 230 x 280 | 180 | Extra Fine | 5 | 10 |
| 231123 | 230 x 280 | 80/120/180* | Assorted | 5 | 10 |

ABR02

* 2 x 80/ 2 x 120/ 1 x 180 Grit

Wet & Dry Sanding Sheets



Premium quality silicon carbide abrasive with a flexible waterproof backing paper. When used in conjunction with water this paper gives a smoother surface compared to dry sanding on metal, wood, paint and varnish whilst reducing dust.

| Product Code | Size W x L (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------------|----------|----------------|----------------|--------------------|
| PACK | | | | | |
| 231485 | 230 x 280 | 600 | Ultra Fine | 5 | 10 |
| 231636 | 230 x 280 | 1200 | Ultra Fine | 5 | 10 |
| 231357 | 230 x 280 | 180/320* | Assorted | 5 | 10 |

ABR02

* 2 x 180 / 3 x 320 Grit

Steel Wire Wools



Used by woodworkers and craftsmen when cleaning metal and wood in preparation for lacquers, varnishes and paints.



| Product Code | Weight (g) | Abrasive Grade | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------|----------------|----------------|--------------------|
| PACK | | | | |
| 231659 | 200 | Coarse | 1 | 48 |
| 231308 | 200 | Medium | 1 | 48 |
| 231007 | 200 | Fine | 1 | 48 |

ABR04

Angle Grinder Wire Brushes



Steel Wire Brushes

Steel • Sheet Metal
Cast Iron



Stainless Steel Wire Brushes

Stainless Steel •
Non-Ferrous • Aluminium

Crimped Steel Wire Brushes

Suitable for use with angle and bench grinders. The crimped wire is ideal for lightly removing loose paint, rust or dirt without scarring the base material. Use stainless steel to reduce the likelihood of cross contamination when cleaning the base material.

Cup Brushes

75TCC



75TCCSS

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 75TCC | 75 | M14 | 0.3 | 12,500 | 1 | 5 |
| 100TCC | 100 | M14 | 0.3 | 8,500 | 1 | 5 |
| 125TCC | 125 | M14 | 0.3 | 6,500 | 1 | 5 |
| 150TCC | 150 | M14 | 0.3 | 6,500 | 1 | 5 |

BLISTER PACK

Steel Wire Cup Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 75TCC | 75 | M14 | 0.3 | 12,500 | 1 | 5 |
| 100TCC | 100 | M14 | 0.3 | 8,500 | 1 | 5 |
| 125TCC | 125 | M14 | 0.3 | 6,500 | 1 | 5 |
| 150TCC | 150 | M14 | 0.3 | 6,500 | 1 | 5 |

Stainless Steel Wire Cup Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 75TCCSS | 75 | M14 | 0.5 | 8,500 | 1 | 5 |
| 100TCCSS | 100 | M14 | 0.5 | 8,500 | 1 | 5 |

Bevel Brushes

115TBC



115TBCSS

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 115TBC | 115 | M14 | 0.3 | 12,500 | 1 | 5 |
| 115TBCSS | 115 | M14 | 0.3 | 12,500 | 1 | 5 |

BLISTER PACK

Steel Wire Bevel Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 115TBC | 115 | M14 | 0.3 | 12,500 | 1 | 5 |

Stainless Steel Wire Bevel Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 115TBCSS | 115 | M14 | 0.3 | 12,500 | 1 | 5 |

Wheel Brush with Reducer Set

150HWC



Includes reducing bushes reduces bore from 32mm to 25, 22, 20, 16 and 12mm (two of each).

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 150HWC | 150 | 32 | 0.3 | 6,000 | 1 | 5 |
| 200HWC | 200 | 32 | 0.3 | 4,500 | 1 | 5 |

BLISTER PACK

Steel Wire Wheel Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 150HWC | 150 | 32 | 0.3 | 6,000 | 1 | 5 |
| 200HWC | 200 | 32 | 0.3 | 4,500 | 1 | 5 |

Twisted Knot Steel Wire Brushes

Suitable for use with angle and bench grinders. The 0.5mm twist steel wire is hard wearing and gives an aggressive removal of paint, rust, rubber, concrete or dirt. The metal ring can be removed to increase usage life. Use stainless steel to reduce the likelihood of cross contamination when cleaning the base material.

Cup Brushes

80TCT



100TCTSS

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 80TCT | 80 | M14 | 0.5 | 8,500 | 1 | 5 |
| 100TCT | 100 | M14 | 0.5 | 8,500 | 1 | 5 |

BLISTER PACK

Steel Wire Cup Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 80TCT | 80 | M14 | 0.5 | 8,500 | 1 | 5 |
| 100TCT | 100 | M14 | 0.5 | 8,500 | 1 | 5 |

Stainless Steel Wire Cup Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 100TCTSS | 100 | M14 | 0.5 | 8,500 | 1 | 5 |

Bevel Brushes

100TBT



100TBTSS

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 100TBT | 100 | M14 | 0.5 | 12,500 | 1 | 5 |
| 100TBTSS | 100 | M14 | 0.5 | 12,500 | 1 | 5 |

BLISTER PACK

Steel Wire Bevel Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 100TBT | 100 | M14 | 0.5 | 12,500 | 1 | 5 |

Stainless Steel Wire Bevel Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 100TBTSS | 100 | M14 | 0.5 | 12,500 | 1 | 5 |

Wheel Brushes

115TWTSS



125HWT

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 115TWT | 115 | M14 | 0.5 | 12,500 | 1 | 5 |
| 115TWTSS | 115 | M14 | 0.5 | 12,500 | 1 | 5 |
| 125HWT | 125 | 22 | 0.5 | 12,500 | 1 | 5 |

BLISTER PACK

Steel Wire Wheel Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 115TWT | 115 | M14 | 0.5 | 12,500 | 1 | 5 |


Stainless Steel Wire Wheel Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 115TWTSS | 115 | M14 | 0.5 | 12,500 | 1 | 5 |

Steel Wire Wheel Brush

| Product Code | Ø (mm) | Wire Arbor | Thickness (mm) | Max R.P.M. | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|------------|----------------|------------|----------------|--------------------|
| 125HWT | 125 | 22 | 0.5 | 12,500 | 1 | 5 |

Drill Wire Brushes



Nylon Wire

Sheet Metal • Wood Stone



Steel Wire

Steel • Sheet Metal • Cast Iron

Nylon Brushes

The nylon brush is less aggressive and ideal for light de-burring, polishing and finishing.



| Product Code | Ø (mm) | Shank Ø (inch) | Nylon Thickness (mm) | Max R.P.M | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|----------------|----------------------|-----------|----------------|--------------------|
|--------------|--------|----------------|----------------------|-----------|----------------|--------------------|

BLISTER PACK

Nylon Cup Brush

| | | | | | | |
|-------|----|-------|-----|-------|---|----|
| 50SCN | 50 | ¼ Hex | 1.3 | 4,500 | 1 | 12 |
| 75SCN | 75 | ¼ Hex | 1.3 | 4,500 | 1 | 12 |

PTB08

Nylon Wheel Brush

| | | | | | | |
|--------|-----|-------|-----|-------|---|----|
| 75SWN | 75 | ¼ Hex | 1.3 | 4,500 | 1 | 12 |
| 100SWN | 100 | ¼ Hex | 1.3 | 4,500 | 1 | 12 |

PTB06

Crimped Steel Wire Brushes

Crimped wire is ideal for lightly removing loose paint, rust or dirt without scarring the base material.



| Product Code | Ø (mm) | Shank Ø (inch) | Wire Thickness (mm) | Max R.P.M | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|----------------|---------------------|-----------|----------------|--------------------|
|--------------|--------|----------------|---------------------|-----------|----------------|--------------------|

BLISTER PACK

Steel Wire Cup Brush

| | | | | | | |
|-------|----|-------|-----|-------|---|----|
| 50SCC | 50 | ¼ Hex | 0.3 | 4,500 | 1 | 12 |
| 75SCC | 75 | ¼ Hex | 0.3 | 4,500 | 1 | 12 |

PTB07

Steel Wire Wheel Brush

| | | | | | | |
|--------|-----|-------|-----|-------|---|----|
| 50SWC | 50 | ¼ Hex | 0.3 | 4,500 | 1 | 12 |
| 75SWC | 75 | ¼ Hex | 0.3 | 4,500 | 1 | 12 |
| 100SWC | 100 | ¼ Hex | 0.3 | 4,500 | 1 | 12 |

PTB04

Steel Wire End Brush

| | | | | | | |
|-------|----|--------|-----|-------|---|----|
| 25SEC | 25 | ¼" Hex | 0.3 | 4,500 | 1 | 20 |
|-------|----|--------|-----|-------|---|----|

PTB01

Twisted Knot Steel Wire Brush



The twist brush is ideal for aggressive removal of paint, rust, rubber, concrete or dirt.

| Product Code | Ø (mm) | Shank Ø (inch) | Wire Thickness (mm) | Max R.P.M | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|--------|----------------|---------------------|-----------|----------------|--------------------|
|--------------|--------|----------------|---------------------|-----------|----------------|--------------------|

BLISTER PACK

Steel Wire Wheel Brush

| | | | | | | |
|-------|----|---|-----|--------|---|----|
| 75SWT | 75 | ¼ | 0.5 | 12,500 | 1 | 12 |
|-------|----|---|-----|--------|---|----|

PTB05

Flap Discs & Preparation Discs

Zirconium Flap Discs



A premium, long life and heavy duty zirconium flap disc for consistent and rapid performance whilst grinding, finishing, removing paint and weld dressing. Suitable for use with Stainless Steel (inox), Cast Iron, Alloy Metals and Wood. Ideal for flat and curved surfaces.

- Heavy Stripping
- Rapid Abrasive Action
- Type 29
- Approved to EN13743

| Product Code | Ø (mm) | Ø (inch) | Bore (mm) | Grit | Abrasive Grade | Pack Qty (pcs) | 2nd Qty (packs) | Carton Qty (packs) |
|--------------|--------|----------|-----------|------|----------------|----------------|-----------------|--------------------|
|--------------|--------|----------|-----------|------|----------------|----------------|-----------------|--------------------|

PACK

| | | | | | | | | |
|--------|-----|----|-------|------|--------|---|----|-----|
| 231020 | 115 | 4½ | 22.23 | P40 | Coarse | 1 | 10 | 100 |
| 231528 | 115 | 4½ | 22.23 | P60 | Coarse | 1 | 10 | 100 |
| 231351 | 115 | 4½ | 22.23 | P80 | Medium | 1 | 10 | 100 |
| 231051 | 115 | 4½ | 22.23 | P120 | Fine | 1 | 10 | 100 |

BOX

| | | | | | | | | |
|--------|-----|----|-------|------|--------|----|---|----|
| 231444 | 115 | 4½ | 22.23 | P40 | Coarse | 10 | - | 20 |
| 231953 | 115 | 4½ | 22.23 | P60 | Coarse | 10 | - | 20 |
| 231862 | 115 | 4½ | 22.23 | P80 | Medium | 10 | - | 20 |
| 231006 | 115 | 4½ | 22.23 | P120 | Fine | 10 | - | 20 |

ABR05

Nylon Stripping & Preparation Discs



A hardened nylon fibre strip disc for ultimate stock removal and surface preparation performance. Ideal for removing old paint, weld spatter, rust and corrosion without damaging the work piece.

Ideal for use on flat surfaces and for the removal of thermal bluing.

- Rapid Abrasive Action
- Reduced Loading Required
- Heavy Duty Backing
- Approved to EN13743

| Product Code | Ø (mm) | Ø (inch) | Bore (mm) | Pack Qty (pcs) | 2nd Qty (packs) | Carton Qty (packs) |
|--------------|--------|----------|-----------|----------------|-----------------|--------------------|
|--------------|--------|----------|-----------|----------------|-----------------|--------------------|

PACK

| | | | | | | |
|--------|-----|----|-------|---|----|-----|
| 231363 | 115 | 4½ | 22.23 | 1 | 10 | 100 |
|--------|-----|----|-------|---|----|-----|

BOX

| | | | | | | |
|--------|-----|----|-------|----|---|----|
| 231230 | 115 | 4½ | 22.23 | 10 | - | 20 |
|--------|-----|----|-------|----|---|----|

ABR05

Chucks, Keys and Adaptors

Heavy Duty Keyless Chuck



A keyless hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt. Suitable for 1.5mm – 13mm drills bits.

| Product Code | Clamping Capacity (mm) | Capacity Mount (imp) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------------|----------------------|----------------|--------------------|
| PACK | | | | |
| HDKC13 | 1.5 - 13.0 | 1/2" | 1 | 10 KEY01 |

Super Heavy Duty Keyless Chuck



A keyless heavy duty hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 1000 watt. Suitable for 1.5mm – 13mm drills bits.

| Product Code | Clamping Capacity (mm) | Capacity Mount (imp) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------------|----------------------|----------------|--------------------|
| PACK | | | | |
| SHDKC | 1.5 - 13.0 | 1/2" | 1 | 10 KEY01 |

Single Handed Keyless Chuck



A keyless single hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt. Suitable for 1.5mm – 13mm drills bits.

| Product Code | Clamping Capacity (mm) | Capacity Mount (imp) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------------|----------------------|----------------|--------------------|
| PACK | | | | |
| SHKC13 | 1.5 - 13.0 | 1/2" | 1 | 10 KEY01 |

Keyless Chuck & SDS Plus Adaptor



A keyless hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt. Sold with an SDS plus adaptor. Suitable for 1.5mm – 13mm drills bits.

| Product Code | Clamping Capacity (mm) | Capacity Mount (imp) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------------|----------------------|----------------|--------------------|
| PACK | | | | |
| KKEY | 1.5 - 13.0 | 1/2" | 1 | 10 KEY01 |

Chuck, Key & SDS Sets



A traditional keyed chuck that fits drills with 1/2" shaft. Suitable for 1.5mm – 13mm drills bits. C13 - Chuck and Key KEY - Chuck, Key and SDS adaptor



| Product Code | Clamping Capacity (mm) | Capacity Mount (imp) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------------|----------------------|----------------|--------------------|
| PACK | | | | |
| C13 | 1.5 - 13.0 | 1/2" | 1 | 10 |
| KEY | 1.5 - 13.0 | 1/2" | 1 | 10 KEY01 |

Chuck Key & SDS Plus Adaptors

Chuck Key (AS2)

SDS Plus Adaptor (SDSCA)



| Product Code | To Fit | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------|----------------|--------------------|
| PACK | | | |
| AS2 | 1/2" keyed chuck | 1 | 10 |
| SDSCA | SDS plus to 1/2" | 1 | 10 KEY01 |

Impact Driver Bits

Impact Driver Bits

Pozi



| Product Code | Bit Size (mm) | Length (mm) | Qty (pcs) | Pack Qty (packs) | Carton Qty (packs) |
|---------------------|---------------|-------------|-----------|------------------|--------------------|
| HANDY PACK | | | | | |
| 1PZ25X6 | PZ1 | 25 | 10 | 5 | 5 |
| 2PZ25X6 | PZ2 | 25 | 10 | 5 | 5 |
| 3PZ25X6 | PZ3 | 25 | 10 | 5 | 5 |
| 1PZ50X6 | PZ1 | 50 | 5 | 5 | 5 |
| 2PZ50X6 | PZ2 | 50 | 5 | 5 | 5 |
| 3PZ50X6 | PZ3 | 50 | 5 | 5 | 5 |
| BLISTER CARD | | | | | |
| 2PZ90X6 | PZ2 | 90 | 1 | 24 | 12 |
| 2PZ150X6 | PZ2 | 150 | 1 | 12 | 12 |

ABT01

TX Drive



| Product Code | Bit Size (mm) | Length (mm) | Qty (pcs) | Pack Qty (packs) | Carton Qty (packs) |
|-------------------|---------------|-------------|-----------|------------------|--------------------|
| HANDY PACK | | | | | |
| 20TX25X6 | TX20 | 25 | 10 | 5 | 5 |
| 25TX25X6 | TX25 | 25 | 10 | 5 | 5 |
| 30TX25X6 | TX30 | 25 | 10 | 5 | 5 |
| 40TX25X6 | TX40 | 25 | 10 | 5 | 5 |
| 25TX50X6 | TX25 | 50 | 5 | 5 | 5 |
| 30TX50X6 | TX30 | 50 | 5 | 5 | 5 |
| 40TX50X6 | TX40 | 50 | 5 | 5 | 5 |
| 50TX50X6 | TX50 | 50 | 5 | 5 | 5 |

ABT03

Phillips



| Product Code | Bit Size (mm) | Length (mm) | Qty (pcs) | Pack Qty (packs) | CDU Qty (packs) |
|---------------------|---------------|-------------|-----------|------------------|-----------------|
| HANDY PACK | | | | | |
| 1PH25X6 | PH1 | 25 | 10 | 5 | 5 |
| 2PH25X6 | PH2 | 25 | 10 | 5 | 5 |
| 3PH25X6 | PH3 | 25 | 10 | 5 | 5 |
| 2PH50X6 | PH2 | 50 | 5 | 5 | 5 |
| 3PH50X6 | PH3 | 50 | 5 | 5 | 5 |
| BLISTER CARD | | | | | |
| 2PH90X6 | PH2 | 90 | 1 | 24 | 12 |
| 2PH150X6 | PH2 | 150 | 1 | 12 | 12 |

ABT02

Square



| Product Code | Bit Size (mm) | Length (mm) | Qty (pcs) | Pack Qty (packs) | Carton Qty (packs) |
|-------------------|---------------|-------------|-----------|------------------|--------------------|
| HANDY PACK | | | | | |
| 2SQ25X6 | SQ2 | 25 | 10 | 5 | 5 |
| 2SQ50X6 | SQ2 | 50 | 5 | 5 | 5 |

ABT04

Hex



NEW

| Product Code | Bit Size (mm) | Length (mm) | Qty (pcs) | Pack Qty (packs) | Carton Qty (packs) |
|-------------------|---------------|-------------|-----------|------------------|--------------------|
| HANDY PACK | | | | | |
| 3HX25X6 | HX3 | 25 | 10 | 5 | 5 |
| 4HX25X6 | HX4 | 25 | 10 | 5 | 5 |
| 5HX25X6 | HX5 | 25 | 10 | 5 | 5 |
| 6HX25X6 | HX6 | 25 | 10 | 5 | 5 |
| 8HX25X6 | HX8 | 25 | 10 | 5 | 5 |

ABT06

Double Ended Impact Driver Bits

Double Ended Pozi



| Product Code | Bit Size (mm) | Length (mm) | Qty (pcs) | Pack Qty (packs) | Carton Qty (packs) |
|---------------------|---------------|-------------|-----------|------------------|--------------------|
| BLISTER PACK | | | | | |
| 2PZ65X6 | PZ2 | 65 | 2 | 24 | 24 |
| 3PZ65X6 | PZ3 | 65 | 2 | 24 | 24 |

ABT01

Double Ended Phillips



| Product Code | Bit Size (mm) | Length (mm) | Qty (pcs) | Pack Qty (packs) | Carton Qty (packs) |
|---------------------|---------------|-------------|-----------|------------------|--------------------|
| BLISTER PACK | | | | | |
| 2PH65X6 | PH2 | 65 | 2 | 24 | 24 |
| 3PH65X6 | PH3 | 65 | 2 | 24 | 24 |

ABT02

Double Ended TX Drive



| Product Code | Bit Size (mm) | Length (mm) | Qty (pcs) | Pack Qty (packs) | Carton Qty (packs) |
|---------------------|---------------|-------------|-----------|------------------|--------------------|
| BLISTER PACK | | | | | |
| 25TX65X6 | TX25 | 65 | 2 | 12 | 12 |
| 30TX65X6 | TX30 | 65 | 2 | 12 | 12 |
| 40TX65X6 | TX40 | 65 | 2 | 12 | 12 |

ABT03

Impact Driver Bit Sets



11 PIECE

Convenient pocket sized mixed set of 25mm impact resistant bits with magnetic bit holder.

Set includes: PZ1(1), PZ2(2), PZ3(1), PH2(2), TX15(1), TX20(1), TX25(1), TX30(1), **Magnetic Bit Holder (1)**.

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|----------------|--------------------|
| BLISTER PACK | | |
| 228447 | 11 | 12 |

ABT07



28 PIECE

Comprehensive mixed set of 25mm impact resistant bits with 60mm impact magnetic bit holder.

Set includes: PZ0(1), PZ1(2), PZ2(3), PZ3(2), PH0(1), PH1(2), PH2(4), PH3(2), TX10(1), TX15(1), TX20(2), TX25(2), TX27(1), TX30(2), TX40(1), **Magnetic Bit Holder (1)**.

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|----------------|--------------------|
| SET | | |
| 28SETX6 | 28 | 12 |

ABT07



49 PIECE

Comprehensive mixed set of impact resistant bits, nut drivers and an impact magnetic bit holder.

Set includes:
25mm Bits - PZ1(2), PZ2(9), PZ3(3), PH1(2), PH2(8), PH3(2), TX20(1), TX25(2), TX30(3), TX40(2), SQ2(1).
50mm Bits - PZ1(1), PZ2(3), PZ3(1), PH2(2), PH3(1), TX30(2).
Sockets - 8mm(1), 10mm(1), 13mm(1).
Magnetic Bit Holder (1).

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|----------------|--------------------|
| SET | | |
| 228258 | 49 | 6 |

ABT07

Impact Driver Bit Holders & Adaptors

Impact Quick Release Bit Holders



Impact resistant quick adaptor chuck allows the user to rapidly change between multiple 1/4" hex drive accessories. Available in longer lengths to assist the user when working in awkward applications.

| Product Code | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-------------|----------------|--------------------|
| BLISTER CARD | | | |
| 65MAQX6 | 65 | 1 | 24 |
| 150MAQX6 | 150 | 1 | 12 |
| 300MAQX6 | 300 | 1 | 12 |

ABT08

Impact Magnetic Screw Holder



Impact resistant magnetic screw holder has been specifically designed for installation of flat head screws. The sliding magnetic sleeve securely holds the screw in place to allow single handed installations in vertical or horizontal applications.

| Product Code | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-------------|----------------|--------------------|
| BLISTER CARD | | | |
| 53MSHX6 | 53 | 1 | 10 |

ABT08

Impact Magnetic Bit Holders



A high quality magnetic 1/4" hex drive adaptor with a unique 'torsion zone' that enables the bit holder to withstand the extreme pressures exerted by an impact driver.

| Product Code | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-------------|----------------|--------------------|
| BLISTER CARD | | | |
| 60MAX6 | 60 | 1 | 24 |
| 150MAX6 | 150 | 1 | 12 |

ABT08

Impact Screw Guide



Impact resistant magnetic screw guide has a sliding sleeve designed so the user always drives the screw in at 90 degrees ensuring a flush finish. It also has the added benefit of reducing risk of finger injury as the sleeve covers the sharp screw threads.

| Product Code | To Suit Screw Gauge (mm) | To Suit Screw Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|--------------------------|---------------------------|----------------|--------------------|
| BLISTER CARD | | | | |
| 75SGX6 | 3.0 - 5.0 | 4 - 10 | 1 | 24 |

ABT08

Impact Quick Release Adaptors



This impact resistant quick change adaptor is used for converting an impact wrench into a 1/4" hex drive with Quick Release.

| Product Code | To Fit (imp) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|--------------|-------------|----------------|--------------------|
| BLISTER CARD | | | | |
| 38QCAX6 | 3/8" | 50 | 1 | 24 |
| 12QCAX6 | 1/2" | 50 | 1 | 24 |

ABT08

Impact HSS Drill Bits

Impact Quick Release HSS Drill Bits



This durable engineering quality HSS ground drill is designed for drilling sheet metal and wood with a 1/4" chuck impact driver.

The quick change shank can be rapidly interchanged for easy and hassle free drilling.

| Product Code | Drill Ø (mm) | Total Length (mm) | Working Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|--------------|-------------------|---------------------|----------------|--------------------|
| BLISTER CARD | | | | | |
| HSSG2X6 | 2.0 | 67 | 24 | 1 | 24 |
| HSSG25X6 | 2.5 | 75 | 30 | 1 | 24 |
| HSSG3X6 | 3.0 | 75 | 33 | 1 | 24 |
| HSSG35X6 | 3.5 | 84 | 39 | 1 | 24 |
| HSSG4X6 | 4.0 | 89 | 43 | 1 | 24 |
| HSSG45X6 | 4.5 | 94 | 47 | 1 | 24 |
| HSSG5X6 | 5.0 | 100 | 52 | 1 | 24 |
| HSSG6X6 | 6.0 | 107 | 57 | 1 | 24 |
| HSSG8X6 | 8.0 | 117 | 75 | 1 | 24 |
| HSSG10X6 | 10.0 | 133 | 87 | 1 | 24 |

ABT10

Impact Socket Drivers

Impact Socket Drivers



These professional grade impact nut drivers are designed to withstand the toughest fastening applications.

The powerful magnet allows for a secure grip and unyielding bit engagement. Ideal for use on hex head screws when installed with an impact driver.

| Product Code | Socket Size | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-------------|-------------|----------------|--------------------|
| BLISTER CARD | | | | |
| 14SDX6 | 1/4" | 65 | 1 | 24 |
| 7SDX6 | 7mm | 65 | 1 | 24 |
| 8SDX6 | 8mm | 65 | 1 | 24 |
| 10SDX6 | 10mm | 65 | 1 | 24 |
| 13SDX6 | 13mm | 65 | 1 | 24 |

ABT08

Impact Sockets & Adaptors

Impact Sockets



High grade impact sockets for use in the most challenging applications. Made from high quality steel, the sockets are hardened and tempered for maximum strength and comes in a phosphate finish for greater corrosion resistance. Ideal for use in air impact wrenches and impact drivers.

| Product Code | Socket Size (mm) | Length (imp) | To Fit (imp) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|------------------|--------------|--------------|----------------|--------------------|
| CLIP | | | | | |
| 8ISHX6 | 8 | 3" | 1/2" | 1 | 25 |
| 10ISHX6 | 10 | 3" | 1/2" | 1 | 25 |
| 12ISHX6 | 12 | 3" | 1/2" | 1 | 25 |
| 13ISHX6 | 13 | 3" | 1/2" | 1 | 25 |
| 14ISHX6 | 14 | 3" | 1/2" | 1 | 25 |
| 15ISHX6 | 15 | 3" | 1/2" | 1 | 25 |
| 16ISHX6 | 16 | 3" | 1/2" | 1 | 25 |
| 17ISHX6 | 17 | 3" | 1/2" | 1 | 25 |
| 18ISHX6 | 18 | 3" | 1/2" | 1 | 25 |
| 19ISHX6 | 19 | 3" | 1/2" | 1 | 25 |
| 21ISHX6 | 21 | 3" | 1/2" | 1 | 25 |
| 24ISHX6 | 24 | 3" | 1/2" | 1 | 25 |

ABT09

Scaffolders Short Impact Socket



21mm short impact socket with pin and ring to ensure a secure retention to powertool.

Ideal when working at heights and frequently used during scaffolding installation.

- Use with Impact drivers with 1/2" Square drive

| Product Code | Socket Size (mm) | Length (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|------------------|-------------|----------------|--------------------|
| BLISTER CARD | | | | |
| 228164 | 21 | 52 | 1 | 24 |

ABT09

Impact Socket Adaptors



Impact resistant quick change adaptor is used for converting a 1/4" hex drive into a male (1/2" or 3/8") socket adaptor.

| Product Code | Length (mm) | Square Size (imp) | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|-------------|-------------------|----------------|--------------------|
| BLISTER CARD | | | | |
| 38IAX6 | 50 | 3/8" | 1 | 24 |
| 12IAX6 | 50 | 1/2" | 1 | 24 |

ABT08

Driver Bit Sets



11 PIECE

Convenient pocket sized mixed set of the most commonly used S2 25mm bits with a magnetic bit holder.

- Made from S2 Carbon Steel

Set includes:

PZ1(1), PZ2(2), PZ3(1), PH2(2), TX15(1), TX20(1), TX25(1), TX30(1)
Magnetic Bit Holder (1)

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|----------------|--------------------|
| BLISTER PACK | | |
| 228030 | 11 | 12 ABT07 |



31 PIECE

Convenient protective case with rubber corners and a handy belt clip.


- Made from S2 Carbon Steel

Set includes: PZ1(1), PZ2(5), PZ3(2), PH1(1), PH2(3), PH3(1), TX10(1), TX15(1), TX20(1), TX25(1), TX30(1), TX40(1), HX4(1), HX5(1), HX6(1), HX7(1), SL3.5(1), SL4.5(1), SL5.0(1), SL5.5(1), SL8.0(1), SQ2(1)

Quick Release Bit Holder (1)

| Product Code | Pack Qty (pcs) | Carton Qty (packs) |
|---------------------|----------------|--------------------|
| BLISTER PACK | | |
| DBSETG31 | 31 | 10 ABT07 |

Mixing Paddles



Paint Mixers



A general purpose mixer with a twin propeller design to reduce splashing and blend materials with ease. Suitable for use with paint, varnish, glaze, floor screed and more.

- Fast mixing
- Easy clean coating
- Multi-purpose hex shank
- Reduced splashing
- Easy material blending



| Product Code | Size (mm) | Shank Type | Shank Dia (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------|------------|----------------|----------------|--------------------|
| EACH | | | | | |
| 673147 | 80 x 400 | Hex | 9.0 | 1 | 40 |
| 673258 | 100 x 600 | Hex | 10.0 | 1 | 30 |

MPD01

General Purpose Mixing Paddles



A high quality mixing paddle with helical fin design to allow for rapid and effortless mixing of a variety of viscous building compounds.

Suitable for use with tile adhesive, ready mixed plaster, floor screed, filler, cement compounds and more.

- Rapid & effortless mixing
- Heavy duty construction
- Easy clean coating
- Multi-purpose hex shank
- Protective rim
- Smooth & thorough mixing



| Product Code | Size (mm) | Shank Type | Shank Dia (mm) | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------|------------|----------------|----------------|--------------------|
| EACH | | | | | |
| 673369 | 100 x 600 | Hex | 9.0 | 1 | 12 |
| 673741 | 120 x 600 | Hex | 10.0 | 1 | 12 |

MPD01

Professional Mixing Paddles




A professional grade, heavy duty paddle mixer with helical fin pattern for rapid and effortless mixing of the most viscous building compounds.

Suitable for use with tile adhesive, bonding mortar, jointing compound, board finishes & plaster, floor screed, cement compounds, filler and more.

Compatible with all standard paddle mixers with M14 fitting.

- Rapid & effortless mixing
- Heavy duty construction
- Easy clean coating
- Protective rim
- Smooth & thorough mixing



| Product Code | Size (mm) | Shank Type | Pack Qty (pcs) | Carton Qty (packs) |
|--------------|-----------|------------|----------------|--------------------|
| EACH | | | | |
| 673852 | 120 x 600 | M14 | 1 | 12 |
| 673963 | 140 x 600 | M14 | 1 | 12 |
| 673001 | 160 x 600 | M14 | 1 | 12 |

MPD01



Merlin Accessories Ltd
Unit G, Nickel Close
Winnall Trading Estate
Winchester
SO23 7RJ

01962 842002

Opening Hours
Monday to Thursday: 7:30 - 17:30
Friday: 7:30 - 17:00