

Adhesives & Chemicals



Adhesives & Chemicals

Tapes			
General Purpose Tapes	186	Lithium Greases	199
Building Tapes	187	2 Stroke & 4 Stroke Oil	199
Plumbing & Electrical Tapes	187	Chainsaw Oil	199
Safety & Hazard Tapes	188		
		Oil & Grease Remover	200
Contact Adhesives & Superglue	189	Adhesive Residue Remover	200
Admixtures	189	Label Remover	200
Wood Adhesives	190	Welder's Anti-Spatter	200
Grip & Fill	190	Air & Gas Leak Detector	200
Adhesive Sealants	191	Cordless Nail Gun Cleaner	200
Sealants & Sealant Remover	192		
Acrylic Sealants & Applicator Guns	193	Paints	
Expanding Foams	194	Galvanising & Metal Paint	201
Applicator Guns & Fillers	195	Finishing Paint	201
		Very High Temperature Paint	201
		Primer	201
Decor & Wood Fillers	196	Stain Concealing Paint	201
Metoset Liquid Mortar	196	Survey & Spot Marker	202
Briwax Woodcare		Barrettine	
Finishing Wax & Spray	197		205
Spray Wax & Sticks	197	barrettine wood freatment 203	-205
opiay wax & oticks	137		
		Exterior Multi-Purpose Cleaner	206
Multi-Purpose Lubricant	198	Brick, Masonry & Patio Cleaner	206
Silicone Lubricant	198	Path, Patio & Driveway Sealer	206
Copper Anti-Seize	198	Wood / PVCU / Glass Cleaners	207
Cutting & Tapping Lubricant	198	Cleaner & Degreaser	207
Chain Lubricant	198	Grout Cleaner	207
Graphite Lock Lubricant	198	Calcium, Lime & Rust Remover	207



General Purpose Tapes



Heavy Duty Cloth Tape



- Easy tear
- · High tensile strength
- Strong adhesion
- Temperature resistant from -5° to 60°C
- Water resistant

A super strength tape ideal for use within construction, industry, home and garden. It is designed to be used in multiple indoor and outdoor applications.

Product Code	Colour	Length (m)	Width (mm)	Qty	Carton Qty (packs)
		ROLL			
HDCTBLACK	Black	50	50	1	24
HDCTSILVER	Silver	50	50	1	24
HDCTWHITE	White	50	50	1	24
					TAP02

Cloth Tape



- Adheres to multiple surfaces
- Easy tear
- Tough and strong
- · Weather resistant

A medium quality cloth tape used to repair, fasten, bundle, strengthen, mark, plus much more.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
		ROLL			
CTBLACK	Black	50	48	1	36
CTSILVER	Silver	50	48	1	36
CTWHITE	White	50	48	1	36
					TAP02

Double Sided Cloth Tape



- Professional results
- Easily removable
- · Easy tear

A strong double sided cloth tape designed to stick two surfaces together where an invisible joint is required. Ideal for fixing carpets, signs and protective sheeting to multiple surfaces. (Backing tape is yellow).

Product Code	Colour	Length (m)	Width (mm)	Qty	Carton Qty (packs)
		ROLL			
DSCT	White	25	50	1	24


Packaging Tape

PACKS OF 3





A quality tape giving an instant and secure fixture, ideal for sealing boxes, attaching labels and general packing applications.



Masking Tape



- Easy to tear and apply to curved / irregular surfaces
- Compatible with solvent and water based paints
- Excellent adhesion to wide range of surfaces
- Clean and precise removal

Trade quality, general purpose masking tape made from saturated semi-crepe paper with pressure sensitive natural rubber adhesive. Made in Europe.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
		ROLL			
SMT25	Cream	50	25	1	72
SMT38	Cream	50	38	1	48
SMT50	Cream	50	50	1	36
					TAP03

Hook and Loop Tape



Versatile stick on hook and loop tape often used to affix products to surfaces and mounting displays at exhibitions. Simply cut to required length.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
		BOX			
HLT5	White	5	20	1	32 TAP14



Building Tapes



Aluminium Foil Tape



- Flame retardant
- Heat & moisture resistant
- Backing paper for easy application

Used in jobs requiring moisture and chemical resistance, thermal conductivity, flame resistance, heat and light reflectance and is weather resistant. Perfect for joining foil covered insulation, sealing off pipes and ducts.

Product Code	Colour	Length (m)	Width (mm)	Qty (pcs)	Qty (packs)
		ROLL			
AFT50	Silver	45	50	1	36
AFT75	Silver	45	75	1	24
AFT100	Silver	45	100	1	18
					TAP07

Extreme Temperature Aluminium Foil Tape



- Flame retardant
- Service range -35° to 120°C
- All year around applications

Extreme temperature aluminium tape for use in both cold and warm environments or applications. Ideal for HVAC industry, covered outdoor use or jobs conducted during the winter months.

Product Code	Colour	Length (m)	Width (mm)	Qty	Carton Qty (packs)
		ROLL			
AFT50ET	Silver	45	50	1	36 TAP07

Reinforced Aluminium Foil Tape



- Flame retardant
- Heat & moisture resistant
- High strength and tear resistant

Aluminium foil tape with an integral fibre mesh which provides reinforcement for tougher applications where a stronger joint is required.

Product Code	Colour	Length (m)	Width (mm)	Qty	Carton Qty (packs)
		ROLL			
AFT50RE	Silver	45	50	1	36

Drywall Joint Tape



- Quick and easy to apply
- Strong & thin jointing of plasterboards
- Eliminates blisters and bubbles

A professional grade self-adhesive drywall tape, which is manufactured using a strong 9 x 9 fibreglass weave for high mechanical strength. Made in Europe.

Product Code	Colour	Length (m)	Width (mm)	Qty (pcs)	Qty (packs)
		ROLL			
4890DJT	White	90	48	1	24 TAP10

Double Sided Damp Proof Membrane Jointing Tape



Damp Proof Membrane See page 236

- High adhesion
- Backing paper for easy application

A high performance double sided butyl tape used for bonding DPMs. Use with TIMCO PVC builders tape to provide a continuous damp proof seal between two sheets, where joints cannot be avoided.

Product Code	Colour	Width (mm)	Length (m)	Qty	Qty (packs)
		ROLL			
DSDJT	Black	50	10	1	12 TAP11

High Strength PVC Builders Tape



- Flame retardant
 Silage sheeting
 Jointing & Patching
 - Jointing & Pa
 Masking
 - Residue free

Strong versatile PVC tapes used for residue free masking and the jointing of PVC, polythene sheets and membranes. Frequently used for sealing contamination barriers, polythene dust sheets, silage covers and bales.

Product Code	Colour	Length (m)	Width (mm)	Qty (pcs)	Qty (packs)
		ROLL			
HSBT	Black	33	75	1	36
HSOBT	Orange	33	50	1	36
					TAP08

Plumbing & Electrical Tapes

PTFE Thread Seal Tape



- WRAS approved
 & suitable for
 potable water
- Convenient storage spool

Thread sealing tape used for a variety of plumbing applications including those involving potable water. Please note: Water use only. Not suitable for gas.

Product Code			Thickness (mm)		Qty	Carton Qty (packs)
			ROLL			
PTFE2	12	12	0.075	White	2	125
PTFE10	12	12	0.075	White	10	25 TAP12

PVC Insulation Tape

PACKS OF 10

- BS EN 60454
 - Flame retardant
 - Highly dielectric
 strength



Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
	F	ROLL			
ITBLACK	Black	25	18	10	12
ITWHITE	White	25	18	10	12
ITGREY	Grey	25	18	10	12
ITRED	Red	25	18	10	12
ITBLUE	Blue	25	18	10	12
ITGREEN	Green	25	18	10	12
ITYELLOW	Yellow	25	18	10	12
ITBROWN	Brown	25	18	10	12
ITGYSTRIPE (Green / Yellow	25	18	10	12 TAP01

Self Amalgamating Tape



A self fusing emergency repair tape which will provide a watertight seal to leaking pipes or hoses. Suitable for jointing, splicing and repairing cables, hoses, plastic and metallic tubes.

Product Code	Colour	Length (m)		Qty	Qty (packs)
		ROLL			
SAT3	Black	3	25	1	48
					TAP09



Safety & Hazard Tapes



Hazard Tape



- Weather resistant
- · Highly visible
- Tough and strong

A durable self adhesive PVC hazard tape, ideal for marking floors, walls and hazardous areas. Can be used internally and externally.

Product Code	Colour	Length (m)		Qty	Qty (packs)
		ROLL			
HAZT	Black / Yellow	33	50	1	36
					TAP05

Hazard Cloth Tape



- Highly visible
- Tough and strong
- Easy tear

A highly visible cloth tape used for marking out hazardous or restricted areas. Ideal for marking floors, doors and walls. Internal and external use.

Product Code	Colour	Length (m)		Qty	Qty (packs)
	R	OLL			
CTHAZRW	Red/White	33	50	1	36
CTHAZYB	Black/Yellow	33	50	1	36 TAP05

Anti-Slip Tape



Manufactured using a high grade P60 grit to offer excellent grip, commonly used where there is risk of slip hazards such as stairs, shop fronts, ramps and paths etc. Three layers of Acrylic Solvent glue gives excellent adhesion to multiple surfaces.

- Adheres to multiple surfaces
- Backing paper for easy application

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
		ROLL			
ASTSTRIPE B	lack/Yellow	10	50	1	36
ASTBLACK	Black	10	50	1	36 TAP06

Barrier Tape



- Highly visible
- Weather resistant



A durable non-adhesive polythene barrier tape, ideal for marking out hazardous areas. Can be used internally and externally. 500m comes in a convenient dispensing box for easy storage and application.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
	F	ROLL			
BART	Red/White	100	70	1	24
BARTYB	Yellow / Black	100	70	1	24
		вох			
BART500	Red/White	500	70	1	12
BARTYB500	Yellow / Black	500	70	1	12
					TAP05

High Visibility Wet Paint Tape



Highly visible non-adhesive wet paint tape ideal for the safe marking of hazardous areas during decoration and renovation. 500m comes in a convenient dispensing box for easy storage and application.

Product Code	Colour	Length (m)	Width (mm)	Qty (pcs)	Qty (packs)
	F	ROLL			
WPT100	Yellow / Black	100	70	1	24
WPT500	Yellow / Black	500	70	1	12
					TAP05

Underground Tape



Ideal for burying above service cables and pipes to warn against damage to underground utility lines during subsequent excavation.

Product Code	Туре	Length (m)	Width (mm)	Qty (pcs)	Qty (packs)
		ROLL			
UTWP	Water Pipe	365	150	1	6
UTSP	Sewer Pipe	365	150	1	6
UTTC	Telephone Cable	365	150	1	6
UTFO	Fibre Optic Cable	365	150	1	6
UTEC	Electric Cable	365	150	1	6
UTGP	Gas Pipe	365	150	1	6 TAP13

Pack Carton



Contact Adhesive & Superglue



Multi-Purpose Adhesive



A premium grade adhesive initially developed for the carpet and flooring industry. Effectively bonds PU and foam backed carpets carpet tiles and underlay to concrete, screed, timber and metal. Heat resistant to 60°C. To achieve a higher bonding strength, apply the adhesive to both surfaces.

- · Easy application
- 30 seconds cure time
- · Low odour
- · Interior use only



Product Code	Cina	Calaur	Qty	Qty	Qty
Code	Size	Colour	(pcs)	(packs)	(packs)
		SPRAY			
247544	500ml	Amber	1	12	1848
					AHS01

· Heat resistant to 90°C (spray) and

80°C (liquid)

• Easy application

• Water resistant

· Interior & exterior

Pack Carton Pallot

Deal Carton Pallot

Instant Contact Adhesive



Suitable for plastic, PVCu, rubber, ceramic, metal, glass, wood, MDF, paper, card, fabric, formica, stone. concrete, cork, linoleum, leather & porcelain.





- · The low odour formula has been developed to bond a wide variety of substrates
- · Forms an extremely strong instant bond once the two surfaces have been ioined

Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs)
		SPRAY			
247789	500ml	Clear	1	12	1848
					AHS01
		TIN			
247235	250ml	Clear	1	12	1656
247359	500ml	Clear	1	12	768
					AHS01

Instant Bond Mitre Kit



Instant



- High viscosity formulation
- · Strong adhesive
- · Water resistant
- Temperature resistant from -55° to 80°C
- Dries clear
- · Can be used for small gap filling
- · Interior use only

Mitre superglue is a fast setting (approx 90 seconds) medium to high strength all purpose adhesive. Use mitre bond activator to create an instant bond (approx. 10 seconds) when fixing with mitre

Suitable for use on a variety of surfaces such as plastics, PVCu, metal, wood, MDF, leather, rubber, ceramics and much more.

Product Code	Contents	Size	Qty (pcs)	Qty (packs)	Qty
	KIT				
	247321		1	24	1440
	Mitre Superglue	50g	1		
	Bond Activator	200ml	1		
					AHS01

Admixtures

Premium SBR Bond



A premium quality latex based primer, admixture and bonding agent. The reinforced anti-foaming polymer formula increases the durability and flexibility of concrete, mortar renders floor screeds and adhesive compounds.

Ideally suited for pointing, patching, bedding, waterproofing, tanking and flooring, especially in wet, humid, damp environments.

- Salt resistant
- Reduces surface dusting
- Freeze-thaw stable
- Water resistant
- · Interior & exterior

Product Code	Size	Qty	Carton Qty (packs)	Pallet Qty (packs)
	BOTTI	E.		
236010	5L	1	4	192
				ADM01

PVA Bond



A multi-purpose bonding agent, primer, sealer, cement and plaster admixture.

Ideal for priming unsound surfaces prior to plastering or painting and as an adhesive on wood. cork and textiles. Suitable for most applications where at

least one surface is porous, for general dust sealing on flaking paintwork/walls etc and as a cement and plaster admixture.

- Improves flexibility & frost resistance
- Reduces surface dusting & porosity
- Improves adhesion
- · Mortal & Plaster Admixture BS EN 5270
- · Concrete additive
- Dries clear





Wood Adhesives



Internal D3 Wood Adhesive



A high quality, resin based wood adhesive for all wood bonding. It can be used internally and provides a high strength, impact resistant bond. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use.

Can also be used in short term wet, damp and humid environments such as kitchens, bathrooms, washrooms and covered external applications

- Fully conforms to the BS 14256
- Dries clear
- Sets in 10 mins
- Hybrid resin formula
- Paintable
- Easy to clean



Product Code	Size	Qty	Carton Qty (packs)	Pallet Qty (packs)
	BOTTL	E		
247458	500ml	1	20	480
247258	1L	1	12	384
				VHCU3

Premium Internal & External D4 Wood Adhesive



A solvent free wood adhesive based upon the latest hybrid resin technology. Can be used internally or externally giving a high strength, 100% waterproof, impact and temperature resistant bond.

Ideal for woodworking, joinery and timber construction.

- Hybrid resin formula
- Super strong bonding
- Paintable
- Sets in 10 mins
- Easy to clean
- · 100% weatherproof
- Dries clear
- Odourless



Product Code	Size	Qty	Carton Qty (packs)	Pallet Qty (packs)
	BOTTL	.E		
47471	1L	1	12	384 4HS03

PU Wood Adhesive



A premium grade polyurethane wood adhesive that will bond hard, soft, exotic and painted wood. This rapid curing foaming adhesive expands into materials to form an incredibly strong bond with a superior curing time compared to traditional PVA based wood adhesives.

Suitable for use with softwood, hardwood, chipboard, fibreboard, MDF, plywood and most porous and non-porous substrates.

- Quickly adheres to all wood types
- · 100% weatherproof
- Medium viscosity
- Internal & external
- Can be applied to damp surfaces
- Polyurethane formula
- Temperature resistant from -30° to 150°C
- D4 BS EN 204

Pack Carton

Product Code	Size	Open Time	Colour	Qty (pcs)	Qty (packs)
	В	OTTLE	- LIQUID		
247708	750g	5min	Brown	1	6
247834	750g	30min	Brown	1	6
	CA	ARTRID	GE - GEL		
247010	310ml	5min	Translucent	1	12
247433	310ml	30min	Translucent	1	12
					AHS03



Grip & Fill - Solvent Free



For plasterboard, skirting boards & architraves, electrical conduit, brick, ferrous metal and more. A direct bond adhesive formulated for professional users. Designed to give a high adhesive strength to most building materials in trade and DIY applications. The unique formula also achieves exceptional gap filling results on uneven surfaces.

- Medium viscosity
- Easy application
- Strong adhesion
- Movement resistant
- Adheres to damp surfaces
- Odourless
- Interior

Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
	(CARTRIDGE			
247318	350ml	White	1	12	600

Grip & Fill Nozzles Bag of 6 Code: 247121



ADHESIVES & SEALANTS

Concrete • Brick • Stone • Wood • MDF • Metal • Plastic • Ceramic • Glass





Hybrid polyme

















INSTANT GRAB ADHESIVE

9 in 1 Instant Grab Adhesive has been developed to give superior bonding strength to all building materials, even in wet conditions.

Instant Grab Adhesive

- High viscosity for an instant grip
- Pre-cut notched nozzle for enhanced application

Setsin

· Perfect for internal & external applications

Clear Grab Adhesive

- Medium viscosity for easy toolability
- Perfect for internal applications

Works with wet surfaces

Dries clear making it perfect for kitchen
 & bathroom applications

Features and Benefits:

Paintable

Product Code	Size	Colour	Viscosity	Qty	Carton Qty (packs)	Qty	Product Code	
247138	290ml	White	High	1	12	936	247972	2

Product Code	Size	Colour	Viscosity	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
247972	290ml	Clear	Medium	1	12	936

Anti-slump formula





ADHESIVE & SEALANT

9 in 1 Adhesive & Sealants have been developed to give superior bonding and sealing performance to all building materials, even in wet conditions.

Universal Adhesive & Sealant

- Medium viscosity for easy toolability
- Perfect for internal & external application
- Available in four colours to suit a variety of applications

Crystal Clear Adhesive & Sealant

- Dries crystal clear making it perfect for kitchen & bathroom applications
- UV protected to stay crystal clear longer
- Medium viscosity for easy toolability

Features and Benefits:

Paintable

Water

Product Code	Size	Colour	Viscosity	Qty	Carton Qty (packs)	Qty
247468	290ml	White	Medium	1	12	936
247357	290ml	Grey	Medium		12	936
247697	290ml	Brown	Medium		12	936
247146	290ml	Black	Medium		12	936
						AHS02

Product Code	Size	Colour	Viscosity	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
247336	290ml	Crystal Clear	Medium	1	12	936
						AHS02

Anti-slump





Sealants



Acetoxy Silicone



A general purpose, single component silicone which offers a flexible water tight seal to most surfaces including glass, painted surfaces ceramics sanitaryware and most nonporous surfaces

For sealing around most types of door and window frames, kitchen units, pipes, sanitary fixtures and duct work. Can also be used for draught proofing.

- · Interior & exterior
- · Fast curina
- Water resistant
- · Absorbs movement
- · Strong bond
- Low odour
- Easy tooling
- 12.5% elasticity

Pack Carton Pallet

	Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs)
		С	ARTRID	GE		
-	732480	300ml	White	1	12	936
-	732098	300ml	Clear	1	12	936
	732741	300ml	Black	1	12	936
-	732852	300ml	Brown	1	12	936
						SEA02

Premium LMN Silicone



A premium grade, low modulus neutral curing silicone, which has excellent adhesion to virtually all substrates, both porous and non-porous. A long lasting flexible sealant for a wide variety of domestic, commercial and industrial applications including expansion joints, curtain walling and glazing systems. Ideal for external sealing around PVCu, timber and aluminium frames.

- · Interior & exterior
- Fast curing
- Water & UV resistant
- · Absorbs movement
- Strong bond
- Low odour
- · Easy tooling
- 12.5% elasticity

Code Size Colour (pcs) (packs) (packs)	i s)
CARTRIDGE	
732120 300ml White 1 12 720	
732792 300ml Clear 1 12 720	

Fire Rated Silicone



A premium grade, neutral curing fire retardant silicone sealant, with a fire resistance of up to 4 hours in linear joints, with excellent elasticity of up to 25%. It withstands temperatures of up to 120°C to prevent the spread of fire, smoke and toxic gases.

Ideal for plaster, glass, metal, wood and masonry.

- B1 fire rated
- Tested in accordance with EN 1366-4
- Unito 4 hours fire resistance
- Water & weather resistant
- · Interior & exterior
- UV resistant
- Up to 30mm wide joints
- Anti-slump
- 25% elasticity

			Pack	Carton	Pallet
Product			Qty	Qty	Qty
Code	Size	Colour	(pcs)	(packs)	(packs)
	C/	ARTRID	GE		
732003	300ml	White	1	12	1248
					SEA02

Premium Bathroom Silicone



A premium grade silicone containing active anti-fungal compounds to prevent bacteria, mildew and black mould growth in areas of very high humidity and condensation It creates a permanently watertight and flexible seal.

Ideal for tiles, ceramics, metal, glass, wood, plastic, laminate and linoleum.

- Interior & exterior
- Mould & bacteria repellent
- Excellent adhesion
- · Permanently waterproof
- 20% elasticity
- Fast curing

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)		
	CARTRIDGE						
732004	300ml	White	1	12	1248		
732005	300ml	Clear	1	12	1248		
					SEA02		

Bathroom & Sanitary Silicone



A high grade, sanitary silicone containing powerful anti-fungal compounds to prevent mould growth Typically used in areas of high humidity such as bathrooms, kitchens and washrooms. Ideal for domestic or commercial applications. Adheres to most nonporous surfaces without the use of a primer and gives a clean and professional finish.

- Interior
- · Permanently elastic
- Waterproof
- · Mould repellent
- Low odour
- 20% elasticity

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CARTRIDGE					
732750	300ml	White	1	12	936
732653	300ml	Clear	1	12	936
					CEA02

Sealant Remover



A quick and easy method of removing cured acrylic and silicone sealants from ceramic tiles, glass, painted surfaces and most plastics. The thick gel coat penetrates and breaks down the silicone for effortless removal. Ideal for shower trays, baths, sinks, toilets, basins, window frames and more.



- For acrylic & silicone
- · Safe on all surfaces
- Multi-materials
- Interior & exterior
- · Fast acting

Product Code	Size	Colour	Qty	Carton Qty (packs)	Pallet Qty (packs)
		BOTTLE	:		
732104	100ml	White	1	12	2976 SEA02



Acrylic Sealants



Acrylic Caulk



A general purpose fast drying and flexible decorator's filler and sealant. Adheres to most substrates and can be overpainted with most paint types or papered over. For sealing and filling of internal gaps and cracks such as those between plasterwork, decorative mouldings, skirting boards and architraves.

Pack MOO Carton Pallet

- · Fast curing
- Interior
- Water resistant
- · Lightweight
- · Easy tooling
- Low odour

Product Code	Size	Colour	Qty (pcs)	Qty	Qty (packs)	Qty (packs)
		CAR	TRIDO	βE		
732871	300ml	White	1	12	12	936
732001	380ml	White	1	-	12	744
						SFA04

Instant Paintable Caulk



A premium grade, acrylic sealant that has been developed to be overpainted immediately after application with water based and synthetic paints. Formulated for interior use, it will adhere to most surfaces without primers and gives long lasting flexibility in applications where movement can occur. Ideal for plaster, plasterboard, painted surfaces, decorative moulding, wallpaper and tiles.

- Instantly paintable
- Interior
- · Long lasting flexibility
- · Reduced cracking

Dools Conton Dollat

- Low odour
- Reduced discolouration

			Pack	Carton	Pallet
Product			Qty	Qty	Qty
Code	Size	Colour	(pcs)	(packs)	(packs)
	C	ARTRID	GE		
732002	300ml	White	1	12	1248

Fire Rated Intumescent & Acoustic Acrylic Sealant



Fire & Acoustic Seals Fire Rated Intumescent and Acoustic Acrylic Sealant is an emulsion based sealant that swells when subjected to temperatures in excess of 125°C that restricts the passage of smoke and fire. Suitable for fire rated cladding, doors & walls.

- · Extensively tested
- · Certifire Approved CF5840 • BS 476 Part 20/22
- · 12.5% flexibility
- Flexible & smooth finish

Pack MOQ Pallet

- Crack resistant
- · Can be overpainted with most paints
- Excellent adhesion

Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs
	C/	ARTRID	GE		
FAWHITE	310ml	White	1	25	1600 PFM02

Applicator Guns

Up to 380ml Cartridges

Professional Foil & Cartridge Applicator Gun

Constructed with a heavy gauge aluminium barrel, reinforced steel mechanism and ergonomic grip for precise application and long lasting performance.

- · Long life & fast flow
- · Comfort grip
- · Lightweight
- Non-drip



Foil & Cartridge Applicator Gun

Constructed using lightweight materials for ease of use with quick release end caps for fast removal and replacement of foils and cartridges.

- · Powder coating
- · Fast flow & non-drip
- Quick release
- · Lightweight



Professional Sealant Gun

- · A 48mm heavy duty sealant and caulking aun
- Swivel action barrel for easy application into tight corners
- With a convenient hook end for hanging
- Patented non-drip mechanism



Skeleton Gun

- · A 48mm gun for dispensing sealants, caulk and adhesives
- · 2.3mm strengthened side plates and a 6mm gripper plate
- · Convenient hook end for hanging
- Riveted front cap for reinforcement and integrated cleaning pin





Expanding Foam



B3 Fill & Fix Expanding PU Foam



A high quality polyurethane based expanding foam designed to give excellent thermal and acoustic characteristics. Expands up to 30 times its original volume. Ideal for filling and insulating irregular or awkward gaps where the foam can expand and fill the cavity to prevent heat loss and deaden sound Can be used as a temporary fix prior to mechanical anchors being installed to window and door frames.

- CFC Free
- Fast curing & cut
- Sandable
- Paintable
- · Can be plastered
- Up to 30 x expansion
- Excellent thermal & acoustic insulation

Product Code	Туре	Size	Qty	Qty	Carton Qty (packs)	Qty
		CA	AN			
247641	Gun Grade	750ml	1	12	12	336
247596	Hand Held	750ml	1	12	12	336
	S	PARE S	TRAV	٧S		
247999	-	-	12	-	20	480

B1 Fill & Fix Fire Rated Expanding PU Foam



A premium quality fire resistant polyurethane based expanding foam formulated to give excellent performance in a majority of fire critical applications. The complex cell structure also gives the foam excellent thermal and acoustic characteristics. Coloured pink for easy identification Please note: For 30 and 60 minute fire door applications, use Fire & Acoustic Seals Fire Door Foam (FAS-750G).

- · 4 hour fire rated
- · CFC Free
- Fast curing & cut
- Paintable
- · Can be plastered • Up to 30 x expansion
- Heat & acoustic insulator
- BS 476-20
- FN 1366-4
- DIN 4102-1

Product Code	Туре	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		CAN			
247760	Gun Grade	750ml	1	12	624
247704	Hand Held	750ml	1	12	624
	SPA	RE STR	AWS		

Fill & Fix **PU Foam Cleaner**



Designed to rapidly dissolve, remove and clean uncured PU foam from surfaces and for cleaning PU foam applicator guns. Complete with dual fitting nozzle for connecting to guns for cleaning or for direct spraying onto surfaces.

- · Cleans tools and surfaces
- Solvent based
- Extends tool life Leaves work
- surfaces clean
- Easy application

			1	
	1			
		2		1
		19		

Product Code	Size	Qty (pcs)	Qty (packs)	Qty (packs)
	CAI	N		
247893	500ml	1	12	504 PUF01

Fire & Acoustic Seals **FD60 Fire Door Foam**



A revolutionary polyurethane foam designed to seal the cavities between walls and fire door frames The product has been extensively tested to achieve 30 and 60 minutes fire resistance in a wide range of construction and building fire stopping applications.

Tested in accordance with: BS 476: Part 20 & 22 BS EN 1634-1, BS 8214 Compatible with TIMCO plastic packers

One can fills the

- No need for mineral fibre wool or mastic
- Quick and easy to apply in just 3 minutes per doorset
- cavities of 3-4 doorsets up to 30mm in width

Product Code	Туре	Size	Qty	Carton Qty (packs)	Pallet Qty (packs)
		CAN			
FAS-750G	Gun Grade	750ml	1	12	120 PFM01

Drywall Adhesive Fill & Fix Expanding PU Foam





clean bonding of plasterboard, insulation panels, floorboards and shower/bathroom panels to a variety of building materials.

- · Fast curing, plaster in as little as 1 hour
- · Limited expansion for fast & accurate application
- Coverage 15m²
- Excellent initial bond
- No mixing, no water, no waste, no mess
- Fills gaps & levels uneven surfaces
- Suitable for vertical applications
- · Remains flexible & does not become brittle
- Paintable
- CFC Free
- Can be applied between +5°C & 30°C
- · Gloves included



Product Code	Туре	Size	Qty	Qty (packs)	Qty (packs)
		CAN			
247864	Gun Grade	750ml	1	12	336
					PUF01



Applicator Guns

Spare extension nozzles available!Product Code: 247014 | Qty: 25pcs

Professional PU Foam Applicator Gun



Box also includes two extension tubes and two tapered nozzles for small gaps.

- Excellent flow control
- Lightweight
- Hard wearing PTFE coated internal components

Product Code	Qty	Carton Qty (packs)
DOV/		

783113 1 20 CACO1

PU Foam Applicator Gun



- Heavy duty steel body
- Stainless steel non-blocking valve
- Polypropylene hand grip
- Lubricated trigger

zzles 1	for sma	all gaps.	
oduct	Pack Qty	Carton Qty	

Code (pcs) (packs) BOX 783556 1 20 GAC01 CAC01 CAC01

Economy PU Foam Applicator Gun



- Constructed from lightweight plastic
- Steel barrel & brass needle
- Ergonomic grip
- Stainless steel internals
 & non-return valve

	Pack	Carton	
Product	Qty	Qty	
Code	(pcs)	(packs)	

783992 1 36 CACO1

Fillers

Made in the UK

Ready Mixed Surface Filler



A versatile filling and sealing compound, developed to give a tough and durable surface repair to a variety of internal applications.

Ideal for repairing holes, cracks and imperfections in skirting, architraves, plasterwork, render around windows and door frames & more.

- Interior
- Flexible and waterproof seal
- Fully cured in 24 hours
- Easy to apply
- Suitable for oil and water based paints
- Skin formation in 30 minutes



	Product Code	Size (kg)	Layer Thickness (mm)	Qty	Carton Qty (packs)	Qty
			TUB			
;	357003	1	10	1	6	432
						FLR02

Fine Surface Filler



A ready to use, fine grade interior smoothing and filling compound.

Once cured, it forms a tough, durable repair that can be sanded and painted over with oil and water-based paint.

Ideal for repairing cracks, fine nicks and shallow depressions in walls and ceilings.

- Interior
- Fully cured in 24 hours
- Water based
 Tank to a second in the second in the
- Easy to overpaint
- Low odour
- Flexible when drying
- Skin formation in 30 minutes



Product Code	Size (g)	Layer Thickness (mm)	Qty	Carton Qty (packs)	Qty
		TUB			
357001	600	3	1	6	432
					FI RO2

Multi-Purpose Powder Filler



A multi-purpose plaster based repair compound. After setting it can be sanded and painted and sets hard enough to accept screws and nails. Ideal for filling screw holes, scratches and deep cracks on plaster, brick, wood and most other common building materials in internal & external environments before painting.

- Interior & exterior
- Smooth finish
- Dries white
- Easy to mix, apply & sand
- Shrinking and cracking resistant
- 1 part water to 2-2½ parts powder
- Sets in 1 2 hours



Product Code	Size (kg)	Thickness (mm)	Qty	Qty (packs)	Qty
		BOX			
357002	1.8	10	1	6	240
					FLR02



Metolux Fillers & Liquid Mortar

Metolux 2 Part Decor All Purpose Filler



Metolux 2 Part Universal Decor Filler is a fast hardening two component polyester filling paste for the repairing of holes and surface imperfections in a wide range of materials including wood, metal, concrete, plaster and fibreglass.

- Easy to sand after 20 minutes
- · Easy to blend

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
		TIN		
65425	500g	Light Grey	1	6
65427	1.5kg	Light Grey	1	6
65428	6.0kg	Light Grey	1	2
				MFL01

Metolux 1 Part Wood Filler

Metolux 1 Part Wood Filler is a pre-coloured high strength polyester wood filler. Used for the filling and repair of small pinholes and cracks up to 5mm deep in timber. Particularly suited to flat face-up applications and for materials such as MDF and chipboard. Ideal for interior use



· Handy 250ml pack size

- Fast drying
- · Easy application
- Easy to sand
- · Very low odour

WHITE	PINE	LIGHT OAK	DARK OAK
			Pac
Product			Qty

Product Code	Size	Colour	Qty (pcs)	Qty (packs)
	7	ΓΙΝ		
65388	250ml	White	1	6
65389	250ml	Pine	1	6
65390	250ml	Light Oak	1	6
65394	250ml	Dark Oak	1	6
				MFI 01

Metolux 2 Part Styrene Free Wood Filler



Metolux 2 Part Styrene Free Wood Filler is a two component high strength polyester wood filler. It provides a strong high quality repair to wood imperfections.

Supplied in pre-coloured blends to match your wood type. The weatherproof formulation is ideal for internal and external applications with additives to help flex with the natural movement of timber.

· Professional grade

Pack Carton

· Easy to mix • Easy to sand Can be painted. stained, varnished and waxed



REDWOOD









DARK	IEAR	

DAIN	ILAI	

(IEAK	 Non slump

Product Code	Size	Colour	Qty (pcs)	Qty (packs)
0000	0.20	TIN	(600)	(paono)
65431	275ml	White	1	6
65432	770ml	White	1	6
65433	3.3L	White	1	2
65437			1	
	275ml	Pine		6
65438	770ml	Pine	1	6
65439	3.3L	Pine	1	2
65440	275ml	Light Oak	1	6
65441	770ml	Light Oak	1	6
65442	3.3L	Light Oak	1	2
65434	275ml	Dark Teak	1	6
65435	770ml	Dark Teak	1	6
65443	275ml	Light Redwood	1	6
65444	770ml	Light Redwood	1	6
65446	275ml	Dark Mahogany	1	6
65447	770ml	Dark Mahogany	1	6 MFL01

Metolux 2 Part Metoset Liquid Mortar



Metolux 2 Part Liquid is a two component polyester liquid mortar for crack and chip repair. Alternatively it can be used to fix threaded rod or rebar into concrete, stone or plain brick. Ideal for

filling cracks and cavities in difficult to reach areas.

- · Easy to apply
- · Rapid setting
- · Internal & external
- Paintable
- · Useful to fill cavities, cracks or difficult access areas
- High mechanical and physical resistance



Product Code	Size	Colour	Qty	Carton Qty (packs)
		TIN		
65628	1.0kg	Grey	1	6
65627	5.0kg	Grey	1	2
				MFL01

Metolux Hardener



Spare hardener for use with: 2 Part Styrene Free Wood Filler 2 Part Decor All Purpose Filler

Product Code	Size	Qty	Carton Qty (packs)
	TUB	. ,	(раско)
78792P	40g	2	10

MFL01





Original Finishing Wax



Briwax Original is formulated with fast drying, stronger solvents which speed up drying and also increase the cleaning ability of the wax slightly. This means that it will renovate older dirtier furniture and leave you with the deep grain enriching Briwax shine. Unsealed wooden surfaces should be smooth, dry and clean



Product Code	Colour	Size	Pack Qty (pcs)	Carton Qty (packs)
	TIN			
BW0501241521	Honey	400g	1	36
BW0501464821	Teak	400g	1	36
BW0502000021	Clear	400g	1	36
BW0502101221	Antique Brown	400g	1	36
BW0502101421	Antique Mahogany	400g	1	36
BW0502101521	Antique Pine	400g	1	36
BW0502143121	Tudor Oak	400g	1	36
BW0502161321	Dark Oak	400g	1	36
BW0502280321	Jacobean	400g	1	36
BW0502341921	Medium Brown	400g	1	36
BW0502403621	Old Pine	400g	1	36
BW0502445621	Rustic Pine	400g	1	36
BW0502464721	Spanish Mahogany	400g	1	36
BW0502540121	Walnut	400g	1	36
BW0502542121	Silver Grey	400g	1	36
BW0303000005	Clear	5L	1	4
BW0303101205	Antique Brown	5L	1	4
BW0303101505	Antique Pine	5L	1	4
BW0303280305	Jacobean	5L	1	4
BW0303341905	Medium Brown	5L	1	4
BW0303445605	Rustic Pine	5L	1	4
				BWX01

Quick Dry Hard Wax Oil



Briwax Hard Wax Oil is a water based clear satin finish that is hard wearing, water and stain resistant that will dry to an attractive, durable, natural finish. Suitable for use on internal woodwork subject to a high degree of wear.

Brings out the natural beauty of the wood, making the colours richer. Easy to apply and maintain, leaving a wear, water and stain resistant finish to woodwork.

Product Code	Colour	Size	Qty (pcs)	Qty (packs)	
TIN					
BWHOILW1000	Satin	1L	1	3	
BWH0ILW2500	Satin	2.5L	1	2	
				BWX01	

Wax Filler Sticks



Wax Filler Sticks are for the repair of scratches, cracks and small holes on wooden and plastic surfaces. They are available in dark. medium, light and grey. The Wax Filler Sticks are ideal for small damaged areas of furniture

Apply using light pressure with the tip of the spatula and clean off surplus to leave a smooth flat surface. Each pack contains 4 shades to help with colour matching. For a close colour match, blend different shades of softwax by successive applications using light to dark colours.

Product Code	Colour	Size (ml)	Qty	Carton Qty (packs)
	PACK			
BWSWSLGT	Light Shades	40	4	6
BWSWSMED	Medium Shades	40	4	6
BWSWSDK	Dark Shades	40	4	6
BWSWSGRY	Grey Shades	40	4	6
				BWX01

Spray Wax



The grain enhancing beauty of a Briwax finish, in an easy to use, convenient aerosol pack.

Can be used in exactly the same way as Briwax or as a regular maintenance product for most types of furniture

Contains no silicones

Product Code	Pack Qty (pcs)	MOQ Qty (packs)
CAN		
BW9301000018	1	12

Beeswax Stick

Pure Beeswax Filler Sticks are ideal for furniture restoration to fill small cracks and holes.

This wax is also handy for odd jobs around the house



Product Code	Size (g)	Qty	Carton Qty (packs)
	PACK		
BWBEWS	35	1	6 BWX01



Lubricants



Multi-Purpose Lubricant

Developed to penetrate, loosen, maintain, protect and clean metal surfaces. Specially formulated to rapidly penetrate into hard to reach areas.



Ideal for drying electrical systems, stopping hinges and latches from squeaking, maintaining locking mechanisms, reducing tool wear and tear, priming ignition systems, loosening seized nuts and holts and much more

· Premium quality oil suspended in a low viscosity dispersing fluid

Pack Carton Pallets

- Excellent moisture repelling properties
- · Resists corrosion
- Maintains lasting performance of a variety of metal components
- Temperature resistant from -50 to 200°C
- · Complete with an easy to use 360° spray nozzle, for precise application in hard to reach and confined spaces

Product Code	Size	Qty (pcs)	Qty (packs)	Qty (packs)
	CAN			
237789	480ml	1	12	912 AER01

Silicone Lubricant

Formulated for applications where there are plastic or rubberised components, due to the absence of any chemicals which cause hardening and splitting. Ideal for window seals and slides, runners, bearings, o-rings, textile equipment and more.



- · Low odour
- Non-staining
- Protects
- Temperature resistant from -50 to 200°C
- · Long lasting
- No heavy hydrocarbons that can cause cracking, squeaking, splitting and hardening



Product Code	Size	Qty	Qty (packs)	Qty
	CAN			
237357	380ml	1	12	1140 AER01

Copper Anti-Seize

A premium pure copper lubricant with a graphite additive, suspended in a high quality grease It maintains and protects steel, stainless steel, cast iron, copper & brass components from high temperatures, corrosion and seizure.



Ideal for all automotive, industrial and construction uses including: threaded fasteners, brake pads and callipers, manifolds and exhausts, boiler parts, flanges and pipes.

- · Protects
- Copper formulation resists high temperatures
- Heat resistant up to 1100°C
- Water resistant
- · The graphite additive
- allows for easy assembly and dismantling of a wide range of metal applications

Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237456	380ml	1	12	1140 AER01

Cutting & Tapping Lubricant

Formulated to significantly reduce friction and wear, increase cutting speeds, protect and extend tool life and ensure a consistent high quality surface finish

Ideal for all machine shops, tool-rooms and maintenance departments.



- · Contains extreme pressure additives
- Prevents pitting, galling and metal seizure
- Improves tooling accuracy
- · Suitable for use on hard to work metals including stainless steel titanium aluminium and tool steel
- Complete with an easy to use 360° spray nozzle, for precise application in hard to reach and confined spaces

Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237159	380ml	1	12	1140

Chain Lubricant

Designed to penetrate, maintain, protect and clean chain, wire rope and moving metal parts. The high viscosity formula gives excellent lubricant retention, preventing "fling off" and unnecessary wear and maintenance.

Ideal for chain, gears, wire rope, pulleys, rollers, bearings and more.



- The Molybdenum disulphide additive gives exceptional long lasting friction reduction
- Prolongs the performance and lifespan of moving metal parts and surfaces
- · Prevents corrosion and reduces dirt and grime build up, even in wet and humid environments



Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237123	380ml	1	12	1140

Graphite Lock Lubricant

A graphite lock lubricant engineered to penetrate locking, hinging and latching mechanisms, ensuring long lasting, smooth operation. Containing microscopic graphite grains to prevent seizing and stop a build up of grime.

Ideal for mechanisms such as padlocks, hinges, locks, latches and more.



- Easy to use
- Long lasting lubrication
- · Excellent water resistance
- · Anti-seize formulation
- No grease
- · Enhanced durability



		Lubricant			
Product Code	Size	Qty	Carton Qty (packs)	Qty	
	CAN				
237009	80ml	1	12	2016	



Greases & Oils



Made in the UK

White Lithium Grease



An opaque viscous lubricant with a non-thinning heat resistant formulation to ensure long term performance Ideal for industrial. marine and automotive applications where water ingress can be detrimental to lubrication

- · Highly visible
- Superior corrosion
- Temperature resistant from - 20 to 140°C
- · Extremely effective in areas requiring water resistance

Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237/82	380ml	1	12	11/10

Premium Lithium Complex Grease



A premium quality and long life, lithium complex grease with extreme pressure additives, making it suitable for the most demanding antifriction and high load applications Ideal for effective and long lasting lubrication in harsh, hot, wet and dusty applications in the agriculture, construction and automotive industries.

- mechanical stability
- · High water resistance
- · Very high temperature resistance
- · Resists oxidation and corrosion
 - Excellent pumpability
 - Temperature resistant from -30 to 150°C

O----- D-11-4-

Product Code	Colour	Size	Qty (packs)	Qty			
	CARTRIDGE						
26002	Red	400g	12	1200			
				I RN01			

Lithium **EP2 Grease**



A high quality, multipurpose lithium grease with high pressure additives, making it suitable for all antifriction and medium to high load conditions. Ideal for industrial construction and automotive applications such hydraulic systems, wheel bearings and pump systems.

- · Good mechanical stability
- Water resistant
- · High temperature resistance
- · Resists oxidation and corrosion
- Good pumpability
- Temperature resistant from -30 to 140°C

Product Code	Colour	Size	Carton Qty (packs)	Qty
	CAR	TRIDGE		
526001	Cream/Brown	400g	12	1200 LBN01

2 Stroke Engine Oil



- · Semi-synthetic
- High performance
- Low smoke formulation
- high performance two-stroke engine oil. Using the latest additive technology and synthetic and fine mineral based oils it is capable of withstanding the high demands of modern engines and machinery. Ideal for lawnmowers, strimmers, motorcycles, scooters, small generators and onboard engines

A premium formula,

- · Prevents power loss
- · Protects internal parts
- Reduced exhaust contaminants

	Product Code	Size	Qty	Carton Qty (packs)	Qty
BOTTLE					
	526005	1L	1	12	450

4 Stroke Engine Oil



A premium quality lubricant, designed to maintain viscosity in a variety of operating temperatures. Containing a detergent inhibitor to assist sludge control, with added wear resistance and antioxidant properties. Ideal for a wide variety of engines in marine, agricultural and site applications such as lawnmowers, air compressors, small capacity petrol engines and more

- 10W-30
- Mono-Grade
 - Reduces internal sludging
- · Prolongs engine life

fluctuation tolerant

Temperature

Packs Carton Pallets

Qty Qty Product Ωtv Size (pcs) (packs) (packs) Code 526004 450 1L 15

Chainsaw Oil



A heavy duty and high viscosity oil formulated using premium base oils and tacky modifiers. Developed to help reduce wear and extend the tool lifetime. Ideal for lubricating bars and chains on

pump fed chainsaws.

- · Anti-fling agents
- · Anti corrosion
- · Extends bar & chain life

Product		Qty	Carton	Qty
Code	Size BOTTLE	(pcs)	(packs)	(packs)
526003	1L	1	15	450 LBN02



Maintenance & Cleaning Sprays



Oil & Grease Remover



A solvent based degreaser, which penetrates, lifts and easily removes heavy oils. grease and tar deposits from most metals and hard plastic surfaces

Ideal for automotive, industrial, general workshop maintenance and surface preparation.



· Quick drying

with water

· Immediately emulsifies

clean and residue free

· Leaves the surface

- Powerful degreasing performance
- Highly effective at penetrating and
- lifting unwanted contaminants

Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237156	380ml	1	12	1140
				AER03

Adhesive Residue Remover



A powerful and rapid acting solvent based cleaning solution. Can be used for the safe removal of unwanted adhesive residue, wax, ink, sealants and much more Ideal for surface degreasing and cleaning before paint, adhesive and sealant application.



- · Powerful cleaning
- · Rapid acting
- · Degreases
- Removes wax & ink
- Non-aggresive solvent formulation
- Leaves no film
- Low odour

Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237004	480ml	1	12	912 AER03

Label Remover



A unique blend of citrus and hydrocarbon oils used to quickly penetrate and neutralise the adhesive. allowing for effortless and safe removal of unwanted self adhesive labels and stickers.

Ideal for removing labels from products including pipe fittings, hand tools, bracketry and hardware



- Safe on most materials
- Fast penetration
- · Pentrates through paper labels
- Breaks down adhesive residue
- Removes some inks & dyes

Product Code	Size	Qty	Carton Qty (packs)	Qty
	CAN			
237005	200ml	1	12	1680 AER03

Welder's Anti-Spatter



Specifically formulated to eliminate the need to remove unsightly spatter. which significantly reduces working time.

Ideal for welds, working areas and equipment.



- Non-flammable
- · Can be easily removed after weldina
- · Low odour and colourless

Product

Code

- · Quick drying
- Silicone and petroleum free, so does not interfere with post welding coatinas
- Packs Carton Pallets Qty Qty Qty (pcs) (packs) (packs) 1140

Size

Air & Gas Leak Detector



Professional formulation, designed to quickly and reliably detect the smallest leak in pressurised systems. Reacts instantly upon contact with gas and air pressure, forming a stream of bubbles to identify the

Ideal for refrigeration units, air conditioning systems, exhausts, pipes, valves, screw connectors, welded seams and more

- Water based
- Instant reaction
- Non-flammable
- · Complete with an easy to use 360° spray nozzle, for precise application in hard to reach and confined spaces

Packs Carton Pallets

Qty Qty Product Qtv (pcs) (packs) (packs) Size Code 1140 237023

Cordless Nail Gun Cleaner



A powerful and fast acting cleaner, formulated for removing exhaust gas residue, dirt and grime from cordless nail guns. Regular use enhances the performance and extends the life of the powertool. Suitable for use on most leading brands of cordless nailing tools



- · Powerful cleaning
- · Fast acting
- · Extends tool life
- · Safe on plastics
- Leaves no residue

Packs Carton Pallets

 Enhances tool performance

Product Code	Size	Qty (pcs)	Qty (packs)	Qty (packs)
	CAN			
237003	300ml	1	12	1140
				AER03



Paints



Galvanising Paint



A premium quality zinc spray that gives excellent corrosion resistance as either a primer or topcoat of metals after grinding, welding, cutting and drilling. Ideal for threaded fasteners, exposed metal edges and welds, conduit, fencing and railings, gates, signs, rails and more





- Sacrificial zinc coating forms a hard-wearing bond to ferrous metals
- The high zinc purity blends with previously galvanised coatings
- Paintable
- Gives a professional finish or a suitable base layer for acrylic, alkyd, p/u alkyd and epoxy paints
- · Actively fights rust and corrosion

Dools Conton Dollat

Product Code	Size	Colour	Qty	Qty (packs)	Qty (packs)
CAN					
237750	380ml	Cold Galvanised	1	12	1140
237002	380ml	Bright Galvanised	1	12	1140
					AED02

Metal Paint



A quick drying, hard-wearing Ideal for metal gates, fences,

- Quick drying
- · Hard-wearing
- Direct to rust application
- · Smooth finish

and long lasting paint for metal surfaces. Formulated to be used as a primer, undercoat and top coat in one application. doors, garden furniture, railings and more.



- · Prevents rusting
- · Interior & exterior
- · Primer, undercoat and top coat

Product Code	Size	Colour	Qty	Carton Qty (packs)	Pallet Qty (packs)
		CAN			
237006	380ml	Smooth Black	1	12	1140
237007	380ml	Smooth White	1	12	1140

380ml Smooth Silver

Finishing Paint



A multi-purpose acrylic based finishing paint designed to give a professional and corrosion resistant finish to most substrates including: ferrous metals stainless steel aluminium, plaster, wood and some plastics. Ideal for ironmongery,

garden furniture, decorative fixtures, concealing unsightly surfaces and repairing damaged paint surfaces





- The fast drying, UV resistant and flexible formula gives a drip-free application
- Temperature resistant from -
- Enhanced colour pigments for a long lasting finish
- 50 to 80°C

Product Code	Size	Finish	Qty	Carton Qty (packs)	Pallet Qty (packs)
		CAN			
37128	380ml	Matt Black	1	12	1140
237190	380ml	Gloss Black	1	12	1140

Very High Temperature Paint



A hard-wearing heat and flame resistant coating for metal surfaces.

During the curing process a durable silicone matrix is formed to give protection againt extreme temperatures

Ideal for stoves, heaters, fireplaces and surrounds, boiler flues, machinery, exhausts, radiators, incinerators, furnaces and

- · Corrosion resistant coating
- Withstands temperatures up to 650°C
- Fast drying formula
- · Single coat
- · No primer required
- · Non-drip and run free

Pack Carton Pallet

· Interior & exterior

Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs)
		CAN			
237896	380ml	Matt Black	1	12	1140
					AER02

Primer

237008



GREY

RED OXIDE

Formulated to maximise the adhesion of finishing paints to metals and hard plastics. Excellent high build formula fills and masks surface imperfections resulting in a smooth and consistent finish

12

1140

Ideal for welded seams. machinery and equipment, ironmongery, fences, gates and commercial steelwork.

- · The corrosion resistant properties enhance finishing paint performance
- Temperature resistant from -50 to 80°C
- · Protects exposed metal surfaces after welding and Pack Carton Pallet

Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs)
		CAN			
237320	380ml	Red Oxide	1	12	1140
237480	380ml	Grey	1	12	1140
					AFDOO

Stain Concealing Paint



MATT

A fast drying spray paint which permanently prevents existing stains reappearing through paint finishes. Can be overpainted in 15 minutes

AER02


Ideal for concealing stains caused by water, grease, nicotine, rust, soot, graffiti and more on a wide variety of materials.

- · Quick drying
- Low odour
- · Cracking & peeling resistant
- · Touch dry in 15 mins
- · Interior & exterior
- Coverage: 0.7-0.8m²

Product Code	Size	Colour	Qty	Carton Qty (packs)	Pallet Qty (packs)
		CAN			
237001	400ml	Matt White	1	12	840



Survey & Spot Markers



Survey & Spot Markers





A rapid drying marking paint for applying semi-permanent markings to soil, grass, concrete and most hard surfaces. Ideal for a variety of uses including: highway maintenance, site excavation, turf marking, landscaping and marking cable positions prior to drilling and cutting.

Lasts at least 3 months on most hard surfaces. Applications to wet and damp surfaces may decrease performance.

- Contains built-in bright colour pigments for a bold finish
- Includes a heavy duty, non clogging nozzle for inverted use
- Includes dual trigger pads for compatibility with survey marking applicators

Product Code	Size	Colour	Application*	Packs Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
			CAN			
237369	750ml	White	General marker	1	12	684
237025	750ml	Yellow	General marker	1	12	684
237798	750ml	Blue	Water	1	12	684
237206	750ml	Red	Electricity	1	12	684
237047	750ml	Green	Cablework	1	12	684
237225	750ml	Black	Covering old lines	1	12	684
237900	750ml	Orange	Hazards	1	12	684
*SURVEY MARKING AF	PPLICATIONS INCLUDE	BUT ARE NOT LIMITED				AER02





Barrettine Wood Treatment



Wood Protective Treatment

A wood protector for sealing rough, sawn or smooth timber. It contains water repellent resins and a biocide film preserver to prevent the surface growth of mould and algae.







DARK



- I ow odour formula
- · UV fade resistant colour pigments
- · Deep penetrating oil/spirit formula
- Up to 6m² per litre coverage
- · Harmless to beneficial insects & plants when dry



Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
		TIN			
PTCL005	5L	Clear	1	2	156
PTDB005	5L	Dark Brown	1	2	156
PTLB005	5L	Light Brown	1	2	156 BAR01

Universal Preserver

A clear wood preserver and primer that provides a colourless finish for further painting or varnishing. Can be used on untreated wood or treated timber outdoors.



- · Deep penetrating oil/spirit
- · Low odour formula
- Up to 5m² per litre coverage
- · Quality primer resins for excellent adhesion
- · High level, longlasting wood protection & wood preservation



Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
		TIN			
UNCL005	5L	Clear	1	2	156
					BAR01

Wood Preserver

A high-quality, low odour oil/spirit wood preservative that is deep penetrating. Used for protecting wood against wood-destroying fungi (wet rot), wood discolouring fungi and wood-boring insects.



- Deep penetrating oil/spirit
- · Low odour formula
- · Superb quality water repellant resins
- UV fade resistant colour pigments
- Up to 6m² per litre coverage
- · High level, long-lasting wood protection boow 3

preservation



Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
		TIN			
WOCL005	5L	Clear	1	2	156
WODB005	5L	Dark Brown	1	2	156
WOLB005	5L	Light Brown	1	2	156
WOST005	5L	Summer Tan	1	2	156
					BAD01

Decking Oil - All In One

Specifically formulated for use on pressure treated and preservative impregnated timber offering superb protection to deck boards, deck tiles and halustrades



- UV faderesistant piaments
- Contains a surface biocide preserver to protect against mould
- Harmless to beneficial insects & plants when dry
- Up to 8m² per litre coverage



Pallet Product Qtv Code (packs) (packs) DOCL005 5L Clea 156 DOCP005 156 Amber Light Oak DOD0005 5L Dark Oak 156 DONO005 5L

Decking Oil - Anti-Slip

A premium quality topcoat decking oil incorporating anti-slip technology. Improves grip on decking, handrails and wooden steps. Awarded 'Best Garden Product' in the DIY Week awards 2019.





- · A low sheen finish with UV stabilisers helps to slow wood turning grey
- · Resists flaking or cracking with excellent water beading
- Oils and protects
- Contains a surface biocide to protect against fungal and mould attack
- · Harmless to beneficial insects & plants when dry
- Up to 17m² per litre coverage

Deals MOO Dellat

Product Code	Size	Colour	Qty (pcs)	Qty (packs)	Qty (packs)
		TIN			
DTAS25	2.5L	Clear	1	4	260 BAR01





Log Cabin & Decking **Treatment**



Log Cabin & Complete Decking Treatment is specifically formulated to oil and protect log cabins, decking boards, deck tiles and balustrades made from pretreated, pressure treated or preservative impregnated timber.



CLEAR

- · Contains surface biocide to aid in the prevention of surface mould and algae
- Contains added **UV** Stabilisers
- · Regular treatment provides superb water repellency
- Resists flaking / peeling, whilst water repellence helps prevent timber splitting and cracking
- Harmless to heneficial insects and pets when dry
- Up to 8m² per litre coverage

· Ideal for cladding

treated timbers

Up to 6m² per litre

coverage

& other cut pressure

6

Qty

468

Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
		TIN			
LCDT005	5L	Clear	1	2	156
					BAR01

Timber Cut End Preserver

Specially formulated to be used on pressure-

treated timber where it has been cut, drilled or

wood. Protects against decay such as wet rot,

PRESERVER

worked in any way to expose the untreated inner

discolouring fungus and wood boring insect attack

Wood Reviver

Wood Reviver will turn back the clock, restoring grey, UV-damaged wood to its original warm tones. Wood Reviver can also rescue wood from stains caused by surface mould, tannin runs, watermarks, iron, rust and light dirt.





REFORE AFTER

- Ready to use formulation
- Low VOC and chlorine bleach free
- Instantly renovates blackened/grey wood
- · Removes rust stains from fixings
- Restores the original tone of the wood

Pack Carton Pallet

• Up to 4m² per litre coverage

Product Code	Size	Qty (pcs)	Qty (packs)	Qty (packs)
	BOTTLE			
WORE001	1L	1	6	552 BAR01

Polyurethane Varnish

A high quality satin finish. Gives excellent durability to kitchen furniture, internal doors and other joinery products.

Ideal for internal doors & joinery, kitchen furniture and worktops



- High durability varnish
- Up to 14m² per litre coverage

Product Code	Size	Finish	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)	
TIN						
PSVA001	1L	Clear Satin	1	9	324 BAR01	

Woodworm Killer

A traditional woodworm treatment for a deep penetrating low odour oil/spirit based woodworm killer. It prevents & exterminates woodworm and wood boring insects from treated timber





- Low odour formula
- For internal & external timber structures
- Up to 3.3m² per litre coverage

Product Code	Size	Qty	Carton Qty (packs)	Qty	
BOTTLE					
SPWW50	500ml	1	6	870 BAR01	

Yacht Varnish

A tough, top-quality varnish with a high gloss finish. Protects against cracking and flaking caused by UV light. Also provides complete and long-lasting protection under testing weather conditions.



- · High durability varnish
- · Tough, top quality varnish
- · High gloss finish
- Up to 14m² per litre coverage
- · For interior and exterior use



Produc Code	t Size	Finish	Qty	Carton Qty (packs)	Pallet Qty (packs)
TIN					
CGYV00)1 1L	Clear Gloss	1	9	324

	exposed end grain
•	Deeply penetrates

- Protects vulnerable
- notches
- to protect cuts and

1L

Pack Carton Pallet Product Qty Qty Size Finish Code (pcs) (packs) (packs)

Green





Quick Drying Floor Varnish

Nourishes and protects, whilst providing a lasting depth of sheen that naturally enhances the beauty of wood flooring.



- · Quality interior floor varnish
- Durable, clear finish for wooden floors and work surfaces
- Pack Carton Pallet

• Up to 14m² per litre

coverage

Product Code	Size	Finish	Qty (pcs)	Qty (packs)	Qty (packs)
		TIN			
QDFV25	2.5L	Clear Satin	1	4	288 BAR01

Traditional Floor Wax

A clear quick drying wax finish which nourishes and protects whilst providing a lasting depth of sheen that naturally enhances the beauty of wood flooring.



Nourishes and

protects

- · Quality interior floor
- · Long lasting depth
 - Up to 16m² per liitre of sheen coverage

Product Code	Size	Finish	Qty	Qty (packs)	Qty (packs)
		TIN			
CFWX25	2.5L	Clear	1	4	288
					DADO1

Danish Oil

A blend of oils and resin which provide an attractive lustre finish to all woods. Ideal for Scandinavian furnishings, doors, panelling, wood turning and more.



Ideal for doors. panelling, wood turning etc.



- · Apply using a brush or lint-free cloth
- · Blend of oils and resins to provide an attractive lustre finish to interior woods
- If using outside, apply wood preservative first

Pack Carton Pallet

• Up to 10m² per litre coverage

Product	Size	Qty	Qty	Qty
Code		(pcs)	(packs)	(packs)
	TIN			
OIDA50	500ml	1	12	1056
				BAR01

Teak Oil

An oil for the treatment and enhancement of untreated wood. Teak Oil penetrates unsealed wood leaving a natural, water resistant finish.



- Quick and easy to apply
- Dries to a satin-matt finish

Ideal for garden furniture or traditional matt finished interior furniture



- Up to 10m² per litre coverage
- · Preserves the natural beauty of wood

Product Code	Size	Qty	Qty (packs)	Qty (packs)		
BOTTLE						
OITE50	500ml	1	12	1056		
				BAR01		

Raw Linseed Oil

A traditional completely natural oil from the extract of flax seed which penetrates unsealed wood leaving a natural, water resistant finish with a slightly enhanced colour that darkens slightly with age.



Ideal for oak beams, cricket bats, garden canes and instruments.



- and exterior use
- · Offers a matt finish • Up to 10m² per litre

· Highly water

resistant

OIRL50

- coverage
- Suitable for interior

Pack Carton Pallet Product Size Qty Qty Qty Code (pcs) (packs) (packs)

Boiled Linseed Oil

A natural linseed oil blended with driers to improve drying times. Boiled Linseed penetrates unsealed wood leaving a natural, water resistant finish with a slightly enhanced colour that darkens slightly with age.



Suitable for interior and exterior use



- · A quicker drying alternative Linseed
- Low VOC content
- Up to 10m² per litre coverage
- · Blended with driers to improve drying times
- · Provides natural protection for wood surfaces

Pack Carton Pallet Product Size Qty Qty Qty Code (pcs) (packs) (packs)

OIBL50 1056 BAR01



Cleaners



Exterior Multi-Purpose Cleaner Concentrated

A multi-purpose cleaning product for removing dirt, algae, mould, fungi and general grime build up from a variety of external surfaces such as PVCu, hard plastics, glass, rubber, metal and more



Ideal for cleaning conservatories greenhouses, windows, roof lights, flat roofs and more

The pH neutral and biodegradable formula contains a citronella additive to repel insects and neutralise unwanted odours with added carnauba wax to leave surfaces looking clean and shiny

- Anti-static agent to reduce dirt and grime
- pH neutral to protect delicate plastics and rubbers
- Built in water softener
- · Safe & easy to use as a concentrate
- · No streaking and spotting
- Easy to use 40 dose dispensing bottle
- One 25ml dose dilutes to 10L of water
- · Also suitable for interior cleaning tasks

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)		
BOTTLE						
257001	1L	1	10	550		
				CLR01		

Path, Patio &

Driveway Sealer

A water based environmentally friendly sealing

and UV resistance. It leaves brick, concrete and

agent, formulated to provide long lasting moisture

Brick, Masonry & Patio Cleaner

A heavy duty acid based cleaner for removing dirt, grime and unwanted stains from stone, concrete, bricks and blocks. Ideal for removing leaf stains from patio slabs, stubborn algae from block paving, cement and mortar stains from brickwork and rust marks



- Fast acting
- · High strength
- Acid based
- Dissolves mortar
- stains
- · Exterior use only
- Water clean up
- Not suitable for use on calcareous or polished stone and tarmacadam

Over 3x the coverage of other leading brands Clean up to 30m



Product Code	Size	Qty	Qty (packs)	Qty
	BOTT	ΓLE		
257002	4L	1	4	160
				CLR01

Path, Patio & Driveway **Cleaner Concentrated**



A non-toxic revolutionary cleaning treatment for a variety of exterior surfaces. An easy to use formula that requires no rinsing, scrubbing or pressure washing



or pressure washing

Formulated to effectively kill algae, mould, fungi, moss and green growth on concrete, brick, stone, paving, decking, tarmacadam and much more.

Size

- · Spray and leave
- · Long lasting · Non-toxic and bleach protection free
- · Easy to use

Product

Code

• Up to 140m² coverage

No rinsing, scrubbing

Packs Carton Pallets

(pcs) (packs) (packs)

Qty Qty Qty

128

- natural and artificial stone, limestone, sandstone, slate, brick and concrete paving
- · Pet and wildlife safe · Exterior use only
- Eco friendly organic • Enhances and biodegradable
 - appearance
- UV resistant

Over 3x the coverage of

other leading brands

stonework looking revitalised

whilst protecting against weathering, efflorescence

moss and mould growth.

· Moisture repellent · Non-yellowing

Ideal for all types of external masonry, including

- Eco friendly Stain resistant
 - Concentrated formula

Packs Carton Pallets Product Qty Qty Qty Code Size (pcs) (packs) (packs) 257003 360 CLR01

Exterior Wood Cleaner

A fast acting, water based decking cleaner, formulated for use on all timber, composite and plastic decking. The super concentrated formula

removes dirt, grime, fungi and algae making it ideal for light cleaning and thorough restoration





Ideal for all external timbers, including fencing, trellis, pergolas, garden furniture and more.

- · Exterior use only
- · Fast acting
- Just add water
- · Easy application
- Concentrated formula

Product Code	Size	Qty	Carton Qty (packs)	Qty		
BOTTLE						
257004	500ml	1	12	1056		
				CLR01		





PVCu Cleaner

A heavy duty cleaner for transforming weathered and dirty PVCu surfaces

It provides protection and makes PVCu look as good as new.



Ideal for window and door frames, conservatories. cladding, soffits, fascias and more.



- · Ready to use
- · Heavy duty
- No scrubbing
- · Removes mould, dirt and grime

Product Code	Size	Qty	Carton Qty (packs)	Qty
BOTTLE				
257105	1L	1	12	528 CLR02

Glass Cleaner

A rapid drying glass cleaner that effortlessly removes dirt and grease whilst leaving a streak and static free finish.



Ideal for windows and mirrors but also suitable for tiling. PC monitors and TVs.



- · Rapid drying
- Removes dirt & grease
- Streak free
- Static free

Product Code	Size	Qty	Carton Qty (packs)	Qty		
BOTTLE						
257106	1L	1	12	528		

Multi-Purpose Citrus Cleaner & Degreaser

A powerful, multi-purpose cleaner and degreaser. It contains natural citrus solvents which penetrate deep into oils, greases, adhesive residue and dirt, allowing for quick and easy cleaning.



Ideal for a variety of hard surfaces such as plastic, metal and wood in home. office, commercial, automotive and agricultural applications.



- Natural solvents
- · Interior and exterior
- Streak free & Static free

Product

Code

 Not suitable for use on marble, natural stone or glass

Packs Carton Pallets

Size	Qty (pcs)	Qty (packs)	
BOTTLE			
41	- 4	40	

257110 12 528 CLR02

Multi-Purpose Calcium, **Lime & Rust Stain Remover**



A multi-purpose cleaner and disinfectant that removes fats, soaps, limescale, algae, rust, copper stains and other contaminants from a variety of surfaces around the home and workshop



Ideal for bathrooms, washrooms, kitchens, hand tools, garden tools, site machinery and automotive applications.

- · Interior and exterior
- · Fresh fragrance
- Concentrated
- · Chrome safe
- · Fast acting • Environment safe

Product Code	Size	Qty	Carton Qty (packs)	Qty	
BOTTLE					
257108	1L	1	12	528 CLR02	

Grout Cleaner



A powerful cleaning agent formulated for removing dirt and grime from grout. Contains buffing and deep cleaning properties to leave grout lines looking as good as new.



Ideal for all types of grout between wall tiles, floor tiles and brick.

- · Interior and exterior
- · Ready to use
- · Fast acting
- · Acid free
- · Removes black damp
- · Coloured grout safe

CLR02

Product Code	Size	Qty	Carton Qty (packs)	Qty		
BOTTLE						
257107	1L	1	12	528		

Heavy Duty Cleaner & Degreaser



A professional degreasing solution, formulated for removing stubborn stains, scuff marks, oils and greases, in the home, garden, on site and in the workshop. It penetrates contaminants and lifts them from the surface, allowing for easy removal.

Ideal for metal, glass, plastic, painted surfaces, wood and masonry.

- Interior and exterior
- High penetration power
- · Fast water solubility
- Highly dilutable
- Dissolves grease, oil, dirt, wax & glue
- Removes uncured PU foam



Product Code	Size	Qty	Carton Qty (packs)	Qty	
BOTTLE					
257109	5L	1	4	160	

For Wipes, Rags & Cloths See page 184





Merlin Accessories Ltd Unit G, Nickel Close Winnall Trading Estate Winchester SO23 7RJ

01962 842002

Opening Hours
Monday to Thursday: 7:30 - 17:30
Friday: 7:30 - 17:00