

MERLIN

ACCESSORIES LTD

Over 8,000 essential products that trade professionals rely on every day.



Screws

Timber Construction Screws

Premium Woodscrews	9
Multi-Purpose Woodscrews	17
Woodscrews	21
Mirror & Decorative Screws	27
Screw Caps & Covers	28
Decking & Timber Screws	29
Coach Screws	35

Dry-Lining & Collated Screws

Drywall Screws	36
Cement Board Screws	37
Collated Drywall Screws	38
Collated Screws	39

Metal Construction Screws

Self-Drilling Screws	41
Fibre Cement Board Screws	43
Slash Point Screws	43
Wing-Tip Self-Drilling Screws	44
Washers, Caps & Sheet Fixings	45
Metal Framing Screws	46
Self-Tapping Screws	47
Machine Screws	49

Window Fabrication Screws

Specialist Window Screws	51
Screws for Reinforced Frames	52
Screws for Unreinforced Frames	53



Fasteners & Fixings

Fasteners

Carriage Bolts & Hex Nuts	55
Stainless Steel Carriage Bolts	56
Exterior Carriage Bolts	56
Cable Tray Bolts & Threaded Bars	57
Roofing Bolts	57
Set Screws	58
Nuts	59
Washers	60
Grab Packs	62
Stainless Steel Socket Screws	63
Rivets	64

Hanging & Utility Fixings

Hooks & Picture Hangers	64
Storage Hooks & Tool Clips	66
Clips & Pins	66
Cable Management	67

Plumbing Fittings & Fixings

Plumbing Accessories	68
Pipe Fittings	69
Pipe Clips	71
Intumescent Pipe Collars	72
Intumescent Pipe Wraps	72
Hose & Jubilee Clips	73
Jubilee Packs, Kits, Dispensers & Tools	74

Assorted Trays

Mixed Trays	75
-------------	----



Masonry & Cavity Fixings

Cavity Fixings

Corefix	80
Zip-Fix	81
Stella-Fix	82
Spring Toggles	83
Metal Cavity Anchors	83
Speed Plugs	83
Hammer-In Fixings	84

Masonry & Insulation Fixings

Plastic, Nylon & Metal Plugs	84
Express Nails	86
Wirehangers	86
Ceiling Anchors & Brackets	86
Vertical Flange Clips	86
Metal Insulation Fixings	87
Plastic Insulation Fixings	87
Discs & Covers	87

Concrete & Masonry Fixings

Zamac Nail In Anchors	88
Nylon Fixings	88
Masonry Screws	89
Concrete Screws	90
Masonry Bolts	92
Throughbolts	94
Drop In Anchors	94
Shield Anchors	95
Forged Hooks & Eyes	96
Chemical Anchor Studs	96

Chemical Resin & Accessories

Chemical Resin	97
Accessories	98





Nails

Collated Nails & Fuel Cells

FirmaHold Clipped Head Nails	101
FirmaHold Brad Nails	102
FirmaHold Fuel Cells	103
Paslode Fuel Cells	103
Paslode Collated Nails	104
Paslode Brad Nails	104
Paslode Twisted Shank Nails	104
FirmaHold Staples & Staplers	105

Loose Nails

Bright & Galvanised Loose Nails	107
Sherardised Loose Nails	109
Copper & Aluminium Loose Nails	109
Stainless Steel Loose Nails	110
Zinc Masonry Nails	110
Upholstery Nails & Cut Tacks	110
HallClips® & HallHooks®	110
Polymer Headed Nails & Pins	111

Powertool Accessories

Drilling

SDS Plus & Max Hammer Bits	113
Rebar Cutters	114
Masonry Drill Bits	115
Tile & Glass Drill Bits	115
Wood Auger & Wood Bits	116
HSS Drill Bits	118
Step Drills & Countersinks	120
Broaching Cutters	121
Drill Sets	122

Cutting

Holesaws & Accessories	124
Dry Diamond Core Bits	126
Diamond Blades	127
Bonded Abrasives	128

Circular Saw Blades	129
Jigsaw Blades	130
Reciprocating Saw Blades	132
Multi-Tool Blades & Sets	133
Powertool Sanding	135
Hand Sanding	136
Powertool Wire Brushes	137
Flap Discs & Preparation Discs	138

Chucks, Driver Bits & Adaptors

Chucks, Keys & Adaptors	139
Impact Driver Bits, Sockets & Adaptors	140
Driver Bits, Holders & Sets	142

Mixing

Mixing Paddles	143
----------------	-----

Hand Tools

Striking & Demolition

Hammers & Axes	145
Mallets	147
Bolsters & Chisels	147
Pry Bars	148

Bricklaying & Plastering

Trowels	149
Aluminium Hawk	150
Brick Jointers	151
Grouting Float	151

Sawing & Cutting

Wood Saws	152
Mitre Boxes	152
Plasterers Jab Saw	153
Rasp Planes	153
Knives & Blades	153

Pliers, Cutters & Wrenches

Scissors & Wire Strippers	154
Pipe Shears & Tin Snips	155
Pliers, Cutters & Wrenches	156
Bolt Croppers	157

Spanner Sets, Wood Chisels & Screwdrivers

Spanner Sets	158
Wood Chisels	158

Screwdriver Sets	159
Bradawl	160
Hex Key Sets	161

Files & Rasps

Files & Rasps	162
---------------	-----

Clamping

Bar Clamps	163
F & G Clamps	163
Quick Corner Clamps	163
Spring Clamps	163

Levelling, Measuring & Marking

Spirit Levels	164
Measuring Wheels & Tapes	166
Squares & Rulers	167
Chalk, Brick Lines & Ropes	168
Stationery	169

Riveters & Staplers

Riveters	170
Staplers	170

Preparation & Finishing

Wire Brushes	171
Levelling Tools	171
Tile & Glass Scraper	171
Applicator Guns	172

Painting & Decorating

Brushes & Rollers

Professional Synthetic Paint Brushes	175
Contractors Paint Brushes	175
Masonry Paint Brushes	175
Multi-Purpose Block Brush	176
General Purpose Brushes	176
Mini Rollers	176
Professional Rollers	177
Masonry & Contractors Rollers	177

Painting Accessories

Professional Roller Frame	178
Paint Roller Extension Poles	178
Mini Roller Frames	178
Roller Plastic Trays	178
Paint Scuttles	178
Paint Kettle	178

Preparation & Finishing

Protective Films	179
Dust Sheets	179

Plastic Sheets & Accessories	180
Decorators Knives Set	181
Stripping Knife	181
Surface Preparation Filling Knives Set	181
Fillers	181
Instant Paintable Caulk	182
Acrylic Caulks	182
Tile & Glass Scraper	182
Sealant Remover & Profiler Sets	182

Cleaning

Paint Panther Paint & Varnish Remover	183
Sugar Soap	183
White & Methylated Spirits	183
Paint Brush Cleaner	183
Low Odour Turps Substitute	183
Jumbo Sponges	184
Wipes	184
Rolls, Rags & Cloths	184

Adhesives & Chemicals

Tapes

General Purpose Tapes	186
Building Tapes	187
Plumbing & Electrical Tapes	187
Safety & Hazard Tapes	188

Adhesives, Sealants & Fillers

Contact Adhesives & Superglue	189
Admixtures	189
Wood Adhesives	190
Grip & Fill	190
Adhesive Sealants	191
Sealants & Sealant Remover	192
Acrylic Sealants & Applicator Guns	193
Expanding Foams	194
Applicator Guns	195
Fillers	195

Metolux

Decor & Wood Fillers	196
Metoset Liquid Mortar	196

Briwax Woodcare

Finishing Wax & Spray	197
Spray Wax & Sticks	197

Lubricants

Multi-Purpose Lubricant	198
Silicone Lubricant	198
Copper Anti-Seize	198
Cutting & Tapping Lubricant	198
Chain Lubricant	198
Graphite Lock Lubricant	198

Greases & Oils

Lithium Greases	199
2 Stroke & 4 Stroke Engine Oil	199
Chainsaw Oil	199

Cleaning & Maintenance Sprays

Oil & Grease Remover	200
Adhesive Residue Remover	200
Label Remover	200
Welder's Anti-Spatter	200
Air & Gas Leak Detector	200
Cordless Nail Gun Cleaner	200

Paints

Galvanising & Metal Paint	201
Finishing Paint	201
Very High Temperature Paint	201
Primer	201
Stain Concealing Paint	201
Survey & Spot Marker	202

Barrettine

Barrettine Wood Treatment	203
---------------------------	-----

Cleaners

Exterior Multi-Purpose Cleaner	206
Brick, Masonry & Patio Cleaner	206
Path, Patio & Driveway Sealer	206
Wood / PVCU / Glass Cleaners	207
Cleaner & Degreaser	207
Grout Cleaner	207
Calcium, Lime & Rust Remover	207





Workwear, PPE & Safety

Workwear

Trousers & Shorts	209
Overalls	210
T-Shirts, Fleece & Hoodies	211
Jackets & Bodywarmers	211
Waterproof Clothing	212
Accessories	213

Hi-Vis Clothing

Vests, Fleece & Polo Shirts	214
Jackets & Trousers	215

PPE

Ear Protection	216
Knee Pads	216
Eye Protection	217
Safety Goggles & Face Shield	219
Safety Masks	220

Gloves	221
Coveralls & Shoe Covers	224

First Aid

First Aid Kits	225
Eye Care & Plasters	225

Cleaning

Hand Cleaners, Soaps & Sanitisers	226
-----------------------------------	-----

Safety

Tarpaulins & Tie Downs	227
Barrier Fencing	227
Safety Signs	227
Ratchet Straps	228
Bungee Cords	228
Lifting Slings	228



Building Hardware

Builder's Metalwork

Masonry Hangers	230
Timber Hangers	231
Restraints & Wall Starter Kits	232
Structural Fixings	233
Cramps & Ties	235

Weeps & Drill Vents	239
Underfloor Ventilation	240
Through-Wall Ventilation	240
Internal Grille Vents	241
Access Doors & Panels	241

Building Supplies

Damp Proof Membrane	236
Builders Tape	236
Spacers	237
Roof-line & Above	239

Refuse

Builders Bulk Bags	242
Rubble Sacks	242
Sandbags	242



Security & Ironmongery

Ironmongery

Fire Door Hinges & Accessories	244
Door & Cabinet Hinges	246
Specialist Hinges	250
Door Furniture & Handles	252
Door Latches & Catches	260
Door Locks	261
Door Bolts	263
Door & Window Security	264
Furniture Fixings, Plates & Braces	265

Door Stops & Hooks	267
Hanging Rails & Systems	268
Storage & Shelving	269

Security

Padlocks	270
Chains & Cables	271
Key Storage & Accessories	271
Squire Security	272

Gate & Fence Hardware

Gate Hardware

Locks & Handles	281
Latches & Catches	283
Bolts	285
Hasps & Staples	289
Exterior Gate & Door Hinges	291
Gate Kits	295

Field Gate Hinge Sets	297
Field Gate Catches	299
Throw-Over Loops	300
Field Gate Wheels	300

Fence Hardware

Fence Post Supports	301
Fencing Accessories	303
Chains & Accessories	304

Field Gate Hardware

Field Gate Hooks & Eyes	296
-------------------------	-----

Recess Style



Pozi / Cross Recess

Standard recess for woodscrews, chipboard screws etc.



Phillips Recess

Standard recess for self-drilling, drywall and window screws.



Combi Recess

A combination of a traditional slotted recess with a more common pozi recess.



TX Drive Recess

High performance recess on C2 Clamp-Fix and TIMCO concrete/masonry screws.



Square Recess

Recess on square drive pan self-drilling and Solo screws.

Head Types



Countersunk

Designed for countersinking into timber for a flush or recessed finish. May have ribs to assist countersinking.



Double Countersunk

Improved design on the countersunk head to give additional head strength and assist countersinking.



Double Countersunk with Ribs

Ribs under head to assist with countersinking.



Shallow Pan Countersunk

A special head design to assist with clamping and countersinking.



Wafer / Flange / Pancake

Low profile head with a flat underside for applications where a large clamping area and a non-obtrusive finish is required.



Pan / Round

Head with a flat underside. Designed for application fixing against metal surfaces.



Hexagon

Positive drive hex head with an integral washer to increase clamping effectiveness.



Bugle

A curved surface under the head to prevent damage or tearing to the plasterboard paper.



Socket Button

Designed for a raised finish with a flat underside to aid clamping.



Socket Cap

An industry standard, requiring a hex key to loosen or tighten.

Thread Types



Self-Tapping Thread

A common thread design, mainly used in steel applications (1-5mm).



Twin Thread

Also known as twin lead threads, they are designed to give a fast insertion time in soft material.



Coarse Thread (up to 16 TPI)

Also known as spaced threads, they are normally used for all timber applications.



Fine Thread (over 16 TPI)

Also known as metric threads, they are only used in steel applications. Fine threads are for use with thicker steels (5 - 12mm thickness).



Serrated Thread

Reduces the torque required to install the fastener as well as assisting with the speed of insertion.



Hi-Lo Thread

Used in soft timbers, plastics and thin sheet sections. Hi-Lo threads have superior holding power compared to a low TPI coarse thread in these types of material.

Point Styles



AB Point

For use in pre-drilled sheet material applications.



Needle / Gimlet and Super Sharp Point (SS)

Designed for piercing timber, MDF, plastic and light gauge metal up to 0.6mm without pre-drilling.



B POINT

For use in pre-drilled shallow holes.



Self-Drill Point

For drilling into metals without the need for pre-drilling.



C2 Slash

Twin cut for rapid "pick up" and reduced splitting.




Type 17 Point

Also known as slash point, they are used for fixing timber without the need to pre-drill. The cutting edge helps reduce splitting of the timber.


Gauge / Diameter

The gauge of the screw is determined by the size of the outside thread diameter.




Gauge	Metric (mm)
0g	1.5
1g	1.9
2g	2.25
3g	2.5
4g	3.0
5g	3.3
6g	3.5
7g	3.9
8g	4.2
9g	4.5
10g	4.8
12g	5.5
13g	6.1
14g	6.3
15g	6.5
16g	6.8
18g	7.5
20g	8.1
24g	9.4

Thread Length



Threads Per Inch (TPI)

The TPI is the number of thread crests that can be counted within 1" (25.4mm). The coarser the thread the faster the insertion time but lower the holding power.




Measuring Length

Screws with the following head types are measured from the top of the head types are measured from the top of the countersunk to the point of the screw:



Screws with the following head types are measured from the underside of the head to the point of the screw:



Metric/Imperial Size Comparison Chart

Listed beside the common imperial sizes are the metric equivalents. Also listed are common 'even' approximate metric equivalents in brackets.

Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)	Imperial (inch)	Metric (mm)
1/64"	0.40	2 1/64"	8.33	2 1/2"	16.67	3 1/2"	24.61	4"	101.60 (100)
1/32"	0.79	1 1/32"	8.73	3 1/4"	17.06	3 3/4"	25.00	4 1/2"	114.30 (115)
3/64"	1.19	3/64"	9.13	1 1/8"	17.46	1"	25.40 (25.0)	5"	127.00 (125)
1/16"	1.59	3/8"	9.52 (10.0)	3/8"	17.86	1 1/16"	26.99	5 1/2"	139.70 (140)
5/64"	1.98	7/64"	9.92	2 1/2"	18.26	1 1/32"	27.78	6"	152.40 (150)
3/32"	2.38	1 1/32"	10.32	1 1/4"	18.65	1 1/8"	28.58 (28.0)	6 1/2"	165.10 (165)
1/8"	2.78	1 1/16"	10.72	3/4"	19.05 (19.0)	1 1/4"	29.37	7"	177.80 (175)
5/16"	3.17 (3.0)	1 1/8"	11.11	1 1/2"	19.45	1 1/2"	30.16 (30.0)	7 1/2"	190.50 (190)
3/8"	3.5	3/8"	11.51	1 3/4"	19.84	1 3/4"	30.96	8"	203.20 (200)
7/32"	3.97 (4.0)	1 1/4"	11.91	2"	20.24	1 7/8"	31.75 (32.0)	8 1/2"	215.90 (215)
1/2"	4.5	1 1/2"	12.30	2 1/4"	20.64	2"	38.10 (38.0)	9"	228.60 (230)
5/8"	4.76 (5.0)	1 3/4"	12.70 (13.0)	2 3/4"	21.03	2 1/4"	45.45 (45.0)	9 1/2"	241.30 (240)
3/4"	5.16	2"	13.49	3"	21.43	2 1/2"	50.80 (50.0)	10"	254.00 (250/255)
7/8"	5.5	2 1/8"	13.89	3 1/4"	21.83	2 3/4"	57.15 (57.0)	11"	279.40 (280)
1 1/16"	5.95	2 1/4"	14.29 (14.0)	3 1/2"	22.23 (22.0)	3"	63.50 (63.0)	12"	304.80 (305)
1 1/8"	6.35 (6.0)	2 3/8"	14.68	4"	22.62	3 1/4"	69.85 (70.0)	13"	330.20 (330)
1 1/4"	6.75	2 1/2"	15.08	4 1/4"	23.02	3 1/2"	76.20 (75.0)	14"	355.60 (350/355)
1 1/2"	7.14	2 3/4"	15.48	4 1/2"	23.42	3 3/4"	82.55 (82.0)	15"	381.00 (380)
1 3/4"	7.54	3"	15.88 (16.0)	4 3/4"	23.81	4"	88.90 (90.0)	16"	406.40 (400/405)
2"	7.94 (8.0)	3 1/4"	16.27	5"	24.21	4 1/4"	95.25 (95.0)	18"	457.20 (455/460)

Plating Guide

<p>Bright - Polished only.</p>	<p>Black Phos. - An immersed black phosphate plating for corrosion resistance and lubrication.</p>	<p>Galv. - A post-manufacturing electro-galvanic plating applied to the product.</p>	<p>Mart. SS + Rusp. - A magnetic, martensitic stainless steel with moderate heat resistance, with silver ruspert plating.</p>
<p>Zinc (CR3) - A bright Zinc electrolytic plating with a clear toxin free finish. Complies with restrictions of hazardous substances in electrical/electronic equipment (ROHS) directive (2002/95/EC).</p>	<p>Nickel - An electroplated, high lustre, corrosion resistant finish.</p>	<p>Pre Galv. - A pre-manufacturing electro-galvanic plating applied to the product.</p>	<p>A2 SS - A non-magnetic austenitic stainless steel suitable for many day to day external or corrosive applications offering excellent resistance to corrosion.</p>
<p>Yellow - Zinc electrolytic plating and yellow passivated after treatment for enhanced corrosion resistance.</p>	<p>Exterior - A superior organic finish which is environmentally friendly and offers excellent resistance to corrosion in outdoor applications. Exterior includes; nano technology, silver, green, black and white finishes.</p>	<p>FirmaGalv - An electro-galvanic plating.</p>	<p>A4 SS - Very similar to the A2 SS but more suitable for extremely corrosive applications, including coastal environments.</p>
<p>Black - A zinc electrolytic plating with a black passivation after treatment to enhance corrosion resistance.</p>	<p>Sherardised - A dry galvanised, zinc bonded plating.</p>	<p>FirmaGalv+ - Similar to the electro-galvanic plating on FirmaGalv. This plating provides better corrosion resistance.</p>	<p>Hot Dipped - A galvanised zinc plating which gives excellent corrosion resistance.</p>

Corrosion Ratings

1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Clean, dry & low humidity environments	Occasionally damp/wet, rural and sheltered areas	Urban & industrial areas with a low salt atmosphere	Urban & industrial areas with a moderate salt atmosphere	Industrial and coastal areas with an aggressive salt atmosphere



Screws

Timber Construction Screws

Premium Woodscrews	9-15
Multi-Purpose Woodscrews	17-19
Woodscrews	21-26
Mirror & Decorative Screws	27
Screw Caps & Covers	28
Decking & Timber Screws	29
Coach Screws	35

Dry-Lining, Collated & Roofing Screws

Drywall Screws	36
Cement Board Screws	37
Collated Drywall Screws	38
Collated Screws	39

Metal Construction Screws

Self-Drilling Screws	41-43
Fibre Cement Board Screws	43
Slash Point Screws	43
Wing-Tip Self-Drilling Screws	44
Washers, Caps & Sheet Fixings	45
Metal Framing Screws	46
Self-Tapping Screws	47-48
Machine Screws	49

Window Fabrication Screws

Specialist Window Screws	51
Screws for Reinforced Frames	52
Screws for Unreinforced Frames	53

c2

STRONG-FIX PREMIUM SCREW

FOR ALL ROUND FINISHING STRENGTH



EXTREME
PULL-OUT
RESISTANCE



DESIGNED FOR
SUPERIOR
HOLD



PRECISION
PZ DRIVE
PREVENTS
"CAM-OUT"

43%
QUICKER*

52%
LESS TORQUE*


THE
c2

TWIN-CUT

1ST CUT FOR
RAPID "PICK-UP"
AND QUICK
INSERTION TIME

2ND CUT HELPS
PREVENT WOOD
SPLITTING WHEN
SCREWING CLOSE
TO THE EDGE

*Compared against a standard woodscrew



Precision PZ Drive Recess

prevents
'cam-out', giving
a precise and
positive drive
control on
every screw.

Double Countersunk with Ribs

helps improve
countersinking, giving a
smooth and flush finish
whilst also preventing
splitting and substrate
damage.

Helix Shank

helps remove
debris and
improve
clamping.
(From 100mm
and above only)



Unique Synthetic Lubrication

reduces insertion torque and
increases rust protection up
to 20x longer than a standard
zinc plating.

Dual Angle Thread

for ultimate performance and
exceptionally high pull out
resistance. (Partially threaded from 80mm)



C2

CLAMP-FIX PREMIUM SCREW

ADVANCED CLAMPING PERFORMANCE



STOPS THE
TIMBER
JACKING
APART



DESIGNED FOR
SUPERIOR
HOLD



PRECISION
TX DRIVE
PREVENTS
"CAM-OUT"

43%
QUICKER*

52%
LESS TORQUE*


THE
C2

TWIN-CUT

1ST CUT FOR
RAPID "PICK-UP"
AND QUICK
INSERTION TIME

2ND CUT HELPS
PREVENT WOOD
SPLITTING WHEN
SCREWING CLOSE
TO THE EDGE

*Compared against a standard woodscrew



Precision TX Drive Recess

prevents
'cam-out', giving
a precise and
positive drive
control on
every screw.

Double Countersunk with Ribs

helps improve
countersinking, giving a
smooth and flush finish
whilst also preventing
splitting and substrate
damage.

Partially Threaded Shank with Helix



stops the timber from
jacking apart, whilst
helping remove debris.
Partially threaded from 40mm
Helix shank on 100mm & above

Unique Synthetic Lubrication

reduces insertion torque and
increases rust protection up
to 20x longer than a standard
zinc plating.

Dual Angle Thread

for ultimate performance and
exceptionally high pull out
resistance.



C2 Clamp-Fix Premium Screw

Yellow



TX DRIVE



EN 14592:2008



HARD & SOFT
WOODS



MAN MADE
BOARDS



THIN METAL



PLASTIC


A premium multi-material screw featuring the award winning C2 twin-cut technology. The dual

angle partial thread and high torque TX drive ensures maximum clamping strength on every fixing.

Designed to prevent the timber from 'jacking' apart when fastening timber to timber. Ideal for applications such as timber studwork, panelling, roof and decking framework.

NOTE: Partially threaded from 40mm and above. Helix shank from 100mm and above.

Advanced Clamping Performance



Prevents the timber 'jacking' apart

Boxes



Product Code	Size (mm)	Max. CFT (mm)	Driver Bit Size (pcs)	Pack Qty (packs)	Carton Qty (packs)	Pallet Qty (packs)
BOX						
40025C2C	4.0x25	0	TX20	200	75	1,800
40030C2C	4.0x30	0	TX20	200	75	1,800
40035C2C	4.0x35	0	TX20	200	50	1,200
40040C2C	4.0x40	10	TX20	200	50	1,200
40045C2C	4.0x45	15	TX20	200	35	840
40050C2C	4.0x50	20	TX20	200	35	840
40060C2C	4.0x60	20	TX20	200	15	540
40070C2C	4.0x70	30	TX20	200	15	540
40080C2C	4.0x80	30	TX20	200	16	384
45070C2C	4.5x70	30	TX25	200	16	384
45080C2C	4.5x80	30	TX25	200	16	384
50030C2C	5.0x30	0	TX25	200	50	1,200
50040C2C	5.0x40	10	TX25	200	35	840
50050C2C	5.0x50	20	TX25	200	15	540
50060C2C	5.0x60	20	TX25	200	16	384
50070C2C	5.0x70	30	TX25	200	16	384
50075C2C	5.0x75	35	TX25	200	16	384
50080C2C	5.0x80	30	TX25	200	16	384
50090C2C	5.0x90	30	TX25	100	15	540
50100C2C	5.0x100	40	TX25	100	15	540
60050C2C	6.0x50	20	TX30	200	16	384
60060C2C	6.0x60	20	TX30	200	16	384
60070C2C	6.0x70	30	TX30	200	12	288
60080C2C	6.0x80	30	TX30	200	12	288
60090C2C	6.0x90	30	TX30	100	15	540
60100C2C	6.0x100	30	TX30	100	15	540
60120C2C	6.0x120	50	TX30	100	16	384
60130C2C	6.0x130	60	TX30	100	16	384
60150C2C	6.0x150	80	TX30	100	12	324
60180C2C	6.0x180	110	TX30	100	8	216
60200C2C	6.0x200	130	TX30	100	8	216
80080C2C	8.0x80	40	TX40	100	16	384
80100C2C	8.0x100	20	TX40	100	12	288
80120C2C	8.0x120	40	TX40	50	12	288
80150C2C	8.0x150	70	TX40	50	12	288
80200C2C	8.0x200	120	TX40	50	8	216
80225C2C	8.0x225	145	TX40	50	8	216
80250C2C	8.0x250	170	TX40	50	9	216
80275C2C	8.0x275	195	TX40	25	9	216
80300C2C	8.0x300	220	TX40	25	9	216
80360C2C	8.0x360	280	TX40	25	9	270
80420C2C	8.0x420	340	TX40	25	9	270

CFT = CLAMPING FIXTURE THICKNESS

CF201

Tubs



C2 Impact Power Bit Included

Designed to handle the most demanding impact driving applications with optimum durability and unbeatable break resistance.



x3
TX
38mm
Power Bit
Included

Product Code	Size (mm)	Max. CFT (mm)	Driver Bit Size (pcs)	Pack Qty (packs)	Carton Qty (packs)	Pallet Qty (packs)
TUB (DRIVER BIT INCLUDED)						
40040C2CTUB	4.0x40	10	TX20	1,200	20	180
40050C2CTUB	4.0x50	20	TX20	800	20	180
50050C2CTUB	5.0x50	20	TX25	600	20	180
50070C2CTUB	5.0x70	30	TX25	375	20	180
50080C2CTUB	5.0x80	30	TX25	350	20	180
50100C2CTUB	5.0x100	40	TX25	300	20	180

CF201

CF201

NEW

C2

EXTERIOR STRONG-FIX PREMIUM SCREW

DESIGNED FOR OUTDOOR APPLICATIONS

Ideal for: Ironmongery | Decking | Fencing

EXTREME PULL-OUT RESISTANCE

DESIGNED FOR SUPERIOR HOLD

PRECISION PZ DRIVE PREVENTS "CAM-OUT"

C2

DECK-FIX PREMIUM SCREW

DESIGNED FOR DECKING PLATFORMS & EXTERNAL TIMBER CONSTRUCTION

DESIGNED FOR SUPERIOR CLAMPING WITH HELIX TO STOP TIMBER JACKING

REDUCED IMPACT RESISTANT HEAD FOR A CLEAN FINISH

PRECISION TX DRIVE PREVENTS "CAM-OUT"

Exterior



NOTE: Partially threaded from 80mm. Twin cut tip on 3.5 gauge from 20mm. Helix from 100mm and above.

All the features and superior performance of the C2 screw complete with an organic plating for optimal corrosion resistance when used in the harshest of environments. Silver colour to match commonly used ironmongery. Ideal for many general external applications.

- Ribs under head for improved countersinking
- Special plating to give 1,000 hours salt spray resistance
- Multi-layer coating consisting of organic top coat barrier and a zinc base layer
- Dual angle thread for ultimate performance and exceptionally high pull-out resistance
- Patented twin cut technology for rapid "pick-up" and reduces timber splitting



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
40030C2SBX	4.0 x 30	PZ2	200	75	1800
40040C2SBX	4.0 x 40	PZ2	200	50	1200
40050C2SBX	4.0 x 50	PZ2	200	35	840
40060C2SBX	4.0 x 60	PZ2	200	15	540
40070C2SBX	4.0 x 70	PZ2	200	15	540
50040C2SBX	5.0 x 40	PZ2	200	35	840
50050C2SBX	5.0 x 50	PZ2	200	15	540
50060C2SBX	5.0 x 60	PZ2	200	16	384
50070C2SBX	5.0 x 70	PZ2	200	16	384
50080C2SBX	5.0 x 80	PZ2	200	16	384
50100C2SBX	5.0 x 100	PZ2	100	15	540
60040C2SBX	6.0 x 40	PZ3	200	15	540
60050C2SBX	6.0 x 50	PZ3	200	16	384
60070C2SBX	6.0 x 70	PZ3	200	12	288
60100C2SBX	6.0 x 100	PZ3	100	15	540

TUB (C2 IMPACT POWER BIT INCLUDED)

40030C2S	4.0 x 30	PZ2	400	12	360
40040C2S	4.0 x 40	PZ2	350	12	360
40050C2S	4.0 x 50	PZ2	300	12	360
40060C2S	4.0 x 60	PZ2	200	12	360
40070C2S	4.0 x 70	PZ2	170	12	360
50040C2S	5.0 x 40	PZ2	200	12	360
50050C2S	5.0 x 50	PZ2	180	12	360
50060C2S	5.0 x 60	PZ2	150	12	360
50070C2S	5.0 x 70	PZ2	120	12	360
50080C2S	5.0 x 80	PZ2	110	12	360
50100C2S	5.0 x 100	PZ2	80	12	360
60040C2S	6.0 x 40	PZ3	150	12	360
60050C2S	6.0 x 50	PZ3	120	12	360
60070C2S	6.0 x 70	PZ3	90	12	360
60100C2S	6.0 x 100	PZ3	60	12	360

GRAB PACK (600 PCS)

C2SGPACK	-	-	600	5	150
	4.0 x 30	PZ2	140		
	4.0 x 40	PZ2	100		
	4.0 x 50	PZ2	70		
	4.0 x 60	PZ2	60		
	5.0 x 40	PZ2	80		
	5.0 x 50	PZ2	55		
	5.0 x 60	PZ2	45		
	5.0 x 70	PZ2	30		
	5.0 x 80	PZ2	20		
Impact 38mm Driver Bits	PZ2		3		



CC205

Exterior



A premium decking screw using the C2 twin-cut technology.

- Strengthened head to prevent shearing when installed with an impact tool
- Ribs under the head for improved countersinking
- Helix shank for removing debris and to improve clamping
- Coated with a patented multi-layer corrosion resistant plating to withstand 1,000 hours salt spray
- Patented twin cut technology for rapid "pick-up" and reduces timber splitting



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
50C2D250BX	4.5 x 50	TX20	250	15	540
65C2D250BX	4.5 x 65	TX20	250	18	432
75C2D250BX	4.5 x 75	TX20	250	18	432
85C2D250BX	4.5 x 85	TX20	250	18	432
IDD04					
TUB (DRIVER BIT INCLUDED)					
50C2D250	4.5 x 50	TX20	250	8	288
65C2D250	4.5 x 65	TX20	250	8	288
65C2D1000	4.5 x 65	TX20	1,000	1	72
75C2D250	4.5 x 75	TX20	250	8	216
IDD04					
TIMBAG					
50C2DB	4.5 x 50	TX20	175	5	500
65C2DB	4.5 x 65	TX20	145	5	500
75C2DB	4.5 x 75	TX20	120	5	500
BAG01					
INDUSTRY PACK (1,000 PCS)					
65C2DIND	4.5 x 65	TX20	1,000	3	81
IDD04					



NEW

C2

FLOOR-FIX PREMIUM SCREW

DESIGNED FOR FIXING FLOORBOARDS TO JOISTS

Ideal for: Hardwood | Softwood | Man-Made Board



DESIGNED FOR SUPERIOR HOLD



STOPS THE BOARDS JACKING



PRECISION TX DRIVE PREVENTS "CAM-OUT"

NEW

C2

TONGUE-FIX PREMIUM SCREW

DESIGNED FOR FIXING TONGUE & GROOVE FLOORBOARDS & PANNELLING

Ideal for: Hardwood | Chipboard | Softwood



DESIGNED FOR SUPERIOR HOLD




HIDDEN FIXING SYSTEM



PRECISION TX DRIVE PREVENTS "CAM-OUT"

Yellow



Designed for use in man-made boards such as MDF and chipboard. The C2 twin-cut tip gives rapid pick up and reduces the likelihood of splitting, whilst the steep head design with finishing teeth and self countersinking ribs ensure a flush finish.


- Specifically designed dual action head - finishing teeth and self-countersinking ribs ensures a flush finish
- Plain shank for pulling the two substrates together without manual clamping
- Coated with a high-molecular polymer lubricant that reduces the insertion torque by up to 52% and increases rust protection up to 20 times longer than a standard zinc plating
- Dual angle thread for ultimate performance and exceptionally high pull-out resistance
- Patented twin cut technology for rapid "pick-up" and reduces timber splitting



NEW

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (C2 IMPACT POWER BIT INCLUDED)					
42055C2MDFBX	4.2 x 55	TX20	200	15	540 CC204
TUB (C2 IMPACT POWER BIT INCLUDED)					
42055C2MDF	4.2 x 55	TX20	250	12	360 CC204

Yellow



Specially designed for attaching tongue and groove floorboards and panelling. Provides a secure hidden fixture without causing damage, allowing a flush fit with the next board.

- Reduced head for concealed countersinking
- Plain shank for pulling the two substrates together without manual clamping
- Coated with a high-molecular polymer lubricant that reduces the insertion torque by up to 52% and increases rust protection up to 20 times longer than a standard zinc plating
- Dual angle thread for ultimate performance and exceptionally high pull-out resistance
- Patented twin cut technology for rapid "pick-up" and reduces timber splitting



NEW

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (C2 IMPACT POWER BIT INCLUDED)					
35045C2TGBX	3.5 x 45	TX10	200	50	1200 CC203
TUB (C2 IMPACT POWER BIT INCLUDED)					
35045C2TG	3.5 x 45	TX10	350	20	600 CC203

VELOCITY

Premium Multi-Use Screw

FOR ALL ROUND DRIVE & CLAMPING PERFORMANCE

The unique patented TIMCO Velocity screw has been specifically designed to give rapid installation into many different materials whilst achieving exceptional pull out resistance.

The Velocity screw is designed and manufactured using the most advanced technology giving the user a consistent and reliable product that can be used in a variety of applications.

For: Wood | Man-Made Board | Thin Metal | Plastic



Dual Angle Thread
Designed For Superior Hold



Partially Threaded
Stops The Timber Jacking



Rapid Drive Twist Cut
Enhances Drive Performance



Pozi

Corrosion Rating

2

Occasionally damp/wet, rural and sheltered areas.

Available in:

Yellow



Double countersunk with ribs

Helps improve countersinking, giving a smooth and flush finish whilst also preventing splitting and substrate damage.

Superior corrosion resistance

Special plating to give over 504 hours salt spray resistance in accordance to BS EN 9227:2012.

Partially threaded from 40mm

To assist clamping of material.

Anti-friction lubrication

Lubricated with XXS5 to enhance screw insertion time and reduce driving torque.

Dual angle thread

Designed for superior hold.

Twist cut thread

To give rapid drive & performance.

Single slash tip from 25mm

Helps prevent the timber splitting when screwing close to the edge, whilst also helping to reduce torque.



Velocity Premium Multi-Use Screw - Pozi

Yellow



POZI



EN 14592:2008



HARD & SOFT WOODS



MAN MADE BOARDS



THIN METAL



PLASTIC

Industry Boxes



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
INDUSTRY PACK (1,000 PCS)					
40030VYIND	4.0 x 30	PZ2	1,000	12	288
40040VYIND	4.0 x 40	PZ2	1,000	12	288
40050VYIND	4.0 x 50	PZ2	1,000	6	144
50040VYIND	5.0 x 40	PZ2	1,000	6	144
50050VYIND	5.0 x 50	PZ2	1,000	6	144
50060VYIND	5.0 x 60	PZ2	1,000	3	81
50070VYIND	5.0 x 70	PZ2	1,000	3	81
50080VYIND	5.0 x 80	PZ2	1,000	3	81
50090VYIND	5.0 x 90	PZ2	1,000	3	81
50100VYIND	5.0 x 100	PZ2	1,000	3	81

VEL01

Boxes



Product Code	Size (mm)	Thread Length (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX						
30016VY	3.0 x 16	16	PZ1	200	140	5,040
30020VY	3.0 x 20	20	PZ1	200	140	5,040
30030VY	3.0 x 30	30	PZ1	200	75	2,700
30040VY	3.0 x 40	40	PZ1	200	50	1,200
35012VY	3.5 x 12	12	PZ2	200	140	5,040
35016VY	3.5 x 16	16	PZ2	200	140	5,040
35020VY	3.5 x 20	20	PZ2	200	75	2,700
35025VY	3.5 x 25	25	PZ2	200	75	2,700
35030VY	3.5 x 30	30	PZ2	200	75	1,800
35035VY	3.5 x 35	35	PZ2	200	50	1,200
35040VY	3.5 x 40	30	PZ2	200	50	1,200
35045VY	3.5 x 45	30	PZ2	200	35	840
35050VY	3.5 x 50	30	PZ2	200	35	840
40016VY	4.0 x 16	16	PZ2	200	75	2,700
40020VY	4.0 x 20	20	PZ2	200	75	2,700
40025VY	4.0 x 25	25	PZ2	200	75	1,800
40030VY	4.0 x 30	30	PZ2	200	75	1,800
40035VY	4.0 x 35	35	PZ2	200	50	1,200
40040VY	4.0 x 40	30	PZ2	200	50	1,200
40045VY	4.0 x 45	30	PZ2	200	35	840
40050VY	4.0 x 50	30	PZ2	200	35	840
40060VY	4.0 x 60	40	PZ2	200	15	540
40070VY	4.0 x 70	40	PZ2	200	15	540
40080VY	4.0 x 80	50	PZ2	200	16	384
45030VY	4.5 x 30	30	PZ2	200	50	1,200
45040VY	4.5 x 40	30	PZ2	200	35	840
45050VY	4.5 x 50	30	PZ2	200	15	540
45060VY	4.5 x 60	40	PZ2	200	15	540
45070VY	4.5 x 70	40	PZ2	200	16	384
45080VY	4.5 x 80	50	PZ2	200	16	384
50030VY	5.0 x 30	30	PZ2	200	50	1056
50040VY	5.0 x 40	30	PZ2	200	35	840
50045VY	5.0 x 45	30	PZ2	200	15	540
50050VY	5.0 x 50	30	PZ2	200	15	540
50060VY	5.0 x 60	40	PZ2	200	16	384
50070VY	5.0 x 70	40	PZ2	200	16	384
50075VY	5.0 x 75	40	PZ2	200	16	384
50080VY	5.0 x 80	50	PZ2	200	16	384
50090VY	5.0 x 90	60	PZ2	100	15	540
50100VY	5.0 x 100	60	PZ2	100	15	540
60040VY	6.0 x 40	30	PZ3	200	15	540
60045VY	6.0 x 45	30	PZ3	200	15	540
60050VY	6.0 x 50	30	PZ3	200	16	384
60060VY	6.0 x 60	40	PZ3	200	16	384
60070VY	6.0 x 70	40	PZ3	200	12	288
60080VY	6.0 x 80	50	PZ3	200	12	288
60090VY	6.0 x 90	60	PZ3	100	15	540
60100VY	6.0 x 100	70	PZ3	100	15	540
60120VY	6.0 x 120	70	PZ3	100	16	384
60130VY	6.0 x 130	70	PZ3	100	12	384
60150VY	6.0 x 150	70	PZ3	100	12	324
60180VY	6.0 x 180	70	PZ3	100	8	192
60200VY	6.0 x 200	70	PZ3	100	8	192

VEL01

Tubs



Product Code	Size (mm)	TL (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TUB (DRIVER BIT INCLUDED)						
40030VYTUB	4.0 x 30	30	PZ2	1,500	4	180
40040VYTUB	4.0 x 40	30	PZ2	1,200	4	180
40050VYTUB	4.0 x 50	30	PZ2	800	4	180
50040VYTUB	5.0 x 40	30	PZ2	800	4	180
50050VYTUB	5.0 x 50	30	PZ2	600	4	180
50060VYTUB	5.0 x 60	40	PZ2	400	4	180
50070VYTUB	5.0 x 70	40	PZ2	375	4	180
50080VYTUB	5.0 x 80	50	PZ2	350	4	180
50090VYTUB	5.0 x 90	60	PZ2	325	4	180
50100VYTUB	5.0 x 100	60	PZ2	300	4	180

TL = THREAD LENGTH

VEL02

Grab Pack

A selection of popular Velocity screw sizes in a handy and reusable storage pack with clip-shut lid.



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
GRAB PACK (600 PCS)					
VGYPACK	-	-	600	5	150
	4.0 x 30	PZ2	140		
	4.0 x 40	PZ2	100		
	4.0 x 50	PZ2	70		
	4.0 x 60	PZ2	60		
	5.0 x 40	PZ2	80		
	5.0 x 50	PZ2	55		
	5.0 x 60	PZ2	45		
	5.0 x 70	PZ2	30		
	5.0 x 80	PZ2	20		
	25mm Driver Bits	PZ2	1		

VEL01

CLASSIC/C®

MULTI-PURPOSE SCREWS

Exceptional Reliability & Strength

The TIMCO Multi-Purpose Classic Screw enables the user to rely on one product for a variety of applications.

Specifically designed as a multi-purpose product, the 25° sharp point, special thread design, lubrication and corrosion resistant plating ensures the screw will consistently perform efficiently in hardwood, chipboard, MDF, plastic and thin sheet metal, while offering exceptional holding power.



Pozi

Corrosion Rating

2

Occasionally damp/wet, rural and sheltered areas.

Available in:

Yellow

Black

Nickel

A2 Stainless

A4 Stainless


Countersunk
Head



Pan
Head



Reduced
Head
(Hinge)



Double Countersunk

Reduces the likelihood of head shear and assists completion of countersinking.

Fully Threaded up to and including 75mm

Partially threaded thereafter (with 70mm thread length).

Molecular Lubrication

Patented lubrication, designed to enhance screw insertion time and provides greater resistance to corrosion.

40° Deep Single Thread

To provide a secure fixing with high pull-out resistance.

Surface Hardened

Up to 750 HV to prevent torque shearing under load and a core hardness of up to 450 HV for improved ductility.

Type 17 Single Slash

*Single slash on 25mm

To reduce torque and the likelihood of the timber splitting when the screw is inserted close to the edge.



Classic Multi-Purpose Screw - Double Countersunk

Yellow



POZI



EN 14592:2008



HARD & SOFT
WOODS



MAN MADE
BOARDS



THIN METAL



PLASTIC

NOTE: Partially threaded from 80mm. Single slash from 25mm.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
30012CLAF	3.0 x 12	PZ1	200	140	5,040
30016CLAF	3.0 x 16	PZ1	200	140	5,040
30020CLAF	3.0 x 20	PZ1	200	140	5,040
30025CLAF	3.0 x 25	PZ1	200	75	2,700
30030CLAF	3.0 x 30	PZ1	200	75	2,700
30035CLAF	3.0 x 35	PZ1	200	50	1,200
30040CLAF	3.0 x 40	PZ1	200	50	1,200
35012CLAF	3.5 x 12	PZ2	200	140	5,040
35016CLAF	3.5 x 16	PZ2	200	140	5,040
35020CLAF	3.5 x 20	PZ2	200	75	2,700
35025CLAF	3.5 x 25	PZ2	200	75	2,700
35030CLAF	3.5 x 30	PZ2	200	75	1,800
35035CLAF	3.5 x 35	PZ2	200	50	1,200
35040CLAF	3.5 x 40	PZ2	200	50	1,200
35045CLAF	3.5 x 45	PZ2	200	35	840
35050CLAF	3.5 x 50	PZ2	200	35	840
40012CLAF	4.0 x 12	PZ2	200	140	5,040
40016CLAF	4.0 x 16	PZ2	200	75	2,700
40020CLAF	4.0 x 20	PZ2	200	75	2,700
40025CLAF	4.0 x 25	PZ2	200	75	1,800
40030CLAF	4.0 x 30	PZ2	200	75	1,800

CLA01

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
40035CLAF	4.0 x 35	PZ2	200	50	1,200
40040CLAF	4.0 x 40	PZ2	200	50	1,200
40045CLAF	4.0 x 45	PZ2	200	35	840
40050CLAF	4.0 x 50	PZ2	200	35	840
40055CLAF	4.0 x 55	PZ2	200	15	540
40060CLAF	4.0 x 60	PZ2	200	15	540
40070CLAF	4.0 x 70	PZ2	200	15	540
40080CLAF	4.0 x 80	PZ2	200	16	384
45016CLAF	4.5 x 16	PZ2	200	75	1,800
45020CLAF	4.5 x 20	PZ2	200	75	1,800
45025CLAF	4.5 x 25	PZ2	200	50	1,200
45030CLAF	4.5 x 30	PZ2	200	50	1,200
45035CLAF	4.5 x 35	PZ2	200	35	840
45040CLAF	4.5 x 40	PZ2	200	35	840
45045CLAF	4.5 x 45	PZ2	200	35	840
45050CLAF	4.5 x 50	PZ2	200	15	540
45055CLAF	4.5 x 55	PZ2	200	15	540
45060CLAF	4.5 x 60	PZ2	200	15	540
45070CLAF	4.5 x 70	PZ2	200	16	384
45080CLAF	4.5 x 80	PZ2	200	16	384
50020CLAF	5.0 x 20	PZ2	200	50	1,200
50025CLAF	5.0 x 25	PZ2	200	50	1,200
50030CLAF	5.0 x 30	PZ2	200	50	1,200
50035CLAF	5.0 x 35	PZ2	200	35	840
50040CLAF	5.0 x 40	PZ2	200	35	840
50045CLAF	5.0 x 45	PZ2	200	15	540
50050CLAF	5.0 x 50	PZ2	200	15	540
50055CLAF	5.0 x 55	PZ2	200	15	540
50060CLAF	5.0 x 60	PZ2	200	16	384
50070CLAF	5.0 x 70	PZ2	200	16	384
50075CLAF	5.0 x 75	PZ2	200	16	384
50080CLAF	5.0 x 80	PZ2	200	16	384
50090CLAF	5.0 x 90	PZ2	100	15	540
50100CLAF	5.0 x 100	PZ2	100	15	540
50120CLAF	5.0 x 120	PZ2	100	15	540
60040CLAF	6.0 x 40	PZ3	200	15	540
60045CLAF	6.0 x 45	PZ3	200	15	540
60050CLAF	6.0 x 50	PZ3	200	16	384
60060CLAF	6.0 x 60	PZ3	200	16	384
60070CLAF	6.0 x 70	PZ3	200	12	288
60080CLAF	6.0 x 80	PZ3	200	12	288
60090CLAF	6.0 x 90	PZ3	100	15	540
60100CLAF	6.0 x 100	PZ3	100	15	540
60120CLAF	6.0 x 120	PZ3	100	16	384
60130CLAF	6.0 x 130	PZ3	100	12	288
60150CLAF	6.0 x 150	PZ3	100	12	288
60180CLAF	6.0 x 180	PZ3	100	8	192
60200CLAF	6.0 x 200	PZ3	100	8	192

CLA01

Classic Multi-Purpose Screw - Pan Head

Yellow



POZI



EN 14592:2008



HARD & SOFT
WOODS



MAN MADE
BOARDS



THIN METAL



PLASTIC

NOTE: Single slash from 25mm.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
35012CLAP	3.5 x 12	PZ2	200	140	5,040
35016CLAP	3.5 x 16	PZ2	200	75	2,700
35020CLAP	3.5 x 20	PZ2	200	75	2,700
35025CLAP	3.5 x 25	PZ2	200	75	1,800
40016CLAP	4.0 x 16	PZ2	200	75	2,700
40020CLAP	4.0 x 20	PZ2	200	75	1,800
40025CLAP	4.0 x 25	PZ2	200	75	1,800
40030CLAP	4.0 x 30	PZ2	200	50	1,200
40035CLAP	4.0 x 35	PZ2	200	50	1,200
40040CLAP	4.0 x 40	PZ2	200	35	840
40050CLAP	4.0 x 50	PZ2	200	35	840
50030CLAP	5.0 x 30	PZ2	200	35	840
50050CLAP	5.0 x 50	PZ2	200	15	540

CLA01

Mixed Tray

The Classic screw mixed tray contains 12 of the most popular sizes.



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
MIXED TRAY (895 PCS)					
CLASSICTRAY	-	-	895	6	108
	3.5 x 16	PZ2	200		
	3.5 x 25	PZ2	100		
	3.5 x 30	PZ2	100		
	4.0 x 20	PZ2	100		
	4.0 x 25	PZ2	60		
	4.0 x 30	PZ2	50		
	4.0 x 40	PZ2	70		
	4.0 x 50	PZ2	60		
	4.0 x 60	PZ2	50		
	5.0 x 40	PZ2	30		
	5.0 x 50	PZ2	40		
	5.0 x 60	PZ2	35		

CLA01

Classic Multi-Purpose Screw - Double Countersunk

A2 Stainless Steel



POZI EN 14592:2008



HARD & SOFT WOODS MAN MADE BOARDS



THIN METAL PLASTIC

NOTE: Partially threaded from 80mm. Single slash from 25mm.



Please note a pilot hole is recommended for all stainless steel screws.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
35030CHSSP	3.5 x 30	PZ2	30	10
40025CHSSP	4.0 x 25	PZ2	25	10
40030CHSSP	4.0 x 30	PZ2	20	10
40040CHSSP	4.0 x 40	PZ2	15	10
40050CHSSP	4.0 x 50	PZ2	14	10
50030CHSSP	5.0 x 30	PZ2	10	10
50040CHSSP	5.0 x 40	PZ2	10	10
50050CHSSP	5.0 x 50	PZ2	10	10
50060CHSSP	5.0 x 60	PZ2	8	10
50070CHSSP	5.0 x 70	PZ2	7	10
50080CHSSP	5.0 x 80	PZ2	6	10
50100CHSSP	5.0 x 100	PZ2	4	10

PAK01

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
30012CLASS	3.0 x 12	PZ1	200	140	5,040
30016CLASS	3.0 x 16	PZ1	200	140	5,040
30020CLASS	3.0 x 20	PZ1	200	140	5,040
30025CLASS	3.0 x 25	PZ1	200	75	2,700
35012CLASS	3.5 x 12	PZ2	200	140	5,040
35016CLASS	3.5 x 16	PZ2	200	140	5,040
35020CLASS	3.5 x 20	PZ2	200	75	2,700
35025CLASS	3.5 x 25	PZ2	200	75	2,700
35030CLASS	3.5 x 30	PZ2	200	75	1,800
35035CLASS	3.5 x 35	PZ2	200	50	1,200
35040CLASS	3.5 x 40	PZ2	200	35	840
35050CLASS	3.5 x 50	PZ2	200	35	840
40016CLASS	4.0 x 16	PZ2	200	75	2,700
40020CLASS	4.0 x 20	PZ2	200	75	2,700
40025CLASS	4.0 x 25	PZ2	200	75	1,800
40030CLASS	4.0 x 30	PZ2	200	75	1,800
40035CLASS	4.0 x 35	PZ2	200	50	1,200
40040CLASS	4.0 x 40	PZ2	200	50	1,200
40045CLASS	4.0 x 45	PZ2	200	35	840
40050CLASS	4.0 x 50	PZ2	200	35	840
40060CLASS	4.0 x 60	PZ2	200	15	540
40070CLASS	4.0 x 70	PZ2	200	15	540
45025CLASS	4.5 x 25	PZ2	200	50	1,200
45030CLASS	4.5 x 30	PZ2	200	50	1,200
45040CLASS	4.5 x 40	PZ2	200	35	840
45050CLASS	4.5 x 50	PZ2	200	15	540
45060CLASS	4.5 x 60	PZ2	200	15	540
50025CLASS	5.0 x 25	PZ2	200	50	1,200
50030CLASS	5.0 x 30	PZ2	200	35	1,200
50035CLASS	5.0 x 35	PZ2	200	35	840
50040CLASS	5.0 x 40	PZ2	200	35	840
50050CLASS	5.0 x 50	PZ2	200	15	540
50060CLASS	5.0 x 60	PZ2	200	16	384
50070CLASS	5.0 x 70	PZ2	200	16	384
50080CLASS	5.0 x 80	PZ2	200	16	384
50090CLASS	5.0 x 90	PZ2	100	15	540
50100CLASS	5.0 x 100	PZ2	100	15	540
60040CLASS	6.0 x 40	PZ3	200	15	540
60050CLASS	6.0 x 50	PZ3	200	16	384
60060CLASS	6.0 x 60	PZ3	200	16	384
60070CLASS	6.0 x 70	PZ3	200	12	288
60080CLASS	6.0 x 80	PZ3	200	12	288
60100CLASS	6.0 x 100	PZ3	100	15	540
60130CLASS	6.0 x 130	PZ3	100	12	384
60150CLASS	6.0 x 150	PZ3	100	12	288

CSS01

Classic Multi-Purpose Screw - Pan Head

A2 Stainless Steel



POZI EN 14592:2008



HARD & SOFT WOODS MAN MADE BOARDS



THIN METAL PLASTIC

NOTE: Single slash from 25mm.




Please note a pilot hole is recommended for all stainless steel screws.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
35016CLAPSS	3.5 x 16	PZ2	200	75	2,700
35020CLAPSS	3.5 x 20	PZ2	200	75	1,800
35025CLAPSS	3.5 x 25	PZ2	200	75	1,800
35030CLAPSS	3.5 x 30	PZ2	200	50	1,800
40020CLAPSS	4.0 x 20	PZ2	200	75	1,800
40025CLAPSS	4.0 x 25	PZ2	200	75	1,800
40030CLAPSS	4.0 x 30	PZ2	200	50	1,200
40040CLAPSS	4.0 x 40	PZ2	200	50	1,200
40050CLAPSS	4.0 x 50	PZ2	200	15	540
50025CLAPSS	5.0 x 25	PZ2	200	50	1,200
50030CLAPSS	5.0 x 30	PZ2	200	35	840
50040CLAPSS	5.0 x 40	PZ2	200	35	840
50050CLAPSS	5.0 x 50	PZ2	200	15	540
60040CLAPSS	6.0 x 40	PZ3	200	15	540
60050CLAPSS	6.0 x 50	PZ3	200	16	384

CSS01

Mixed Tray

The Classic stainless steel screw mixed tray contains 12 of the most popular sizes.



Product Code	Size (mm)	Driver Bit Size	Screw Qty (pcs)	Pack Qty (pcs)	Pallet Qty (packs)
MIXED TRAY (895 PCS)					
STSTTRAY	-	-	-	6	108
	3.5 x 16	PZ2	200		
	3.5 x 25	PZ2	100		
	3.5 x 30	PZ2	100		
	4.0 x 20	PZ2	100		
	4.0 x 25	PZ2	60		
	4.0 x 30	PZ2	50		
	4.0 x 40	PZ2	70		
	4.0 x 50	PZ2	60		
	4.0 x 60	PZ2	50		
	5.0 x 40	PZ2	30		
	5.0 x 50	PZ2	40		
	5.0 x 60	PZ2	35		


CSS01

Collated Screws

Available in:

A2 Stainless Steel

Page 39



Classic Multi-Purpose Screw - Double Countersunk

A4 Stainless Steel



POZI



EN 14592:2008



HARD & SOFT WOODS



MAN MADE BOARDS



THIN METAL



PLASTIC

NOTE: Partially threaded from 80mm. Single slash from 25mm.



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
30016CLA4	3.0 x 16	PZ1	200	140	5,040
35020CLA4	3.5 x 20	PZ2	200	75	2,700
35025CLA4	3.5 x 25	PZ2	200	75	2,700
35030CLA4	3.5 x 30	PZ2	200	75	1,800
40025CLA4	4.0 x 25	PZ2	200	75	1,800
40030CLA4	4.0 x 30	PZ2	200	75	1,800
40035CLA4	4.0 x 35	PZ2	200	50	1,200
40040CLA4	4.0 x 40	PZ2	200	50	1,200
40050CLA4	4.0 x 50	PZ2	200	35	840
40060CLA4	4.0 x 60	PZ2	200	15	540
40070CLA4	4.0 x 70	PZ2	200	15	540
50030CLA4	5.0 x 30	PZ2	200	50	1,200
50040CLA4	5.0 x 40	PZ2	200	35	840
50050CLA4	5.0 x 50	PZ2	200	15	540
50060CLA4	5.0 x 60	PZ2	200	16	384
50070CLA4	5.0 x 70	PZ2	200	16	384
50080CLA4	5.0 x 80	PZ2	200	16	384
50100CLA4	5.0 x 100	PZ2	100	15	540
60080CLA4	6.0 x 80	PZ3	200	12	288
60100CLA4	6.0 x 100	PZ3	100	15	540
60130CLA4	6.0 x 130	PZ3	100	16	288
60150CLA4	6.0 x 150	PZ3	100	12	288

CSS02

Classic Multi-Purpose Screw - Double Countersunk

Exterior (Black Organic)



POZI



EN 14592:2008



HARD & SOFT WOODS



MAN MADE BOARDS



THIN METAL




PLASTIC

NOTE: Single slash from 25mm.



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
35016CLAB	3.5 x 16	PZ2	200	140	5,040
35025CLAB	3.5 x 25	PZ2	200	75	2,700
40025CLAB	4.0 x 25	PZ2	200	75	1,800
40030CLAB	4.0 x 30	PZ2	200	75	1,800
40040CLAB	4.0 x 40	PZ2	200	50	1,200
50030CLAB	5.0 x 30	PZ2	200	35	840
50040CLAB	5.0 x 40	PZ2	200	15	540

CLA04



POZI

EN 14592:2008

Reduced 5mm head for specific use in continuous/piano hinges.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
Yellow					
30012CLAH	3.0 x 12	PZ1	200	140	5,040
30016CLAH	3.0 x 16	PZ1	200	140	5,040
30020CLAH	3.0 x 20	PZ1	200	140	5,040
30025CLAH	3.0 x 25	PZ1	200	75	2,700

CLA01

BOX					
Nickel					
30012CLAHN	3.0 x 12	PZ1	200	140	5,040
30016CLAHN	3.0 x 16	PZ1	200	140	5,040
30020CLAHN	3.0 x 20	PZ1	200	140	5,040

CLA03

Solo Woodscrews

Ideal for:
Softwood
Chipboard
Plastic
and some
hardwoods

For general applications

An economic single thread woodscrew designed to be consistently reliable in softwood, chipboard, plastic and some hardwoods.

The Solo range is an ideal fixing for today's tradesman when fixing into low density substrates.



Pozi



Square

Corrosion Rating

1

Clean, dry &
low humidity
environments

Available in:

Yellow

Zinc

Double
Countersunk



Pan
Head



Double Countersunk

Reduces the likelihood of head shear and assists completion of countersinking.

Fully Threaded up to and including 75mm

Partially threaded thereafter (with 70mm thread length).

Wax Lubricated

To enhance screw insertion time, reduced driving torque and resistance to corrosion.

40° Deep Single Thread

To provide a secure fixing with high pull-out resistance.

25° Sharp Point

Sharp point and single lead for a fast start and improved thread acceptance.



Solo - Double Countersunk

Yellow



POZI EN 14592:2008



SOFTWOOD CHIPBOARD



Boxes

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
30012SOLOC	3.0 x 12	PZ1	200	140	5,040
30015SOLOC	3.0 x 15	PZ1	200	140	5,040
30017SOLOC	3.0 x 17	PZ1	200	140	5,040
30020SOLOC	3.0 x 20	PZ1	200	140	5,040
30025SOLOC	3.0 x 25	PZ1	200	75	2,700
30030SOLOC	3.0 x 30	PZ1	200	75	2,700
35012SOLOC	3.5 x 12	PZ2	200	140	5,040
35015SOLOC	3.5 x 15	PZ2	200	140	5,040
35017SOLOC	3.5 x 17	PZ2	200	140	5,040
35020SOLOC	3.5 x 20	PZ2	200	75	2,700
35025SOLOC	3.5 x 25	PZ2	200	75	2,700
35030SOLOC	3.5 x 30	PZ2	200	75	1,800
35035SOLOC	3.5 x 35	PZ2	200	50	1,200
35040SOLOC	3.5 x 40	PZ2	200	50	1,200
35050SOLOC	3.5 x 50	PZ2	200	35	840
40015SOLOC	4.0 x 15	PZ2	200	75	2,700
40017SOLOC	4.0 x 17	PZ2	200	75	2,700
40020SOLOC	4.0 x 20	PZ2	200	75	2,700
40025SOLOC	4.0 x 25	PZ2	200	75	1,800
40030SOLOC	4.0 x 30	PZ2	200	75	1,800
40035SOLOC	4.0 x 35	PZ2	200	50	1,200
40040SOLOC	4.0 x 40	PZ2	200	50	1,200
40045SOLOC	4.0 x 45	PZ2	200	35	840
40050SOLOC	4.0 x 50	PZ2	200	35	840
40060SOLOC	4.0 x 60	PZ2	200	15	540
40070SOLOC	4.0 x 70	PZ2	200	15	540
40080SOLOC	4.0 x 80	PZ2	200	15	540
45020SOLOC	4.5 x 20	PZ2	200	75	1,800
45030SOLOC	4.5 x 30	PZ2	200	50	1,200
45035SOLOC	4.5 x 35	PZ2	200	35	840
45040SOLOC	4.5 x 40	PZ2	200	35	840
45045SOLOC	4.5 x 45	PZ2	200	35	840
45050SOLOC	4.5 x 50	PZ2	200	15	540
45060SOLOC	4.5 x 60	PZ2	200	15	540
45070SOLOC	4.5 x 70	PZ2	200	16	384

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
45080SOLOC	4.5 x 80	PZ2	200	16	384
50025SOLOC	5.0 x 25	PZ2	200	50	1,200
50030SOLOC	5.0 x 30	PZ2	200	50	1,200
50035SOLOC	5.0 x 35	PZ2	200	35	840
50040SOLOC	5.0 x 40	PZ2	200	35	840
50045SOLOC	5.0 x 45	PZ2	200	15	540
50050SOLOC	5.0 x 50	PZ2	200	15	540
50060SOLOC	5.0 x 60	PZ2	200	16	384
50070SOLOC	5.0 x 70	PZ2	200	16	384
50075SOLOC	5.0 x 75	PZ2	200	16	384
50080SOLOC	5.0 x 80	PZ2	200	16	384
50090SOLOC	5.0 x 90	PZ2	100	15	540
50100SOLOC	5.0 x 100	PZ2	100	15	540
50120SOLOC	5.0 x 120	PZ2	100	15	540
60040SOLOC	6.0 x 40	PZ3	200	15	540
60050SOLOC	6.0 x 50	PZ3	200	16	384
60060SOLOC	6.0 x 60	PZ3	200	16	384
60070SOLOC	6.0 x 70	PZ3	200	12	288
60080SOLOC	6.0 x 80	PZ3	200	12	288
60090SOLOC	6.0 x 90	PZ3	100	15	540
60100SOLOC	6.0 x 100	PZ3	100	15	540
60120SOLOC	6.0 x 120	PZ3	100	16	384
60130SOLOC	6.0 x 130	PZ3	100	12	384
60150SOLOC	6.0 x 150	PZ3	100	12	324
60180SOLOC	6.0 x 180	PZ3	100	8	216
60200SOLOC	6.0 x 200	PZ3	100	8	192

Industry Box



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
INDUSTRY PACK (1,000 PCS)					
40030SOLOIND	4.0 x 30	PZ2	1,000	12	288
40040SOLOIND	4.0 x 40	PZ2	1,000	12	288
40050SOLOIND	4.0 x 50	PZ2	1,000	6	144
40060SOLOIND	4.0 x 60	PZ2	1,000	6	144
40080SOLOIND	4.0 x 80	PZ2	1,000	6	144
50050SOLOIND	5.0 x 50	PZ2	1,000	6	144
50060SOLOIND	5.0 x 60	PZ2	1,000	3	81
50070SOLOIND	5.0 x 70	PZ2	1,000	3	81
50080SOLOIND	5.0 x 80	PZ2	1,000	3	81
50100SOLOIND	5.0 x 100	PZ2	1,000	3	81

Tubs



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TUB					
40040STUBY	4.0 x 40	PZ2	1,000	4	20
40050STUBY	4.0 x 50	PZ2	800	4	20
50050STUBY	5.0 x 50	PZ2	525	4	20
50060STUBY	5.0 x 60	PZ2	400	4	20
50070STUBY	5.0 x 70	PZ2	375	4	20
50080STUBY	5.0 x 80	PZ2	325	4	20
50100STUBY	5.0 x 100	PZ2	250	4	20

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG					
35015CHYB	3.5 x 15	PZ2	750	5	870
35030CHYB	3.5 x 30	PZ2	500	5	870
40025CHYB	4.0 x 25	PZ2	470	5	870
40030CHYB	4.0 x 30	PZ2	430	5	870
40035CHYB	4.0 x 35	PZ2	380	5	600
40040CHYB	4.0 x 40	PZ2	350	5	600
40050CHYB	4.0 x 50	PZ2	280	5	600
40060CHYB	4.0 x 60	PZ2	230	5	600
50040CHYB	5.0 x 40	PZ2	220	5	600
50050CHYB	5.0 x 50	PZ2	180	5	600
50060CHYB	5.0 x 60	PZ2	160	5	600
50070CHYB	5.0 x 70	PZ2	140	5	600
50080CHYB	5.0 x 80	PZ2	120	5	600
50100CHYB	5.0 x 100	PZ2	90	5	600
60080CHYB	6.0 x 80	PZ3	90	5	600
60120CHYB	6.0 x 120	PZ3	50	5	600
60150CHYB	6.0 x 150	PZ3	35	5	600

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC					
35015CHYP	3.5 x 15	PZ2	45	10	-
35030CHYP	3.5 x 30	PZ2	35	10	-
40025CHYP	4.0 x 25	PZ2	30	10	-
40030CHYP	4.0 x 30	PZ2	25	10	-
40035CHYP	4.0 x 35	PZ2	22	10	-
40040CHYP	4.0 x 40	PZ2	20	10	-
40050CHYP	4.0 x 50	PZ2	16	10	-
40060CHYP	4.0 x 60	PZ2	12	10	-
50040CHYP	5.0 x 40	PZ2	10	10	-
50050CHYP	5.0 x 50	PZ2	12	10	-
50060CHYP	5.0 x 60	PZ2	10	10	-
50070CHYP	5.0 x 70	PZ2	8	10	-
50080CHYP	5.0 x 80	PZ2	6	10	-
50100CHYP	5.0 x 100	PZ2	4	10	-
60080CHYP	6.0 x 80	PZ3	4	10	-
60120CHYP	6.0 x 120	PZ3	2	10	-
60150CHYP	6.0 x 150	PZ3	2	10	-

Mixed Pack



The Solo woodscrew mixed pack contains 9 of the most popular sizes in 200 & 100 quantities.

Product Code	Size (mm)	Driver Bit Size	Screw Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
MIXED PACK (1,140 PCS)					
SOLOMP	-	-	-	1,400	10
	3.5 x 25	PZ2	200		
	4.0 x 30	PZ2	200		
	4.0 x 40	PZ2	200		
	4.0 x 50	PZ2	200		
	5.0 x 50	PZ2	200		
	5.0 x 60	PZ2	100		
	5.0 x 70	PZ2	100		
	5.0 x 80	PZ2	100		
	5.0 x 100	PZ2	100		

SOCC1

Grab Pack



The Solo woodscrew grab pack contains 9 of the most popular sizes.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
GRAB PACK (1,200 PCS)					
TRAY1200	-	-	1,200	5	135
	3.5 x 16	PZ2	150		
	3.5 x 20	PZ2	130		
	3.5 x 25	PZ2	220		
	4.0 x 30	PZ2	350		
	4.0 x 40	PZ2	120		
	4.0 x 50	PZ2	80		
	5.0 x 50	PZ2	65		
	5.0 x 60	PZ2	55		
	5.0 x 80	PZ2	30		

SOCC1

Solo - Double Countersunk

Zinc



POZI EN 14592:2008



SOFTWOOD CHIPBOARD

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
30012SOLOZ	3.0 x 12	PZ1	200	140	5,040
30015SOLOZ	3.0 x 15	PZ1	200	140	5,040
30020SOLOZ	3.0 x 20	PZ1	200	140	5,040
30025SOLOZ	3.0 x 25	PZ1	200	75	2,700
35015SOLOZ	3.5 x 15	PZ2	200	140	5,040
35020SOLOZ	3.5 x 20	PZ2	200	75	2,700
35025SOLOZ	3.5 x 25	PZ2	200	75	2,700
35030SOLOZ	3.5 x 30	PZ2	200	75	1,800
35035SOLOZ	3.5 x 35	PZ2	200	50	1,200
35040SOLOZ	3.5 x 40	PZ2	200	50	1,200
35050SOLOZ	3.5 x 50	PZ2	200	35	840
40015SOLOZ	4.0 x 15	PZ2	200	75	2,700
40020SOLOZ	4.0 x 20	PZ2	200	75	2,700
40025SOLOZ	4.0 x 25	PZ2	200	75	1,800
40030SOLOZ	4.0 x 30	PZ2	200	75	1,800
40035SOLOZ	4.0 x 35	PZ2	200	50	1,200
40040SOLOZ	4.0 x 40	PZ2	200	50	1,200
40045SOLOZ	4.0 x 45	PZ2	200	35	840
40050SOLOZ	4.0 x 50	PZ2	200	35	840

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
40060SOLOZ	4.0 x 60	PZ2	200	15	540
40070SOLOZ	4.0 x 70	PZ2	200	15	540
40080SOLOZ	4.0 x 80	PZ2	200	15	540
45025SOLOZ	4.5 x 25	PZ2	200	35	1,200
45030SOLOZ	4.5 x 30	PZ2	200	50	1,200
45035SOLOZ	4.5 x 35	PZ2	200	50	840
45040SOLOZ	4.5 x 40	PZ2	200	35	840
45050SOLOZ	4.5 x 50	PZ2	200	15	540
45060SOLOZ	4.5 x 60	PZ2	200	15	540
45070SOLOZ	4.5 x 70	PZ2	200	16	384
45080SOLOZ	4.5 x 80	PZ2	200	16	384
50025SOLOZ	5.0 x 25	PZ2	200	50	1,200
50030SOLOZ	5.0 x 30	PZ2	200	50	1,200
50035SOLOZ	5.0 x 35	PZ2	200	35	840
50040SOLOZ	5.0 x 40	PZ2	200	35	840
50045SOLOZ	5.0 x 45	PZ2	200	15	540
50050SOLOZ	5.0 x 50	PZ2	200	15	540
50060SOLOZ	5.0 x 60	PZ2	200	16	384
50070SOLOZ	5.0 x 70	PZ2	200	16	384
50080SOLOZ	5.0 x 80	PZ2	200	16	384
50090SOLOZ	5.0 x 90	PZ2	100	15	540
50100SOLOZ	5.0 x 100	PZ2	100	15	540
50120SOLOZ	5.0 x 120	PZ2	100	15	540
60040SOLOZ	6.0 x 40	PZ3	200	15	540
60050SOLOZ	6.0 x 50	PZ3	200	16	384
60060SOLOZ	6.0 x 60	PZ3	200	16	384
60070SOLOZ	6.0 x 70	PZ3	200	12	288
60080SOLOZ	6.0 x 80	PZ3	200	12	288
60100SOLOZ	6.0 x 100	PZ3	100	15	540
60120SOLOZ	6.0 x 120	PZ3	100	16	384
60150SOLOZ	6.0 x 150	PZ3	100	12	324
60200SOLOZ	6.0 x 200	PZ3	100	8	192
TUB (DRIVER BIT INCLUDED)					
40030STUBZ	4.0 x 30	PZ2	1,250	4	20

Exterior (Black Organic)



POZI EN 14592:2008



SOFTWOOD CHIPBOARD

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC					
40030CHBP	4.0 x 30	PZ2	25	10	-

PAK02

Solo Square Recess



A single thread woodscrew mainly used in various types of timber and man-made boards or into masonry with the use of a plastic plug.

Solo - Double Countersunk

Zinc



SQUARE EN 14592:2008



SOFTWOOD CHIPBOARD

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
40020SQSZ	4.0 x 20	SQ2	200	75	2,700
40025SQSZ	4.0 x 25	SQ2	200	75	2,700
40040SQSZ	4.0 x 40	SQ2	200	50	1,200
50040SQSZ	5.0 x 40	SQ2	200	35	840
50050SQSZ	5.0 x 50	SQ2	200	15	540
50080SQSZ	5.0 x 80	SQ2	200	16	384

SO02

Solo - Pan Head

Zinc



SQUARE EN 14592:2008



SOFTWOOD CHIPBOARD

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
40020SQPSZ	4.0 x 20	SQ2	200	75	2,700
40025SQPSZ	4.0 x 25	SQ2	200	75	1,800
40040SQPSZ	4.0 x 40	SQ2	200	35	840
50040SQPSZ	5.0 x 40	SQ2	200	15	540

SO02

Twin-Threaded Woodscrews

Ideal for:
Softwood & masonry with a plastic plug

For general applications

A traditional woodscrew designed to give rapid installation into softwoods.

This fixing is also ideal for use with a plastic plug when fixing into masonry.



Pozi

Corrosion Rating

1

Clean, dry & low humidity environments


Available in:

Zinc

Double Countersunk



Round Head



Double Countersunk

Reduces the likelihood of head shear and assists completion of countersinking.

Partially Threaded

1-1¼" twin-thread woodscrews and above are part threaded.

60° Twin-Thread

60° Twin-threads with parallel shank for faster insertion and greater pull out resistance.

Surface Hardened

Up to 750 HV to prevent torque shearing under load and a core hardness of up to 450 HV for improved ductility.

25° Sharp Point

Sharp point and single lead for a fast start and improved thread acceptance.



Twin-Threaded - Double Countersunk

Zinc



A traditional twin-thread woodscrew with single lead start for a fast installation. Mainly used in soft timber applications or masonry with a plastic plug.
Note: Partially threaded from 1 1/4"

Product Code	Size (imp.)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
00412CWZ	4 x 1/2	PZ1	200	140	5,040
00458CWZ	4 x 3/4	PZ1	200	140	5,040
00434CWZ	4 x 3/4	PZ1	200	140	5,040
00041CWZ	4 x 1	PZ1	200	75	2,700
00558CWZ	5 x 3/4	PZ2	200	140	5,040
00534CWZ	5 x 3/4	PZ2	200	140	5,040
00612CWZ	6 x 1/2	PZ2	200	140	5,040
00658CWZ	6 x 3/4	PZ2	200	140	5,040
00634CWZ	6 x 3/4	PZ2	200	75	2,700
00061CWZ	6 x 1	PZ2	200	75	2,700
06114CWZ	6 x 1 1/4	PZ2	200	50	1,200
06112CWZ	6 x 1 1/2	PZ2	200	50	1,200
06134CWZ	6 x 1 3/4	PZ2	200	35	840
00062CWZ	6 x 2	PZ2	200	35	840
00758CWZ	7 x 3/4	PZ2	200	75	2,700
00734CWZ	7 x 3/4	PZ2	200	75	1,800
00071CWZ	7 x 1	PZ2	200	75	1,800
07114CWZ	7 x 1 1/4	PZ2	200	50	1,200
07112CWZ	7 x 1 1/2	PZ2	200	35	840
00812CWZ	8 x 1/2	PZ2	200	140	5,040
00858CWZ	8 x 3/4	PZ2	200	75	2,700
00834CWZ	8 x 3/4	PZ2	200	75	2,700
00081CWZ	8 x 1	PZ2	200	75	1,800
08114CWZ	8 x 1 1/4	PZ2	200	50	1,200
08112CWZ	8 x 1 1/2	PZ2	200	50	1,200
08134CWZ	8 x 1 3/4	PZ2	200	35	840
00082CWZ	8 x 2	PZ2	200	35	840
08214CWZ	8 x 2 1/4	PZ2	200	15	540
08212CWZ	8 x 2 1/2	PZ2	200	16	384
00083CWZ	8 x 3	PZ2	200	16	384
00083CWZ100	8 x 3	PZ2	100	50	1,200
01034CWZ	10 x 3/4	PZ2	200	50	1,200
00101CWZ	10 x 1	PZ2	200	50	1,200
01114CWZ	10 x 1 1/4	PZ2	200	50	1,200
01112CWZ	10 x 1 1/2	PZ2	200	35	840
01134CWZ	10 x 1 3/4	PZ2	200	15	540
00102CWZ	10 x 2	PZ2	200	15	540
01214CWZ	10 x 2 1/4	PZ2	200	16	384
01212CWZ	10 x 2 1/2	PZ2	200	16	384
00103CWZ	10 x 3	PZ2	200	16	384
00103CWZ100	10 x 3	PZ2	100	15	540
01312CWZ	10 x 3 1/2	PZ2	100	15	540
00104CWZ	10 x 4	PZ2	100	15	540
00121CWZ	12 x 1	PZ3	200	35	840
12114CWZ	12 x 1 1/4	PZ3	200	35	840
12112CWZ	12 x 1 1/2	PZ3	200	15	540
00122CWZ	12 x 2	PZ3	200	16	384
12212CWZ	12 x 2 1/2	PZ3	200	16	384
00123CWZ	12 x 3	PZ3	200	12	288
00123CWZ100	12 x 3	PZ3	100	15	540
12312CWZ	12 x 3 1/2	PZ3	100	15	540
00124CWZ	12 x 4	PZ3	100	15	540

W0001



Product Code	Size (imp.)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG					
00658CWZB	6 x 3/4	PZ2	700	5	870
00634CWZB	6 x 3/4	PZ2	620	5	870
00061CWZB	6 x 1	PZ2	500	5	870
00834CWZB	8 x 3/4	PZ2	540	5	870
00081CWZB	8 x 1	PZ2	470	5	870
08114CWZB	8 x 1 1/4	PZ2	390	5	600
08112CWZB	8 x 1 1/2	PZ2	350	5	600
00082CWZB	8 x 2	PZ2	270	5	600
08212CWZB	8 x 2 1/2	PZ2	200	5	600
00083CWZB	8 x 3	PZ2	180	5	600
10112CWZB	10 x 1 1/2	PZ2	250	5	600
00102CWZB	10 x 2	PZ2	190	5	600
10212CWZB	10 x 2 1/2	PZ2	160	5	600
00103CWZB	10 x 3	PZ2	140	5	600
00104CWZB	10 x 4	PZ2	90	5	600

BAG02

Product Code	Size (imp.)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC					
00658CWZP	6 x 3/4	PZ2	45	10	-
00634CWZP	6 x 3/4	PZ2	40	10	-
00061CWZP	6 x 1	PZ2	35	10	-
00834CWZP	8 x 3/4	PZ2	35	10	-
00081CWZP	8 x 1	PZ2	30	10	-
08114CWZP	8 x 1 1/4	PZ2	25	10	-
08112CWZP	8 x 1 1/2	PZ2	20	10	-
00082CWZP	8 x 2	PZ2	16	10	-
08212CWZP	8 x 2 1/2	PZ2	12	10	-
00083CWZP	8 x 3	PZ2	10	10	-
10112CWZP	10 x 1 1/2	PZ2	15	10	-
00102CWZP	10 x 2	PZ2	12	10	-
10212CWZP	10 x 2 1/2	PZ2	10	10	-
00103CWZP	10 x 3	PZ2	8	10	-
00104CWZP	10 x 4	PZ2	6	10	-

PAK02

Mixed Tray



The twin-thread woodscrew mixed tray contains 12 of the most popular sizes.

Product Code	Size (imp.)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
MIXED TRAY (1,140 PCS)					
WOODTRAY	6 x 1/2	PZ2	180	6	108
	6 x 3/4	PZ2	190		
	6 x 3/4	PZ2	130		
	6 x 1	PZ2	100		
	6 x 1 1/4	PZ2	110		
	8 x 3/4	PZ2	100		
	8 x 1 1/4	PZ2	85		
	8 x 1 1/2	PZ2	65		
	8 x 1	PZ2	60		
	8 x 2	PZ2	50		
	10 x 2	PZ2	35		
	10 x 2 1/2	PZ2	35		

W0001

Twin-Threaded - Roundhead

Zinc



Roundhead zinc and clear woodscrew used for clamping to flat surfaces or to achieve a high aesthetic appearance.
Note: Partially threaded from 1 1/4"

Product Code	Size (imp.)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
00412CRWZ	4 x 1/2	PZ1	200	140	5,040
00458CRWZ	4 x 3/4	PZ1	200	140	5,040
00612CRWZ	6 x 1/2	PZ2	200	140	5,040
00658CRWZ	6 x 3/4	PZ2	200	75	2,700
00634CRWZ	6 x 3/4	PZ2	200	75	1,800
00061CRWZ	6 x 1	PZ2	200	75	1,800
06114CRWZ	6 x 1 1/4	PZ2	200	50	1,200
0812CRWZ	8 x 1/2	PZ2	200	75	2,700
0858CRWZ	8 x 3/4	PZ2	200	75	2,700
0834CRWZ	8 x 3/4	PZ2	200	50	1,200
00081CRWZ	8 x 1	PZ2	200	50	1,200
08114CRWZ	8 x 1 1/4	PZ2	200	50	1,200
08112CRWZ	8 x 1 1/2	PZ2	200	35	840
00082CRWZ	8 x 2	PZ2	200	35	540
00101CRWZ	10 x 1	PZ2	200	50	1,200
01114CRWZ	10 x 1 1/4	PZ2	200	35	840
01112CRWZ	10 x 1 1/2	PZ2	200	35	840
00102CRWZ	10 x 2	PZ2	200	15	540
01212CRWZ	10 x 2 1/2	PZ2	200	16	384
00103CRWZ	10 x 3	PZ2	200	16	384
00122CRWZ	12 x 2	PZ3	200	16	384

W0001

Twin-Threaded Screws & Plugs

A traditional twin-thread woodscrew with single lead start for a fast installation. Mainly used in soft timber applications or masonry with a plastic plug.

Note: Partially threaded from 1 1/4"



Brown Plugs & Twin-Threaded Screws

Zinc



Premium brown premium plastic plugs made from high density polyethylene material (HDPE) to fit screw diameter 4.8, 5.5, 6.3mm.

Note: It may be beneficial to reduce drill diameter in soft materials.



BRICK CONCRETE BLOCK


Product Code	Contents	Size	Pack Qty (pcs)	Carton Qty (packs)
tub				
778254	-	-	-	20
	Woodscrews	10 x 2"	400	
	Brown Plastic Plugs	7.0 x 42	400	
	Masonry Drill Bit	7.0 x 100	1	
	Impact Driver Bits	PZ2 x 25	5	

PLU01

Rainwater Screws

Specially designed for the fitting of brackets and clips during installation of PVCu rainwater systems.

When fixing into brick a brown (7mm) or red (5.5mm) plug is required.



Low Profile Head
To Assist Clamping

Single Deep Thread
For Holding Power

Slash Point
For Low Torque & Reduced Timber Splitting



Superior Corrosion Resistance

Salt Spray Tested Up To 1,000 Hours

For Fixing:
Gutters • Downpipes • Rainwater Systems

Rainwater Screws

Exterior (Black or White Organic)



POZI



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TUB (DRIVER BIT INCLUDED)					
Black Organic					
4004CLARB	4.0 x 40	PZ2	300	12	360
50025CLARB	5.0 x 25	PZ2	400	12	360
60040CLARB	6.0 x 40	PZ3	200	12	360
White Organic					
4004CLARW	4.0 x 40	PZ2	300	12	360
50025CLARW	5.0 x 25	PZ2	400	12	360
60040CLARW	6.0 x 40	PZ3	200	12	360

RWS01

Blackjax



Blackjax

Black Organic



POZI EN 14592:2008



SOFTWOOD

A twin-threaded wood screw with a black organic finish designed to be used with black ironmongery.

Note: Partially threaded from 1¼"

Product Code	Size (imp.)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
00658BJC	6 x ¾	PZ2	200	75	2,700
00634BJC	6 x ¾	PZ2	200	75	1,800
00061BJC	6 x 1	PZ2	200	75	1,800
00858BJC	8 x ¾	PZ2	200	75	2,700
00834BJC	8 x ¾	PZ2	200	50	1,200
00081BJC	8 x 1	PZ2	200	35	840
08114BJC	8 x 1¼	PZ2	200	35	840
08112BJC	8 x 1½	PZ2	200	35	840
00082BJC	8 x 2	PZ2	200	15	540
00101BJC	10 x 1	PZ2	200	35	840
10114BJC	10 x 1¼	PZ2	200	35	840
10112BJC	10 x 1½	PZ2	200	15	540
00102BJC	10 x 2	PZ2	200	15	540
W0002					
TIMPAC					
00061BJCP	6 x 1	PZ2	20	10	-
00081BJCP	8 x 1	PZ2	15	10	-
08112BJCP	8 x 1½	PZ2	10	10	-
10112BJCP	10 x 1½	PZ2	8	10	-
PAK03					

Carcass Screw



Carcass Screw

Black Phosphate



POZI EN 14592:2008




SOFTWOOD

Designed for use in the construction of furniture carcasses.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
40033CARC	4.0 x 33	PZ2	500	16	384
40045CARC	4.0 x 45	PZ2	500	16	384
CAR01					

Solid Brass Screws




Solid Brass Screws

Made from Solid Brass



Countersunk Roundhead Raised Head



SLOTTED SOFTWOOD

A range of traditional polished solid brass slotted woodscrews. Ideal for applications where a traditional cosmetic finish is required or for use in corrosive environments.


Product Code	Head Type	Size (imp.)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
00238CBS	Countersunk	2 x ¾	200	140	5,040
00412CBS	Countersunk	4 x ½	200	140	5,040
00458CBS	Countersunk	4 x ¾	200	140	5,040
00434CBS	Countersunk	4 x ¾	200	140	5,040
00612CBS	Countersunk	6 x ½	200	140	5,040
00634CBS	Countersunk	6 x ¾	200	75	2,700
00061CBS	Countersunk	6 x 1	200	75	2,700
06112CBS	Countersunk	6 x 1½	200	50	1,200
00071CBS	Countersunk	7 x 1	200	75	1,800
00834CBS	Countersunk	8 x ¾	200	75	2,700
00081CBS	Countersunk	8 x 1	200	75	1,800
08114CBS	Countersunk	8 x 1¼	200	75	1,800
08112CBS	Countersunk	8 x 1½	200	50	1,200
00082CBS	Countersunk	8 x 2	200	15	540
10114CBS	Countersunk	10 x 1¼	200	50	1,200
10112CBS	Countersunk	10 x 1½	200	15	840
00102CBS	Countersunk	10 x 2	100	15	840
10212CBS	Countersunk	10 x 2½	100	15	540
12212CBS	Countersunk	12 x 2½	100	15	540
00412RBS	Roundhead	4 x ½	200	140	540
00634RBS	Roundhead	6 x ¾	200	75	5,040
00061RBS	Roundhead	6 x 1	200	75	2,700
06112RBS	Roundhead	6 x 1½	200	50	1,800
00834RBS	Roundhead	8 x ¾	200	75	1,200
00081RBS	Roundhead	8 x 1	200	50	2,700
08112RBS	Roundhead	8 x 1½	200	35	1,200
00061RRBS	Raised Head	6 x 1	200	75	1,800
00082RRBS	Raised Head	8 x 2	200	15	540
W0801					

Mirror & Decorative Screws & Accessories



Mirror Screw

For hanging a mirror where an aesthetic finish is required. Solid head with rubber washer to protect the mirror from cracking. Includes screws with a slotted recess.



Product Code	Head Type	Finish	Screw Size (imp.)	Pack Qty (pcs)	Carton Qty (packs)
BOX					
00834CMIR200	Dome	Chrome	8 x ¼	200	10
00081CMIR200	Dome	Chrome	8 x 1	200	10
08112CMIR200	Dome	Chrome	8 x 1½	200	10
00082CMIR200	Dome	Chrome	8 x 2	200	10
<small>MIR01</small>					
TIMPAC					
08114CMIRP	Dome	Chrome	8 x 1¼	10	10
08112CMIRP	Dome	Chrome	8 x 1½	8	10
08114FCMIRP	Flat	Chrome	8 x 1¼	10	10
08112FCMIRP	Flat	Chrome	8 x 1½	8	10
<small>PAK06</small>					

Knurled Brass Inset Screw Cup



Made from Solid Brass

Solid brass screw cups for a highly professional and flush finish. Commonly used with brass countersunk screws for decorative finish or for panels where

frequent removal and replacement may be required.

Drill hole Ø size provided is a guide only and may vary in woods with varying hardness. We recommend cups are covered before gently tapping into place to avoid damage to both brass and timber.



Product Code	To Fit Screw Ø (mm)	To Fit Screw G (imp.)	Drill Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC					
725221	3.5	6	8	8	10
725584	4.0-4.5	8	8.5	8	10
725174	4.8-5.0	10	11	8	10
725569	5.5-6.0	12	12	8	10
<small>PAK07</small>					

G - GAUGE

Screw Cup



A surface screw cup designed to allow the head of the screw to sit proud giving a decorative finish.

Product Code	Finish	To Fit		Pack Qty (pcs)	Carton Qty (packs)
		Screw Ø (mm)	Screw G (imp.)		
TIMBAG					
8BCUPB	Electro Brass	4.0	8	800	5
8NCUPB	Nickel	4.0	8	800	5
<small>BAG03</small>					
TIMPAC					
6BCUPP	Electro Brass	3.5	6	60	10
8BCUPP	Electro Brass	4.0	8	55	10
10BCUPP	Electro Brass	5.0	10	50	10
6NCUPP	Nickel	3.5	6	60	10
8NCUPP	Nickel	4.0	8	55	10
10NCUPP	Nickel	5.0	10	50	10
<small>PAK07</small>					

Brass Threaded Screw Cap

Made from Solid Brass



A range of two piece solid brass screw caps, available in 5 finishes and 4 sizes. Used for mirrors, signs, plaques or acrylic poster holders.



Product Code	Finish	Ø (mm)	To Fit Screw Ø. (mm)	To Fit Screw Gauge (imp.)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC						
TSC12PCP	Polished Chrome	12	3.5	6	4	5
TSC14PCP	Polished Chrome	14	4.0	8	4	5
TSC16PCP	Polished Chrome	16	5.0	10	4	5
TSC18PCP	Polished Chrome	18	6.0	12	4	5
TSC12SCP	Satin Chrome	12	3.5	6	4	5
TSC14SCP	Satin Chrome	14	4.0	8	4	5
TSC16SCP	Satin Chrome	16	5.0	10	4	5
TSC18SCP	Satin Chrome	18	6.0	12	4	5
TSC12BPP	Polished Brass	12	3.5	6	4	5
TSC14BPP	Polished Brass	14	4.0	8	4	5
TSC16BPP	Polished Brass	16	5.0	10	4	5
TSC18BPP	Polished Brass	18	6.0	12	4	5
TSC12SBP	Satin Brass	12	3.5	6	4	5
TSC14SBP	Satin Brass	14	4.0	8	4	5
TSC16SBP	Satin Brass	16	5.0	10	4	5
TSC18SBP	Satin Brass	18	6.0	12	4	5
TSC12SNP	Satin Nickel	12	3.5	6	4	5
TSC14SNP	Satin Nickel	14	4.0	8	4	5
TSC16SNP	Satin Nickel	16	5.0	10	4	5
TSC18SNP	Satin Nickel	18	6.0	12	4	5
<small>PAK07</small>						

BULK BOX

TSC14PC	Polished Chrome	14	4.0	8	40	18
TSC16PC	Polished Chrome	16	5.0	10	40	15
TSC14SC	Satin Chrome	14	4.0	8	40	18
TSC16SC	Satin Chrome	16	5.0	10	40	15

BSC01

Screw Caps & Covers

Hinged Screw Cap



For cosmetic use to conceal screws. Hinged to aid cap retention during and after installation.




Product Code	Colour	To Fit Screw Ø (mm)	To Fit Screw G (imp.)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC					
SHCCWHITEP	White	3.0 - 4.5	4 - 9	100	10
SHCCGREYP	Grey	3.0 - 4.5	4 - 9	100	10
SHCCDGREYP	Dark Grey	3.0 - 4.5	4 - 9	100	10
SHCCBLACKP	Black	3.0 - 4.5	4 - 9	100	10
SHCCBROWNP	Brown	3.0 - 4.5	4 - 9	100	10
SHCCBLUEP	Blue	3.0 - 4.5	4 - 9	100	10
SHCCYELLOWP	Yellow	3.0 - 4.5	4 - 9	100	10
LHCCWHITEP	White	5.0 - 6.0	10 - 12	50	10
LHCCGREYP	Grey	5.0 - 6.0	10 - 12	50	10
LHCCDGREYP	Dark Grey	5.0 - 6.0	10 - 12	50	10
LHCCBLACKP	Black	5.0 - 6.0	10 - 12	50	10
LHCCBROWNP	Brown	5.0 - 6.0	10 - 12	50	10

PAK07

Two Piece Screw Cap



Two piece clip on caps with retaining washers, to provide a protective and decorative finish.



Product Code	Finish	To Fit Screw Ø (mm)	To Fit Screw G (Imp.)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC					
WHITEPLAST	White	3.5 - 4.2	6 - 8	100	15
CHROMEPLAST	Chrome	3.5 - 4.2	6 - 8	100	15
BROWNPLAST	Brown	3.5 - 4.2	6 - 8	100	15
CBROWNPLAST	Clay Brown	3.5 - 4.2	6 - 8	100	15
OAKPLAST	Oak	3.5 - 4.2	6 - 8	100	15
CREAMPLAST	Cream	3.5 - 4.2	6 - 8	100	15
GREYPLAST	Grey	3.5 - 4.2	6 - 8	100	15
ANTHPLAST	Anthracite	3.5 - 4.2	6 - 8	100	15
BLACKPLAST	Black	3.5 - 4.2	6 - 8	100	15

PLA01

Self-Adhesive Cover Cap



Provides a discreet, flush and water tight covering. Ideal for screw heads, unused pre-drilled holes and general repairs to damaged surfaces.



Product Code	Colour	Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
COVERWM13	White Matt	13	112	200
COVERWM18	White Matt	18	105	200
COVERWG13	White Gloss	13	112	200
COVERIV13	Ivory	13	112	200
COVERBG13	Beige	13	112	200
COVERAL13	Aluminium	13	112	200
COVERGR13	Grey	13	112	200
COVEROA13	Oak	13	112	200
COVEROO13	Odessa Oak	13	112	200
COVERBE13	Beech	13	112	200
COVERMA13	Maple	13	112	200
COVERDR13	Driftwood	13	112	200
COVERMH13	Mahogany	13	112	200
COVERAH13	African Hardwood	13	112	200
COVERDW13	Dijon Walnut	13	112	200
COVERNW13	Natural Walnut	13	112	200
COVERWO13	Winchester Oak	13	112	200
COVERAG13	Anthracite Grey	13	112	200
COVERBL13	Black	13	112	200

PLA03

TRADE PACK				
752493	White Gloss	13	1,008	100
752030	White Matt	13	1,008	100
752645	Black	13	1,008	100

PLA03

Premium Decking Screws



C2

**DECK-FIX
PREMIUM SCREW**

**DESIGNED FOR DECKING
PLATFORMS & EXTERNAL
TIMBER CONSTRUCTION**



DESIGNED FOR SUPERIOR CLAMPING WITH HELIX TO STOP TIMBER JACKING



REDUCED IMPACT RESISTANT HEAD FOR A CLEAN FINISH



PRECISION TX DRIVE RECESS

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	-----------	----------------	--------------------	--------------------

BOX (DRIVER BIT INCLUDED)

50C2D250BX	4.5 x 50	250	15	540
65C2D250BX	4.5 x 65	250	18	432
75C2D250BX	4.5 x 75	250	18	432
85C2D250BX	4.5 x 85	250	18	432

IDD04

TUB (DRIVER BIT INCLUDED)

50C2D250	4.5 x 50	250	4	288
65C2D250	4.5 x 65	250	4	288
65C2D1000	4.5 x 65	1,000	1	72
75C2D250	4.5 x 75	250	4	216

IDD04

TIMBAG

50C2DB	4.5 x 50	175	5	500
65C2DB	4.5 x 65	145	5	500
75C2DB	4.5 x 75	120	5	500

BAG01

INDUSTRY PACK (1,000 PCS)

65C2DIND	4.5 x 65	1,000	3	81
----------	----------	-------	---	----

IDD04



Impact Resistant Head

strengthened head to prevent shearing when installed with an impact tool.

Ribs Under Head

for improved countersinking.

Helix

for removing debris and improving clamping.

Patented Multi-Layer

coated with a patented multi-layer corrosion resistant plating to withstand 1000hrs salt spray.

THE **C2**
TWIN-CUT

1ST CUT FOR RAPID "PICK-UP" AND QUICK INSERTION TIME

2ND CUT HELPS PREVENT WOOD SPLITTING WHEN SCREWING CLOSE TO THE EDGE

C2 Cylinder Head Decking Screws

Exterior (Green Organic)



TX DRIVE EN 14592:2008

A premium decking screw with a reduced cylindrical head to give a concealed finish and patented C2 twin-cut technology.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TUB (DRIVER BIT INCLUDED)					
433209	4.5 x 60	TX15	250	8	288

IDD04

A2 Stainless Steel



TX DRIVE EN 14592:2008

Reduced cylindrical head to give a concealed finish and single slash for low torque and reduced timber splitting.



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TUB (DRIVER BIT INCLUDED)					
433187	4.5 x 60	TX15	250	4	315

IDD02

Decking Screws



Decking Screw - Double Countersunk

Exterior (Green Organic)



An economic but highly effective softwood decking screw. Plated to withstand up to 500 hours in a salt spray test and is designed to give a rapid installation and a secure fixing.

Long Lasting Corrosion Resistance!



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
50TDECK	4.5 x 50	P22	200	15	540
60TDECK	4.5 x 60	P22	200	15	540
70TDECK	4.5 x 70	P22	200	16	384
80TDECK	4.5 x 80	P22	200	16	384
<small>IDD01</small>					
TUB (DRIVER BIT INCLUDED)					
50TDECK2000	4.5 x 50	P22	2,000	2	72
60TDECK1500	4.5 x 60	P22	1,500	2	72
<small>IDD01</small>					
INDUSTRY PACK (1,000 PCS)					
60TDECKIND	4.5 x 60	P22	1,000	6	144
<small>IDD01</small>					



Box



Industry Pack



Tub

Decking Screw - Double Countersunk

A2 Stainless Steel



An economic but highly effective softwood decking screw. Manufactured from A2 Stainless Steel. Offering superior corrosion resistance making it ideal for multiple external applications, especially for the construction of decking platforms. Stainless steel must be used where there is a corrosive environment and/or the base material has inherent corrosive characteristics e.g. Green Oak.

Superior Corrosion Resistance!



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TUB					
50TDECKSS	4.5 x 50	P22	250	8	288
65TDECKSS	4.5 x 65	P22	250	8	288
<small>IDD02</small>					



Tub

Collated Decking Screws



C2 Deck-Fix Collated Decking Screw



Exterior (Green Organic)



A premium decking screw using the C2 twin-cut technology. The collated strips are designed to be compatible with all leading power tool brands.

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
65C2DCOLL	4.5 x 65	500	10	240
<small>COL08</small>				

C2

DECK-FIX

PREMIUM SCREW

DESIGNED FOR DECKING PLATFORMS & EXTERNAL TIMBER CONSTRUCTION

See Page 29

Timber Framing & Landscaping Screws

Ideal for:
Decking Frames • Sleepers
Fencing & Stairs • Roofing
Pergolas • Gazebos

Designed for outdoor applications

Designed as an alternative to the traditional coach screw mainly used for timber to timber applications. Coated with a patented multi-layer corrosion resistant plating, this screw is ideal for outdoor applications.



DESIGNED FOR SUPERIOR CLAMPING



STOPS TIMBER JACKING



NO PILOT HOLE REQUIRED*



LONGER LASTING CORROSION RESISTANCE[#]

Available in:

A4 Stainless Steel

A2 Stainless Steel

Exterior



Hex Head



Wafer Head



Hex/Wafer Head

8mm hex head countersunk with a fixed washer or wafer head with TX30 / TX40 recess.

Patented Molecular Lubrication

Patented lubrication, designed to enhance screw insertion time and provides greater resistance to corrosion.

Helix

To remove debris and improve clamping.

50° Deep Single Thread

To provide secure fixing with high pull-out resistance.

Type 17 Slash

Slash point tip helps prevent the timber splitting when screwing close to the edge, whilst also helping to reduce torque.

25° Sharp Point

Sharp point and single lead for a fast start, easy penetration and improved thread acceptance.



* pilot hole may be required into certain hardwoods. # compared to standard zinc & clear plating

Timber Screw - Hex Head

Exterior
Silver Organic Green Organic A4 Stainless Steel



Ultimate Corrosion Resistance!

Please note a pilot hole is recommended for all stainless steel screws



Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
A4 Stainless Steel					
TUBE					
50INDEXSST	6.7 x 50	8.0	25	40	960
75INDEXSST	6.7 x 75	8.0	25	40	960
100INDEXSST	6.7 x 100	8.0	25	40	960
125INDEXSST	6.7 x 125	8.0	25	40	960
150INDEXSST	6.7 x 150	8.0	25	30	720
200INDEXSST	6.7 x 200	8.0	25	15	540
250INDEXSST	6.7 x 250	8.0	25	18	432
300INDEXSST	6.7 x 300	8.0	25	12	288

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC					
75INDEXSSTP	6.7 x 75	8.0	8	10	-
100INDEXSSTP	6.7 x 100	8.0	6	10	-
150INDEXSSTP	6.7 x 150	8.0	4	10	-

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Exterior (Silver Organic) BAG					
10100INH	10.0 x 100	13.0	10	25	1,000
10150INH	10.0 x 150	13.0	10	25	1,000
10200INH	10.0 x 200	13.0	10	25	1,000

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
PACK (SOCKET DRIVER INCLUDED)					
640INI	6.0 x 40	8.0	10	10	1,200
660INI	6.0 x 60	8.0	10	10	1,200
680INI	6.0 x 80	8.0	10	10	1,200
6100INI	6.0 x 100	8.0	10	10	1,200
840INI	8.0 x 40	10.0	10	10	1,200
860INI	8.0 x 60	10.0	10	10	1,200
875INI	8.0 x 75	10.0	10	10	1,200
8100INI	8.0 x 100	10.0	10	5	600
8120INI	8.0 x 120	10.0	10	5	600
8150INI	8.0 x 150	10.0	10	5	600
8200INI	8.0 x 200	10.0	10	5	600
1060INI	10.0 x 60	13.0	10	5	600
1080INI	10.0 x 80	13.0	10	5	600
10100INI	10.0 x 100	13.0	10	5	600
10130INI	10.0 x 130	13.0	10	5	600
10150INI	10.0 x 150	13.0	10	5	600
10160INI	10.0 x 160	13.0	10	5	600
10200INI	10.0 x 200	13.0	10	5	600

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Exterior (Green Organic) BOX					
60IN	6.7 x 60	8.0	50	35	840
75IN	6.7 x 75	8.0	50	35	840
87IN	6.7 x 87	8.0	50	35	840
100IN	6.7 x 100	8.0	50	15	540
125IN	6.7 x 125	8.0	50	15	540
150IN	6.7 x 150	8.0	50	18	432
175IN	6.7 x 175	8.0	50	18	432
200IN	6.7 x 200	8.0	50	12	288
225IN	6.7 x 225	8.0	50	9	216
250IN	6.7 x 250	8.0	50	9	216
TIMBAG					
100INDEXTB	6.7 x 100	8.0	50	5	600
150INDEXTB	6.7 x 150	8.0	30	5	600
200INDEXTB	6.7 x 200	8.0	20	5	600
TIMPAC					
100INDEXP	6.7 x 100	8.0	6	10	-
150INDEXP	6.7 x 150	8.0	4	10	-

Industry Tub



Designed as an alternative to the traditional coach screw mainly used for timber to timber applications. Coated with a patented multi-layer corrosion resistant plating to withstand 1,000 hours salt spray test, this screw is ideal for external applications.

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Exterior (Green Organic) INDUSTRY TUB (SOCKET DRIVER INCLUDED)					
87INLT	6.7 x 87	8.0	400	64	-
100INLT	6.7 x 100	8.0	300	64	-
150INLT	6.7 x 150	8.0	250	64	-

Grab Pack



A selection of popular exterior hex head landscaping screw sizes in a handy and reusable storage pack with clip-shut lid.

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Exterior (Green Organic) GRAB PACK (165 PCS)					
INDGPACK	-	-	165	5	150
	6.7 x 75	8.0	30	-	-
	6.7 x 87	8.0	45	-	-
	6.7 x 100	8.0	35	-	-
	6.7 x 125	8.0	35	-	-
	6.7 x 150	8.0	20	-	-
8mm Socket Driver	-	-	1	-	-

Timber Screw - Wafer Head

Exterior (Green Organic) A2 Stainless Steel



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Exterior (Green Organic) BOX (DRIVER BIT INCLUDED)					
60INW	6.7 x 60	TX30	50	35	840
75INW	6.7 x 75	TX30	50	35	840
95INW	6.7 x 95	TX30	50	15	540
125INW	6.7 x 125	TX30	50	15	540
150INW	6.7 x 150	TX30	50	18	432
175INW	6.7 x 175	TX30	50	18	432
200INW	8.0 x 200	TX40	50	8	192
225INW	8.0 x 225	TX40	50	6	144
250INW	8.0 x 250	TX40	50	6	144
275INW	8.0 x 275	TX40	25	9	216
300INW	8.0 x 300	TX40	25	9	216
350INW	8.0 x 350	TX40	25	9	270
400INW	8.0 x 400	TX40	25	9	270

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Exterior (Green Organic) TIMBAG (DRIVER BIT INCLUDED)					
95INDEXWB	6.7 x 95	TX30	50	5	600
125INDEXWB	6.7 x 125	TX30	30	5	600
150INDEXWB	6.7 x 150	TX30	20	5	600
TIMPAC (DRIVER BIT INCLUDED)					
95INDEXWP	6.7 x 95	TX30	6	10	-
125INDEXWP	6.7 x 125	TX30	5	10	-
150INDEXWP	6.7 x 150	TX30	4	10	-

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
A2 Stainless Steel TUBE (DRIVER BIT INCLUDED)					
80INDEXWSST	8.0 x 80	TX40	20	40	960
100INDEXWSST	8.0 x 100	TX40	20	40	960
125INDEXWSST	8.0 x 125	TX40	20	33	660
150INDEXWSST	8.0 x 150	TX40	20	24	480

Exterior Coach Screws & Carriage Bolts



Exterior Coach Screw

Exterior (Green Organic)



A traditional way of fastening timber with an added advantage of a corrosion resistant plating for external applications.

Coated with a patented multi-layer corrosion resistant plating to withstand 500 hours salt spray making it ideal for external applications.

Manufactured to DIN571.

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG				
675INCSB	6.0 x 75	10.0	10	70
850INCSB	8.0 x 50	13.0	10	70
875INCSB	8.0 x 75	13.0	10	50

IND03

Exterior Carriage Bolt, Nut & Washer

Exterior (Green Organic)



A domed head bolt with a square anti spin shoulder mainly used for clamping timber or attaching ironmongery to timber.

Coated with a patented multi-layer corrosion resistant plating to withstand 500 hours salt spray making it ideal for external applications.

Manufactured to DIN 603, DIN 934 and DIN 125-A.

Supplied with hex nuts and form A washers.

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG					
10100INCB	M10 x 100	17.0	10	10	1000
10150INCB	M10 x 150	17.0	10	6	600
10160INCB	M10 x 160	17.0	10	6	600
10200INCB	M10 x 200	17.0	10	6	600
10220INCB	M10 x 220	17.0	10	5	500

IND04

Exterior (Silver Organic)



A domed head bolt with a square anti spin shoulder mainly used for clamping timber or attaching ironmongery to timber.

Coated with a patented multi-layer corrosion resistant plating to withstand 1,000 hours salt spray test making it ideal for external applications.

Supplied with hex nuts and form A washers.

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG					
0640CBI	M6 x 40	10.0	10	5	600
0650CBI	M6 x 50	10.0	10	5	600
0675CBI	M6 x 75	10.0	10	5	600
06100CBI	M6 x 100	10.0	10	5	600
0850CBI	M8 x 50	13.0	10	5	600
0875CBI	M8 x 75	13.0	10	5	600
08100CBI	M8 x 100	13.0	10	5	600
08110CBI	M8 x 110	13.0	10	5	600
08130CBI	M8 x 130	13.0	10	5	400
08150CBI	M8 x 150	13.0	10	5	400
1075CBI	M10 x 75	17.0	10	5	600
10100CBI	M10 x 100	17.0	10	5	600
10120CBI	M10 x 120	17.0	10	5	400
10130CBI	M10 x 130	17.0	10	5	400
10150CBI	M10 x 150	17.0	10	5	400
10180CBI	M10 x 180	17.0	10	5	400
1275CBI	M12 x 75	19.0	10	5	600
12100CBI	M12 x 100	19.0	10	5	400
12130CBI	M12 x 130	19.0	10	5	400

CAB03

Coach Screws

Platings available:

Zinc

Page
35



Full Range of Carriage Bolts

Platings available:

Zinc

Exterior

HDG

Page
55



Advanced Coach Screws

Ideal for:
 Framing • Landscaping
 Fencing • Stairs • Roofing
 Gazebos • Pergolas • Sleepers

3x FASTER


THAN A STANDARD COACH SCREW



DESIGNED FOR SUPERIOR CLAMPING



NO PILOT HOLE REQUIRED*



STOPS TIMBER JACKING

Yellow

Product Code	Size (mm)	Socket Size (mm)	Fixed Washer Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (SOCKET DRIVER INCLUDED)						
625SCSY	6.0 x 25	8	12.6	100	18	648
640SCSY	6.0 x 40	8	12.6	100	12	432
650SCSY	6.0 x 50	8	12.6	100	10	360
660SCSY	6.0 x 60	8	12.6	100	10	360
670SCSY	6.0 x 70	8	12.6	100	10	360
680SCSY	6.0 x 80	8	12.6	100	10	360
6100SCSY	6.0 x 100	8	12.6	100	10	360
840SCSY	8.0 x 40	10	14.6	50	12	432
850SCSY	8.0 x 50	10	14.6	50	12	432
860SCSY	8.0 x 60	10	14.6	50	10	360
870SCSY	8.0 x 70	10	14.6	50	10	360
880SCSY	8.0 x 80	10	14.6	50	10	360
8100SCSY	8.0 x 100	10	14.6	50	10	360
8120SCSY	8.0 x 120	10	14.6	50	8	288
1040SCSY	10.0 x 40	13	17.5	50	10	360
1050SCSY	10.0 x 50	13	17.5	50	10	360
1060SCSY	10.0 x 60	13	17.5	50	10	360
1070SCSY	10.0 x 70	13	17.5	50	10	360
1080SCSY	10.0 x 80	13	17.5	50	10	360
10100SCSY	10.0 x 100	13	17.5	50	8	288
10130SCSY	10.0 x 130	13	17.5	50	8	288
10160SCSY	10.0 x 160	13	17.5	50	6	216
1280SCSY	12.0 x 80	16	22.0	25	10	360
12100SCSY	12.0 x 100	16	22.0	25	10	360
12130SCSY	12.0 x 130	16	22.0	25	8	288
12160SCSY	12.0 x 160	16	22.0	25	6	216

SOC03

TIMBAG

660SCSYB	6.0 x 60	8	12.6	110	5	-
680SCSYB	6.0 x 80	8	12.6	80	5	-
6100SCSYB	6.0 x 100	8	12.6	70	5	-
880SCSYB	8.0 x 80	10	14.6	48	5	-
8100SCSYB	8.0 x 100	10	14.6	40	5	-
8120SCSYB	8.0 x 120	10	14.6	35	5	-
10100SCSYB	10.0 x 100	13	17.5	28	5	-
10130SCSYB	10.0 x 130	13	17.5	23	5	-
10160SCSYB	10.0 x 160	13	17.5	18	5	-

BAG35

TIMPAC

640SCSYP	6.0 x 40	8	12.6	12	10	-
650SCSYP	6.0 x 50	8	12.6	12	10	-
670SCSYP	6.0 x 70	8	12.6	10	10	-
680SCSYP	6.0 x 80	8	12.6	10	10	-
6100SCSYP	6.0 x 100	8	12.6	8	10	-
8100SCSYP	8.0 x 100	10	14.6	4	10	-
8120SCSYP	8.0 x 120	10	14.6	4	10	-
10100SCSYP	10.0 x 100	13	17.5	2	10	-

PAK08



Hex Flange Head

Hexagon head with fixed washer for excellent clamping.

Partially Threaded

Partially threaded to assist clamping of materials.

50° Deep Single Thread

To provide secure fixing with high pull-out resistance.

Single Slash


To reduce torque and the likelihood of the timber splitting when the screw is inserted close to the edge.

25° Sharp Point

Sharp point and single threading for a fast start, easy penetration and improved thread acceptance.



Coach Screws



Coach Screw

Zinc



HEX EN 14592:2008

A traditional heavy duty woodscrew mainly used for timber to timber applications, attaching ironmongery to timber or for use with a nylon plug into masonry. Pilot holes may be required into certain hard woods.

NOTE: Thread length is 2/3 of the overall length screw.
E.g. 100mm = 60mm thread.

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
0625CSC	6.0 x 25	10	250	12	432
0630CSC	6.0 x 30	10	200	12	540
0640CSC	6.0 x 40	10	200	12	432
0650CSC	6.0 x 50	10	200	8	240
0660CSC	6.0 x 60	10	200	8	240
0670CSC	6.0 x 70	10	200	8	240
0675CSC	6.0 x 75	10	100	12	432
0680CSC	6.0 x 80	10	100	12	432
06100CSC	6.0 x 100	10	200	6	180
0830CSC	8.0 x 30	13	200	8	240
0840CSC	8.0 x 40	13	200	8	240
0850CSC	8.0 x 50	13	100	12	432
0860CSC	8.0 x 60	13	100	8	240
0865CSC	8.0 x 65	13	100	8	240
0870CSC	8.0 x 70	13	100	8	240
0875CSC	8.0 x 75	13	100	8	240
0880CSC	8.0 x 80	13	100	8	240
0890CSC	8.0 x 90	13	50	12	432
08100CSC	8.0 x 100	13	50	12	432
08120CSC	8.0 x 120	13	50	12	432
08150CSC	8.0 x 150	13	50	8	240
1040CSC	10.0 x 40	17	100	8	240
1050CSC	10.0 x 50	17	100	8	240
1060CSC	10.0 x 60	17	100	6	180
1070CSC	10.0 x 70	17	100	6	180
1075CSC	10.0 x 75	17	100	6	180
1080CSC	10.0 x 80	17	50	8	240
10100CSC	10.0 x 100	17	50	8	240
10120CSC	10.0 x 120	17	50	8	240
10130CSC	10.0 x 130	17	50	8	240
10150CSC	10.0 x 150	17	25	12	432
10160CSC	10.0 x 160	17	25	12	432
10200CSC	10.0 x 200	17	20	12	432
1250CSC	12.0 x 50	19	100	6	180
1275CSC	12.0 x 75	19	50	8	240
1280CSC	12.0 x 80	19	25	12	432
12100CSC	12.0 x 100	19	25	12	432
12150CSC	12.0 x 150	19	25	8	240

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG					
0650CSCB	6.0 x 50	10	120	5	600
0670CSCB	6.0 x 70	10	100	5	600
06100CSCB	6.0 x 100	10	70	5	600
0850CSCB	8.0 x 50	13	75	5	600
0860CSCB	8.0 x 60	13	65	5	600
0880CSCB	8.0 x 80	13	48	5	600
08100CSCB	8.0 x 100	13	40	5	600
1050CSCB	10.0 x 50	17	45	5	600
1080CSCB	10.0 x 80	17	30	5	600
10100CSCB	10.0 x 100	17	28	5	600
10120CSCB	10.0 x 120	17	24	5	600
10130CSCB	10.0 x 130	17	23	5	600
10150CSCB	10.0 x 150	17	18	5	600
1280CSCB	12.0 x 80	19	25	5	600
12100CSCB	12.0 x 100	19	20	5	600
12150CSCB	12.0 x 150	19	12	5	600

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC					
0650CSCP	6.0 x 50	10	10	5	-
0670CSCP	6.0 x 70	10	10	5	-
0680CSCP	6.0 x 80	10	10	5	-
06100CSCP	6.0 x 100	10	10	5	-
0850CSCP	8.0 x 50	13	5	5	-
0860CSCP	8.0 x 60	13	5	5	-
0880CSCP	8.0 x 80	13	5	5	-
08100CSCP	8.0 x 100	13	5	5	-
1050CSCP	10.0 x 50	17	4	5	-
1080CSCP	10.0 x 80	17	4	5	-
10100CSCP	10.0 x 100	17	2	5	-
10150CSCP	10.0 x 150	17	2	5	-
1275CSCP	12.0 x 75	19	2	5	-

Exterior Coach Screws Page 33

Coach Screw With Nylon Plug

Zinc

Nylon



HEX

A traditional heavy duty woodscrew with a nylon plug for masonry applications.

Product Code	Screw Size (mm)	Plug Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG						
0660CSCNB	6.0 x 60	10 x 50	10	40	5	600
0680CSCNB	6.0 x 80	10 x 50	10	30	5	600
08100CSCNB	8.0 x 100	12 x 60	13	12	5	600
BAG06						
TIMPAC						
0660CSCNP	6.0 x 60	10 x 50	10	2	5	-
0680CSCNP	6.0 x 80	10 x 50	10	2	5	-
08100CSCNP	8.0 x 100	12 x 60	13	2	5	-

Nylon Plug

NEW SIZES

Nylon



Product Code	Size (mm)	To Fit Screw Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG					
06NLPB	6.0 x 30	3.5-5.0	200	5	870
08NLPB	8.0 x 40	5.0-6.0	100	5	870
10NLPB	10.0 x 50	6.0-8.0	70	5	600
12NLPB	12.0 x 60	8.0-10.0	50	5	600
14NLPB	14.0 x 75	10.0-12.0	30	5	600
BAG07					
TIMPAC					
06NLPP	6.0 x 30	3.5-5.0	20	10	-
08NLPP	8.0 x 40	5.0-6.0	10	10	-
10NLPP	10.0 x 50	6.0-8.0	5	10	-
12NLPP	12.0 x 60	8.0-10.0	2	10	-
14NLPP	14.0 x 75	10.0-12.0	2	10	-

Nylon plug for use with coach screws into masonry.

Drywall Screws

Coarse Thread Screw

Dark Grey Phosphate



TIMBER STUD WORK

Used to secure plasterboard to timber stud work.

Note: Partially threaded from 60mm.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
00025DRYC	3.5 x 25	PH2	1,000	16	384
00032DRYC	3.5 x 32	PH2	1,000	12	324
00035DRYC	3.5 x 35	PH2	1,000	12	288
00038DRYC	3.5 x 38	PH2	1,000	12	288
00042DRYC	3.5 x 42	PH2	1,000	9	216
00045DRYC	3.5 x 45	PH2	1,000	8	192
00050DRYC	3.5 x 50	PH2	1,000	6	144
00055DRYC	3.5 x 55	PH2	500	12	288
00060DRYC	3.5 x 60	PH2	500	12	288
00065DRYC	4.2 x 65	PH2	500	8	192
00075DRYC	4.2 x 75	PH2	500	8	192
00100DRYC	4.8 x 100	PH2	500	6	144

BOX OF 200

00025DRYCS	3.5 x 25	PH2	200	75	1,800
00032DRYCS	3.5 x 32	PH2	200	50	1,200
00038DRYCS	3.5 x 38	PH2	200	35	840
00042DRYCS	3.5 x 42	PH2	200	35	840
00050DRYCS	3.5 x 50	PH2	200	35	840
00075DRYCS	4.2 x 75	PH2	200	16	384

TUB (DRIVER BIT INCLUDED)

00032DRYCT	3.5 x 32	PH2	2,000	20	-
00038DRYCT	3.5 x 38	PH2	1,500	20	-

TIMBAG

00032DRYCB	3.5 x 32	PH2	400	5	600
00038DRYCB	3.5 x 38	PH2	350	5	600
00050DRYCB	3.5 x 50	PH2	250	5	600

Yellow



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
00125DRYCY	4.8 x 125	PH2	100	18	432
00150DRYCY	4.8 x 150	PH2	100	18	432

Fine Thread Screw

Dark Grey Phosphate



METAL STUD WORK

Used to secure plasterboard to wall/ceiling track systems with a max of 0.6mm thickness.

Note: Partially threaded from 60mm.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
00025DRY	3.5 x 25	PH2	1,000	16	384
00032DRY	3.5 x 32	PH2	1,000	12	324
00035DRY	3.5 x 35	PH2	1,000	12	288
00038DRY	3.5 x 38	PH2	1,000	12	288
00042DRY	3.5 x 42	PH2	1,000	9	216
00045DRY	3.5 x 45	PH2	1,000	8	192
00050DRY	3.5 x 50	PH2	1,000	6	144
00055DRY	3.5 x 55	PH2	500	12	288
00060DRY	3.5 x 60	PH2	500	12	288
00065DRY	4.2 x 65	PH2	500	8	192
00075DRY	4.2 x 75	PH2	500	8	192
00090DRY	4.8 x 90	PH2	500	6	144
00100DRY	4.8 x 100	PH2	500	6	144

BOX OF 200

00025DRYS	3.5 x 25	PH2	200	75	1,800
00032DRYS	3.5 x 32	PH2	200	50	1,200
00038DRYS	3.5 x 38	PH2	200	35	840
00042DRYS	3.5 x 42	PH2	200	35	840
00045DRYS	3.5 x 45	PH2	200	35	840
00050DRYS	3.5 x 50	PH2	200	35	840
00060DRYS	3.5 x 60	PH2	200	15	540
00065DRYS	4.2 x 65	PH2	200	16	384
00075DRYS	4.2 x 75	PH2	200	16	384
00100DRYS	4.8 x 100	PH2	200	16	384

TUB (DRIVER BIT INCLUDED)

00032DRYT	3.5 x 32	PH2	2,000	20	-
00038DRYT	3.5 x 38	PH2	1,500	20	-

TIMBAG

00032DRYB	3.5 x 32	PH2	400	5	600
00038DRYB	3.5 x 38	PH2	350	5	600
00042DRYB	3.5 x 42	PH2	320	5	600
00050DRYB	3.5 x 50	PH2	250	5	600
00060DRYB	3.5 x 60	PH2	200	5	600
00075DRYB	4.2 x 75	PH2	130	5	600
00090DRYB	4.8 x 90	PH2	70	5	600

Zinc



METAL STUD WORK

Used to secure plasterboard to wall/ceiling track systems with a max of 0.6mm thickness.

Note: Partially threaded from 60mm.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
00025DRYZ	3.5 x 25	PH2	1,000	16	384
00032DRYZ	3.5 x 32	PH2	1,000	12	324
00035DRYZ	3.5 x 35	PH2	1,000	12	288
00038DRYZ	3.5 x 38	PH2	1,000	12	288
00042DRYZ	3.5 x 42	PH2	1,000	9	216
00045DRYZ	3.5 x 45	PH2	1,000	8	192
00050DRYZ	3.5 x 50	PH2	1,000	6	144
00055DRYZ	3.5 x 55	PH2	500	12	288
00060DRYZ	3.5 x 60	PH2	500	12	288
00065DRYZ	4.2 x 65	PH2	500	8	192
00075DRYZ	4.2 x 75	PH2	500	8	192
00090DRYZ	4.8 x 90	PH2	500	6	144
00100DRYZ	4.8 x 100	PH2	500	6	144
00125DRYZ	4.8 x 125	PH2	100	18	432
00150DRYZ	4.8 x 150	PH2	100	18	432

Drywall Screws



Dense Board Screw

Dark Grey Phosphate



ALL STUD WORK

Designed for attaching dense board to timber stud work. The super sharp point and high low thread is specifically designed for an excellent fixing into timber.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
00030DRYD	3.9 x 30	PH2	1,000	16	384
00045DRYD	3.9 x 45	PH2	1,000	8	192
00055DRYD	3.9 x 55	PH2	1,000	6	144

DRY03

Self-Drilling Screw

Zinc



METAL STUD WORK

Self-drilling point to aid fixing plasterboard to wall / ceiling track systems with a max. of 2.0mm thickness.

Note: 4.2 diameter screws drill 3.0mm and 4.8 diameter screws drill 4.0mm.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
00025PSDD	3.5 x 25	PH2	1,000	15	384
00032PSDD	3.5 x 32	PH2	1,000	12	324
00038PSDD	3.5 x 38	PH2	1,000	12	288
00042PSDD	3.5 x 42	PH2	1,000	12	216
00050PSDD	3.5 x 50	PH2	1,000	9	144
00055PSDD	3.5 x 55	PH2	500	6	288
00065PSDD	3.9 x 65	PH2	500	12	288
00075PSDD	4.2 x 75	PH2	500	12	192
00100PSDD	4.8 x 100	PH2	500	8	144
00125PSDD	4.8 x 125	PH2	100	6	540

PSD01

TIMBAG

00032PSDDB	3.5 x 32	PH2	400	5	600
00042PSDDB	3.5 x 42	PH2	320	5	600

BAG10

Cement Board Screws



**1,500 Hours
Salt Spray
Resistance**

Twin-Cut Point

Exterior Plus



ALL STUD WORK

Twin-cut point with a hi-low thread for fixing to timber and thin sheet metal (max. 0.6mm).

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
217789	4.2 x 25	PH2	200	50	1,200
217283	4.2 x 32	PH2	200	50	1,200
217796	4.2 x 42	PH2	200	35	840

CBS01

Self-Drilling Point

Exterior Plus




METAL STUD WORK

Self-drilling point with self-tapping thread for fixing to steel (max. 3.0mm).

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
217154	4.2 x 32	PH2	200	50	1,200
217228	4.2 x 42	PH2	200	35	840

CBS01




Metal Framing Screws

Page 46

Drywall Bracket

Page 234

Collated Drywall Screws



Coarse Thread Screw

Black Phosphate



PHILLIPS



EN 14566



TIMBER STUD WORK

Used to secure plasterboard to timber stud work.
Note: Partially threaded from 60mm.

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
00025COLDYS	3.5 x 25	1,000	10	320
00032COLDYS	3.5 x 32	1,000	10	320
00035COLDYS	3.5 x 35	1,000	10	320
00038COLDYS	3.5 x 38	1,000	10	240
00045COLDYS	3.5 x 45	1,000	10	240
00050COLDYS	3.5 x 50	1,000	10	240
00055COLDYS	3.5 x 55	1,000	10	240
00065COLDYS	4.2 x 65	500	10	240
00075COLDYS	4.2 x 75	500	10	240
				COL01
TUB				
00035CDRYTUB	3.5 x 35	1,000	6	144
00038CDRYTUB	3.5 x 38	1,000	6	144
00045CDRYTUB	3.5 x 45	1,000	6	144
00055CDRYTUB	3.5 x 55	800	6	144
				COL01

Fine Thread Screw

Zinc



PHILLIPS



EN 14566



METAL STUD WORK

Used to secure plasterboard to wall/ceiling track systems with a max of 0.6mm thickness.
Note: Partially threaded from 60mm.

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
00025COLDZYS	3.5 x 25	1,000	10	320
00032COLDZYS	3.5 x 32	1,000	10	320
00035COLDZYS	3.5 x 35	1,000	10	320
00038COLDZYS	3.5 x 38	1,000	10	240
00042COLDZYS	3.5 x 42	1,000	10	240
00050COLDZYS	3.5 x 50	1,000	10	240
00055COLDZYS	3.5 x 55	1,000	10	240
				COL02

Self-Drilling Screw

Zinc



PHILLIPS



EN 14566



METAL STUD WORK

Self-drilling point to aid fixing plasterboard to wall /ceiling track systems with a max. of 2.0mm thickness.

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
00035COLLSD	3.5 x 35	1,000	10	320
00040COLLSD	3.5 x 40	1,000	10	240
00045COLLSD	3.5 x 45	1,000	10	240
00050COLLSD	3.5 x 50	1,000	10	240
				COL03

Internal Collated Screws



Flooring Screw

Yellow



SQUARE



EN 14566

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
00055COLLF	4.2 x 55	1,000	4	128 <small>COL06</small>

Solo Woodscrew

Yellow



PHILLIPS



EN 14566

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
40SCOLY	4.2 x 40	1,000	8	192
50SCOLY	4.2 x 50	1,000	4	128
55SCOLY	4.2 x 55	1,000	4	128
60SCOLY	4.5 x 60	500	8	256
70SCOLY	4.5 x 70	500	10	192 <small>COL07</small>


SOLO Woodscrew

Yellow

An economic single thread woodscrew designed to be consistently reliable in softwood, chipboard, plastic and some hardwoods.

For more information see page

21



External Collated Screws



C2 Deck-Fix

Exterior (Green Organic)



SQUARE



EN 14566

A premium decking screw using the C2 twin-cut technology. See page 29 for more information.

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
65C2DCOLL	4.5 x 65	500	10	240 <small>COL08</small>

Classic Stainless

A2 Stainless Steel



POZI



EN 14566

For more information about this product please see page 17.

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
4040CLASSCOL	4.0 x 40	1,000	10	240
4050CLASSCOL	4.0 x 50	1,000	8	192 <small>COL05</small>

Wing-Tip Self-Drilling

Exterior (Silver Organic)

Zinc



PHILLIPS

For more information about this product please see page 44.

Product Code	Finish	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
00044COLLW	Exterior	4.8 x 44	1,000	4	128
4865COLLW	Zinc	4.8 x 65	500	4	128 <small>COL04</small>

Roofing and General Construction Screws

The TIMCO Roofing and General Construction range has been specifically designed and manufactured to meet all the recognised industry standards and performance criteria.

Plating Guide:

Bi-Metal - Corrosion Rating 4 out of 5

For industrial areas with a moderate salt atmosphere.

Bi-met screws combine the ultimate corrosion resistance of an A2 stainless steel fastener with the exceptional drilling performance of a hardened carbon steel drill tip.

Exterior Plating - Corrosion Rating 3 out of 5

Use in urban and industrial areas with a low salt atmosphere.

Exterior plating gives a reliable and durable corrosion resistant coating which resists 500 hours salt-spray.

Zinc Plating - Corrosion Rating 1 out of 5

Use in clean, dry and low humidity environments.

A bright zinc electrolytic plating with a clear toxin free finish.

What is Effective Thread Length?

This is the threaded section of the fastener which provides the fixing. The threads must have fully penetrated the supporting steel in order for it to achieve a strong and secure fixing.

Quick reference guide for

Rec. R.P.M

Dia.	Rec. R.P.M
M4.2	1,800 - 2,500
M4.8	1,800 - 2,500
M5.5	1,000 - 1,800
M6.3	1,000 - 1,800



TESTED PRODUCTS*

Metsec developed and now lead the market when it comes to light gauge, galvanised steel structural framing systems suitable for a wide range of applications in most sectors of construction.

We can confirm that the tested shear and tensile values are within the requirements of Metsec and therefore these fixings can be used with Metsec SFS Framing.

In addition we have reviewed the range of lengths of these fixings and can confirm that where needed these types of screws at longer lengths may also be used with Metsec SFS Framing.

Stitching Screw - For Sheet to Sheet

Bi-Metal (SO)

Exterior (SO)

Zinc



HEX

Used for stitching two metal roofing sheets together without the need to pre-drill a hole (Max. 1.6mm). Self-drilling point and tapered shank, with a washered hexagonal head.

Product Code	Size (mm)	Socket Size (mm)	Fixed Washer Ø (mm)	EPDM Washer Thickness (mm)	Max. Drill Thickness (mm)	Effective Thread Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Bi-Metal (Silver Organic)									
BOX									
BMS22W16	6.3x22	8.0	11.0	16.0	1.6	9	100	35	840
BMR01									
Exterior (Silver Organic)									
BOX									
S22W16B	6.3x22	8.0	12.0	16.0	1.6	9	100	35	840
S25W16B	6.3x25	8.0	12.0	16.0	1.6	12	100	35	840
RF01									
TIMBAG									
S25W16BB	6.3x25	8.0	12.0	16.0	1.6	12	120	5	600
BAG11									
Zinc BAG									
ZS22W16	6.3x22	8.0	11.0	16.0	1.6	9	100	22	792
RF02									

Self-Drilling Screw - For Heavy Section Steel

Bi-Metal (SO)

Exterior (SO)

Zinc



HEX

Used for attaching metal to heavy gauge steel (max 12mm) without the need to pre-drill a hole.

Product Code	Size (mm)	Socket Size (mm)	Fixed Washer Ø (mm)	EPDM Washer Thickness (mm)	Max. Drill Thickness (mm)	Effective Thread Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Bi-Metal (Silver Organic)									
BOX									
BMH38	5.5x38	8.0	11.0	-	12.0	17	100	35	840
BMH38W16	5.5x38	8.0	11.0	16.0	12.0	14	100	15	540
BMH55	5.5x55	8.0	11.0	-	12.0	34	100	15	540
BMH55W16	5.5x55	8.0	11.0	16.0	12.0	31	100	16	384
BMR01									
Exterior (Silver Organic)									
BOX									
H32B	5.5x32	8.0	12.0	-	12.0	13	100	35	840
H32W16B	5.5x32	8.0	12.0	16.0	12.0	10	100	15	540
H38B	5.5x38	8.0	12.0	-	12.0	19	100	35	840
H38W16B	5.5x38	8.0	12.0	16.0	12.0	16	100	15	540
H55B	5.5x55	8.0	12.0	-	12.0	36	100	15	540
H55W16B	5.5x55	8.0	12.0	16.0	12.0	33	100	16	384
H65B	5.5x65	8.0	12.0	-	12.0	46	100	15	540
H65W16B	5.5x65	8.0	12.0	16.0	12.0	43	100	16	384
H80B	5.5x80	8.0	12.0	-	12.0	56 *P/T	100	16	384
H80W16B	5.5x80	8.0	12.0	16.0	12.0	53 *P/T	100	16	288
H100B	5.5x100	8.0	12.0	-	12.0	56 *P/T	100	16	288
H100W16B	5.5x100	8.0	12.0	16.0	12.0	53 *P/T	100	12	288
RF01									
BAG									
H38W16BB	5.5x38	8.0	12.0	16.0	12.0	16	100	5	600
BAG11									
Zinc BOX									
ZH32B	5.5x32	8.0	12.0	-	12.0	13	100	16	768
ZH32W16B	5.5x32	8.0	12.0	16.0	12.0	10	100	15	540
ZH38B	5.5x38	8.0	12.0	-	12.0	19	100	16	768
ZH38W16B	5.5x38	8.0	12.0	16.0	12.0	16	100	15	540
ZH55B	5.5x55	8.0	12.0	-	12.0	36	100	15	540
ZH55W16B	5.5x55	8.0	12.0	16.0	12.0	33	100	16	384
ZH65B	5.5x65	8.0	12.0	-	12.0	46	100	15	540
ZH65W16B	5.5x65	8.0	12.0	16.0	12.0	43	100	16	384
ZH80B	5.5x80	8.0	12.0	-	12.0	56 *P/T	100	16	384
ZH80W16B	5.5x80	8.0	12.0	16.0	12.0	53 *P/T	100	12	288
ZH100B	5.5x100	8.0	12.0	-	12.0	56 *P/T	100	12	288
ZH100W16B	5.5x100	8.0	12.0	16.0	12.0	53 *P/T	100	12	288
RF02									
BAG									
ZH32W16	5.5x32	8.0	11.0	16.0	12.0	10	100	26	936
ZH38W16	5.5x38	8.0	11.0	16.0	12.0	16	100	24	864
ZH55W16	5.5x55	8.0	11.0	16.0	12.0	33	100	18	648
ZH80W16	5.5x80	8.0	11.0	16.0	12.0	*53 P/T	100	12	432

*P/T = PARTIALLY THREADED

RF02

CORROSION RATINGS

Zinc	▶	1	2	3	4	5	Clean, dry & low humidity environments
Exterior	▶	1	2	3	4	5	Urban & industrial areas with a low salt atmosphere
Bi-Metal (SO)	▶	1	2	3	4	5	Urban & industrial areas with a moderate salt atmosphere

Self-Drilling Screw - For Light Section Steel

Bi-Metal (SO)



Exterior (SO)



Zinc



HEX

Used for attaching metal to light section steel (Max. 5mm) without the need to pre-drill a hole.



Product Code	Size (mm)	Fixed			Max. Drill Thickness (mm)	Effective			Pallet Qty (packs)
		Socket Size (mm)	Washer Ø (mm)	EPDM Washer		Thread Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	
Bi-Metal (Silver Organic)									
BAG									
BML25	5.5x25	8.0	11.0	-	5.0	12	100	50	1,200
BML25W16	5.5x25	8.0	11.0	16.0	5.0	9	100	35	840
BML32	5.5x32	8.0	11.0	-	5.0	19	100	50	1,200
BML38	5.5x38	8.0	11.0	-	5.0	25	100	35	840
BML38W16	5.5x38	8.0	11.0	16.0	5.0	22	100	15	540
BML50	5.5x50	8.0	11.0	-	5.0	37	100	15	540
BML50W16	5.5x50	8.0	11.0	16.0	5.0	34	100	15	540
BML70	5.5x70	8.0	11.0	-	5.0	57	100	15	540
BML100	5.5x100	8.0	11.0	-	5.0	87	100	16	384
BML100W16	5.5x100	8.0	11.0	16.0	5.0	84	100	9	216

BMR01

Product Code	Size (mm)	Fixed			Max. Drill Thickness (mm)	Effective			Pallet Qty (packs)
		Socket Size (mm)	Washer Ø (mm)	EPDM Washer		Thread Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	
Exterior (Silver Organic)									
BOX									
L19B	5.5x19	8.0	12.0	-	5.0	7	100	50	1,200
L19W16B	5.5x19	8.0	12.0	16.0	5.0	4	100	35	840
L25B*	5.5x25	8.0	12.0	-	5.0	13	100	50	1,200
L25W16B*	5.5x25	8.0	12.0	16.0	5.0	10	100	35	840
L32B*	5.5x32	8.0	12.0	-	5.0	20	100	50	1,056
L32W16B*	5.5x32	8.0	12.0	16.0	5.0	17	100	15	540
L38B*	5.5x38	8.0	12.0	-	5.0	26	100	35	840
L38W16B*	5.5x38	8.0	12.0	16.0	5.0	23	100	15	540
L50B*	5.5x50	8.0	12.0	-	5.0	38	100	15	540
L50W16B*	5.5x50	8.0	12.0	16.0	5.0	35	100	15	540
L70B*	5.5x70	8.0	12.0	-	5.0	58	100	15	540
L70W16B*	5.5x70	8.0	12.0	16.0	5.0	55	100	16	384
L100B*	5.5x100	8.0	12.0	-	5.0	88	100	12	384
L100W16B*	5.5x100	8.0	12.0	16.0	5.0	85	100	9	216

RF01

TIMBAG									
L25BB*	5.5x25	8.0	12.0	-	5.0	13	200	5	600
L25W16BB*	5.5x25	8.0	12.0	16.0	5.0	10	140	5	600
L32BB*	5.5x32	8.0	12.0	-	5.0	20	160	5	600
L32W16BB*	5.5x32	8.0	12.0	16.0	5.0	17	130	5	600
L38BB*	5.5x38	8.0	12.0	-	5.0	26	150	5	600
L38W16BB*	5.5x38	8.0	12.0	16.0	5.0	23	110	5	600
L50BB*	5.5x50	8.0	12.0	-	5.0	38	120	5	600
L50W16BB*	5.5x50	8.0	12.0	16.0	5.0	35	85	5	600
L70BB*	5.5x70	8.0	12.0	-	5.0	58	100	5	600

BAG11

Zinc									
BOX									
00812HWSD	4.2x13	6.35	8.5	-	3.0	4	1,000	16	192
00834HWSD	4.2x19	6.35	8.5	-	3.0	10	1,000	16	192
01012HWSD	4.8x13	8.0	10.0	-	4.5	4	1,000	16	192
01058HWSD	4.8x16	8.0	10.0	-	4.5	7	1,000	12	144
01034HWSD	4.8x19	8.0	10.0	-	4.5	10	1,000	12	144
01234HWSD	5.5x19	8.0	11.0	-	5.0	8	500	16	192
00121HWSD	5.5x25	8.0	11.0	-	5.0	14	500	12	144
12114HWSD	5.5x32	8.0	11.0	-	5.0	21	500	12	144
12112HWSD	5.5x38	8.0	11.0	-	5.0	27	500	12	144
12134HWSD	5.5x45	8.0	11.0	-	5.0	34	500	8	96

RF02

BAG									
ZL19W16	5.5x19	8.0	11.0	16.0	5.0	4	100	32	1,152
ZL25W16	5.5x25	8.0	11.0	16.0	5.0	10	100	30	1,080
ZL32W16	5.5x32	8.0	11.0	16.0	5.0	17	100	26	936
ZL38W16	5.5x38	8.0	11.0	16.0	5.0	23	100	24	864
ZL50W16	5.5x50	8.0	11.0	16.0	5.0	35	100	20	720
ZL60W16	5.5x60	8.0	11.0	16.0	5.0	45	100	16	576
ZL70W16	5.5x70	8.0	11.0	16.0	5.0	55	100	14	504

RF02

Self-Drilling Screw - For Light Section Composite Panel

Bi-Metal (SO)

Exterior (SO)



HEX

Specifically designed to attach composite panel to light section steel. Self-drilling point with hexagon head.



Product Code	Size (mm)	Socket Size (mm)	FW (mm)	EPDM Washer (mm)	MDT (mm)	Min - Max PT (mm)	ETL (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Bi-Metal (Silver Organic)										
BOX										
BMLH70W16	5.5/6.3x70	8.0	12.0	16.0	5.0	20-50	27	100	16	384
BMLH100W16	5.5/6.3x100	8.0	12.0	16.0	5.0	50-80	47	100	9	216
BMR01										
Exterior (Silver Organic)										
BOX										
LH82W16B	5.5/6.3x82	8.0	12.0	16.0	5.0	32-62	41	100	12	288
LH98W16B	5.5/6.3x98	8.0	12.0	16.0	5.0	48-78	41	100	9	216
LH115W16B	5.5/6.3x115	8.0	12.0	16.0	5.0	65-95	41	100	8	192
MDT = MAX DRILL THICKNESS • ETL = EFFECTIVE THREAD LENGTH • FW = FIXED WASHER • PT = PANEL THICKNESS RF01										

Fibre Cement Board Screw

Exterior (Silver Organic)



HEX

Used for securing fibre cement profile sheets to light section steel (max. 5mm). Complete with heavy duty EPDM and stainless steel washer to provide a water-tight seal. Also known as a BAZ washer.



Self-Drilling -
For Light
Section Steel

Slash Point -
For Timber

Product Code	Size (mm)	Socket Size (mm)	Fixed Washer Ø (mm)	EPDM Washer (mm)	Max. Fixture T (mm)	ETL (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Exterior (Silver Organic)									
BOX									
Self-drilling - for light section steel									
731816	6.3x110	8.0	12.0	25.0	5.0	46	50	8	192
731274	6.3x130	8.0	12.0	25.0	5.0	46	50	8	192
Slash point - for timber									
731339	6.3x130	8.0	12.0	25.0	-	60	50	8	192
ETL = EFFECTIVE THREAD LENGTH • T=THICKNESS RF06									

Slash Point Screw - For Sheet to Timber

Exterior (SO)

Zinc



HEX

Designed to attach sheet metal (Max 0.9mm) to timber. Slash point for easy pick-up.



Product Code	Size (mm)	Socket Size (mm)	Fixed Washer Ø (mm)	EPDM Washer (mm)	Max. Fixture T (mm)	ETL (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Exterior (Silver Organic)									
BOX									
DS25W16B	6.3x25	8.0	12.0	16.0	0.9	22	100	35	840
DS32W16B	6.3x32	8.0	12.0	16.0	0.9	29	100	15	540
DS45W16B	6.3x45	8.0	12.0	16.0	0.9	42	100	15	540
DS45W19B	6.3x45	8.0	12.0	19.0	0.9	42	100	18	432
DS60W16B	6.3x60	8.0	12.0	16.0	17.0	57	100	18	432
DS60W19B	6.3x60	8.0	12.0	19.0	17.0	57	100	12	288
DS80W16B	6.3x80	8.0	12.0	16.0	37.0	77	100	12	288
DS100W16B	6.3x100	8.0	12.0	16.0	57.0	97	100	9	216
DS125W16B	6.3x125	8.0	12.0	16.0	82.0	122	100	8	192
DS150W16B	6.3x150	8.0	12.0	16.0	107.0	80*P/T	100	8	192
RF01									
TIMBAG									
DS32W16BB	6.3x32	8.0	12.0	16.0	0.8	29	120	5	600
DS45W16BB	6.3x45	8.0	12.0	16.0	0.8	42	90	5	600
BAG11									
Zinc BAG									
ZDS25W16	6.3x25	8.0	13.0	16.0	0.8	22	100	20	720
ZDS32W16	6.3x32	8.0	13.0	16.0	0.8	29	100	18	648
ZDS45W16	6.3x45	8.0	13.0	16.0	0.8	42	100	14	504
ZDS60W16	6.3x60	8.0	13.0	16.0	17.0	57	100	12	432
ZDS80W16	6.3x80	8.0	13.0	16.0	37.0	77	100	10	360
ZDS100W16	6.3x100	8.0	13.0	16.0	57.0	97	100	8	288
*P/T = PARTIALLY THREADED • ETL = EFFECTIVE THREAD LENGTH • T=THICKNESS RF02									

Wing-Tip Self-Drilling Screw - For Timber to Light Section Steel

Bi-Metal (SO)

Exterior (SO)

Zinc



PHILLIPS

Specifically designed to attach wood to metal. Coarse self-tapping thread with wings designed to ream out the timber, so the screw can achieve Max R.P.M. without burning out. When the wings hit the metal they will break off to permit the thread to self tap into the metal.

Product Code	Size (mm)	Driver Bit Size	Max. Drilling Thickness (mm)	Effective Thread Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Bi-Metal (Silver Organic)							
BOX							
BMLW38	4.8x 38	PH2	4.0	18	200	16	840
BMLW65	5.5x 65	PH3	5.0	41	200	12	288
BMLW85	5.5x 85	PH3	5.0	47 *P/T	100	16	384
BMR02							
Exterior (Silver Organic)							
BOX (DRIVER BIT INCLUDED)							
LW4238S	4.2x 38	PH2	3.0	19	200	16	768
LW38S	4.8x 38	PH2	4.0	16	200	16	768
LW50S	5.5x 50	PH3	5.0	26	200	16	384
LW65S	5.5x 65	PH3	5.0	41	200	12	288
LW85S	5.5x 85	PH3	5.0	61	100	16	384
LW100S	5.5x 100	PH3	5.0	61 *P/T	100	16	384
RF03							
Zinc							
BOX (DRIVER BIT INCLUDED)							
LW32B	4.2x 32	PH2	4.0	10	200	22	1056
LW4238B	4.2x 38	PH2	3.0	19	200	16	768
LW38B	4.8x 38	PH2	4.0	16	200	16	768
LW50B	5.5x 50	PH3	5.0	26	200	16	384
LW65B	5.5x 65	PH3	5.0	41	200	12	288
LW85B	5.5x 85	PH3	5.0	61	100	16	384
LW100B	5.5x 100	PH3	5.0	61 *P/T	100	16	384
LW130B	5.5x 130	PH3	5.0	61 *P/T	100	8	384
LW150B	5.5x 150	PH3	5.0	61 *P/T	100	12	288
RF04							
TIMBAG							
LW38BB	4.8x 38	PH2	4.0	16	260	5	600
LW50BB	5.5x 50	PH3	5.0	26	150	5	600
LW65BB	5.5x 65	PH3	5.0	41	120	5	600
BAG 12							

*P/T = PARTIALLY THREADED

BAG 12

Wing-Tip Self-Drilling Screw - For Timber to Heavy Section Steel

Bi-Metal (SO)

Zinc



PHILLIPS

Specifically designed to attach wood to metal (Max 12mm). Metric thread with wings designed to ream out the timber, so the screw can achieve Max R.P.M. without burning out. When the wings hit the metal they will break off to permit the thread to self tap into the metal.

Product Code	Size (mm)	Driver Bit Size	Max. Drilling Thickness (mm)	Effective Thread Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Bi-Metal (Silver Organic)							
BOX							
BMHW55	5.5x 55	PH3	12.0	24	200	16	384
BMHW65	5.5x 65	PH3	12.0	34	200	12	288
BMHW85	5.5x 85	PH3	12.0	45 *P/T	100	16	384
BMHW120	5.5x 120	PH3	12.0	45 *P/T	100	8	384
BMR02							
Zinc							
BOX (DRIVER BIT INCLUDED)							
HW45B	5.5x 45	PH3	12.0	15	200	15	540
HW65B	5.5x 65	PH3	12.0	31	200	12	288
HW85B	5.5x 85	PH3	12.0	51	100	16	384
HW100B	5.5x 100	PH3	12.0	63	100	16	384
HW120B	5.5x 120	PH3	12.0	51 *P/T	100	8	384
RF04							

*P/T = PARTIALLY THREADED

RF04

Washers, Caps & Sheet Fixings



Hex Head Cover Cap

Cover caps are a perfect way to blend in roofing and construction screws with coloured panels. Please bare in mind we only stock a certain amount of colours, please allow at least one week for dispatch. Poppy Red caps are used for highlighting weaker transparent sheets.



Please note these colours are a guide only. Please refer to www.e-paint.co.uk and search for the colour name, for a more accurate colour match.

Colour	Code (16mm)	Code (19mm)	Colour Reference	Pack Qty (pcs)
BAG				
Black	1600E53CAP	1900E53CAP	(BS) 00 E 53	1,000
White	1600E55CAP	1900E55CAP	(BS) 00 E 55	1,000
Terracotta	1604C39CAP	1904C39CAP	(BS) 04 C 39	1,000
Petra	1604D44CAP	1904D44CAP	(BS) 04 D 44	1,000
Poppy	1604E53CAP	1904E53CAP	(BS) 04 E 53	1,000
Poppy	29mm	Code: 2904E53CAP	(BS) 04 E 53	1,000
Tangerine	1606E53CAP	1906E53CAP	(BS) 06 E 53	1,000
Flame Red	16RAL3000CAP	19RAL3000CAP	(RAL) 3000	1,000
Burano	16RAL3004CAP	19RAL3004CAP	(RAL) 3004	1,000
Vandyke Brown	1608B29CAP	1908B29CAP	(BS) 08 B 29	1,000
Beige	1608B17CAP	1908B17CAP	(BS) 08 B 17	1,000
Bamboo	1608C35CAP	1908C35CAP	(BS) 08 C 35	1,000
Goosewing Grey	1610A05CAP	1910A05CAP	(BS) 10 A 05	1,000
Mushroom	1610B19CAP	1910B19CAP	(BS) 10 B 19	1,000
Svelte Grey	1610B23CAP	1910B23CAP	(BS) 10 B 23	1,000
Honesty	1610C31CAP	1910C31CAP	(BS) 10 C 31	1,000
Aztec	1610E55CAP	1910E55CAP	(BS) 10 E 55	1,000
Meadowland	1612B17CAP	1912B17CAP	(BS) 12 B 17	1,000
Moorland Green	1612B21CAP	1912B21CAP	(BS) 12 B 21	1,000
Eau De Nil	1614E49CAP	1914E49CAP	(BS) 14 B 49	1,000
Olive Green	1612B27CAP	1912B27CAP	(BS) 12 B 27	1,000
Juniper Green	1612B29CAP	1912B29CAP	(BS) 12 B 29	1,000
Sage	1612D45CAP	1912D45CAP	(BS) 12 D 45	1,000
Pinewood	1614C39CAP	1914C39CAP	(BS) 14 C 39	1,000
Verona	1614E53CAP	1914E53CAP	(BS) 14 E 53	1,000
Heritage	16RAL6002CAP	19RAL6002CAP	(RAL) 6002	1,000
Jade	1614C37CAP	-	(BS) 14 C 37	1,000
Albatross	1618B17CAP	1918B17CAP	(BS) 18 B 17	1,000
Merlin Grey	1618B25CAP	1918B25CAP	(BS) 18 B 25	1,000
Merlin Grey	29mm	Code: 2918B25CAP	(BS) 18 B 25	1,000
Raven/Slate Blue	1618B29CAP	1918B29CAP	(BS) 18 B 29	1,000
Ocean Blue	1618C39CAP	1918C39CAP	(BS) 18 C 39	1,000
Solent Blue	1618E53CAP	1918E53CAP	(BS) 18 E 53	1,000
Britannia	1618E58CAP	1918E58CAP	(BS) 18 E 58	1,000
Wedgewood Blue	-	1918C37CAP	(BS) 18 C 37	1,000
Cornflower	1620E51CAP	1920E51CAP	(BS) 20 E 51	1,000
Ultra Marine	16RAL5002CAP	19RAL5002CAP	(RAL) 5003	1,000
Sargasso	16RAL5003CAP	19RAL5003CAP	(RAL) 5003	1,000
Gentian Blue	16RAL5010CAP	19RAL5010CAP	(RAL) 5010	1,000
Squirrel	16RAL7000CAP	19RAL7000CAP	(RAL) 7000	1,000
Slate Grey	16RAL7012CAP	19RAL7012CAP	(RAL) 7012	1,000
Anthracite	16RAL7016CAP	19RAL7016CAP	(RAL) 7016	1,000
Oyster	16RAL7035CAP	19RAL7035CAP	(RAL) 7035	1,000
Quartz	16RAL7039CAP	19RAL7039CAP	(RAL) 7039	1,000
Hamlet	16RAL9002CAP	19RAL9002CAP	(RAL) 9002	1,000
White (Creamy)	16RAL9003CAP	19RAL9003CAP	(RAL) 9003	1,000
White Alum	16RAL9006CAP	19RAL9006CAP	(RAL) 9006	1,000
Metallic Silver	16S7500CAP	19S7500CAP	-	1,000
Dark Silver	-	19RAL9007CAP	(RAL) 9007	1,000
Pure White	16RAL9010CAP	19RAL9010CAP	(RAL) 9010	1,000

RF05

EPDM Washer

Galvanised Aluminium



Metal washer with rubber (EPDM), used to prevent washer ingress.

Outer Hole Pack Carton Pallet
Product Ø Qty Qty Qty
Code (mm) (mm) (pcs) (packs) (packs)

BAG					
Galvanised					
WG16	16	6.8	100	100	2400
WG19	19	5.8	100	70	1680
Aluminium					
WA29	29	6.8	100	36	864

RF05

Sela Cover & Washer

Black



Used when securing roofing sheets to create a watertight seal. When using spring head roofing nails just a washer (SW) is required. If using hook bolts you will also require a Sela Cover (SC) to cover the washer and nut to complete the seal.

Outer Hole Pack Carton Pallet
Product Ø Qty Qty Qty
Code (mm) (mm) (pcs) (packs) (packs)

TIMBAG					
Cover					
28SC	28	-	75	5	500
Washer					
628SW	28	M6	75	5	500
828SW	28	M8	75	5	500

BAG13

BAZ Washer

Stainless Steel



Heavy duty and high grade EPDM washer with A2 stainless steel cap to provide a watertight

seal. Also known as a BAZ washer. Frequently used with self-drilling screws in roofing applications.

Outer Hole Pack Carton Pallet
Product Ø Qty Qty Qty
Code (mm) (mm) (pcs) (packs) (packs)

BOX					
BAZ25	25	10	200	9	216

RF05

Dowty Type Washer

Black



Used mainly with drive screw nails and spring head roofing nails for attaching corrugated roofing sheets to wooden purlins. The washer provides a watertight seal when used correctly.

Outer Hole Pack Carton Pallet
Product Ø Qty Qty Qty
Code (mm) (mm) (pcs) (packs) (packs)

TIMBAG					
6BPRS	30	M6	75	5	500
8BPRS	30	M8	75	5	500

BAG13

Corrugated Sheet Fixing



Designed to fix plastic corrugated sheets to timber. Cover caps provide a water tight seal. Spacers help stop splitting of corrugated sheets as the fixings are tightened.

Clear

Black

Screw Pack Carton Pallet
Size Qty Qty Qty
Code Colour (imp.) (pcs) (packs) (packs)

TIMBAG					
Cap & Screw					
CSFC	Clear	10 x 3	50	250	600
CSFB	Black	10 x 3	50	250	600
Spacer					
224523	Clear	-	50	250	600

BAG13

Metal Framing Screws



Low Profile - Pan Head

Exterior (Silver Organic)



PHILLIPS EN 14566:2008 & EN10666:2008



STEEL

A light duty metal to metal screw with a reduced pan to give a flush finish. Silver organic plated to withstand over 500 hours salt spray test.

Product Code	Size (mm)	Max. Drilling Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
LPP16	4.8x16	4.0	500	15	768 MFS01

Low Profile - Wafer Head

Exterior (Silver Organic)



PHILLIPS EN 14566:2008 & EN10666:2008



STEEL

A light duty metal to metal screw with a large flat surface under the head, making it ideal for fixing thinner sheet material when a flush finish is required. Silver organic plated to withstand over 500 hours salt spray test.

Product Code	Size (mm)	Max. Drilling Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
22LPW	4.8x22	4.0	200	35	840 MFS01

Low Profile - Pancake Head

Exterior (Silver Organic)



PHILLIPS EN 14566:2008 & EN10666:2008



STEEL



A medium duty metal to metal screw with a large flat surface under the head, making it ideal for fixing thinner sheet material when a flush finish is required. Silver organic plated to withstand over 500 hours salt spray test.

Product Code	Size (mm)	Max. Drilling Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
FP19	5.5x19	5.0	500	16	540
FP26	5.5x26	5.0	500	16	384 MFS01

Pan Head

Zinc



PHILLIPS EN 14566:2008 & EN10666:2008



STEEL

A light duty metal to metal screw with a phillips recess used for interior applications.

Product Code	Size (imp.)	Max. Drilling Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
00658PPSD	6x $\frac{3}{8}$	2.5	1,000	15	540
00061PPSD	6x1	2.5	1,000	16	384
07716PPSD	7x $\frac{3}{8}$	2.5	1,000	15	540
00812PPSD	8x $\frac{1}{2}$	3.0	1,000	15	540
812PSD	8x $\frac{1}{2}$	3.0	200	15	2,700
00834PPSD	8x $\frac{3}{4}$	3.0	1,000	16	384
834PSD	8x $\frac{3}{4}$	3.0	200	75	2,700
00081PPSD	8x1	3.0	1,000	12	288
81PSD	8x1	3.0	200	75	2,700 PPS01

Pan Head

Zinc



SQUARE EN 14566:2008 & EN10666:2008



STEEL

A light duty metal to metal screw with a square recess used for interior applications.

Product Code	Size (imp.)	Max. Drilling Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
00812SPSD	8x $\frac{1}{2}$	3.0	1,000	15	540 PPS01

Wafer Head

Zinc



PHILLIPS EN 14566:2008



STEEL THIN SHEET

SELF-DRILLING POINT
EN 10666:2008



SHARP POINT

Used when constructing drywall track and ceiling track systems to stitch the track together.

Product Code	Size (mm)	Max. Drilling Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)					
Self-drilling point					
08916WHSD	4.2x13	3.0	1,000	15	540
00016WHSD	4.2x16	3.0	1,000	16	288
00019WHSD	4.2x19	3.0	1,000	12	288
00025WHSD	4.2x25	3.0	1,000	12	144
Sharp point					
08916WHSP	4.2x13	0.6	1,000	15	540 WHS01

Self-Tapping Screws

Used for stitching metal or attaching to metal. A pre-drilled hole is required. Manufactured to BS4174:1972



Pan Head

Zinc



POZI



STEEL THIN SHEET

Pan head for extra clamping.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
00438CPAZS	2.9 x 9.5	PZ1	200	140	5040
00412CPAZS	2.9 x 13	PZ1	200	140	5040
00638CPAZS	3.5 x 9.5	PZ2	200	140	5040
00612CPAZS	3.5 x 13	PZ2	200	140	5040
00658CPAZS	3.5 x 16	PZ2	200	75	2700
00634CPAZS	3.5 x 19	PZ2	200	75	2700
00061CPAZS	3.5 x 25	PZ2	200	75	1800
00838CPAZS	4.2 x 9.5	PZ2	200	75	2700
00812CPAZS	4.2 x 13	PZ2	200	75	2700
00858CPAZS	4.2 x 16	PZ2	200	65	2340
00834CPAZS	4.2 x 19	PZ2	200	65	1560
00081CPAZS	4.2 x 25	PZ2	200	50	1200
08114CPAZS	4.2 x 32	PZ2	200	22	1056
08112CPAZS	4.2 x 38	PZ2	200	35	840
00082CPAZS	4.2 x 50	PZ2	200	15	540
01012CPAZS	4.8 x 13	PZ2	200	50	1200
01058CPAZS	4.8 x 16	PZ2	200	38	1520
01034CPAZS	4.8 x 19	PZ2	200	35	840
00101CPAZS	4.8 x 25	PZ2	200	22	1056
10114CPAZS	4.8 x 32	PZ2	200	16	768
10112CPAZS	4.8 x 38	PZ2	200	15	540
00102CPAZS	4.8 x 50	PZ2	200	15	540
01212CPAZS	5.5 x 13	PZ3	200	35	840
00121CPAZS	5.5 x 25	PZ3	200	16	768
12112CPAZS	5.5 x 38	PZ3	100	35	840
01434CPAZS	6.3 x 19	PZ3	200	16	768

TIMPAC

00614CPAZP	3.5 x 6.5	PZ2	30	10	-
00638CPAZP	3.5 x 9.5	PZ2	25	10	-
00612CPAZP	3.5 x 13	PZ2	20	10	-
00634CPAZP	3.5 x 19	PZ2	18	10	-
00838CPAZP	4.2 x 9.5	PZ2	16	10	-
00812CPAZP	4.2 x 13	PZ2	16	10	-
00858CPAZP	4.2 x 16	PZ2	14	10	-
00834CPAZP	4.2 x 19	PZ2	14	10	-
00081CPAZP	4.2 x 25	PZ2	12	10	-
01012CPAZP	4.8 x 13	PZ2	10	10	-
01034CPAZP	4.8 x 19	PZ2	10	10	-
01058CPAZP	4.8 x 16	PZ2	10	10	-

PAK04

Countersunk

Zinc



POZI



STEEL THIN SHEET

Countersunk head gives a discreet finish into pre-countersunk holes.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
00612CCAAS	3.5 x 13	PZ2	200	140	5040
00658CCAAS	3.5 x 16	PZ2	200	75	2700
00061CCAAS	3.5 x 25	PZ2	200	75	2700
00812CCAAS	4.2 x 13	PZ2	200	75	2700
00834CCAAS	4.2 x 19	PZ2	200	65	2340
00081CCAAS	4.2 x 25	PZ2	200	50	1200
08114CCAAS	4.2 x 32	PZ2	200	22	1056
08112CCAAS	4.2 x 38	PZ2	200	35	840
08134CCAAS	4.2 x 45	PZ2	200	15	540
00082CCAAS	4.2 x 50	PZ2	200	15	540
00101CCAAS	4.8 x 25	PZ2	200	22	1056
10114CCAAS	4.8 x 32	PZ2	200	16	768
10112CCAAS	4.8 x 38	PZ2	200	15	540
00102CCAAS	4.8 x 50	PZ2	200	15	540
12112CCAAS	5.5 x 38	PZ3	100	15	540

STS01

TIMPAC

00634CCAZP	3.5 x 19	PZ2	25	10	-
00812CCAZP	4.2 x 13	PZ2	22	10	-
00834CCAZP	4.2 x 19	PZ2	20	10	-
00081CCAZP	4.2 x 25	PZ2	18	10	-
08114CCAZP	4.2 x 32	PZ2	16	10	-
08112CCAZP	4.2 x 38	PZ2	14	10	-
10114CCAZP	4.8 x 32	PZ2	10	10	-

PAK04

Mixed Tray



A range of popular sizes of self-tapping screws. Three different head types; pan, countersunk and flange head.

Flange Head

Zinc



POZI



STEEL THIN SHEET

Flange head gives an aesthetic finish whilst increasing the clamping ability of the screw. BS4174:1972 approved.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
00634CFAZS	3.5 x 19	PZ2	200	75	2700
00838CFAZS	4.2 x 9.5	PZ2	200	75	2700
00812CFAZS	4.2 x 13	PZ2	200	75	2700
00858CFAZS	4.2 x 16	PZ2	200	75	1800
00834CFAZS	4.2 x 19	PZ2	200	38	1824
00081CFAZS	4.2 x 25	PZ2	200	50	1200
08114CFAZS	4.2 x 32	PZ2	200	22	1056
01034CFAZS	4.8 x 19	PZ2	200	22	1056

STS01

TIMPAC

00838CFAZP	4.2 x 9.5	PZ2	16	10	-
00812CFAZP	4.2 x 13	PZ2	16	10	-
00834CFAZP	4.2 x 19	PZ2	14	10	-
00081CFAZP	4.2 x 25	PZ2	12	10	-

PAK04

Product Code	Size (mm)	Head Type	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
MIXED TRAY (1,305 PCS)					
STSTRAY	-	-	1305	6	108
3.5 x 6.5	Pan Head	50			
3.5 x 13	Pan Head	165			
3.5 x 19	Countersunk	140			
4.2 x 13	Pan Head	180			
4.2 x 13	Flange Head	100			
4.2 x 19	Pan Head	115			
4.2 x 19	Countersunk	140			
4.2 x 25	Pan Head	80			
4.2 x 25	Countersunk	100			
4.2 x 38	Countersunk	45			
4.8 x 13	Pan Head	120			
4.8 x 16	Pan Head	70			

STS01

Stainless Steel Self-Tapping Screws

Used for stitching metal or attaching to metal. A pre-drilled hole is required. Stainless steel must be used where there is corrosive environment and/or the base material has inherent corrosive characteristics.




Pan Head (DIN7981)

A2 Stainless Steel



POZI



STEEL THIN SHEET

Pan head for extra clamping. A2 stainless steel for ultimate resistance to corrosion.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
2965CPASS	2.9 x 6.5	PZ1	200	140	5,040
2995CPASS	2.9 x 9.5	PZ1	200	140	5,040
3595CPASS	3.5 x 9.5	PZ2	200	140	5,040
3513CPASS	3.5 x 13	PZ2	200	75	2,700
3519CPASS	3.5 x 19	PZ2	200	75	1,800
3525CPASS	3.5 x 25	PZ2	200	50	1,200
3938CPASS	3.9 x 38	PZ2	200	22	1,056
4295CPASS	4.2 x 9.5	PZ2	200	75	2,700
4213CPASS	4.2 x 13	PZ2	200	75	1,800
4216CPASS	4.2 x 16	PZ2	200	38	1,824
4219CPASS	4.2 x 19	PZ2	200	38	1,824
4225CPASS	4.2 x 25	PZ2	200	50	1,200
4232CPASS	4.2 x 32	PZ2	200	35	840
4825CPASS	4.8 x 25	PZ2	200	35	840
4832CPASS	4.8 x 32	PZ2	200	15	720
4838CPASS	4.8 x 38	PZ2	200	15	540
4850CPASS	4.8 x 50	PZ2	200	16	384
5519CPASS	5.5 x 19	PZ3	200	50	1,200
5525CPASS	5.5 x 25	PZ3	200	35	840
TAS01					

Countersunk (DIN7982)

A2 Stainless Steel



POZI



STEEL THIN SHEET

Countersunk head gives a discreet finish into pre-countersunk holes. A2 stainless steel for ultimate resistance to corrosion.


Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
2913CCASS	2.9 x 13	PZ1	200	140	5,040
2919CCASS	2.9 x 19	PZ1	200	140	5,040
3525CCASS	3.5 x 25	PZ2	200	75	2,700
3995CCASS	3.9 x 9.5	PZ2	200	140	5,040
3913CCASS	3.9 x 13	PZ2	200	140	5,040
3925CCASS	3.9 x 25	PZ2	200	38	1,824
3938CCASS	3.9 x 38	PZ2	200	50	1,200
4295CCASS	4.2 x 9.5	PZ2	200	140	5,040
4213CCASS	4.2 x 13	PZ2	200	75	2,700
4216CCASS	4.2 x 16	PZ2	200	75	2,700
4219CCASS	4.2 x 19	PZ2	200	75	1,800
4225CCASS	4.2 x 25	PZ2	200	50	1,200
4232CCASS	4.2 x 32	PZ2	200	30	1,080
4238CCASS	4.2 x 38	PZ2	200	35	840
4819CCASS	4.8 x 19	PZ2	200	50	1,200
4850CCASS	4.8 x 50	PZ2	200	15	540
TAS01					

Flange Head

A2 Stainless Steel



POZI



STEEL THIN SHEET

Flange head gives an aesthetic finish whilst increasing the clamping ability of the screw. A2 stainless steel for ultimate resistance to corrosion.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
4295CFASS	4.2 x 9.5	PZ2	200	75	2,700
4213CFASS	4.2 x 13	PZ2	200	75	1,800
4219CFASS	4.2 x 19	PZ2	200	50	1,200
TAS01					

Machine Screws



Countersunk Machine Screws

Zinc

Countersunk (DIN965)

Countersunk machine screws with metric thread commonly used in pre-drilled and threaded holes.



Countersunk (DIN965) & Hex Nut (DIN34)

A countersunk machine screw with hex full nut ideal for general light duty bolting applications where a flush finish is required.



Countersunk (DIN965)

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
4008CPM	M4 x 8	P22	100	75	2700
4010CPM	M4 x 10	P22	100	75	2700
4012CPM	M4 x 12	P22	100	75	2700
4020CPM	M4 x 20	P22	100	75	2700
4025CPM	M4 x 25	P22	100	75	2700
4040CPM	M4 x 40	P22	100	50	1200
5010CPM	M5 x 10	P22	100	75	2700
5012CPM	M5 x 12	P22	100	75	2700
5016CPM	M5 x 16	P22	100	75	2700
5020CPM	M5 x 20	P22	100	75	2700
5025CPM	M5 x 25	P22	100	50	1200
5030CPM	M5 x 30	P22	100	50	1200
5040CPM	M5 x 40	P22	100	50	1200
5050CPM	M5 x 50	P22	100	35	840
6010CPM	M6 x 10	P23	100	75	2700
6012CPM	M6 x 12	P23	100	75	2700
6016CPM	M6 x 16	P23	100	75	2700
6020CPM	M6 x 20	P23	100	50	1200
6025CPM	M6 x 25	P23	100	50	1200
6030CPM	M6 x 30	P23	100	35	840
6040CPM	M6 x 40	P23	100	50	840
6050CPM	M6 x 50	P23	100	15	540

MAC01

Countersunk (DIN965) & Hex Nut (DIN934)

Product Code	Size (mm)	Driver Bit Size	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC					
4025CPMHNP	M4 x 25	P22	7	30	5
5010CPMHNP	M5 x 10	P22	8	40	5
5016CPMHNP	M5 x 16	P22	8	35	5
5020CPMHNP	M5 x 20	P22	8	30	5
5025CPMHNP	M5 x 25	P22	8	25	5
5030CPMHNP	M5 x 30	P22	8	20	5
5040CPMHNP	M5 x 40	P22	8	15	5
6020CPMHNP	M6 x 20	P23	10	20	5
6040CPMHNP	M6 x 40	P23	10	10	5

PAK05

Pan Head Machine Screws

Zinc

Pan Head (DIN7985)

Pan head machine screws with metric thread commonly used in pre-drilled and threaded holes. Pan head for extra clamping.



Pan Head (DIN7985) & Hex Nut (DIN934)

A pan head machine screw with hex full nut ideal for general light duty bolting applications where a pan head is required for extra clamping effectiveness.



Pan Head (DIN7985)

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
4010PPM	M4 x 10	P22	100	75	2700
4012PPM	M4 x 12	P22	100	35	2700
4016PPM	M4 x 16	P22	100	35	2700
4020PPM	M4 x 20	P22	100	35	2700
4025PPM	M4 x 25	P22	100	35	2700
4030PPM	M4 x 30	P22	100	50	1200
4040PPM	M4 x 40	P22	100	50	1200
4050PPM	M4 x 50	P22	100	35	840
4080PPM	M4 x 80	P22	100	35	840
5008PPM	M5 x 8	P22	100	75	2700
5010PPM	M5 x 10	P22	100	75	2700
5012PPM	M5 x 12	P22	100	35	2700
5016PPM	M5 x 16	P22	100	75	2700
5020PPM	M5 x 20	P22	100	50	1200
5025PPM	M5 x 25	P22	100	50	1200
5030PPM	M5 x 30	P22	100	50	1080
5040PPM	M5 x 40	P22	100	35	840
5050PPM	M5 x 50	P22	100	35	768
5100PPM	M5 x 100	P22	100	15	540
6012PPM	M6 x 12	P23	100	50	1200
6016PPM	M6 x 16	P23	100	50	1080
6020PPM	M6 x 20	P23	100	50	960
6025PPM	M6 x 25	P23	100	35	840
6040PPM	M6 x 40	P23	100	22	792

MAC01

Pan Head (DIN7985) & Hex Nut (DIN934)

Product Code	Size (mm)	Driver Bit Size	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC					
4012PPMHNP	M4 x 12	P22	7	40	5
4020PPMHNP	M4 x 20	P22	7	32	5
4025PPMHNP	M4 x 25	P22	7	30	5
4030PPMHNP	M4 x 30	P22	7	25	5
4040PPMHNP	M4 x 40	P22	7	20	5
5030PPMHNP	M5 x 30	P22	8	15	5
5050PPMHNP	M5 x 50	P22	8	10	5
6016PPMHNP	M6 x 16	P23	10	15	5
6040PPMHNP	M6 x 40	P23	10	10	5

PAK05

Unreinforced
& Reinforced
Construction



PVCu Fabrication Screws

1. Friction Stay Screws (FS)

2. Countersunk Screws

3. Machine Screws

4. Element Screws

5. Cill Screws

6. Baypole Screws



Carbon Steel Zinc / Yellow

Carbon steel with a zinc or yellow plating, mainly used in low corrosive environment.

CORROSION RATING

1 2 3 4 5

Occasionally damp/wet, rural and sheltered areas



Salt Spray 240 hours

Martensitic Stainless Steel

A magnetic, martensitic stainless steel, with silver organic plating. Silver organic plating is a reliable and durable corrosion resistant coating.

CORROSION RATING

1 2 3 4 5

Urban & industrial areas with a low salt atmosphere



Salt Spray 504 hours

A2 Austenitic Stainless Steel

A non-magnetic austenitic steel suitable where there is a corrosive environment.

CORROSION RATING

1 2 3 4 5

Urban & industrial areas with a moderate salt atmosphere



Salt Spray 504 hours

All window screws have PH2 recess.



PHILLIPS



Specialist Window Screws



Element Screw

Yellow



PHILLIPS

- Shallow pan countersunk head
- Self-tapping thread
- AB point tip

Mechanical jointing screw with special truncated head for fixing either frame to frame or frame to mullions.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Yellow					
191Y	4.8 x 55	PH2	200	8	384
192Y	4.8 x 65	PH2	200	8	384
193Y	4.8 x 80	PH2	200	6	288
194Y	4.8 x 95	PH2	200	8	192

WIN03

Baypole Screw

Zinc



PHILLIPS



EN 14566:2008 & EN10666:2008

- Wafer head
- Self-tapping thread
- Self-drill tip

Specifically designed for the joining of PVCu bay window sections, but frequently used for other window and door fabrication purposes.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Zinc					
289Z	4.8 x 40	PH2	200	15	540
290Z	4.8 x 50	PH2	200	8	384
291Z	4.8 x 60	PH2	200	6	288
292Z	4.8 x 70	PH2	200	6	288
293Z	4.8 x 80	PH2	200	8	216
294Z	4.8 x 90	PH2	200	8	192
295Z	4.8 x 100	PH2	200	8	192

WIN06

Reinforced Frame Screw

Zinc

Mart SS



PHILLIPS

- Pan head
- Self-tapping thread
- Self-drilling point

Generally used for attaching steel hardware to steel reinforced PVCu sections. The flat underside of the screws head allows it to clamp the materials together firmly.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Zinc					
130Z	4.2 x 13	PH2	1,000	15	540
131Z	4.2 x 16	PH2	1,000	15	540
132Z	4.2 x 19	PH2	1,000	8	384
133Z	4.2 x 25	PH2	1,000	6	288
410 Martensitic Stainless Steel + Silver Organic					
130SS	4.2 x 13	PH2	1,000	15	540
131SS	4.2 x 16	PH2	1,000	15	540
132SS	4.2 x 19	PH2	1,000	8	384
133SS	4.2 x 25	PH2	1,000	6	288

WSS01

Machine Screw

Zinc



PHILLIPS

- Countersunk head
- Metric thread
- B point tip

Used for fastening handles or espagnolettes into pre-defined holes in frames.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Zinc					
520Z	M5 x 20	PH2	500	15	540
530Z	M5 x 30	PH2	500	8	384
540Z	M5 x 40	PH2	500	6	288

WIN04

Cill Screw

Zinc



PHILLIPS

- Bugle head
- Self-tapping thread
- Self-drill tip

Used for attaching cills to the base of door or window frames. The self-drilling point permits the screw to drill through both reinforced and unreinforced frames.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Zinc					
225Z	4.2 x 50	PH2	500	6	288
226Z	4.2 x 55	PH2	500	8	192
227Z	4.2 x 65	PH2	200	8	384

WIN05

Weather Bar Screw

Zinc



PHILLIPS

- Nipple head
- Self-tapping thread
- Self-drilling point

For use when attaching a weather bar or drip rail to PVCu window and door frames to prevent water ingress. Large head provides easy and secure attachment.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Zinc					
241Z	4.0 x 13	PH2	1,000	6	288

WIN02

Reinforced Frames



135 & 141 Range

Zinc **Mart SS**



- Shallow pan head
- Self-tapping thread
- Self-drilling point

For attaching friction stays with countersunk

holes to steel reinforced PVCu frames. *Repair screws for stripped holes (141 range).

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Zinc					
135Z	3.9 x 16	PH2	1,000	15	540
136Z	3.9 x 19	PH2	1,000	15	540
137Z	3.9 x 25	PH2	1,000	6	288
138Z	3.9 x 29	PH2	1,000	6	288
141Z*	4.8 x 16	PH2	1,000	15	540
142Z*	4.8 x 19	PH2	1,000	8	384
143Z*	4.8 x 23	PH2	1,000	8	384

410 Martensitic SS + Silver Organic					
Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
135SS	3.9 x 16	PH2	1,000	15	540
136SS	3.9 x 19	PH2	1,000	15	540
137SS	3.9 x 25	PH2	1,000	6	288
138SS	3.9 x 29	PH2	1,000	6	288
143SS*	4.8 x 23	PH2	1,000	9	216

150 Range

Zinc **Yellow**



- Countersunk head
- Metric thread
- Self-drilling point

An alternative to the self-tapping thread version. This metric

threaded screw has multiple uses for fitting a variety of hardware to frames where there is a steel reinforcement present.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Zinc					
150Z	M4 x 16	PH2	1,000	15	540
151Z	M4 x 19	PH2	1,000	15	540
153Z	M4 x 25	PH2	1,000	8	384
154Z	M4 x 32	PH2	1,000	8	384
155Z	M4 x 38	PH2	500	8	384

Yellow					
Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
150Y	M4 x 16	PH2	1,000	15	540
151Y	M4 x 19	PH2	1,000	15	540
153Y	M4 x 25	PH2	1,000	8	384
155Y	M4 x 38	PH2	500	8	384

120 Range

Zinc **Yellow** **Mart SS**



- Countersunk head (*with ribs)
- Self-tapping thread
- Self-drilling point

Multiple uses for fitting a variety of hardware to frames where there is a steel or aluminium reinforcement present.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Zinc					
120Z*	3.9 x 13	PH2	1,000	15	540
121Z*	3.9 x 16	PH2	1,000	15	540
122Z*	3.9 x 19	PH2	1,000	15	540
123Z	3.9 x 25	PH2	1,000	8	384
126Z	3.9 x 29	PH2	1,000	8	384
124Z	3.9 x 32	PH2	1,000	6	288
125Z	3.9 x 38	PH2	1,000	6	288
127Z	3.9 x 45	PH2	500	8	384

Yellow					
Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
120Y*	3.9 x 13	PH2	1,000	15	540
121Y*	3.9 x 16	PH2	1,000	15	540
122Y*	3.9 x 19	PH2	1,000	15	540
123Y	3.9 x 25	PH2	1,000	8	384
124Y	3.9 x 32	PH2	1,000	6	288
125Y	3.9 x 38	PH2	1,000	6	288
127Y	3.9 x 45	PH2	500	8	384

230 Range

Zinc **Mart SS**



- Countersunk facet head
- Metric thread
- Self-drilling point

Frequently used with auto feed machines when 'pinning' steel reinforcement inside PVCu frames.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Zinc					
230Z	M4 x 13	PH2	1,000	15	540
231Z	M4 x 16	PH2	1,000	15	540
232Z	M4 x 19	PH2	1,000	15	540

410 Martensitic SS + Silver Organic					
Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
231SS	M4 x 16	PH2	1,000	15	540

423 Range

Zinc



- Countersunk head
- Self-tapping thread
- Self-drilling point

A heavier gauge screw, generally used where extra strength is required such as attaching hinges to a steel reinforced frame.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX Zinc					
423Z	4.8 x 25	PH2	1,000	6	288
424Z	4.8 x 32	PH2	500	8	384
425Z	4.8 x 38	PH2	500	8	384
427Z	4.8 x 45	PH2	500	6	288
429Z	4.8 x 60	PH2	200	8	384

Shims, Packers & Wedges

For full range, sold in various quantities & sizes
See Page 237



Unreinforced Frames



100 Range

Zinc Yellow



PHILLIPS

- Countersunk head with ribs
- High-Low thread
- Slash tip

Multiple uses for fitting a variety of hardware to frames where there is no steel or aluminium reinforcement present.

*Repair screws for stripped holes.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
Zinc					
104Z	4.3x25	PH2	1,000	8	384
105Z	4.3x30	PH2	1,000	8	384
106Z	4.3x40	PH2	1,000	8	192
109Z*	4.8x25	PH2	1,000	8	384
Yellow					
104Y	4.3x25	PH2	1,000	8	384
105Y	4.3x30	PH2	1,000	8	384
106Y	4.3x40	PH2	1,000	8	192
109Y*	4.8x25	PH2	1,000	8	384

WIN01

200 Range

Zinc Yellow A2/Aust. SS



PHILLIPS

- Countersunk head with ribs
- Single thread
- Gimlet tip

Multiple uses for fitting a variety of hardware to frames where there is no steel or aluminium reinforcement present.

*Repair screws for stripped holes.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
Zinc					
201Z	4.3x16	PH2	1,000	15	540
202Z	4.3x20	PH2	1,000	15	540
204Z	4.3x25	PH2	1,000	8	384
205Z	4.3x30	PH2	1,000	8	384
203Z	4.3x35	PH2	1,000	6	288
206Z	4.3x40	PH2	1,000	8	192
207Z	4.3x45	PH2	500	8	384
208Z	4.3x55	PH2	500	6	288
209Z*	4.8x25	PH2	1,000	8	384
210Z*	4.8x38	PH2	1,000	8	192

WIN01



Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
Yellow					
201Y	4.3x16	PH2	1,000	15	540
202Y	4.3x20	PH2	1,000	15	540
204Y	4.3x25	PH2	1,000	8	384
205Y	4.3x30	PH2	1,000	8	384
203Y	4.3x35	PH2	1,000	6	288
206Y	4.3x40	PH2	1,000	8	192
207Y	4.3x45	PH2	500	8	384
208Y	4.3x55	PH2	500	6	288
209Y*	4.8x25	PH2	1,000	8	384

WIN01

A2/Aust. Stainless Steel					
202SS	4.3x20	PH2	1,000	15	540
204SS	4.3x25	PH2	1,000	8	384
205SS	4.3x30	PH2	1,000	8	384
203SS	4.3x35	PH2	1,000	6	288
206SS	4.3x40	PH2	1,000	8	192
209SS*	4.8x25	PH2	1,000	8	384

WSS01

111 Range

Zinc



PHILLIPS



FS FRICTION STAY

- Shallow pan countersunk head
- High-Low thread
- Slash tip

For attaching friction stays to PVCu frames. An alternative to the single thread range offering a slash point and a High-Low thread to aid speed of insertion and pull out.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
Zinc					
111Z	4.3x20	PH2	1,000	8	384
112Z	4.3x25	PH2	1,000	8	384

WIN01

215 Range

Zinc A2/Aust. SS



PHILLIPS



FS FRICTION STAY

- Shallow pan head with serrations
- Single thread
- Gimlet tip

For attaching friction stays with pre-drilled holes to PVCu frames. Stainless steel screws should be used where there is a corrosive environment.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
Zinc					
215Z	4.8x16	PH2	1,000	8	384
216Z	4.8x20	PH2	1,000	8	384
217Z	4.8x25	PH2	1,000	6	288
218Z	4.8x30	PH2	1,000	8	192

WIN07

A2/Aust. Stainless Steel					
215SS	4.8x16	PH2	1,000	8	384
216SS	4.8x20	PH2	1,000	8	384
217SS	4.8x25	PH2	1,000	6	288
218SS	4.8x30	PH2	1,000	8	192

WSS02

211 Range

Zinc A2/Aust. SS



PHILLIPS



FS FRICTION STAY

- Shallow pan countersunk head
- Single thread
- Gimlet tip

For attaching friction stays with countersunk holes to PVCu frames. Stainless steel screws should be used where there is a corrosive environment.

Product Code	Size (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
Zinc					
211Z	4.3x16	PH2	1,000	15	540
212Z	4.3x20	PH2	1,000	8	384
212Z	4.3x25	PH2	1,000	8	384

WIN07

A2/Aust. Stainless Steel					
211SS	4.3x16	PH2	1,000	15	540
211SS	4.3x20	PH2	1,000	8	432
212SS	4.3x25	PH2	1,000	8	384

WSS02



Fasteners & Fixings

Fasteners

Carriage Bolts & Hex Nuts	55
Stainless Steel Carriage Bolts	56
Exterior Carriage Bolts	56
Cable Tray Bolts & Threaded Bars	57
Roofing Bolts	57
Set Screws	58-59
Nuts	59-60
Washers	60-61
Grab Packs	62
Stainless Steel Socket Screws	63
Rivets	64

Hanging & Utility Fixings

Hooks & Picture Hangers	64-65
Storage Hooks & Tool Clips	66
Clips & Pins	66
Cable Management	67

Plumbing Fittings & Fixings

Plumbing Accessories	68
Pipe Fittings	69-70
Pipe Clips	71-72
Intumescent Pipe Collars	72
Intumescent Pipe Wraps	72
Hose & Jubilee Clips	73
Jubilee Packs, Kits, Dispensers & Tools	74

Assorted Trays	75-77
----------------	-------



Carriage Bolts (DIN603) & Hex Nuts (DIN934)

A2 AUSTENITIC STAINLESS STEEL



DOME



EN 14592:2008

A cup square carriage bolt in A2 stainless steel. A full metric fine thread. Nut included in TIMPAC only.

Product Code	Size (mm)	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
08100CBSSP	M8 x 100	13	4	5
08130CBSSP	M8 x 130	13	3	5
08150CBSSP	M8 x 150	17	2	5
1075CBSSP	M10 x 75	17	3	5
10100CBSSP	M10 x 100	17	2	5
10120CBSSP	M10 x 120	17	2	5
10130CBSSP	M10 x 130	17	2	5
10150CBSSP	M10 x 150	13	2	5
12100CBSSP	M12 x 100	19	2	5
12130CBSSP	M12 x 130	19	2	5

PAK25

Carriage Bolts (DIN603)

A2 AUSTENITIC STAINLESS STEEL



Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
0625CBSS	M6 x 25	200	8	288
0650CBSS	M6 x 50	200	5	180
1075CBSS	M10 x 75	50	6	216
12100CBSS	M12 x 100	50	3	108
12110CBSS	M12 x 110	25	6	216

CAS01

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
SMALL BAG			
0625CBSSX	M6 x 25	10	200
0630CBSSX	M6 x 30	10	100
0640CBSSX	M6 x 40	10	100
0650CBSSX	M6 x 50	10	100
0675CBSSX	M6 x 75	10	50
06100CBSSX	M6 x 100	10	50
0840CBSSX	M8 x 40	10	100
0850CBSSX	M8 x 50	5	100
0860CBSSX	M8 x 60	5	100
0875CBSSX	M8 x 75	5	100
0880CBSSX	M8 x 80	5	100
08100CBSSX	M8 x 100	5	50
08130CBSSX	M8 x 130	5	50
08150CBSSX	M8 x 150	5	50
1075CBSSX	M10 x 75	5	50
1090CBSSX	M10 x 90	5	50
10100CBSSX	M10 x 100	5	50
10110CBSSX	M10 x 110	5	50
10120CBSSX	M10 x 120	5	50
10130CBSSX	M10 x 130	5	50
10150CBSSX	M10 x 150	5	30
1275CBSSX	M12 x 75	5	50
12100CBSSX	M12 x 100	5	30
12110CBSSX	M12 x 110	5	30
12130CBSSX	M12 x 130	5	30

SSB05

Exterior Carriage Bolts, Nuts & Washers

Exterior (Silver Organic)



DOME

EN 14592:2008

A domed head bolt with a square anti-spin shoulder mainly used for clamping timber or attaching ironmongery to timber.

Coated with a patented multi-layer corrosion resistant plating to withstand 1,000 hours salt spray test making it ideal for external applications.

Supplied with hex nuts and form A washers.

Product Code	Size (mm)	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG					
0640CBI	M6 x 40	10	10	5	600
0650CBI	M6 x 50	10	10	5	600
0675CBI	M6 x 75	10	10	5	600
06100CBI	M6 x 100	10	10	5	600
0850CBI	M8 x 50	13	10	5	600
0875CBI	M8 x 75	13	10	5	600
08100CBI	M8 x 100	13	10	5	600
08110CBI	M8 x 110	13	10	5	600
08130CBI	M8 x 130	13	10	5	400
08150CBI	M8 x 150	13	10	5	400
1075CBI	M10 x 75	17	10	5	600
10100CBI	M10 x 100	17	10	5	600
10120CBI	M10 x 120	17	10	5	400
10130CBI	M10 x 130	17	10	5	400
10150CBI	M10 x 150	17	10	5	400
10180CBI	M10 x 180	17	10	5	400
1275CBI	M12 x 75	19	10	5	600
12100CBI	M12 x 100	19	10	5	400
12130CBI	M12 x 130	19	10	5	400

CAB03

Exterior (Green Organic)



A domed head bolt with a square anti-spin shoulder mainly used for clamping timber or attaching ironmongery to timber. Coated with a patented multi-layer corrosion resistant plating to withstand 500 hours salt spray making it ideal for external applications.

Manufactured to DIN 603, DIN 934 and DIN 125-A.

Product Code	Size (mm)	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG					
10100INC	M10 x 100	17	10	10	1000
10150INC	M10 x 150	17	10	6	600
10160INC	M10 x 160	17	10	6	600
10200INC	M10 x 200	17	10	6	600
10220INC	M10 x 220	17	10	5	500

IND04

HDG Carriage Bolts & Hex Nuts

Hot Dipped Galvanised



DOME

EN 14592:2008

A domed head bolt with a square anti-spin shoulder mainly used for clamping timber or attaching ironmongery to timber.


Fully threaded up to and including 150mm. Partially threaded thereafter.

Supplied with hex nuts. Manufactured to DIN 603 and DIN 934.

Product Code	Size (mm)	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
0850CBG	M8 x 50	13	100	9	288
0875CBG	M8 x 75	13	50	9	288
08130CBG	M8 x 130	13	50	6	288
08150CBG	M8 x 150	13	25	10	192
1075CBG	M10 x 75	17	50	8	320
10100CBG	M10 x 100	17	25	9	256
10110CBG	M10 x 110	17	25	9	288
10130CBG	M10 x 130	17	25	10	288
10150CBG	M10 x 150	17	25	6	320
10180CBG	M10 x 180	17	25	6	192
10200CBG	M10 x 200	17	10	10	192
1275CBG	M12 x 75	19	25	9	320
12100CBG	M12 x 100	19	25	6	288
12110CBG	M12 x 110	19	25	6	192
12130CBG	M12 x 130	19	10	10	192
12150CBG	M12 x 150	19	10	10	320
12180CBG	M12 x 180	19	10	10	320
12200CBG	M12 x 200	19	10	10	320

CAB02

Hot Dipped Galvanised
Square Plate Washer



See page 61

Cable Tray Bolts, Roofing Bolts & Threaded Bars



Cable Tray Bolts & Flange Nuts (DIN6923)

Zinc



CROSS

Specifically designed to provide a rapid and secure fixing when erecting cable trays. Flange nut prevents the nut from falling into the socket driver.

Product Code	Size (mm)	Nut Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
CTB612	M6 x 12	10	200	16	192
CTB616	M6 x 16	10	200	16	192
CTB620	M6 x 20	10	200	16	192
CTB625	M6 x 25	10	200	16	192

ROB02

Roofing Bolts & Square Nuts

Zinc



CROSS

Manufactured with a large flat head, making it ideal for clamping thin sheet metal, plastic and wood.



Product Code	Size (mm)	Nut Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG					
0612RBB	M6 x 12	M6	150	5	870
0620RBB	M6 x 20	M6	140	5	870
0625RBB	M6 x 25	M6	130	5	870
0630RBB	M6 x 30	M6	120	5	600
0640RBB	M6 x 40	M6	110	5	600
0650RBB	M6 x 50	M6	90	5	600
0660RBB	M6 x 60	M6	80	5	600
0680RBB	M6 x 80	M6	70	5	600
BAG14					
TIMPAC					
0612RBP	M6 x 12	M6	14	5	-
0620RBP	M6 x 20	M6	12	5	-
0625RBP	M6 x 25	M6	10	5	-
0630RBP	M6 x 30	M6	10	5	-
0640RBP	M6 x 40	M6	8	5	-
0650RBP	M6 x 50	M6	8	5	-
0660RBP	M6 x 60	M6	6	5	-
0680RBP	M6 x 80	M6	4	5	-
06100RBP	M6 x 100	M6	2	5	-
PAK14					

Product Code	Size (mm)	Nut Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
0512RB	M5 x 12	M5	200	18	768
0530RB	M5 x 30	M5	200	10	540
0608RB	M6 x 08	M6	200	18	384
0612RB	M6 x 12	M6	200	10	384
0616RB	M6 x 16	M6	200	10	384
0620RB	M6 x 20	M6	200	10	336
0625RB	M6 x 25	M6	100	18	768
0630RB	M6 x 30	M6	100	18	768
0635RB	M6 x 35	M6	100	10	540
0640RB	M6 x 40	M6	100	10	540
0650RB	M6 x 50	M6	100	10	540
0660RB	M6 x 60	M6	100	8	384
0670RB	M6 x 70	M6	100	8	384
0680RB	M6 x 80	M6	100	8	288
06100RB	M6 x 100	M6	100	8	216
0825RB	M8 x 25	M8	100	10	288
0830RB	M8 x 30	M8	100	10	288
0840RB	M8 x 40	M8	100	8	288
0850RB	M8 x 50	M8	100	8	288
0860RB	M8 x 60	M8	100	8	216
0880RB	M8 x 80	M8	50	8	384
08100RB	M8 x 100	M8	50	8	288
08120RB	M8 x 120	M8	50	8	144
08140RB	M8 x 140	M8	50	8	216
08160RB	M8 x 160	M8	50	6	192
08180RB	M8 x 180	M8	50	6	192
08200RB	M8 x 200	M8	50	6	192
ROB01					

Threaded Bars (DIN975)

Zinc



Grade 8.8 High Tensile Carbon Steel

Commonly used with drop in anchors for suspending cable trays from ceilings or can be cut to a required length and used with chemical resin.

Product Code	Thread Ø x Length (mm)	Pack Qty (pcs)
1000MM BUNDLE		
06TBZHT	M6 x 1000	10
08TBZHT	M8 x 1000	10
10TBZHT	M10 x 1000	10
12TBZHT	M12 x 1000	10
16TBZHT	M16 x 1000	10
20TBZHT	M20 x 1000	5

TBA02



Grade 4.8

Commonly used with drop in anchors for suspending cable trays from ceilings or can be cut to a required length and used with chemical resin.

Product Code	Thread Ø x Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
300MM BUNDLE			
06300TBZ	M6 x 300	10	25
08300TBZ	M8 x 300	10	30
10300TBZ	M10 x 300	10	10
12300TBZ	M12 x 300	10	9
16300TBZ	M16 x 300	10	5
1000MM BUNDLE			
06TBZ	M6 x 1000	10	-
08TBZ	M8 x 1000	10	-
10TBZ	M10 x 1000	10	-
12TBZ	M12 x 1000	10	-
16TBZ	M16 x 1000	10	-
20TBZ	M20 x 1000	5	-

TBA01

A2 AUSTENITIC STAINLESS STEEL



A2 Austenitic

Commonly used with drop in anchors for suspending cable trays from ceilings or can be cut to a required length and used with chemical resin.

Product Code	Thread Ø x Length (mm)	Pack Qty (pcs)	Pallet Qty (packs)
1000MM BUNDLE			
06TBSS	M6 x 1000	5	1,200
08TBSS	M8 x 1000	5	600
10TBSS	M10 x 1000	5	400
12TBSS	M12 x 1000	5	300
16TBSS	M16 x 1000	5	160
20TBSS	M20 x 1000	5	100

TBS01

Set Screws (Continued)

Set Screws (DIN933) & Hex Nuts (DIN934)

A2 AUSTENITIC STAINLESS STEEL



HEX

A fully metric threaded bolt used in a wide variety of applications.

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
S616SSP	M6 x 16	10	8	10
S620SSP	M6 x 20	10	8	10
S625SSP	M6 x 25	10	6	10
S650SSP	M6 x 50	10	4	10
S820SSP	M8 x 20	13	6	10
S825SSP	M8 x 25	13	4	10
S840SSP	M8 x 40	13	2	10
S850SSP	M8 x 50	13	2	10
S1025SSP	M10 x 25	13	2	10
S1030SSP	M10 x 30	17	2	10
S1040SSP	M10 x 40	17	2	10
S1050SSP	M10 x 50	17	2	10
S10100SSP	M10 x 100	17	2	10
S1230SSP	M12 x 30	19	2	10
S1240SSP	M12 x 40	19	2	10
S1250SSP	M12 x 50	19	2	10

PAK28

Nuts

Hex Full Nuts (DIN934)

Zinc



A traditional nut used for all bolting and fastening applications.

Product Code	Size (mm)	Height (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BULK BOX (CLASS 8 TO DIN267-4)						
NH6ZBULK	M6	5	10	12,000	10	-
NH8ZBULK	M8	6.5	13	5,500	10	-
NH10ZBULK	M10	8	17	2,500	10	-
NH12ZBULK	M12	10	19	1,700	10	-
NH16ZBULK	M16	13	24	800	10	-
NH20ZBULK	M20	16	30	400	10	-

Product Code	Size (mm)	Height (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (CLASS 8 TO DIN267-4)						
NH4Z	M4	3.2	7	1,500	20	960
NH5Z	M5	4	8	1,000	20	960
NH6Z	M6	5	10	500	20	960
NH8Z	M8	6.5	13	200	20	960
NH10Z	M10	8	17	100	20	960
NH12Z	M12	10	19	100	12	576
NH16Z	M16	13	24	100	6	288
NH20Z	M20	16	30	50	6	288

Product Code	Size (mm)	Height (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC						
6HNUTZB	M6	5	10	600	5	725
8HNUTZB	M8	6.5	13	300	5	725
10HNUTZB	M10	8	17	130	5	870
12HNUTZB	M12	10	19	90	5	725
16HNUTZB	M16	13	24	45	5	725
20HNUTZB	M20	16	30	20	5	870

Product Code	Size (mm)	Height (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC						
6HNUTZP	M6	5	10	40	10	-
8HNUTZP	M8	6.5	13	30	10	-
10HNUTZP	M10	8	17	20	10	-
12HNUTZP	M12	10	19	10	10	-
16HNUTZP	M16	13	24	4	10	-
20HNUTZP	M20	16	30	2	10	-

A2 AUSTENITIC STAINLESS STEEL

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
SMALL BAG					
NH4SSX	M4	7	10	1,000	-
NH5SSX	M5	8	10	600	-
NH6SSX	M6	10	10	350	-
NH8SSX	M8	13	10	300	-
NH10SSX	M10	17	10	150	-
NH12SSX	M12	19	5	200	-
NH16SSX	M16	24	5	100	-

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC					
NH5SSP	M5	8	50	10	-
NH6SSP	M6	10	40	10	-
NH8SSP	M8	13	20	10	-
NH10SSP	M10	17	10	10	-
NH12SSP	M12	19	8	10	-
NH16SSP	M16	24	2	10	-

Hex Serrated Flange Nuts (DIN6923)

Zinc



Designed to provide a larger clamping and locking force than a standard hex nut.

Product Code	Size (mm)	Height (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX						
NF6Z	M6	6	10	300	16	768
NF8Z	M8	8	13	200	16	576
NF10Z	M10	10	15	100	16	768
NF12Z	M12	12	18	100	8	384
NF16Z	M16	16	24	100	4	192
NF20Z	M20	20	30	50	4	192

Nylon Nuts - Type T (DIN985)

Zinc



Type T hexagonal nylon nut with a metric thread. Sometimes known as a 'thin nut'.

- Conforms to ISO 10511

Product Code	Size (mm)	Height (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX						
NT6ZBULK	M6	6	10	11,000	10	-
NT8ZBULK	M8	8	13	5,000	10	-
BOX						
NT6Z	M6	6	10	500	16	768
NT8Z	M8	8	13	200	20	960
NT10Z	M10	10	17	100	16	768
NT12Z	M12	12	19	100	10	480
NT16Z	M16	16	24	100	6	288

A2 AUSTENITIC STAINLESS STEEL

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
SMALL BAG					
NT5SSX	M5	8	10	600	-
NT6SSX	M6	10	10	300	-
NT8SSX	M8	13	10	300	-
NT10SSX	M10	17	10	150	-
NT12SSX	M12	19	5	200	-
NT16SSX	M16	24	5	100	-

Product Code	Size (mm)	Socket Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC					
NT5SSP	M5	8	20	10	-
NT6SSP	M6	10	20	10	-
NT8SSP	M8	13	10	10	-
NT10SSP	M10	17	4	10	-
NT12SSP	M12	19	4	10	-

Grab Packs

Wide range of fasteners in a convenient problem-solving grab pack. Reusable and robust trays with clip shut lids and separate compartments for convenient storage.



Mixed Bolts, Nuts and Washers Grab Pack



Zinc

A selection of commonly used zinc plated bolts, nuts and washers in a handy and reusable storage pack with clip-shut lid.

Note:
Set Screw DIN933,
Hex Nut DIN934,
Form A Washer DIN125A

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
GRAB PACK				
BNWGPACK	-	-	500	5
	Hex Nut	M6	75	
	Hex Nut	M8	30	
	Hex Nut	M10	20	
	Form A Washer	M6	150	
	Form A Washer	M8	60	
	Form A Washer	M10	50	
	Set Screw	M6 x 16	30	
	Set Screw	M6 x 20	20	
	Set Screw	M6 x 25	20	
	Set Screw	M8 x 30	10	
	Set Screw	M8 x 40	10	
	Set Screw	M8 x 50	5	
	Set Screw	M10 x 60	10	
	Set Screw	M10 x 70	6	
	Set Screw	M10 x 75	4	

TRY02

Mixed Washers Grab Pack



Zinc

A selection of commonly used zinc plated washers of various sizes in a handy and reusable storage pack with clip-shut lid.

Note:
Form A Washer DIN125A,
Penny Washer DIN9054,
Spring Washer DIN7980

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
GRAB PACK				
WAGPACK	-	-	1000	5
	Form A Washer	M4	120	
	Form A Washer	M5	100	
	Form A Washer	M6	75	
	Form A Washer	M8	60	
	Form A Washer	M10	50	
	Form A Washer	M12	20	
	Penny Washer	M4 x 20	50	
	Penny Washer	M5 x 25	30	
	Penny Washer	M6 x 20	30	
	Penny Washer	M8 x 25	20	
	Penny Washer	M10 x 25	20	
	Penny Washer	M12 x 35	20	
	Spring Washer	M4	100	
	Spring Washer	M5	100	
	Spring Washer	M6	75	
	Spring Washer	M8	60	
	Spring Washer	M10	50	
	Spring Washer	M12	20	

TRY02

Mixed Nuts Grab Pack



Zinc

A selection of commonly used zinc plated nuts in a handy and reusable storage pack with clip-shut lid.

Note:
Nylon Nut (Type T) DIN985,
Hex Nut DIN934, Wing Nuts

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
GRAB PACK				
NUTGPACK	-	-	980	5
	Nylon Nut	M4	150	
	Nylon Nut	M5	110	
	Nylon Nut	M6	80	
	Nylon Nut	M8	40	
	Nylon Nut	M10	15	
	Nylon Nut	M12	10	
	Wing Nut	M6	30	
	Wing Nut	M8	15	
	Wing Nut	M10	10	
	Hex Nut	M4	150	
	Hex Nut	M5	110	
	Hex Nut	M6	100	
	Hex Nut	M8	90	
	Hex Nut	M10	40	
	Hex Nut	M12	30	

TRY02

Mixed Carriage Bolts, Nuts and Washers Grab Pack



Zinc


A selection of commonly used zinc plated carriage bolts, nuts and washers of various sizes in a handy and reusable storage pack with clip-shut lid.

Note:
Carriage Bolt DIN603,
Nylon Nut (Type T) DIN985,
Form A Washer DIN125A

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
GRAB PACK				
CBGPACK	-	-	140	5
	Nylon Nut	M6	10	
	Nylon Nut	M8	15	
	Nylon Nut	M10	15	
	Form A Washer	M6	15	
	Form A Washer	M8	25	
	Form A Washer	M10	20	
	Carriage Bolt	M6 x 40	10	
	Carriage Bolt	M8 x 50	10	
	Carriage Bolt	M8 x 75	5	
	Carriage Bolt	M10 x 100	5	
	Carriage Bolt	M10 x 120	5	
	Carriage Bolt	M10 x 150	5	

TRY02

Available now! Screw Grab Packs




C2 Strong-Fix Screws & C2 Strong-Fix Exterior Screws

See page 9 & 12



Velocity Screws

See page 15



Solo Screws

See page 21



Timber Screws

See page 32



Stainless Steel Socket Screws

SUPERIOR CORROSION RESISTANCE



Countersunk Sockets (DIN7991)

A2 Austenitic Stainless Steel



HEX RECESS

Designed for use in applications where the head is flush with joining parts.

Product Code	Size (mm)	Hex Recess (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	-----------	-----------------	----------------	--------------------	--------------------

BOX

625CSKSS	M6 x 25	5.0	200	16	576
830CSKSS	M8 x 30	6.0	100	14	504

SOS01

SMALL BAG

616CSKSSX	M6 x 16	5.0	10	200	-
620CSKSSX	M6 x 20	5.0	10	200	-
625CSKSSX	M6 x 25	5.0	10	200	-
825CSKSSX	M8 x 25	6.0	10	200	-
830CSKSSX	M8 x 30	6.0	10	100	-

SSB04

Button Sockets (ISO7380)

A2 Austenitic Stainless Steel



HEX RECESS

Designed for applications that allow the head to protrude above the joining parts. Button head protects adjoining parts from scrapes or other damage.

Product Code	Size (mm)	Hex Recess (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	-----------	-----------------	----------------	--------------------	--------------------

SMALL BAG

612BUTSSX	M6 x 12	5.0	10	500	-
616BUTSSX	M6 x 16	5.0	10	500	-
620BUTSSX	M6 x 20	5.0	10	300	-
625BUTSSX	M6 x 25	5.0	10	200	-
630BUTSSX	M6 x 30	5.0	10	200	-
825BUTSSX	M8 x 25	6.0	10	100	-

SSB04

Cap Sockets (DIN912)

A2 Austenitic Stainless Steel



HEX RECESS

Socket head cap screws are designed to be used with the head protruding.

Product Code	Size (mm)	Hex Recess (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	-----------	-----------------	----------------	--------------------	--------------------

BOX

616CAPSS	M6 x 16	5.0	200	20	720
625CAPSS	M6 x 25	5.0	200	14	504

SOS01

SMALL BAG

516CAPSSX	M5 x 16	4.0	10	100	-
520CAPSSX	M5 x 20	4.0	10	500	-
616CAPSSX	M6 x 16	5.0	10	500	-
620CAPSSX	M6 x 20	5.0	10	200	-
625CAPSSX	M6 x 25	5.0	10	200	-
820CAPSSX	M8 x 20	6.0	10	100	-
825CAPSSX	M8 x 25	6.0	10	100	-

SSB04

Countersunk Sockets (DIN7991) & Nut (DIN934)

A2 Austenitic Stainless Steel



HEX RECESS

Designed for use in applications where the head is flush with joining parts.

Product Code	Size (mm)	Hex Recess (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	-----------	-----------------	----------------	--------------------

TIMPAC

616CSKSSP	M6 x 16	5.0	8	10
620CSKSSP	M6 x 20	5.0	8	10
625CSKSSP	M6 x 25	5.0	6	10
825CSKSSP	M8 x 25	6.0	4	10
830CSKSSP	M8 x 30	6.0	4	10

PAK27

Button Sockets (ISO7380) & Nut (DIN934)

A2 Austenitic Stainless Steel



HEX RECESS

Designed for applications that allow the head to protrude above the joining parts. Button head protects adjoining parts from scrapes or other damage.

Product Code	Size (mm)	Hex Recess (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	-----------	-----------------	----------------	--------------------

TIMPAC

612BUTSSP	M6 x 12	5.0	8	10
616BUTSSP	M6 x 16	5.0	8	10
620BUTSSP	M6 x 20	5.0	8	10
625BUTSSP	M6 x 25	5.0	6	10
630BUTSSP	M6 x 30	5.0	4	10
825BUTSSP	M8 x 25	6.0	4	10

PAK27

Cap Sockets (DIN912) & Nut (DIN934)

A2 Austenitic Stainless Steel



HEX RECESS

Socket head cap screws are designed to be used with the head protruding.

Product Code	Size (mm)	Hex Recess (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	-----------	-----------------	----------------	--------------------


TIMPAC

516CAPSSP	M5 x 16	4.0	8	10
520CAPSSP	M5 x 20	4.0	8	10
616CAPSSP	M6 x 16	5.0	8	10
620CAPSSP	M6 x 20	5.0	8	10
625CAPSSP	M6 x 25	5.0	6	10
820CAPSSP	M8 x 20	6.0	4	10
825CAPSSP	M8 x 25	6.0	4	10

PAK27

Rivets

Need help installing rivets?
Please visit timco.co.uk for installation guides.



Dome Head Rivets (DIN7337)

Aluminium



- Ideal for sheet to sheet applications.
- Aluminium body for an enhanced resistance to corrosion.

Product Code	Head Ø x L (mm)	Drill Hole Ø (mm)	Grip Range (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX						
748456	3.2x6	3.3	1.5-3.5	500	20	20
748741	3.2x8	3.3	3.5-5.5	500	20	20
748852	3.2x10	3.3	5.5-7.5	500	20	20
748963	4.0x8	4.1	3.0-5.0	500	20	20
748369	4.0x10	4.1	5.0-6.5	500	20	20
748258	4.0x12	4.1	6.5-8.5	500	20	20
748147	4.8x10	4.9	4.5-6.0	500	10	10
748951	4.8x12	4.9	6.0-8.0	500	10	10
748357	4.8x14	4.9	8.0-10.0	500	10	10

TIMPAC

748456P	3.2x6	3.3	1.5-3.5	104	10	-
748741P	3.2x8	3.3	3.5-5.5	100	10	-
748852P	3.2x10	3.3	5.5-7.5	90	10	-
748963P	4.0x8	4.1	3.0-5.0	70	10	-
748369P	4.0x10	4.1	5.0-6.5	67	10	-
748258P	4.0x12	4.1	6.5-8.5	63	10	-
748147P	4.8x10	4.9	4.5-6.0	48	10	-
748951P	4.8x12	4.9	6.0-8.0	46	10	-
748357P	4.8x14	4.9	8.0-10.0	41	10	-

A2 Austenitic Stainless Steel



- Ideal for sheet to sheet applications.
- A2 stainless steel body for ultimate resistance to corrosion.

Product Code	Head Ø x L (mm)	Drill Hole Ø (mm)	Grip Range (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX						
748023	3.2x6	3.3	1.0-3.0	500	20	720
748613	3.2x8	3.3	3.0-5.0	500	20	720
748100	4.0x10	4.1	4.5-6.5	500	10	360
748531	4.0x12	4.1	6.5-8.5	250	20	720
748868	4.8x14	4.9	8.0-9.5	250	20	720
748305	4.8x16	4.9	9.5-11.0	250	20	720

TIMPAC

748023P	3.2x6	3.3	1.0-3.0	102	10	-
748613P	3.2x8	3.3	3.0-5.0	99	10	-
748100P	4.0x10	4.1	4.5-6.5	64	10	-
748531P	4.0x12	4.1	6.5-8.5	61	10	-
748868P	4.8x14	4.9	8.0-9.5	39	10	-
748305P	4.8x16	4.9	9.5-11.0	37	10	-

Flange Head Rivets (DIN7337)

Aluminium



- Ideal for heavy duty sheet to sheet applications.
- Aluminium body for an enhanced resistance to corrosion.

Product Code	Head Ø x L (mm)	Drill Hole Ø (mm)	Grip Range (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX						
748918	4.8x12	4.9	6.0-8.0	250	10	360
748735	4.8x16	4.9	10.0-12.0	250	10	360
748499	4.8x20	4.9	15.0-17.0	250	10	360
748264	4.8x25	4.9	16.0-21.0	250	10	360

TIMPAC

748918P	4.8x12	4.9	6.0-8.0	40	10	-
748735P	4.8x16	4.9	10.0-12.0	37	10	-
748499P	4.8x20	4.9	15.0-17.0	32	10	-
748264P	4.8x25	4.9	16.0-21.0	30	10	-

Riveters

See page 170



Hand Riveter

Lazy Tongue Riveter

Hanging & Utility Fixings



Adhesive Hooks



Handy self adhesive hooks.

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC			
SMALLAHOOKP	Small	5	10
LARGEAHOOKP	Large	3	10

Curtain Hooks



Commonly used plastic curtain hook.

Product Code	Colour	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC			
CHOOKP	White	35	10

Snap Hooks



For quick & easy, low security, temporary fastening. Available in aluminium and steel.

Product Code	Length (mm)	Type	Colour	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC					
SSHOOKP	60	Steel	Silver	3	10
ASHOOKP	47	Aluminium	Red	5	10

Picture Hanging

Electro Brass **Zinc**




Product Code	Item	Size	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
35BWP	Wire	3.5m	1	10
2PHSP	Single Hook	No.2	12	10
3PHDP	Double Hook	No.3	4	10
MPHP	Mixed Hooks	No.2 & 3	8	10

HKS03

Mirror Plate

Electro Brass



For mounting mirrors onto walls.

Product Code	Type	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
PMP32P	Plain	32	4	5
PMP38P	Plain	38	4	5
SMP32P	Slotted	32	4	5
SMP38P	Slotted	38	4	5

HKS03

Sawtooth Hanger

Electro Brass



Hanging of canvas and picture frames.

Product Code	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC			
STOOTH41P	41	20	10
STOOTH63P	63	15	10
MIXSTOOTH	41 & 63	15	10

HKS03

Cup Hooks

Electro Brass **Zinc / White**

Round Cup Hooks

A light duty horizontal or vertical hook to be used into wood for hanging small items such as keys.



Product Code	Hook Ø (mm)	Thread Ø (mm)	Thread Ø (gauge)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC						
Electro Brass						
19SHBP	10.0	3.0	4	19	15	10
25SHBP	13.0	3.0	4	25	10	10
38SHBP	21.0	4.0	8	38	5	10
Zinc / White						
25SHWP	13.0	3.0	4	25	6	10
38SHWP	21.0	4.0	8	38	4	10

HKS02

Screw Eyes & Screw Hooks

Zinc

Screw Eyes

A medium duty versatile solution for either hanging or attaching items to timber or masonry with the use of a plug.



Product Code	Hook Ø (mm)	Thread Ø (mm)	Thread Ø (gauge)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC						
Zinc						
30SEP	9.0	3.9	7	30	15	10
40SEP	12.0	4.2	8	40	10	10
45SEP	12.0	4.9	10	45	5	10
55SEP	16.0	5.5	12	55	4	10

HKS02

Vine Eyes

Zinc

Multiple uses, but commonly used to thread string/wire, and to train plants up fences and walls with the use of a plastic plug.



Product Code	Hook Ø (mm)	Thread Ø (mm)	Thread Ø (gauge)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK						
Zinc						
75VEP	16.0	5.5	12	75	4	10
100VEP	16.0	5.5	12	100	2	10

HKS02

Square Cup Hooks

A light duty horizontal hook to be used into wood for hanging small items.



Product Code	Bend (mm)	Thread Ø (mm)	Thread Ø (gauge)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC						
Electro Brass						
25SQBP	10.0	3.0	4	25	16	10
38SQBP	13.0	4.0	8	38	8	10

HKS02


Screw Hooks

A medium duty versatile solution for either hanging or attaching items to timber or masonry with the use of a plug.



Product Code	Hook Ø (mm)	Thread Ø (mm)	Thread Ø (gauge)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC						
Zinc						
60SHP	16.0	5.5	12	60	4	10
80SHP	20.0	5.5	12	80	3	10
100SHP	20.0	5.5	12	100	2	10

HKS02



Mixed Hooks & Eyes Tray



Mixed Picture Hanging Kit

For more information see page

77

Storage Hooks & Tool Clips



Utility Hooks



Product Code	Total Length (mm)	Thread Ø x L (mm)	Pack Qty (pairs)	CDU Qty (pairs)
PAIRS				
457825	150	8.0 x 30	1	12
HKS01				

Tool Hooks



Product Code	Total Length (mm)	Thread Ø x L (mm)	Pack Qty (pairs)	CDU Qty (pairs)
PAIRS				
457968	100	6.0 x 25	1	12
HKS01				

Tool Clips



Zinc

Ideal for tidy storage of a variety of tools, brooms, rakes and brushes in cupboards, garages, sheds and workshops.

Product Code	Ø (mm)	Ø (inch)	Bag Qty (pcs)	Carton Qty (packs)
MIXED BAG				
457025	-	-	70	10
	10	3/8	15	
	12	1/2	15	
	20	3/4	15	
	25	1	15	
	30	1 1/4	5	
	40	1 1/2	5	
HKS01				

Product Code	Ø (mm)	Ø (inch)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
725555	10	3/8	12	10
725954	12	1/2	10	10
725843	20	3/4	10	10
725321	25	1	8	10
725017	30	1 1/4	4	10
725661	40	1 1/2	4	10
HKS01				

Handy Hooks



Product Code	Total Length (mm)	Thread Ø x L (mm)	Pack Qty (pairs)	CDU Qty (pairs)
PAIRS				
457469	150	8.0 x 30	1	12
HKS01				

Ladder Hooks



Product Code	Total Length (mm)	Thread Ø x L (mm)	Pack Qty (pairs)	CDU Qty (pairs)
PAIRS				
457538	270	10.0 x 40	1	4
HKS01				

Clips & Pins



R Spring Clips

Commonly used to secure the ends of round shafts



Cotter Pins

A metal split pin used to secure two components



Product Code	Description	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
MIXRSPRINGP	R Spring Clip	Mixed	18	10
MIXCOTTERP	Cotter Pin	Mixed	16	10
PAK59				

Cable Management



Cable Ties

- Natural
- Black



Designed to bundle and secure wires, cables, hoses and much more.

- Tested in accordance with BS EN 62275

Product Code	Size (mm)	Tensile Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG					
Natural					
25100CTN	2.5 x 100	8.10	100	550	1100
36140CTN	3.6 x 140	18.20	100	300	600
36200CTN	3.6 x 200	18.20	100	200	400
48160CTN	4.8 x 160	22.20	100	150	300
48200CTN	4.8 x 200	22.20	100	120	240
48250CTN	4.8 x 250	22.20	100	110	220
48370CTN	4.8 x 370	22.20	100	90	180
48430CTN	4.8 x 430	22.20	100	75	150
76250CTN	7.6 x 250	54.40	100	60	240
76300CTN	7.6 x 300	54.40	100	50	200
76370CTN	7.6 x 370	54.40	100	40	160
76540CTN	7.6 x 540	54.40	100	20	80
90530CTN	9.0 x 530	79.40	100	20	80

Black					
25100CTB	2.5 x 100	8.10	100	550	1100
36140CTB	3.6 x 140	18.20	100	300	600
36200CTB	3.6 x 200	18.20	100	200	400
48160CTB	4.8 x 160	22.20	100	160	320
48200CTB	4.8 x 200	22.20	100	150	300
48250CTB	4.8 x 250	22.20	100	120	240
48300CTB	4.8 x 300	22.20	100	110	220
48370CTB	4.8 x 370	22.20	100	90	180
48430CTB	4.8 x 430	22.20	100	75	150
76250CTB	7.6 x 250	54.40	100	60	240
76300CTB	7.6 x 300	54.40	100	50	200
76370CTB	7.6 x 370	54.40	100	40	160
76540CTB	7.6 x 540	54.40	100	20	80
90530CTB	9.0 x 530	79.40	100	20	80

Mixed Pack Cable Ties

Designed to bundle and secure wires, cables, hoses and much more.

- Tested in accordance with BS EN 62275



Product Code	Size (mm)	Colour	Cable Tie Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
TUBE - 200 PCS					
CTMIX200	2.5 x 100	Natural	50	200	80
	2.5 x 100	Black	50		
	3.6 x 200	Natural	50		
	3.6 x 200	Black	50		

TUBE - 500 PCS					
Black					
CTMIX500	2.5 x 100	Black	200	500	24
	3.6 x 140	Black	200		
	4.8 x 200	Black	100		

Coloured Cable Ties

- Yellow
- Red
- Green
- Blue



- Tested in accordance with BS EN 62275

Product Code	Size (mm)	Tensile Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)
BAG				
48200CTMIX	4.8 x 200	22.20	200	75 ECT04

Cable Tie Plug



A simple solution for attaching a cable tie to masonry or timber.

Substrate	Masonry	Timber
Hole Size (mm)	8.0	7.0
Min. Hole Depth (mm)	40	40

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG				
840CTP	8.0 x 40	100	85	170 ECT02

Stainless Steel Cable Ties

A2 AUSTENITIC STAINLESS STEEL



- High tensile strength
- High temperature resistance (-80°C to +500°C)
- Conforms to BS 7671:2018

SUPERIOR CORROSION RESISTANCE

Product Code	Size (mm)	Tensile Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
PACK					
46152CTSS	4.6 x 152	60.00	100	100	1800
46200CTSS	4.6 x 200	60.00	100	50	1600
46300CTSS	4.6 x 300	60.00	100	50	800
46350CTSS	4.6 x 350	60.00	100	50	900
46500CTSS	4.6 x 500	60.00	100	40	640
79350CTSS	7.9 x 350	80.00	100	25	450 ECT03

Cable Clips

Flat Cable Clip

White					
Product Code	Colour	To Suit Cable Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	
BOX					
225101	White	1.0	100	240 CCL01	

Flat Twin & Earth Cable Clip

Grey					
Product Code	Colour	To Suit Cable Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	
BOX					
225987	Grey	1.5	100	160	
225654	Grey	2.5	100	160	
225321	Grey	4.0	100	120	
225753	Grey	6.0	100	120	
225159	Grey	10.0	100	60 CCL01	

Round Cable Clip

White						Black					
Product Code	Colour	To Suit Cable Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)							
BOX											
225147	White	3.5	100	360							
225258	White	4.5	100	360							
225369	White	5.0	100	240							
225951	White	6.0	100	240							
225357	White	7.0	100	160							
225222	White	9.0	100	120							
225591	White	11.0	100	80							
225607	White	14.0	100	60							
225999	Black	7.0	100	160 CCL01							

Hook & Loop Straps



Convenient and temporary fastening.

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC		
HOOKLOOPP	10	10 PAK60

Plumbing Accessories




Adjustable WC/Bidet Fixing Kit



Designed to fix WC pan/bidets to a variety of solid building materials. Fully adjustable for a quick easy installation. Countersunk nylon bushes

designed to ensure no damage is done to the fixture during installation.



Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
WCBK	-	-	14	10
	Nylon Brackets		2	
	Nylon Plugs	10.0 x 50	2	
	Coach Screws	6.0 x 70	2	
	Nylon Bushes	5	2	
	Washers	M6	2	
	Screws	4.5 x 40	2	
	Cover Caps	18	2	

SFK01

Plugs & Chains



Replacement plugs and chains for baths and sinks. (Sold separately)

Product Code	Item	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
BATHPLUG112P	Plug	1 1/2	2	10
BATHPLUG134P	Plug	1 3/4	2	10
CSCHAIN12P	Chain	12	2	10
CSCHAIN18P	Chain	18	2	10


PAK56

Basin Fixing Kits




Designed to securely mount washbasins to a variety of solid building materials. Countersunk nylon bushes designed to ensure no damage is done to the basin during installation.

Can also be used into wood without nylon plugs.




Cloakroom Basin Fixing Kit



Designed to fix cloakroom basins to a variety of solid building materials.

Can also be used into wood without nylon plugs.



Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
CBK	-	-	8	20
	Basin Brackets	-	2	
	Nylon Plugs	10.0 x 50	2	
	Coach Screws	7.0 x 60	2	
	Washers	M7	2	

SFK01

Rad-Seal Radiator Pipe Guide & Seal



Radiator pipework installation aid and solution to eliminate potential air leakage and heat loss at vulnerable pipework entry points.



Product Code	Size (mm)	Pack Qty (pcs)
PACK		
LOC1115	140	2

RDS01

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
LIGHT DUTY				
LDBK	-	-	10	20
	Nylon Plugs	10.0 x 50	2	
	Stud Screws	M8 x 100	2	
	Nylon Brushes	M8	2	
	Washers	M8	2	
	Hex Full Nuts	M8	2	

Product Code	Item	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC				
HEAVY DUTY				
HDBK	-	-	10	10
	Nylon Plugs	14.0 x 75	2	
	Stud Screws	M10 x 140	2	
	Nylon Brushes	M10	2	
	Washers	M10	2	
	Hex Full Nuts	M10	2	


SFK01

Pan/Bidet Fixing Kit



Designed for floor fixing pan/bidets into a variety of solid building materials. Countersunk nylon bushes designed to ensure no damage is done to the fixture during installation. Flat caps for a concealed finish.

Can also be used into wood without nylon plugs.



Product Code	Colour	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC			
PBK	White	2	20
PBKCH	Chrome	2	20

SFK01

Item	Size (mm)	Pack Qty (pcs)
CONTENTS		
Nylon Plugs	10.0 x 50	2
Coach Screws	6.0 x 80	2
Nylon Bushes	6	2
Cover Caps	18	2

Radiator Key

Made from Solid Brass



Solid brass radiator key for the bleeding of central heating radiators to remove trapped air.

Product Code	Material	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC			
725741	Solid Brass	2	10

PAK59

Pipe Fittings

Manufactured by Elysee

Extensive range of WRAS approved compression fittings for connecting MDPE pipe. Impact resistant and simple push-in & turn action required for installation.




1606380

- Simple push-in and turn connection
- No special tools required
- Durable and high resistance to impact
- Dismountable if required to allow for alteration/ adjustments
- Designed to withstand sub-zero temperatures
- WRAS approved for potable water and to ISO 17885




Assembly Instructions

- Undo the nut up to the last thread. Do not remove the nut from the body.
 - Cut the pipe straight, remove burrs & chamfer the end of the pipe with a chamfering tool.
 - Mark the length on the PE pipe, to which the pipe must be pushed into the fitting.
 - Lubricate the end of the pipe.



- Push the PE pipe into the fitting, through the nut, split ring and O-ring, as far as it will go until it meets the 1st resistance. (The mark on the pipe is now just in front of the nut).



- Firmly hand tighten the nut. For sizes of 40mm and above, use a wrench for a further half turn for final tightening.



Notes:

- Lubrication of the pipe end is optional and will ease insertion of the pipe (use silicone lubricant).
- The fitting can safely be used again after disassembling.
- The full hydraulic seal is achieved when the pipe passes through the O-ring.

Couplers



Used to connect two pieces of MDPE pipe. Both pipes should be the same diameter.

Product Code	To Suit Pipe Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
733012	20 x 20	1	15
733100	25 x 25	1	15
733111	32 x 32	1	10

PPF01

Male Adaptors



Used to connect MDPE pipe to a female BSP threaded fitting.

Product Code	To Suit Pipe Size (mm x inch)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
733155	20mm x 1/2"	1	25
733166	25mm x 3/4"	1	20
733177	32mm x 1"	1	10

PPF01

Female Adaptors



Used to connect MDPE pipe to a male BSP threaded fitting.

Product Code	To Suit Pipe Size (mm x inch)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
733188	20mm x 1/2"	1	25
733199	25mm x 3/4"	1	20
733200	32mm x 1"	1	10

PPF01

Copper Adaptors



Provides a connection from MDPE pipe to standard copper pipework.

Product Code	To Suit Pipe Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
733300	20 x 15	1	10
733311	25 x 15	1	20
733322	25 x 22	1	10

PPF01

Reducing Sets



Used to connect two pieces of MDPE pipe of different diameters.

Product Code	To Suit Pipe Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
733333	25 x 20	1	15
733344	32 x 20	1	10
733355	32 x 25	1	10

PPF01

Imp/Metric Couplers



Allows the connection of metric MDPE pipe to old imperial sized black pipes.

Product Code	To Suit Pipe Size (inch x mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
733277	1/2" x 20mm	1	10

PPF01

End Plugs



Provides a secure and sometimes temporary end to a pipework system.

Product Code	To Suit Pipe Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
733122	20	1	20
733133	25	1	20
733144	32	1	10

PPF01

90 Degree Elbows



Used to change the direction of pipework in a system by 90 degrees. Pipes should be the same diameter.

Product Code	To Suit Pipe Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
733244	20 x 20	1	20
733266	32 x 32	1	5

PPF01

90 Degree Tees



Provides the ability to connect three separate lengths of pipe into one. MDPE pipes should all be the same diameter.

Product Code	To Suit Pipe Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
733211	20 x 20 x 20	1	15
733233	32 x 32 x 32	1	70

PPF01

Pipe Liners



Must be used in all MDPE pipe connections to add strength by supporting the shape of the pipe.

Product Code	To Suit Pipe Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
733366	20	1	50
733377	25	1	50

PPF01



Talon[®]

More Than Just A Pipe Clip

Introducing
EZ JOIST CLIP


Watch Our Video talon.co.uk/ez-joist-clip

Safer



Available
15mm & 22mm

Quicker




Attach side-on

Easier



Can be attached
upside down

talon.co.uk



Pipe Clips

Single Open Pipe Clips



The single open clip provides a strong and reliable snap fit pipe fixing.

Product Code	Clip Type	To Suit Pipe Size (mm)	To Fit Screw Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG					
OPS15	Single	15.0	3.5 - 4.5	50	20
OPS22	Single	22.0	3.5 - 4.5	50	20
OPS28	Single	28.0	3.5 - 4.5	50	20
TALTSP1	Spacer	N/A	3.5 - 4.5	100	10

PPC01

MDPE Pipe Clips



The single hinged clip is available in sizes to fit MDPE pipe and in blue to match the pipe colour.

Product Code	Clip Type	To Suit Pipe Size (mm)	To Fit Screw Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG					
TMS20	Single	19.0 - 21.0	3.5 - 4.5	10	100
TMS25	Single	25.0 - 27.4	3.5 - 4.5	10	50
TMS35	Single	31.8 - 35.0	3.5 - 5.0	10	50
TALTSP1	Spacer	N/A	3.5 - 4.5	100	10

PPC01

Quick Lock Pipe Clips



Single Quick Lock Pipe Clip

Designed to withstand repeated opening and closing offering 360° degree pipe retention. Secure grip and complete security when pipe is in place with the snap tight locking top. The high stand-off allows for lagging and heat circulation.



Quick Lock Spacer

Used with the single quick lock pipe clips. It allows a greater stand-off where site conditions apply or where thicker lagging is used.

- 15mm Height



Double Quick Lock Pipe Clip

Double robust clips designed to withstand repeated opening and closing where needed. 360° pipe retention.

Product Code	Clip Type	To Suit Pipe Size (mm)	To Fit Screw Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG					
QS15	Single	15.0	3.5 - 4.5	50	20
QS22	Single	22.0	3.5 - 4.5	50	20
QS28	Single	28.0	3.5 - 4.5	50	10
QSP1	Single Spacer	N/A	3.5 - 4.5	50	30
QD15	Double	15.0	3.5 - 4.5	50	10
QD22	Double	22.0	3.5 - 4.5	50	5

PPC01

Hinged Pipe Clips



Single Hinged Pipe Clip

This high quality polypropylene clip offers a secure 360° fixing. All sizes can be connected together to allow for equal pipe spacing. Available in a range of different colours for identifying pipework.



Interlocking Clip Spacer

This universal spacer fits to the base of all Talon hinged, MDPE and snap-in open clips, adding 13mm clearance from the fixing surface.



Double Hinged Pipe Clip

Double Clips are easy to fit requiring only a single central screw fixing.

Product Code	Clip Type	Colour	To Suit Pipe Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG					
TALTS15	Single	White	15	100	10
TALTS15BLU	Single	Blue	15	100	10
TALTS15BLU20	Single	Blue	15	20	N/A
TALTS15RED	Single	Red	15	100	10
TALTS15RED20	Single	Red	15	20	N/A
TALTS22	Single	White	22	100	10
TALTS22BLU	Single	Blue	22	100	N/A
TALTS22BLU20	Single	Blue	22	20	N/A
TALTS22RED	Single	Red	22	100	10
TALTS22RED20	Single	Red	22	20	N/A
TALTD15	Double	White	15	50	10
TALTD22	Double	White	22	50	10
TALTSP1	Spacer	White	N/A	100	10

PPC01

EZ Joist Clips



EZ Joist Clips offer a safe, quick and easy install for pipes in hard to reach places such as overhead and in between joists. Manufactured in the UK using high-quality polypropylene. All sizes of the EZ Joist Clip can be connected together via the dovetail to allow for equal pipe spacing.



Product Code	To Suit Pipe Size (mm)	Pack Qty (pcs)
BAG		
TALEZ15	15.0	100
TALEZ1525	15.0	25
TALEZ22	22.0	100
TALEZ2225	22.0	25

PPC01

Nail In Pipe Clips



Manufactured from premium grade polypropylene features a high quality zinc plated hardened and tempered nail, suitable for all types of masonry. Available in red for marking hot water pipework.

Product Code	Colour	To Suit Pipe Size (mm)	Pack Qty (pcs)
BAG			
NCW10	White	10	50
NCW15	White	15	50
NCW22	White	22	50
TALNCH15	Red	15	100
TALNCH1520	Red	15	20
TALNCH22	Red	22	100
TALNCH2220	Red	22	20

PPC01

Snappit Kits



Snappit is a rigid pipe finish product that is great for covering unsightly, visible, copper pipework. It is the best, mess-free, alternative to paint - saving time and improving appearance.

Product Code	Colour	To Suit Pipe Size (mm)	Size (mm)	Pack Qty (pcs)
BAG - KIT				
TALACSNA	Anthracite Grey	15	15 x 200	2
TALACSNB	Black	15	15 x 200	2
TALACSNC	Chrome	15	15 x 200	2
TALACSNRG	Rose Gold	15	15 x 200	2
TALACSNW	White	15	15 x 200	2

PPC01

Pipe Collars

Specifically designed for soil and most boiler vent pipes, the 110mm pipe collar is available in other colours to suit application.



• For 110mm pipes

Product Code	Colour	To Suit Pipe Size (mm)	Pack Qty (pcs)
BAG			
TALPC110BL	Black	110	1
TALPC110C	Chrome	110	1
TALPC110GR	Grey	110	1
TALPC110WH	White	110	1

PPC01



Pipe collars to conceal unsightly incisions through floors and walls. Ideal for new or retrofit application.

Available in a wide range of sizes to fit various pipe sizes. Manufactured from high-grade polypropylene.

Product Code	Colour	To Suit Pipe Size (mm)	Pack Qty (pcs)
BAG			
TALPC1510	White	15	10
TALPC2210	White	22	10
TALPC2810	White	28	10
TALPCC1510	Chrome	15	10
TALPCC2210	Chrome	22	10
TALPCC2810	Chrome	28	10

PPC01

Intumescent Pipe Collars

NEW

4 hour fire rating in vertical & horizontal applications

Tab closing device & welded lugs for quick & easy installation



Can be face fixed in a wall or ceiling structure

Suitable for use on concrete, masonry & plasterboard partitions*

Designed for retro-fit to plastic piping or trunking where it passes through fire resistant structures such as walls or floors. In the event of a fire, the collar's intumescent core rapidly expands to crush the pipe or trunking, which seals off the area and maintains the fire integrity of the structural element.

- Stainless Steel outer casing
- Tested to BS EN 1366-3, BS476 part 20
- Can be face fixed in a wall or ceiling structure
- Intumescent material unaffected by water, non-flaking and difficult to tear
- Suitable for use on concrete, masonry and plasterboard partitions (PPC25 - PPC160 only*)
- Soil, waste and drainage 'above ground' applications
- 10 year guarantee

Product Code	Size Ø x H (mm)	To Suit Pipe Size (mm)	Pack Qty (pcs)
BAG			
487864	75 x 60	55	1
487566	95 x 60	82	1
487090	130 x 60	110	1
487444	195 x 60	160	1

PPF02

Intumescent Pipe Wraps

NEW

4 hour fire rating in vertical & horizontal applications

Easy to place around pipes & trunking to slide into position



Can be used with concrete & masonry walls & concrete floor constructions

Soil, waste & drainage 'above ground' applications


Designed for installation around plastic piping or trunking passing through fire resistant structures such as walls and doors. During the primary construction phase of a product, i.e. casting floors, an additional tolerance is built to enable the fitting of a pipe wrap once the mechanical and electrical services have been installed. In the event of a fire the contained intumescent material rapidly expands and crushes the pipe or trunking, sealing off this area and maintaining the integrity of the structural elements through which it passes.

Product Code	L x W x T (mm)	To Suit Pipe Size (mm)	Pack Qty (pcs)
BAG			
487672	210 x 80 x 5	55	1
487289	285 x 80 x 5	82	1
487664	385 x 80 x 5	110	1
487352	540 x 80 x 5	160	1

PPF02

- Tested to BS EN 1366-3, BS476 part 20
- Intumescent material unaffected by water, non-flaking and difficult to tear
- 10 year guarantee

Intumescent Letterbox & Applique Drop Down Seals



See page 245

Hose Clips

Hose Clips

Zinc

Stainless Steel



Worm drive hose clips with a 7mm slotted hex.

- Manufactured to BS 5315-1991

Product Code	Hose Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
Zinc			
HC9512P	9.5-12	4	10
HC1116P	11-16	4	10
HC1320P	13-20	4	10
HC1825P	18-25	4	10
HC2230P	22-30	4	10
HC2535P	25-35	4	10

Product Code	Hose Size (mm)	Clip Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
BAG				
Zinc				
HC9512	9.5-12	10	50	100
HC1116	11-16	10	50	100
HC1320	13-20	10	50	100
HC1622	16-22	10	50	100
HC1825	18-25	10	50	100
HC2230	22-30	10	50	100
HC2535	25-35	10	50	100
HC3040	30-40	10	50	100
HC3550	35-50	10	50	100
HC4055	40-55	10	20	20
HC4560	45-60	10	20	20
HC5570	55-70	10	20	20
HC6080	60-80	10	20	20
HC7090	70-90	10	20	20
HC90120	90-120	10	10	10
HC110140	110-140	10	10	10

Product Code	Hose Size (mm)	Clip Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
Stainless Steel				
HC9512SS	9.5-12	10	50	100
HC1116SS	11-16	10	50	100
HC1320SS	13-20	10	50	100
HC1825SS	18-25	10	50	100
HC2230SS	22-30	10	50	100
HC2535SS	25-35	10	50	100
HC3550SS	35-50	10	50	100
HC4560SS	45-60	10	20	20
HC5570SS	55-70	10	20	20
HC7090SS	70-90	10	20	20
HC90120SS	90-120	10	10	10
HC110140SS	110-140	10	10	10

Mixed Hose Clips

Zinc



Mixed bag containing the 8 most popular sizes. Zinc plated carbon steel worm drive hose clips with a 7mm slotted hex.



Product Code	Hose Size (mm)	Clip Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
BAG				
HC MIX	-	-	50	6
	11-16	10		
	13-20	10		
	18-25	10		
	22-30	10		
	25-35	4		
	35-50	2		
	60-80	2		
	110-140	2		

PPC01

Jubilee Clips

Jubilee Clips



The original Jubilee Clip, the product that started it all! For the vast majority of applications this sturdy worm drive hose clip is more than suitable. Continuously threaded band enabling extra flexibility when adjusting the clip to the correct size. The smooth inside profile of the band and rolled edges give protection for all types of hoses including soft hoses made from rubber or silicone.

Product Code	Hose Size (mm)	Pack Qty (pcs)
BOX		
Zinc Protected Mild Steel		
JUB000MS	9.5-12	10
JUBM00MS	11-16	10
JUB00MS	13-20	10
JUB0MS	16-22	10
JUB0XMS	18-25	10
JUB1AMS	22-30	10
JUB1XMS	30-40	10
JUB1MMS	32-45	10
JUB2AMS	35-50	10
JUB2MS	40-55	10
JUB2XMS	45-60	10
JUB3MS	55-70	10

JUB01

Product Code	Hose Size (mm)	Pack Qty (pcs)
304 Stainless Steel		
JUB000SS	9.5-12	10
JUBM00SS	11-16	10
JUB00SS	13-20	10
JUB0SS	16-22	10
JUB0XSS	18-25	10
JUB1ASS	22-30	10
JUB1SS	25-35	10
JUB1XSS	30-40	10
JUB2ASS	35-50	10
JUB3SS	55-70	10

JUB02

Product Code	Hose Size (mm)	Pack Qty (pcs)
BAG		
Zinc Protected Mild Steel		
JUB3XMS	60-80	10
JUB4MS	70-90	10
JUB4XMS	85-100	10
JUB5MS	90-120	10
JUB6MS	110-140	5
JUB6XMS	120-150	5
JUB7MS	135-165	5
JUB75MS	158-190	5
JUB85MS	184-216	5

JUB01



Bandings

Multiband



Multiband is a self assembly endless banding or screw band system, which allows the user to cut the band to the desired length.

Used in areas such as heating, ventilation and air conditioning (HVAC), sign fixing, conduit and cable retention and lagging, this product is very versatile.

A number of screw and housing designs are available to suit any application.

Available as a zinc protected mild steel or 304 stainless steel clamp.

Product Code	Size W x L (mm x m)	Pack Qty (pcs)
BAG		
Zinc Protected Mild Steel		
JUBMB1701	11 x 10	1
JUBMB1702	11 x 30	1

JUB07

Housing & Screws

11mm width Multiband housing and screws in boxes of 25.



Product Code	Size (mm)	Pack Qty (pcs)
BAG		
Zinc Protected Mild Steel		
JUBMB1704	11	25

JUB07

Jubilee Packs, Kits, Tools & Dispensers

See page 74 for the full range



Jubilee Packs, Kits, Dispensers & Tools



'P' Clip Kits



Contains 110 of the most accepted sizes in a versatile re-useable plastic container suitable for any challenging environment.

Description	Size (mm)	Pack Qty (pcs)
CONTENTS (110 PCS)		
P Clips	5	14
	6	14
	8	12
	10	10
	13	8
	16	8
	19	8
	21	8
	25	8
	29	12
	35	8

Product Code	Pack Qty (pcs)	Carton Qty (packs)
304 Stainless Steel		
JUBJPCK110SS	110	4
		JUB12

'O' Clip Kits



The absence of a screw mechanism allows 'O' Clips to be useful on extremely small hoses. Comes with 175 assorted 2 ear mild steel 'O' clips.

Description	Size (mm)	Pack Qty (pcs)
CONTENTS (175 PCS)		
O Clips	5-7	20
	7-9	25
	9-11	20
	11-13	20
	13-15	30
	14-17	20
	15-18	20
	17-20	20

Product Code	Pack Qty (pcs)	Carton Qty (packs)
304 Stainless Steel		
JUBOK175SS	175	12
		JUB12

'O' Clip Kit & Tools



Comes with 175 assorted 2 ear mild steel 'O' clips and a pincer tool for securing the clips.

Description	Size (mm)	Pack Qty (pcs)
CONTENTS (176 PCS)		
O Clips	5-7	20
	7-9	25
	9-11	20
	11-13	20
	13-15	30
	14-17	20
	15-18	20
	17-20	20
Side Closing Pincer Tool		1

Product Code	Pack Qty (pcs)	Carton Qty (packs)
304 Stainless Steel		
JUBOKP175SS	176	12
		JUB12

Multiband Handy Packs

Multiband Handy Pack contains 11mm banding and standard housings & screws for your convenience.
• 10m Length



Product Code	Size W x L (mm x m)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
Zinc Protected Mild Steel			
JUBMB1708	11 x 10	1	15
			JUB07

Mega Clip Dispensers

This latest addition to the range, the Jubilee Mega Dispenser, comes with 920 Jubilee Clips (92 boxes in total) covering an adjustment range from 9.5mm up to 70mm. Also includes 5 Jubilee Flexdrivers.



Description	Size (mm)	Pack Qty (pcs)
CONTENTS (920 PCS)		
Jubilee Clips	9.5-12	100
	11-16	100
	13-20	100
	16-22	80
	18-25	80
	22-30	70
	25-35	60
	30-40	60
	32-45	60
	35-50	50
	40-55	50
	45-60	50
55-70	50	
Flexidriver Tool	-	5

Product Code	Pack Qty (pcs)	Carton Qty (packs)
304 Stainless Steel		
JUBMD920SS	920	1
		JUB12

Flexidriver Tool



The invaluable Flexidriver with flexible shaft has been designed to reach all those awkward places.

Product Code	Socket Size (mm)	Pack Qty (pcs)
BAG		
JUBFLX	7	1
		JUB12

Clipdriver Tool




Clipdriver has a rigid shaft and is available in the length of 95mm.

Product Code	Socket Size (mm)	Pack Qty (pcs)
BAG		
JUBCDR95	7	1
		JUB12

Assorted Trays

Comprehensive range of problem solving handy mixed sets. Offering a wide variety of commonly used items designed to cover the majority of small jobs that need a quick-fix. Packaged in robust trays that can be securely clipped shut, ready for the next task.



Mixed Screws, Plugs & Drill Bits



Countersunk woodscrews with nylon plugs for fixing to masonry. 6mm or 8mm masonry drill bit included.

- Zinc
- Yellow
- A2 Aust. SS

Item	Size (mm)	Qty (pcs)
CONTENTS (251 PCS)		
Woodscrews	3.5 x 25	50
Woodscrews	4.0 x 25	30
Woodscrews	4.0 x 30	25
Woodscrews	4.0 x 40	25
Woodscrews	5.0 x 40	15
Woodscrews	5.0 x 50	15
Woodscrews	5.0 x 80	15
Nylon Plugs	6.0 x 30	75
Masonry Drill Bit	6.0 x 100	1

CONTENTS (91 PCS)		
Woodscrews	5.0 x 40	15
Woodscrews	5.0 x 50	15
Woodscrews	5.0 x 80	15
Woodscrews	6.0 x 90	15
Woodscrews	6.0 x 100	10
Nylon Plugs	8.0 x 40	20
Masonry Drill Bit	8.0 x 100	1

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
Zinc		
TRAY240	251	15
TRAY300	91	15
Yellow		
TRAY260	251	15
TRAY320	91	15
304 Stainless Steel		
TRAY280	251	15
TRAY340	91	15

TRY01

Mixed Woodscrews



Countersunk woodscrews used in various types of timber and manmade boards.

- Zinc
- Yellow
- A2 Aust. SS

Size (mm)	Driver Bit Size	Qty (pcs)
CONTENTS (340 PCS)		
3.5 x 15	PZ2	100
3.5 x 25	PZ2	50
4.0 x 20	PZ2	40
4.0 x 25	PZ2	35
4.0 x 30	PZ2	30
4.0 x 40	PZ2	25
5.0 x 50	PZ2	25
5.0 x 70	PZ2	20
5.0 x 80	PZ2	15

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
Zinc		
TRAY370	340	15
Yellow		
TRAY360	340	15
304 Stainless Steel		
TRAY380	340	15

TRY01

Mixed Self-Tapping Screws



Zinc plated self-tapping screws.

Three different head types for a wide range of metal to metal applications. Please note a pre-drilled hole is required.

- Zinc

Head Type	Size (imp.)	Recess	Qty (pcs)
CONTENTS (475 PCS)			
Pan Head	6 x 1/2	PZ2	80
Pan Head	6 x 3/4	PZ2	55
Pan Head	8 x 1/2	PZ2	45
Pan Head	8 x 3/4	PZ2	45
Pan Head	8 x 3/4	PZ2	35
Pan Head	8 x 1	PZ2	25
Countersunk	8 x 3/4	PZ2	40
Countersunk	8 x 1	PZ2	30
Countersunk	10 x 1 1/4	PZ2	25
Flange Head	8 x 1/2	PZ2	45
Flange Head	8 x 3/4	PZ2	30
Flange Head	8 x 1	PZ2	20

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY440	475	15

TRY01

Mixed Nails



Galvanised and bright steel nails for internal and exterior applications.

- Galvanised
- Bright

Item	Finish	Size (mm)	Qty (pcs)
CONTENTS (300 PCS)			
Clout	Galvanised	20 x 3.00	30
Clout	Galvanised	25 x 3.00	20
Presser Point Staples	Galvanised	25 x 2.00	60
Annular Ringshank	Bright	25 x 2.65	50
Annular Ringshank	Bright	30 x 3.26	30
Annular Ringshank	Bright	40 x 3.26	30
Round Wire	Bright	50 x 2.65	40
Round Wire	Bright	65 x 3.35	20
Round Wire	Bright	75 x 3.75	20

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY660	300	15

TRY01

Mixed Pins & Nails



Bright nails and pins for a wide range of internal applications.

- Bright

Item	Finish	Size (mm)	Qty (pcs)
CONTENTS (495 PCS)			
Panel Pins	Bright	25 x 1.60	130
Panel Pins	Bright	30 x 1.60	100
Panel Pins	Bright	40 x 2.00	50
Oval Nails	Bright	40	30
Oval Nails	Bright	50	40
Oval Nails	Bright	65	35
Round Wire Nails	Bright	50 x 2.65	40
Round Wire Nails	Bright	65 x 3.35	25

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY680	495	15

TRY01

Mixed Set Screws, Nuts & Washers



Hex headed set screws with conforming nuts and washers.

Zinc
A2 Aust. SS

Item	Size (mm)	Qty (pcs)
CONTENTS - 199 PIECES		
Set Screw (DIN 933)	6.0 x 16	20
Set Screw (DIN 933)	6.0 x 25	15
Set Screw (DIN 933)	8.0 x 25	10
Set Screw (DIN 933)	8.0 x 35	4
Set Screw (DIN 933)	10.0 x 40	3
Set Screw (DIN 933)	10.0 x 50	4
Hex Nut (DIN934)	M6	40
Hex Nut (DIN934)	M8	15
Hex Nut (DIN934)	M10	8
Form A Washer (DIN125)	M6	40
Form A Washer (DIN125)	M8	20
Form A Washer (DIN125)	M10	20

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
Zinc		
TRAY620	199	15
304 Stainless Steel		
TRAY640	199	15

Mixed Nuts



Zinc plated and clear passivated nuts. Contains four commonly used types of nut to suit a wide range of applications.

Zinc

Item	Size (mm)	Qty (pcs)
CONTENTS - 243 PIECES		
Hex (DIN 934)	M4	70
Hex (DIN 934)	M6	50
Hex (DIN 934)	M8	20
Hex (DIN 934)	M10	10
Hex (DIN 934)	M12	8
T Nylon (DIN 985)	M6	30
T Nylon (DIN 985)	M8	15
T Nylon (DIN 985)	M10	8
Wing	M6	15
Wing	M8	10
Connector (DIN 6334)	M8	5
Connector (DIN 6334)	M10	2

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY540	243	15

Mixed Washers



Three types of washer to suit a wide range of applications.

Zinc

Item	Size (mm)	Qty (pcs)
CONTENTS - 291 PIECES		
Form A (DIN 125)	M4	40
Form A (DIN 125)	M6	40
Form A (DIN 125)	M8	20
Form A (DIN 125)	M10	30
Form A (DIN 125)	M12	15
Form A (DIN 125)	M14	10
Form A (DIN 125)	M16	8
Penny / Repair	M6 x 25	15
Penny / Repair	M8 x 25	20
Penny / Repair	M8 x 40	4
Penny / Repair	M10 x 25	20
Penny / Repair	M10 x 40	4
Spring - DIN7980	M6	20
Spring - DIN7980	M8	20
Spring - DIN7980	M10	25

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY580	291	15

Mixed Machine Screws



Used in pre-tapped holes or used with conforming nuts in through-holes.

Zinc

Head Type	Size (mm)	Recess	Qty (pcs)
CONTENTS - 320 PIECES			
Pan (DIN7985)	M4 x 30	PZ2	25
Pan (DIN7985)	M4 x 40	PZ2	20
Pan (DIN7985)	M5 x 30	PZ2	15
Pan (DIN7985)	M3 x 12	PZ2	80
Pan (DIN7985)	M3 x 20	PZ2	50
Pan (DIN7985)	M4 x 20	PZ2	30
Countersunk (DIN965)	M5 x 40	PZ2	12
Countersunk (DIN965)	M5 x 50	PZ2	10
Countersunk (DIN965)	M6 x 50	PZ3	8
Flange	M3 x 20	PZ2	40
Flange	M4 x 30	PZ2	15
Flange	M4 x 40	PZ2	15

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY500	320	15

Mixed Tap Repair Washers



Flat, dome, flex and fibre washers for repairing taps of various sizes.

Rubber
Fibre

Item	Material	Size (imp.)	Qty (pcs)
CONTENTS - 159 PIECES			
Flat Tap	Rubber	3/8	15
Flat Tap	Rubber	1/2	12
Flat Tap	Rubber	5/8	5
Flat Tap	Rubber	3/4	6
Dome	Rubber	1/2	12
Dome	Rubber	3/4	4
Delta	Rubber	1/2	15
Delta	Rubber	3/4	10
Tanto Flex	Rubber	1/2	10
Tanto Flex	Rubber	3/4	10
Fibre	Fibre	1/2	30
Fibre	Fibre	3/4	30

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY980	159	15

Mixed Plasterboard Fixings



Plasterboard anchors and fixings designed for both light and heavy duty applications.

Note: Speed plug screws are pan head and woodscrews are countersunk head.

Zinc
Yellow

Item	Finish	Recess Type	Size (mm)	Qty (pcs)
CONTENTS - 102 PIECES				
Metal Cavity Anchors	Zinc	Combi	M5 x 37	10
Metal Cavity Anchors	Zinc	Combi	M5 x 52	6
Metal Cavity Anchors	Zinc	Combi	M5 x 65	6
Metal Speed Plugs	Zinc	Cross	31.5	18
Metal Speed Plug Screws	Zinc	Combi	4.5 x 30	22
Woodscrews	Yellow	Pozi	4.0 x 40	20
Multi-Purpose Plugs	Grey	-	M6 x 35	20

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY520	102	15

Mixed Hooks & Eyes



PVC coated, zinc brass plated, hooks and eyes. Nylon plugs included for applications where fixing to masonry is required.

Zinc
Electro Brass

Item	Finish/Colour	Size (mm)	Qty (pcs)
CONTENTS - 133 PIECES			
Round Cup Hooks	Zinc / White	25	12
Round Cup Hooks	Zinc / White	32	10
Round Cup Hooks	Zinc / White	38	6
Round Cup Hooks	Zinc / White	48	5
Round Cup Hooks	Electro Brass	25	12
Round Cup Hooks	Electro Brass	38	6
L Hooks	Electro Brass	25	12
L Hooks	Electro Brass	38	10
Screw Eyes	Zinc	37	5
Nylon Plugs	Grey	5.0 x 25	35
Nylon Plugs	Grey	6.0 x 30	20

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY700	133	15

TRY01

Mixed Picture Hanging Kit



Brass plated picture plates, hangers, D-rings, picture nails, sawtooth brackets and hooks. Nylon line and steel hanging wire included.

Zinc
Electro Brass

Item	Finish/Material	Size (mm)	Qty (pcs)
CONTENTS - 179 PIECES			
3m Nylon Rope	Nylon	300	1
3m Steel Wire	Steel	300	1
Plastic Hanger	White	31 x 16	6
Picture Plates	Electro Brass	38 x 38	6
Picture Nails	Electro Brass	1.60 x 30	80
D-Rings	Electro Brass	10	6
D-Rings	Electro Brass	15	4
Single Picture Hooks	Electro Brass	25 x 5	25
Single Picture Hooks	Electro Brass	36 x 6	20
Double Picture Hooks	Electro Brass	25 x 32	10
Sawtooth Hanger	Electro Brass	42	2
Round Cup Hooks	Electro Brass	37	6
Round Cup Hooks	Electro Brass	49	12

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY720	179	15

TRY01

Mixed Cable Clips



Nail in cable clips including twin and earth (T&E), flat cable clips, round cable clips and bell wire clips.

Mixed Colours

Item	Colour	Size (mm)	Qty (pcs)
CONTENTS - 290 PIECES			
T&E Flat Cable	Grey	1.0	20
T&E Flat Cable	Grey	1.5	30
T&E Flat Cable	Grey	2.5	30
T&E Flat Cable	Grey	6.0	20
Round Cable	White	7	45
Round Cable	Black	7	45
Bell Wire	White	-	100

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY780	290	15

TRY01

Mixed Hose Clips



Zinc plated carbon steel, worm drive hose clips with 7mm slotted hex head screws.

Steel

Size (mm)	Qty (pcs)
CONTENTS - 25 PIECES	
11 - 16	8
16 - 22	6
18 - 25	4
22 - 30	2
25 - 35	2
30 - 40	3

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY970	25	15

TRY01

Mixed Key Tags



A multi-coloured selection of key tags with removable card inserts for easy colour coding of keys for identification.

Mixed Colours

Colour	Qty (pcs)
CONTENTS - 48 PIECES	
Blue	8
Green	8
Yellow	8
Red	8
White	8
Black	8

Product Code	Pack Qty (pcs)	Carton Qty (packs)
TRAY		
TRAY800	48	15

TRY01

Masonry & Cavity Fixings



Cavity Fixings

Corefix	80
Zip-Fix	81
Stella-Fix	82
Spring Toggles	83
Metal Cavity Anchors	83
Speed Plugs	83
Hammer-In Fixings	84

Masonry & Insulation Fixings

Plastic, Nylon & Metal Plugs	84-85
Express Nails	86
Wirehangers	86
Ceiling Anchors & Brackets	86
Vertical Flange Clips	86
Metal Insulation Fixings	87
Plastic Insulation Fixings	87
Discs & Covers	87

Concrete & Masonry Fixings

Zamac Nail In Anchors	88
Nylon Fixings	88
Masonry Screws	89
Concrete Screws	90-91
Masonry Bolts	92-93
Throughbolts	94
Drop In Anchors	94
Shield Anchors	95
Forged Hooks & Eyes	96
Chemical Anchor Studs	96

Chemical Resin & Accessories

Chemical Resin	97
Accessories	98

Anchors & Fixings

Quick Reference Guide

Corefix	
Zip-Fix	
Stella-Fix	
Spring Toggles	
Metal Cavity Anchors	
Speed Plugs	
Hammer-In Fixings	
Plastic Plugs	
Plugs & Coach Screws	
Nylon Universal Plugs	
Metal Expansion Plug	
Express Nails	
Wirehangers	
Ceiling Anchors	
Insulation Fixings	
Nail in Anchors	
Nylon Hammer Fixings	
Nylon Frame Fixings	
Masonry Screws	
Concrete Screws	
Masonry Bolts	
Throughbolts	
Drop-In Anchors	
Shield Anchors	
Chemical Studs	
Resin	

	Concrete ≥ 25 N/mm ²	Concrete (Hollow) ≥ 15 N/mm ²	Fletton Brick ≥ 50N/mm ²	Solid Cheshire Clay Brick ≥ 45N/mm ²	Class 'B' Engineering Brick (3 x hole) ≥ 75 N/mm ²	Dense Solid Concrete Block 7.5 N/mm ²	Stone Various Strengths	Plasterboard All thicknesses/ strengths	Wood Panel i.e. chip/block board
	Concrete		Masonry					Panel	
Corefix								✓	
Zip-Fix		✓						✓	✓
Stella-Fix	✓	✓	✓	✓	✓	✓	✓	✓	✓
Spring Toggles		✓						✓	✓
Metal Cavity Anchors								✓	✓
Speed Plugs								✓	
Hammer-In Fixings								✓	
Plastic Plugs	✓		✓	✓	✓	✓	✓		
Plugs & Coach Screws									
Nylon Universal Plugs	✓	✓	✓	✓	✓	✓	✓	✓	✓
Metal Expansion Plug	✓								
Express Nails	✓		✓	✓	✓	✓	✓		
Wirehangers	✓								
Ceiling Anchors	✓								
Insulation Fixings	✓		✓	✓	✓	✓	✓		
Nail in Anchors	✓							✓	
Nylon Hammer Fixings	✓		✓	✓	✓	✓	✓		
Nylon Frame Fixings	✓		✓	✓	✓	✓	✓		
Masonry Screws	✓		✓	✓	✓	✓	✓		
Concrete Screws	✓		✓	✓	✓	✓	✓		
Masonry Bolts	✓		✓	✓	✓	✓	✓		
Throughbolts	✓								
Drop-In Anchors	✓								
Shield Anchors	✓		✓	✓	✓		✓		
Chemical Studs	✓	✓	✓	✓	✓	✓	✓		
Resin	✓		✓	✓	✓	✓	✓		

Recommended Tensile Loads


Recommended loads quoted by TIMCO are the maximum loads that may be applied in the base material as quoted. Applied loads (unfactored loads) may not exceed these values. (in BS 8539:2012 code of practice for the selection and installation of post-installed anchors in concrete and masonry, recommended loads are referred to as recommended resistances and applied loads as characteristic actions.)

TIMCO determines recommended loads from results achieved in their testing facility. Recommended loads are determined from the Characteristic Load ($x - ks$) divided by a safety factor.

Recommended loads depend on anchors being correctly installed, as per the provided installation instructions, in material of at least the quoted strength and to at least the quoted embedment depth. Recommended loads for masonry are guide values only.

Embedment depths & hole depths

Where embedment depths are quoted in this brochure they refer to the "Nominal embedment depth" of the anchor in the hole, referred to in BS 8539:2012, with the notation.



The minimum hole depth is measured to the shoulder of the drill bit, h_0 as per BS 8539, and is valid for the maximum fixture thickness. When using throughbolts, Multi-Fix bolts, shield anchors, nylon frame and nylon hammer fixings, the hole depth should be increased pro rata for thinner fixtures.

Edge distance & centre spacings

In this brochure the dimensions shown under these headings are the distances for which the full recommended load as quoted here may be used (BS 8539 references are: Edge distance, c_{Cr} , and Centre spacing, s_{Cr}).

For some products closer edge and centre spacings may be used with reduced loads, refer to our Technical Department for details.


TIMCO

COREFIX

Dot & Dab Wall Fixing Solved!

✓ Lightweight/thermal blockwork

✓ All types of brick & blockwork



COREFIX is suitable for mounting TVs, radiators and cabinets onto Dot & Dab walls, plasterboard over all types of brick and blockwork.



TV Brackets



Radiators




Cabinets

INSTALL IN JUST 5 EASY STEPS!




1. Drill hole to required depth using 10mm masonry drill bit. Turn off hammer drill for aerated blocks.




2. Blow to ensure all debris and dust has been removed from the hole.



3. Gently tap plug into place until flange contacts the plasterboard.



4. Then tap metal core into place.



5. Screw fixture to the wall with supplied screw.

COREFIX 100

5.0 x 100mm Screw
Max Fixture Thickness - 10mm

Available in:

Box of 24

Code: CFX024T

Pack of 4

Code: CFX004T

Clamshell of 6
(Drill bit included)

Code: CFX006RVT

COREFIX 120

5.0 x 120mm Screw
Max Fixture Thickness - 30mm

Available in:

Box of 24

Code: CFX024PT

Pack of 4

Code: CFX004PT



Timber Battens



Shelves



Warning: Always check for cables and pipes before drilling and use suitable protective equipment.

ZIP-FIX®

CAVITY FIXING

RAPID INSTALLATION

Heavy duty cavity wall anchor for use in **plasterboards**, most **hollow concrete blocks**, **cavity walls** and **ceilings**.

Pack includes both **40mm** and **60mm** screws for a wider variety of fixture thicknesses.

PERFECT
FOR
FITTING



TV Brackets



Radiators



Cabinets

WEIGHTS & MATERIALS



30
KG
**DRYWALL /
PLASTERBOARD**
12.5mm Thickness



47
KG
**DOUBLE
BOARD**
25mm Thickness



56
KG
**DENSE
BOARD**
15mm Thickness



Up To
60
KG
**HOLLOW
BLOCK**

TECHNICAL DATA

Substrate	Plasterboard 12.5mm Thickness	25mm Double Board	15mm Dense Board	Block
Thread Ø (mm)	M6	M6	M6	M6
Drill Hole Ø (mm)	13	13	13	13
Rec. Tensile Load (kN)	0.30	0.47	0.56	0.60
Max Rec. Load (kg)	30	47	56	60

Product Code	Screw Lengths (mm)	Thread Ø (mm)	FCH Ø (mm)	MFT (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	--------------------	---------------	------------	----------	----------------	--------------------	--------------------

BOX

ZIP650	40 and 60	M6	6	45	50	8	192
--------	-----------	----	---	----	----	---	-----

ANCO3

BAG

ZIP6	40 and 60	M6	6	45	10	42	1260
------	-----------	----	---	----	----	----	------

FCH = FIXTURE CLEARANCE HOLE. MFT = MAX. FIXTURE THICKNESS
ANCO3



Drill a 13mm hole in the substrate. 50mm cavity clearance required behind substrate.



Ensuring the thumb tab faces upwards, insert the metal toggle through the hole, so it pivots down behind the substrate.



Zip the nylon collar towards the wall so the collar sits into the drilled hole. Then snap off the nylon arms.



Insert a M6 screw through the fixture and into the threaded part of Zip-Fix and tighten until secure.

STELLA-FIX

UNIVERSAL ANCHOR

EASY INSTALLATION, JUST PUSH & FIX

A highly effective universal anchor for fixing heavy loads to plasterboard, cavities and solid materials.

TECHNICAL DATA

Substrate	Plasterboard 12.5mm Thickness	Dense board 15mm Thickness	Double board 25mm Thickness
Anchor Type	Red	Red	Black
Anchor Length (mm)	49	49	59
Drill Hole Ø (mm)	10	10	10
Rec. Tensile Load (kN)	0.33	0.41	0.48
Max Rec. Load (kg)	33	41	48

PERFECT FOR
DOUBLE
BOARD

PERFECT FOR
SINGLE
BOARD



WEIGHTS & MATERIALS

33
KG

DRYWALL /
PLASTERBOARD

25mm Thickness

41
KG

DENSE
BOARD


25mm Thickness

Up To
48
KG

DOUBLE
BOARD


15mm Thickness

PERFECT FOR FITTING



Product Code	Screw Size (mm)	Plug Length (mm)	Board Thickness (mm)	Pack MFT (mm)	Carton Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX							
RED FIXING							
STRED55	M5 x 55	49	3-18	15	25	20	1200
STRED80	M5 x 80	49	3-18	40	25	10	800
BLACK FIXING							
STBLACK65	M5 x 65	59	18-30	12	25	20	1200
STBLACK90	M5 x 90	59	18-30	38	25	10	800

MFT = MAX FIXTURE THICKNESS ANO04



Product Code	Screw Size (mm)	Plug Length (mm)	Board Thickness (mm)	Pack MFT (mm)	Carton Qty (pcs)	Carton Qty (packs)
PACK						
RED FIXING						
725374	M5 x 55	49	3-18	15	4	5
725146	M5 x 80	49	3-18	40	4	5
BLACK FIXING						
725012	M5 x 65	59	18-30	12	4	5
725973	M5 x 90	59	18-30	38	4	5


MFT = MAX FIXTURE THICKNESS PAK45

DRILL



Drill a 10mm hole in the substrate.

PUSH



Push the Stella-Fix plug firmly into the hole.

INSERT



Insert the Stella-Fix screw through the fixing.

FIX



Tighten the screw until the fixing is secure.

Cavity Fixings



Spring Toggles

Zinc





A cavity fixing that is ideal for overhead installations.

The wings spread the load over a wider area making them more suited for heavier loads.

11 - 26KG

Technical Data

Substrate	Plasterboard 12.5mm Thickness		
	M3	M5	M6
Screw Ø (mm)	11	14	18
Drill Hole Ø (mm)	20	30	30
Min. Cavity Depth (mm)	0.11	0.22	0.26
Rec. Tensile Load (kN)	11	22	26
Max Rec. Load (kg)			



Product Code	Screw Ø x L (mm)	Wall & Fixture Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TOG350	M3 x 50	30	100	12	240
TOG550	M5 x 50	20	100	12	192
TOG575	M5 x 75	45	100	12	192
TOG5100	M5 x 100	70	100	6	96
TOG675	M6 x 75	45	100	6	96

BOX

TOG550B	M5 x 50	20	55	5	600
TOG575B	M5 x 75	45	50	5	600

TIMBAG

TOG550P	M5 x 50	20	4	5	-
TOG575P	M5 x 75	45	4	5	-

TIMPAC

TOG550P	M5 x 50	20	4	5	-
TOG575P	M5 x 75	45	4	5	-

Metal Cavity Anchors

Zinc



COMBI





A cavity fixing that is ideal for hanging radiators, brackets, hand rails and shelving units.

When installing multiple anchors a setting tool is recommended.

22 - 37KG

Technical Data

Substrate	Plasterboard 12.5mm Thickness		
	M4	M5	M6
Screw Ø (mm)	8.0	10.0	12.0
Drill Hole Ø (mm)	4.0	5.0	6.0
Fixture Hole Ø (mm)	0.22	0.22	0.37
Max Rec. Load (kg)	22	22	37



Product Code	Screw Ø x L (mm)	Anchor Length (mm)	Grip Board (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
40038CA	M4 x 45	38	8 - 16	100	20	640
40045CA	M4 x 50	45	16 - 23	100	20	640
50037CA	M5 x 45	37	6 - 13	100	20	480
50052CA	M5 x 60	52	7 - 16	100	10	320
50065CA	M5 x 70	65	17 - 32	100	10	320
60052CA	M6 x 60	52	7 - 16	100	10	320
60065CA	M6 x 70	65	17 - 32	100	10	280

BOX

50037CAB	M5 x 45	37	6-13	70	5	600
50052CAB	M5 x 60	52	7-16	60	5	600
60065CAB	M6 x 70	65	17-32	40	5	600

TIMBAG

50037CAP	M5 x 45	37	6-13	4	5	-
50052CAP	M5 x 60	52	7-16	3	5	-

TIMPAC

50037CAP	M5 x 45	37	6-13	4	5	-
50052CAP	M5 x 60	52	7-16	3	5	-

Setting Tool



A handy and efficient tool used to set cavity anchors.

Product Code	Pack Qty (pcs)	Carton Qty (packs)
SETOOL	1	30

BOX

SETOOL	1	30
--------	---	----

Metal Speed Plugs

Zinc



COMBI



A rapid light duty plasterboard fixing for use in a wide range of applications.


Cross-recess head allows simple installation with a screw driver.

Note: Only metal speed plugs come with screws

5 - 14KG

Technical Data

Substrate	Plasterboard 12.5mm Thickness	
	Metal	Nylon
Type	6.0	
Max. Fixture Thickness (mm)	0.14	0.05
Rec. Tensile Load (kN)	14	5
Max Rec. Load (kg)		



Product Code	Plug Length (mm)	Screw Ø x L (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
TBAZS	31.5	4.5 x 30	100	20	640

TUB

TBAZST	31.5	4.5 x 30	300	20	-
--------	------	----------	-----	----	---

TIMBAG

TBAZSB	31.5	4.5 x 30	75	5	870
--------	------	----------	----	---	-----

TIMPAC

TBAZSP	31.5	4.5 x 30	5	5	-
--------	------	----------	---	---	---

Nylon Speed Plugs



Nylon speed plugs are ideal for electrical installation due to non-conductivity of nylon material.

Note: A 6mm pre-drilled hole may be required in harder plasterboards.


Product Code	Plug Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
TBAN	42	100	10	30,000

Hammer-In Fixings

Yellow



Rapid light duty plasterboard fixing with zinc plating & yellow passivation to enhance corrosion resistance.



Hammer the metal plug into plasterboard

Tighten fixture until secure

15KG

Technical Data

Substrate	Plasterboard 12.5mm Thickness
Screw Size (mm)	4.0 x 30
Metal Plug Size (mm)	11 x 30
Max. Fixture Thickness (mm)	6.0
Rec. Tensile Load (kN)	0.15
Max Rec. Load (kg)	15

Product Code	Screw Ø x L (mm)	Metal Plug Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
HPF30	4.0 x 30	11.0 x 30	100	18	648 ANP03
TIMPAC					
HPF30P	4.0 x 30	11.0 x 30	10	5	- PAK36

Plastic Plugs

Premium Plastic Plugs



Premium plugs with improved pull-out loads and anti-rotation fins compared to standard plugs.

Loose and off the sprig for quicker and more convenient installation on site.

7 - 50 KG

Technical Data

Substrate	C20/25 Concrete		
	Yellow	Red	Brown
Colour	Yellow	Red	Brown
Plug Length (mm)	25	34	42
Drill Hole Ø (mm)*	5.0	5.5	7.0
To Fit Screw Ø (mm)	3.0 - 4.5	3.5 - 4.8	4.5 - 6.0
To Fit Screw Ø (Imp.)	4 - 8	6 - 10	8 - 12
Rec. Tensile Load (kN)	0.069	0.18	0.5
Max Rec. Load (kg)	7	18	50
Tested using screw Ø (mm)	3.5	4.0	5.0

* It may be beneficial to reduce drill diameter in soft materials.

Product Code	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG				
RPLUGPREM200	Red	200	5	-
BPLUGPREM200	Brown	200	5	- BAG25
BAG				
YPLUGPREM	Yellow	1000	40	-
RPLUGPREM	Red	1000	30	900
BPLUGPREM	Brown	1000	15	600
TUB				
RPLUGPREMT	Red	850	20	-
BPLUGPREMT	Brown	600	20	-

PLU01

Plastic Plugs



Suitable for all kinds of concrete and masonry substrate materials. Ideal for medium and lightweight applications. It may be beneficial to reduce drill diameter in soft materials.

Technical Data

Colour	Yellow	Red	Brown	Blue
Plug Length (mm)	25	30	36	48
Drill Hole Ø (mm)*	5.0	5.5	7.0	10.0
MDHD (mm)**	30	35	45	55
To Fit Screw Ø (mm)	3.0 - 4.5	3.5 - 5.0	4.0 - 6.0	6.0 - 8.0
To Fit Screw Ø (Imp.)	4 - 8	6 - 10	8 - 12	12 - 15

* It may be beneficial to reduce drill diameter in soft materials.

** Min. Drill Hole Depth

Boxes - Yellow, Red and Brown sold in multiples of 1000.
Blue plug sold in multiples of 400.

Product Code	Colour	Sprig Qty	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (SPRIGS)					
YPLUG	Yellow	20	100	100	1200
RPLUG	Red	10	100	100	800
BPLUG	Brown	10	100	100	500
BLPLUG	Blue	10	40	100	500
TIMBAG (LOOSE)					
RPLUGB	Red	N/A	450	5	600
BPLUGB	Brown	N/A	300	5	600
TIMPAC (LOOSE)					
YPLUGP	Yellow	N/A	50	10	-
RPLUGP	Red	N/A	30	10	-
BPLUGP	Brown	N/A	20	10	-
BLPLUGP	Blue	N/A	10	10	-

PAK37

Plastic Plugs with Screws



Suitable for all kinds of concrete and masonry substrate materials. Ideal for medium and lightweight applications.

Technical Data

Colour	Red	Brown
Plug Length (mm)	30	36
Drill Hole Ø (mm)*	5.5	7.0
Min. Drill Hole Depth (mm)	35	45
To Fit Screw Ø (mm)	3.5 - 5.0	4.0 - 6.0
To Fit Screw Ø (Imp.)	6 - 10	8 - 12

* It may be beneficial to reduce drill diameter in soft materials.


Product Code	Colour	Screw Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG					
SRPLUGB	Red	4.0 x 40	400	5	600
SBPLUGB	Brown	5.0 x 50	250	5	600
TIMPAC					
SRPLUGP	Red	4.0 x 40	50	10	-
SBPLUGP	Brown	5.0 x 50	30	10	-

PAK37

Masonry Fixings



Nylon Universal Plugs



Versatile plugs manufactured from durable nylon. Superior performance in both hollow or solid materials. Perfect for applications where there is uncertainty with regards to the type of base material.



Substrate	Technical Data					
	Concrete ≥25N/mm ²			Plasterboard 12.5mm Thickness **		
Plug Size (mm)	6 x 30	8 x 40	10 x 50	6 x 30	8 x 40	10 x 50
Drill Hole Ø (mm)	6	8	10	6	8	10
Drill Hole Depth (mm)	40	50	60	-	-	-
Test Screw Depth (mm)	4.5 x 40	5.0 x 50	6.0 x 60	3.5 x 40	4.0 x 50	4.5 x 70
Rec. Tensile Load (kN)	0.08	0.39	0.9	0.03	0.08	0.12
Max Rec. Load (kg)	8	39	90	3	8	12
Rec. Screw Ø (mm)	4.0 - 4.5	4.5 - 5.0	5.0 - 6.0	3.5	4.0	4.5
Min. Req. Screw Length (mm)*	30	40	50	40	50	60

Product Code	Plug Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG				
224411	6.0 x 30	200	5	600
224209	8.0 x 40	100	5	600
224186	10.0 x 50	70	5	600
BAG07				
TIMPAC				
725411	6.0 x 30	20	10	-
725209	8.0 x 40	10	10	-
725185	10.0 x 50	5	10	-
PAK13				

* Add thickness of fixture to Min. required screw length.
** We do not recommend the use of power tools when fixing to plasterboard.

Coach Screw & Nylon Plug

Zinc



A traditional heavy duty wood screw mainly used for attaching ironmongery to timber or for use with a nylon plug into masonry.

NOTE: Thread length is 2/3 of the overall length screw. E.g. 100mm = 60mm thread.

Technical Data		
Screw Size (mm)	6.0	8.0
Socket Size (mm)	10	13
Plug Ø (mm)	10.0	12.0
Drill Hole Ø (mm)*	10.0	12.0

Product Code	Screw Size (mm)	Plug Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG					
0660CSCNB	6.0 x 60	10.0 x 50	40	5	200
0680CSCNB	6.0 x 80	10.0 x 50	30	5	150
08100CSCNB	8.0 x 100	12.0 x 60	12	5	60
BAG06					

Product Code	Screw Size (mm)	Plug Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC					
0660CSCNP	6.0 x 60	10.0 x 50	2	5	-
0680CSCNP	6.0 x 80	10.0 x 50	2	5	-
08100CSCNP	8.0 x 100	12.0 x 60	2	5	-
PAK12					

Nylon Plugs

Nylon



Manufactured from a more durable material than standard plugs and therefore better suited for outdoor use. Often used with coach screws.

Technical Data					
Plug Ø (mm)	6.0	8.0	10.0	12.0	14.0
Drill Hole Ø (mm)*	6.0	8.0	10.0	12.0	14.0

Product Code	Plug Size (mm)	For Screw Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG					
06NLPB	6.0 x 30	3.5 - 5.0	200	5	870
08NLPB	8.0 x 40	5.0 - 6.0	100	5	870
10NLPB	10.0 x 50	6.0 - 8.0	70	5	600
12NLPB	12.0 x 60	8.0 - 10.0	50	5	600
14NLPB	14.0 x 75	10.0 - 12.0	30	5	600
BAG07					

Product Code	Plug Size (mm)	For Screw Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC					
06NLPB	6.0 x 30	3.5 - 5.0	20	10	-
08NLPB	8.0 x 40	5.0 - 6.0	10	10	-
10NLPB	10.0 x 50	6.0 - 8.0	5	10	-
12NLPB	12.0 x 60	8.0 - 10.0	2	10	-
14NLPB	14.0 x 75	10.0 - 12.0	2	10	-
PAK13					

Metal Expansion Plugs

Yellow



An all steel fixing for light weight aggregate blocks. Ideal for fixing in areas such as fire escape routes where regulations restrict the use of plastic anchors or plugs.

- Conforms to BS 7671:2018



ALL STEEL
NON-FLAMMABLE FIXING



Technical Data				
Substrate	Concrete Block 7N/mm ²			
	Plug Ø (mm)	6.0	8.0	10.0
Drill Hole Ø (mm)	6.0	8.0	10.0	
Min. Embedment Depth (mm)	32	38	60	
Test Screw Ø (mm)	4.5	5.0	6.0	
Rec. Tensile Load (kN)	0.2	0.4	0.5	
Max Rec. Load (kg)	20	40	50	

Note: Drill hole size is relative to the compressive strength of the substrate. When fixing into concrete, the above drill holes sizes should be increased to prevent damage to the plug during installation.

Product Code	Size Ø x L (mm)	For Screw Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
632MEP	6.0 x 32	4.5 - 5.0	100	18	864
838MEP	8.0 x 38	5.0 - 6.0	50	18	864
860MEP	8.0 x 60	5.0 - 6.0	50	10	500
1060MEP	10.0 x 60	6.0 - 8.0	50	10	500
MEP01					


Express Nails

Zinc


An underestimated rapid hammer-set anchor for concrete and masonry, ideal for interior timber-work such as battens and frames.



CONCRETE BRICK STONE



Drill required diameter hole Hammer nail through fixture



28-
150KG

Technical Data

Substrate	Concrete ≥ 25N/mm ²		Fletton Brick 30N/mm ²		Cheshire Brick 45N/mm ²		Class B Eng. Brick 75N/mm ²	
	6.0	8.0	6.0	8.0	6.0	8.0	6.0	8.0
Size Ø (mm)	6.0	8.0	6.0	8.0	6.0	8.0	6.0	8.0
Drill Hole Ø (mm)	6.0	8.0	6.0	8.0	6.0	8.0	6.0	8.0
Fixture Clearance Hole Ø (mm)	7.0	9.0	7.0	9.0	7.0	9.0	7.0	9.0
Min. Embed. Depth (mm)	30	40	30	40	30	40	30	40
Min. Drill Hole Depth (mm)	40	50	40	50	40	50	40	50
Rec. Tensile Load (kN)	0.52	1.50	0.48	0.61	0.29	0.53	0.28	0.62
Max Rec. Load (kg)	52	150	48	61	29	53	28	62

Product Code	Size (mm)	MFT* (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	-----------	-----------	----------------	--------------------	--------------------

BOX

00650EN	6.0 x 50	20	200	8	240
00660EN	6.0 x 60	30	100	10	300
00680EN	6.0 x 80	50	100	10	300
00870EN	8.0 x 70	30	100	10	300
00890EN	8.0 x 90	50	50	18	648
08110EN	8.0 x 110	70	50	10	300
08130EN	8.0 x 130	90	50	10	300
08150EN	8.0 x 150	110	50	8	240
08180EN	8.0 x 180	140	50	8	240

ENX01

TIMBAG

00660ENB	6.0 x 60	30	90	5	600
00680ENB	6.0 x 80	50	70	5	600
00890ENB	8.0 x 90	50	45	5	600
08110ENB	8.0 x 110	70	35	5	600
08150ENB	8.0 x 150	110	30	5	600

BAG26

TIMPAC

00660ENP	6.0 x 60	30	8	5	-
00680ENP	6.0 x 80	50	6	5	-
00890ENP	8.0 x 90	50	6	5	-
08110ENP	8.0 x 110	70	4	5	-
08130ENP	8.0 x 130	90	6	5	-

*MFT = MAX FIXTURE THICKNESS

PAK38

Wirehangers

Zinc



CONCRETE

Specifically designed for use in the suspended ceiling industry when securing suspension wires to concrete beams.


- Conforms to BS 7671:2018



188KG

Technical Data

Substrate	Concrete ≥ 25N/mm ²
Size Ø (mm)	6.0
Drill Hole Ø (mm)	6.0
Embedment Depth (mm)	45
Min. Embedment Depth (mm)	50
Rec. Tensile Load (kN)	1.88
Max Rec. Load (kg)	188



Drill required diameter hole Lightly tap the anchor into the hole Set anchor using a claw hammer

Product Code	Size Ø x L (mm)	Eye Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	-----------------	------------	----------------	--------------------	--------------------

BOX

0660WH	6.0 x 60	6.3	100	18	648
--------	----------	-----	-----	----	-----

WHG01

Ceiling Anchors

Zinc




CONCRETE

A rapid light duty hammer-set anchor for attaching sheet metal, plastic or wood to concrete or masonry. Made from steel making it ideal for overhead applications.

72KG

Technical Data

Substrate	Concrete ≥ 25N/mm ²
Size Ø (mm)	6.0
Drill Hole Ø (mm)	6.0
Fixture Clearance Hole Ø (mm)	6.5
Min. Embedment Depth (mm)	35
Min Drill Hole Depth (mm)	45
Rec. Tensile Load (kN)	0.72
Max Rec. Load (kg)	72



Drill required diameter hole Insert fixing through attachment Hammer wedge into anchor to secure

Product Code	Size Ø x L (mm)	MFT (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	-----------------	----------	----------------	--------------------	--------------------

BOX

0640CAM	6.0 x 40	5	100	10	300
0665CAM	6.0 x 65	30	100	8	240

MFT = MAX FIXTURE THICKNESS.

CAM01

Vertical Flange Clips

Yellow



High strength vertical flange clip for fixing suspended wire and lighting to steel purlin.

Must only be used in a vertical position

72KG

Technical Data

Size (mm)	20 x 42
Max Rec. Load (kg)	72

Product Code	Size W x L (mm)	Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	-----------------	-------------	----------------	--------------------	--------------------

BOX

VFC2042	20 x 42	6.5	100	10	500
---------	---------	-----	-----	----	-----

WHG02

Ceiling Angle Brackets

Galvanised Steel



Versatile bracket most commonly used for installing suspended ceiling systems. Various hole sizes allow different fixings to be used.

Product Code	Size L x W x H (mm)	Hole Ø (mm)	T (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	---------------------	-------------	--------	----------------	--------------------	--------------------

BOX

25ABC	25 x 25 x 22	4.5 & 7.0	1.0	100	18	864
-------	--------------	-----------	-----	-----	----	-----

WHG03

Metal Insulation Fixings



Metal Insulation Fixings

Zinc



CONCRETE BRICK BLOCK

Designed to anchor insulation material to concrete and masonry substrate materials. To reduce risk of thermal transmission use TIMCO plastic cover caps.



Technical Data

Substrate	Concrete ≥ 25N/mm ²
Type	Metal
Drill Hole Ø (mm)	8.0
Min. Embedment Depth (mm)	50
Min. Drill Hole Depth (mm)	60
Rec. Tensile Load (kN)	0.20
Max Rec. Load (kg)	20



Drill required diameter hole Hammer fixing through insulation

Product Code	Size Ø x L (mm)	Max. Fixture Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG					
MIF60	8.0 x 60	10	100	6	240
MIF90	8.0 x 90	40	100	4	160
MIF110	8.0 x 110	60	100	3	120
MIF140	8.0 x 140	90	100	3	120
MIF170	8.0 x 170	120	50	5	200
MIF200	8.0 x 200	150	50	4	160
MIF250	8.0 x 250	200	50	5	200
MIF300	8.0 x 300	250	50	5	200

TAF01

Plastic Insulation Fixings

Plastic



CONCRETE BRICK BLOCK

One piece impact resistant copolymer.



Technical Data

Substrate	Concrete ≥ 25N/mm ²
Type	Plastic
Drill Hole Ø (mm)	8.0
Min. Embedment Depth (mm)	40
Min. Drill Hole Depth (mm)	50
Rec. Tensile Load (kN)	0.15
Max Rec. Load (kg)	15




Drill required diameter hole Hammer fixing through insulation

Product Code	Size Ø x L (mm)	Max. Fixture Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG					
PIF50	8 x 50	10	100	10	240
PIF70	8 x 70	30	100	10	240
PIF90	8 x 90	50	100	8	192
PIF110	8 x 110	70	100	8	192
PIF130	8 x 130	90	100	8	192

TAF01

Metal Insulation Discs

Pre Galvanised



MID35

Large diameter head for use with screws to hold insulation material to battens. Also used for ceiling crack repairs.



MID70



MID80

Provides a larger surface area when using metal insulation fixings to hold lighter or softer insulation to masonry. Simply slide the fixing through prior to installation. Use with metal insulation fixings. Can also be used with large gauge and long screws for fixing insulation to timber.

Stainless Steel



MID36SS

Large diameter head for use with countersunk screws to hold insulation material to battens. Stainless steel material for improved corrosion resistance.

Product Code	Ø (mm)	Hole Size Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
Pre Galvanised					
MID35	35	5.0	100	35	840
MID70	70	10.0	100	16	384
MID80	85	12.0	50	16	384
Stainless Steel					
MID36SS	36	5.5	100	35	840

TAF01

Plastic Cover Cap For Metal Insulation Fixings



For aesthetics, where metal insulation fixing heads are left exposed after installation. Also reduces the risk of thermal transmission when used with metal insulation fixings.

Product Code	Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG				
MIFC	38.0	100	25	300

TAF01

Metal Oval Stress Plate

Pre Galvanised



Frequently used with long screws to attach insulation material to timber. Oval type for use in softer materials, accommodates countersunk screws and recesses itself into insulation for a flush finish.

Product Code	Size (mm)	Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
MID8240	82 x 40	6.5	50	16	384

TAF01

Concrete & Masonry Fixings



Zamac Nail In Anchors


Zinc

70KG

Technical Data

Substrate	Concrete ≥ 25N/mm ²
Size Ø (mm)	6.0
Drill Hole Ø (mm)	6.0
Fixture Clearance Hole Ø (mm)	6.5
Min. Embedment Depth (mm)	25
Min Drill Hole Depth (mm)	35
Rec. Tensile Load (kN)	0.70
Max Rec. Load (kg)	70

A rapid light duty hammer-set anchor for attaching sheet metal, plastic or wood to concrete or masonry.
Note: Not recommended for overhead applications



Product Code	Size (mm)	Max. Fixture Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
0630ZNA	6.0 x 30	5	100	10	300
0640ZNA	6.0 x 40	15	100	10	300
0650ZNA	6.0 x 50	25	100	8	240
0665ZNA	6.0 x 65	40	100	8	240

NAA01

Nylon Hammer Fixings

Zinc

POZI

CONCRETE BRICK BLOCK

A light duty hammer-set through fixing for brick, block, stone, masonry and concrete.

17 - 55KG

Technical Data

Substrate	Fletton Brick 30 N/mm ²			Cheshire Brick 45 N/mm ²			Class B Eng. Brick 75 N/mm ²			Concrete ≥25N/mm ²		
	5.0	6.0	8.0	5.0	6.0	8.0	5.0	6.0	8.0	5.0	6.0	8.0
Size Ø (mm)	5.0	6.0	8.0	5.0	6.0	8.0	5.0	6.0	8.0	5.0	6.0	8.0
Drill Hole Ø (mm)	5.0	6.0	8.0	5.0	6.0	8.0	5.0	6.0	8.0	5.0	6.0	8.0
Embedment Depth (mm)	25	25	40	25	25	40	25	25	40	25	25	40
Min. Drill Hole Depth (mm)	35	35	50	35	35	50	35	35	50	35	35	50
Rec. Tensile Load (kN)	0.19	0.21	0.48	0.21	0.27	0.55	0.17	0.28	0.52	0.19	0.22	0.49

Product Code	Size (mm)	MFT (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX						
50030HF	5.0 x 30	5	PZ2	200	20	540
50050HF	5.0 x 50	25	PZ2	200	10	288
60040HF	6.0 x 40	15	PZ2	200	10	432
60050HF	6.0 x 50	25	PZ2	200	10	288
60060HF	6.0 x 60	35	PZ2	200	10	288
60070HF	6.0 x 70	45	PZ2	200	10	288
60080HF	6.0 x 80	55	PZ2	200	10	288
80060HF	8.0 x 60	20	PZ3	100	20	192
80080HF	8.0 x 80	40	PZ3	100	10	192
80100HF	8.0 x 100	60	PZ3	100	10	192
80120HF	8.0 x 120	80	PZ3	100	10	144
80140HF	8.0 x 140	100	PZ3	100	10	144

NHFD01

Product Code	Size (mm)	MFT (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG						
60040HF	6.0 x 40	15	PZ2	135	5	600
60060HF	6.0 x 60	35	PZ2	100	5	600
60080HF	6.0 x 80	55	PZ2	80	5	600
80100HF	8.0 x 100	60	PZ3	40	5	600

BAG27

Product Code	Size (mm)	MFT (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC						
60040HFP	6.0 x 40	15	PZ2	10	5	-
60060HFP	6.0 x 60	35	PZ2	10	5	-
60080HFP	6.0 x 80	55	PZ2	10	5	-
80100HFP	8.0 x 100	60	PZ3	8	5	-

PAK39

Nylon Frame Fixings

Zinc

POZI

CONCRETE BRICK BLOCK

A versatile and reliable fixing for attaching to brick, block, stone, masonry and concrete.

20 - 70KG

Technical Data

Substrate	Fletton Brick 30N/mm ²		Cheshire Brick 45N/mm ²		Class B Eng. Brick 75N/mm ²		Concrete Block 7N/mm ²		Concrete ≥25N/mm ²	
	8.0	10	8.0	10	8.0	10	8.0	10	8.0	10
Size Ø (mm)	8.0	10	8.0	10	8.0	10	8.0	10	8.0	10
Drill Hole (mm)	8.0	10	8.0	10	8.0	10	8.0	10	8.0	10
Min. Embedment Depth (mm)	40	50	40	50	40	50	40	50	40	50
Min. Drill Hole Depth (mm)	50	60	50	60	50	60	50	60	50	60
Rec. Tensile Load (kN)	0.25	0.46	0.44	0.65	0.43	0.38	0.20	0.24	0.50	0.70

Product Code	Size (mm)	MFT (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX						
08080NFF	8.0 x 80	40	PZ3	100	8	192
08100NFF	8.0 x 100	60	PZ3	100	8	144
08120NFF	8.0 x 120	80	PZ3	100	8	144
10080NFF	10.0 x 80	30	PZ3	100	4	144
10100NFF	10.0 x 100	50	PZ3	100	4	192
10120NFF	10.0 x 120	70	PZ3	100	4	192
10140NFF	10.0 x 140	90	PZ3	100	4	96
10160NFF	10.0 x 160	110	PZ3	100	4	96

NFF01


Product Code	Size (mm)	MFT (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG						
08080NFFB	8.0 x 80	40	PZ3	50	5	600
08100NFFB	8.0 x 100	60	PZ3	40	5	600
10100NFFB	10.0 x 100	50	PZ3	30	5	600
10120NFFB	10.0 x 120	70	PZ3	25	5	600
10140NFFB	10.0 x 140	90	PZ3	20	5	600
10160NFFB	10.0 x 160	110	PZ3	15	5	600

BAG28

Product Code	Size (mm)	MFT (mm)	Driver Bit Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC						
08080NFFP	8.0 x 80	40	PZ3	5	5	-
08100NFFP	8.0 x 100	60	PZ3	4	5	-
10100NFFP	10.0 x 100	50	PZ3	3	5	-
10120NFFP	10.0 x 120	70	PZ3	2	5	-
10140NFFP	10.0 x 140	90	PZ3	2	4	-
10160NFFP	10.0 x 160	110	PZ3	2	5	-

PAK40

Masonry & Concrete Screws



Ideal for fitting

- Hand rails
- Shelf brackets
- Security lighting
- Metal straps banding

Countersunk

Pan Head



Rapid & Effective

Masonry & Concrete Screws



Non-expansion for close to edge fixing



Serrated V-threads for optimum insertion



High-low start threads for rapid pick up

Masonry Screw - Countersunk


Zinc



TX DRIVE



CONCRETE BRICK



BLOCK WOOD



ALL STEEL
NON-FLAMMABLE
FIXING

- Light duty fixing ideal for ironmongery handrails & brackets
- TX25 TX Drive recess reduces wear & camming out
- Serrated V-threads to achieve optimum insertion
- Conforms to BS 7671



100-150KG

Technical Data

Substrate	Concrete $\geq 25\text{N/mm}^2$	
Length (mm)	40-80	100
Drill Hole \varnothing (mm)	5.0	5.0
Min. Embedment Depth (mm)	25	37
Min. Drill Hole Depth (mm)	35	47
Rec. Tensile Load (kN)	1.00	1.50
Max Rec. Load (kg)	100	150

Product Code	Size (mm)	Driver Bit Size	Max. Fixture Thickness (mm)	Fixture Clearance Hole \varnothing (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)							
640MFCSK	6.0 x 40	TX25	15	6.5	100	18	648
660MFCSK	6.0 x 60	TX25	35	6.5	100	12	432
680MFCSK	6.0 x 80	TX25	55	6.5	100	12	432
6100MFCSK	6.0 x 100	TX25	63	6.5	100	10	360

TIMPAC

725157	6.0 x 40	TX25	15	6.5	12	10	-
725375	6.0 x 60	TX25	35	6.5	10	10	-
725010	6.0 x 80	TX25	55	6.5	8	10	-
725863	6.0 x 100	TX25	63	6.5	6	10	-

Masonry Screw - Pan Head


Zinc



TX DRIVE



CONCRETE BRICK



BLOCK WOOD



ALL STEEL
NON-FLAMMABLE
FIXING

- Light duty fixing ideal for ironmongery
- TX25 TX Drive recess reduces wear & camming out
- Serrated V-threads to achieve optimum insertion
- Conforms to BS 7671



100-150KG

Technical Data

Substrate	Concrete $\geq 25\text{N/mm}^2$	
Length (mm)	40-80	100
Drill Hole \varnothing (mm)	5.0	5.0
Min. Embedment Depth (mm)	25	37
Min. Drill Hole Depth (mm)	35	47
Rec. Tensile Load (kN)	1.00	1.50
Max Rec. Load (kg)	100	150

Product Code	Size (mm)	Driver Bit Size	Max. Fixture Thickness (mm)	Fixture Clearance Hole \varnothing (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (DRIVER BIT INCLUDED)							
640MFPAN	6.0 x 40	TX25	15	6.5	100	18	648
660MFPAN	6.0 x 60	TX25	35	6.5	100	12	432
680MFPAN	6.0 x 80	TX25	55	6.5	100	12	576
6100MFPAN	6.0 x 100	TX25	63	6.5	100	10	360

TIMPAC

725500	6.0 x 40	TX25	15	6.5	12	10	-
725997	6.0 x 60	TX25	35	6.5	10	10	-

Masonry & Concrete Screws

Designed to replace traditional masonry fixings



Non-expansion
for close to
edge fixing



Serrated
V-threads
for optimum
insertion




High-low
start threads
for rapid
pick up



Rapid & Effective Masonry & Concrete Screws


Ideal for fixing

- Concrete
- Brick
- Stone
- Block
- Wood



Countersunk


Pan Head



Install in just 2 easy steps


1 Drill

Drill the hole 90°
to the substrate.
Always over-drill
the hole depth for
dust/debris.




2 Fix

Using a power
tool, tighten
the fixing firmly
against the
attachment.



Concrete Screw - Countersunk



TX DRIVE



CONCRETE BRICK



BLOCK WOOD

A rapid and effective light duty anchoring system for fixing into concrete, brick, stone, concrete block and wood. This through fixing provides a single solution and replaces traditional fixings such as nylon frame and hammer fixings.



ALL STEEL
NON-FLAMMABLE
FIXING

- Conforms to BS 7671:2018



Technical Data

Substrate	Concrete ≥25N/mm ²		Fletton Brick 30N/mm ²		Cheshire Brick 45N/mm ²		Class B Eng. Brick 75N/mm ²	
	40-70	80-200	40-70	80-200	40-70	80-200	40-70	80-200
Length (mm)	40-70	80-200	40-70	80-200	40-70	80-200	40-70	80-200
Drill Hole Ø (mm)	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
Min. Embedment Depth (mm)	35	50	35	50	35	50	35	50
Min. Drill Hole Depth (mm)	45	60	40	60	40	60	40	60
Rec. Tensile Load (kN)	1.07	1.82	1.17	1.79	0.75	1.46	0.85	1.22
Max Rec. Load (kg)	107	182	117	179	75	146	85	122

Product Code	Size (mm)	Driver Bit Size	Max. Fixture Thickness (mm)	Fixture Clearance Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Yellow							
BOX (TX30 DRIVER BIT INCLUDED)							
00040TCON	7.5x40	TX30	5	8.0	100	18	648
00050TCON	7.5x50	TX30	15	8.0	100	12	432
00060TCON	7.5x60	TX30	25	8.0	100	10	360
00070TCON	7.5x70	TX30	35	8.0	100	10	360
00080TCON	7.5x80	TX30	30	8.0	100	10	360
00090TCON	7.5x90	TX30	40	8.0	100	10	360
00100TCON	7.5x100	TX30	50	8.0	100	10	360
00110TCON	7.5x110	TX30	60	8.0	100	10	360
00120TCON	7.5x120	TX30	70	8.0	100	8	288
00130TCON	7.5x130	TX30	80	8.0	100	8	288
00150TCON	7.5x150	TX30	100	8.0	100	8	288
00180TCON	7.5x180	TX30	130	8.0	100	6	216
00200TCON	7.5x200	TX30	150	8.0	100	6	216

TIMBAG							
00050TCONB	7.5x50	TX30	15	8.0	100	5	
00060TCONB	7.5x60	TX30	25	8.0	85	5	
00070TCONB	7.5x70	TX30	35	8.0	75	5	
00080TCONB	7.5x80	TX30	30	8.0	65	5	
00100TCONB	7.5x100	TX30	50	8.0	55	5	
00120TCONB	7.5x120	TX30	70	8.0	45	5	
00150TCONB	7.5x150	TX30	100	8.0	30	5	

TIMPAC							
00050TCONP	7.5x50	TX30	15	8.0	8	10	
00060TCONP	7.5x60	TX30	25	8.0	6	10	
00070TCONP	7.5x70	TX30	35	8.0	5	10	
00080TCONP	7.5x80	TX30	30	8.0	5	10	
00100TCONP	7.5x100	TX30	50	8.0	4	10	
00120TCONP	7.5x120	TX30	70	8.0	3	10	
00150TCONP	7.5x150	TX30	100	8.0	2	10	

Zinc							
BOX (TX30 DRIVER BIT INCLUDED)							
00080TCONZ	7.5x80	TX30	30	8.0	100	10	360
00100TCONZ	7.5x100	TX30	50	8.0	100	10	360
00120TCONZ	7.5x120	TX30	70	8.0	100	8	288
00150TCONZ	7.5x150	TX30	100	8.0	100	8	288

Exterior (Silver Organic)							
BOX (TX30 DRIVER BIT INCLUDED)							
80TCONR	7.5x80	TX30	30	8.0	100	10	360
100TCONR	7.5x100	TX30	50	8.0	100	10	360
120TCONR	7.5x120	TX30	70	8.0	100	8	288

Concrete Screw - Pan Head



Zinc



TX DRIVE



ALL STEEL
NON-FLAMMABLE
FIXING

A rapid and effective light duty anchoring system for fixing into concrete, brick, stone, concrete block and wood. This through fixing provides a single solution and replaces traditional fixings such as nylon frame and hammer fixings. Zinc plated with a pan head to improve clamping.

Product Code	Size (mm)	Driver Bit Size	Max. Fixture Thickness (mm)	Fixture Clearance Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (TX30 DRIVER BIT INCLUDED)							
7580MFPAN	7.5 x 80	TX30	30	8.0	100	10	360
75100MFPAN	7.5 x 100	TX30	50	8.0	100	10	360
75120MFPAN	7.5 x 120	TX30	70	8.0	100	8	288

Cover Caps (for countersunk screws only)



Product Code	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG				
CAPW100	White	100	100	360
CAP0100	Light Oak	100	100	360
CAPM100	Mahogany	100	100	360


Masonry Bolts

Heavy Duty Anchor

Silver organic plating to give ultimate corrosion protection

Rapid & Effective

Heavy Duty Anchor



Fixing for:

- Concrete
- Brick
- Stone
- Block
- Wood

Kesternich test
3 cycles

Salt Spray
400 hours




Non-expansion
for close to
edge fixing



High-low balancing
thread for ease of
insertion



Chamfered
point for rapid
pick up



Exterior

Hex Head

Countersunk

Pan Head



Drill hole into substrate. Always drill to the stated hole depth.
Clean the hole by blowing out the debris.
Screw the bolt into the hole with slight pressure to the bolt.

This stress free, non-expansion through fixing is the new solution for heavy duty anchoring into concrete, brick, stone, wood and concrete block replacing the need for traditional anchors such as throughbolts, shield, sleeve and drop-in anchors.

- Designed to replace traditional expansion anchors
- Micro plating (Nano) technology gives a higher resistance to corrosion
- High low parallel threads for ease of insertion and high pull out values
- Removable & adjustable non expansion through fixing
- Conforms to BS 7671:2018

136-1350KG

Technical Data

Substrate	Concrete ≥25N/mm2						Fletton Brick 30N/mm2			Cheshire Brick 45N/mm2			Class B Eng. Brick 75N/mm2		
	6.0	8.0	10.0	12.0	16.0	6.0	8.0	10.0	6.0	8.0	10.0	6.0	8.0	10.0	
Size (mm)	6.0	8.0	10.0	12.0	16.0	6.0	8.0	10.0	6.0	8.0	10.0	6.0	8.0	10.0	
Length (mm)	50-75	100-150	All	All	All	-	-	-	-	-	-	-	-	-	
Drill Hole Ø (mm)	6.0	6.0	8.0	10.0	12.0	16.0	6.0	8.0	10.0	6.0	8.0	10.0	6.0	8.0	
Fixture Clearance Hole Ø (mm)	8.0	8.0	10.0	12.0	14.0	18.0	8.0	10.0	12.0	8.0	10.0	12.0	8.0	10.0	
Min. Embedment Depth (mm)	30	45	40	50	60	80	30	40	50	30	40	50	30	40	
Min. Over-Drill for Dust (mm)	10	10	15	20	25	35	10	15	20	10	15	20	10	15	
Min. Drill Hole Depth (mm)	40	55	55	70	85	115	40	55	70	40	55	70	40	55	
Min. Centre Spacing (mm)**	90	140	120	150	180	240	-	-	-	-	-	-	-	-	
Min. Edge Distance (mm)**	45	70	60	75	90	120	-	-	-	-	-	-	-	-	
Min. Structure Thickness (mm)	60	100	90	110	125	175	-	-	-	-	-	-	-	-	
Effective Embedment depth (mm)	30	45	40	50	60	80	30	40	50	30	40	50	30	40	
Rec. Tensile Load (kN)	2.44	6.23	3.93	8.36	5.49	12.21	8.97	13.00	13.5	2.28	2.68	3.18	1.36	2.19	
Max Rec. Load (kg)	244	623	393	836	549	1221	897	1300	1350	228	268	318	136	219	

** Centre spacings and edge distances are based on minimum embedment only.

Masonry Bolt - Hex Head


Exterior



HEX



CONCRETE BRICK



BLOCK WOOD

Product Code	Size (mm)	Socket		Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		Size (mm)	MFT			
BOX						
MF650	6.0x50*	10	20	100	10	300
MF675	6.0x75*	10	45	100	6	180
MF6100	6.0x100*	10	55	100	6	180
MF6130	6.0x130*	10	85	100	6	180
MF6150	6.0x150*	10	105	75	6	180
MF860	8.0x60	15	20	100	6	180
MF875	8.0x75	15	35	100	6	180
MF8100	8.0x100	15	60	50	10	300
MF8130	8.0x130	15	90	50	6	180
MF8150	8.0x150	15	110	50	6	180
MF1060	10.0x60	17	10	50	10	300
MF1075	10.0x75	17	25	50	6	180
MF10100	10.0x100	17	50	50	6	180
MF10130	10.0x130	17	80	50	6	180
MF10150	10.0x150	17	100	25	6	180
MF1275	12.0x75	19	15	50	9	180
MF12100	12.0x100	19	40	25	10	300
MF12130	12.0x130	19	70	25	6	180
MF12150	12.0x150	19	90	25	6	180
MF12200	12.0x200	19	140	25	4	120
MF16100	16.0x100	27	20	10	8	240
MF16150	16.0x150	27	70	10	6	180

SKU01

TIMBAG

MF650B	6.0x50*	10	20	64	5	600
MF860B	8.0x60	15	20	30	5	600
MF875B	8.0x75	15	35	26	5	600
MF8100B	8.0x100	15	60	20	5	600
MF1060B	10.0x60	17	10	18	5	600
MF1075B	10.0x75	17	25	14	5	600
MF10100B	10.0x100	17	50	12	5	600
MF10150B	10.0x150	17	100	8	5	600
MF1275B	12.0x75	19	15	12	5	600
MF12100B	12.0x100	19	40	8	5	600
MF12130B	12.0x130	19	70	6	5	600
MF12150B	12.0x150	19	90	6	5	600

BAG32

TIMPAC

MF650PRE	6.0x50*	10	20	4	5	-
MF875PRE	8.0x75	15	35	4	5	-
MF8100PRE	8.0x100	15	60	4	5	-
MF1075PRE	10.0x75	17	25	4	5	-
MF10100PRE	10.0x100	17	50	2	5	-
MF10130PRE	10.0x130	17	80	2	5	-
MF10150PRE	10.0x150	17	100	2	5	-
MF12100PRE	12.0x100	19	40	2	5	-
MF12150PRE	12.0x150	19	90	2	5	-
MF16100PRE	16.0x100	27	20	2	5	-
MF16150PRE	16.0x150	27	70	2	5	-

MFT = MAX FIXTURE THICKNESS

PAK41

* Please note: 6.0mm diameter bolts have a hex flange head.

Masonry Bolt - Countersunk


Exterior



TX DRIVE



CONCRETE BRICK



BLOCK WOOD

Product Code	Size (mm)	Driver		Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		Bit Size (mm)	MFT			
BOX (DRIVER BIT INCLUDED)						
MF860C	8.0x60	TX40	20	100	6	180
MF875C	8.0x75	TX40	35	100	6	180
MF8100C	8.0x100	TX40	60	50	8	240
MF1060C	10.0x60	TX50	10	50	8	240
MF1075C	10.0x75	TX50	25	50	6	180
MF10100C	10.0x100	TX50	50	50	6	180

MFT = MAX FIXTURE THICKNESS

SKU02

Masonry Bolt - Pan Head


Exterior



TX DRIVE



CONCRETE BRICK



BLOCK WOOD

Product Code	Size (mm)	Driver		Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
		Bit Size (mm)	MFT			
BOX (DRIVER BIT INCLUDED)						
MF860P	8.0x60	TX40	20	100	6	180
MF875P	8.0x75	TX40	35	100	4	180
MF8100P	8.0x100	TX40	60	50	6	300
MF1060P	10.0x60	TX50	10	50	6	300
MF1075P	10.0x75	TX50	25	50	6	180
MF10100P	10.0x100	TX50	50	50	6	180

MFT = MAX FIXTURE THICKNESS

SKU03


Throughbolts

Zinc



A versatile through fixing for use in a wide range of anchoring applications into concrete.

NOTE: If no torque wrench is available, tighten the nut 3 to 4 full turns from finger tight.



292 - 1115KG

Technical Data

Substrate	Concrete ≥25N/mm ²				
	M8	M10	M12	M16	M20
Size Ø (mm)	8	10	12	16	20
Socket Size (mm)	13	17	19	24	30
Drill Hole Ø (mm)	8.0	10.0	12.0	16.0	20.0
Fixture Clearance Hole Ø (mm)	9.0	12.0	14.0	18.0	22.0
Embedment Depth (mm)	35	45	50	65	80
Min. Drill Hole Depth (mm)	45	50	60	75	90
Centre Spacing (mm)	110	140	150	200	240
Edge Distance (mm)	55	70	75	100	120
Min. Structure Thickness (mm)	70	90	100	130	160
Rec. Tightening Torque (Nm)	15	30	45	100	160
Rec. Tensile Load (kN)	2.92	4.11	7.25	8.08	11.15
Max. Rec. Load (kg)	292	411	725	808	1115

Product Code	Thread Ø x L (mm)	Max. Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
0850TB	M8 x 50	5	100	8	216
0865TB	M8 x 65	10	100	6	162
0880TB	M8 x 80	25	50	10	360
08100TB	M8 x 100	45	50	6	162
08130TB	M8 x 130	75	50	6	162
1065TB	M10 x 65	5	50	8	216
1075TB	M10 x 75	10	50	6	162
10100TB	M10 x 100	35	50	6	162
10120TB	M10 x 120	55	50	6	162
1280TB	M12 x 80	5	50	6	162
12100TB	M12 x 100	25	25	6	162
12120TB	M12 x 120	45	25	6	162
12140TB	M12 x 140	65	25	6	162
12180TB	M12 x 180	105	25	6	162
16105TB	M16 x 105	5	25	6	162
16125TB	M16 x 125	20	25	6	162
16150TB	M16 x 150	45	15	6	162
16175TB	M16 x 175	70	15	6	162
20130TB	M20 x 130	5	10	6	162
20160TB	M20 x 160	30	10	6	162
20215TB	M20 x 215	85	8	6	162

TMBAG					
0850TBB	M8 x 50	5	40	5	600
10100TBB	M10 x 100	35	18	5	600
12100TBB	M12 x 100	25	12	5	600
12140TBB	M12 x 140	65	10	5	600
12180TBB	M12 x 180	105	8	5	600

TIMPAC					
0850TBP	M8 x 50	5	4	10	-
10100TBP	M10 x 100	35	2	10	-
12100TBP	M12 x 100	25	2	10	-
12140TBP	M12 x 140	65	2	10	-

Drop in Anchors

Zinc



An internally threaded hammer set expansion anchor for heavy duty anchoring into concrete.

Standard version can be inserted below the surface. Also known as wedge anchors.

129 - 935KG

Technical Data

Substrate	Concrete ≥25N/mm ²			
	M6	M8	M10	M12
Size Ø (mm)	6	8	10	12
Drill Hole Ø (mm)	8.0	10.0	12.0	16.0
Embedment Depth (mm)	25	30	40	50
Min Drill Hole Depth (mm)	25	30	40	50
Centre Spacing (mm)	75	90	120	150
Edge Distance (mm)	75	90	120	150
Min Structure Thickness (mm)	100	100	100	125
Rec. Tightening Torque (Nm)	3	5	7	16
Rec. Tensile Load (kN)	1.29	2.22	4.65	9.35
Max Rec. Load (kg)	129	222	465	935

Product Code	Thread Ø x L (mm)	Anchor Length (mm)	Min. HD (mm)	FCH Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX							
06WA	M6 x 10	25	25	8.0	100	20	1380
08WA	M8 x 14	30	30	10.0	100	12	648
10WA	M10 x 15	40	40	12.0	50	12	816
12WA	M12 x 20	50	50	14.0	50	6	324

HD = HOLE DEPTH. FCH = FIXTURE CLEARANCE HOLE. WGA01

Lipped Drop in Anchors

Zinc



An internally threaded hammer set expansion anchor for heavy duty anchoring into concrete.

Lip prevents the anchor being inserted too far. Also known as wedge anchors.

222 - 316KG

Technical Data

Substrate	Concrete ≥25N/mm ²	
	M8	M10
Size Ø (mm)	8	10
Drill Hole Ø (mm)	10.0	12.0
Embedment Depth (mm)	30	30
Min Drill Hole Depth (mm)	30	30
Centre Spacing (mm)	90	90
Edge Distance (mm)	90	90
Min Structure Thickness (mm)	100	100
Rec. Tightening Torque (Nm)	5	7
Rec. Tensile Load (kN)	2.22	3.16
Max Rec. Load (kg)	222	316




Product Code	Thread Ø x L (mm)	Anchor Length (mm)	Min. HD (mm)	FCH Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX							
08LWA	M8 x 14	30	30	10	100	12	720
1030LWA	M10 x 15	30	30	12	50	12	816

HD = HOLE DEPTH. FCH = FIXTURE CLEARANCE HOLE. WGA01

Setting Tool



Setting tool for use with standard and lipped drop in anchors.



Product Code	To Fit Thread Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG				
06WAS	M6	1	10	360
08WAS	M8	1	10	360
10WAS*	M10	1	10	360
12WAS	M12	1	10	360

WGA01

* To suit 40mm anchor length

Forged Eye & Shield

Yellow



A three segment shield anchor with a forged eye for extra strength. Ideal for attaching ropes or cables.

- Yellow passivated for improved corrosion resistance
- Nut and washer included
- Grade 4.8

Please see previous page for shield installation



Product Code	Thread Ø x L (mm)	Eye Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG					
06EYEB	M6 x 50	8	18	5	870
08EYEB	M8 x 60	10	14	5	870
BAG30					
TIMPAC					
06EYEP	M6 x 50	8	2	10	-
08EYEP	M8 x 60	10	2	10	-
10EYEP	M10 x 73	12	2	10	-
PAK47					

Forged Eye Only

Yellow



A useful threaded eye bolt for attaching ropes or cables. Manufactured using a forging process for extra strength. Sold without shield anchor.

Product Code	Thread Ø x L (mm)	Eye Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
06EYE	M6 x 50	8	50	18	648
08EYE	M8 x 60	10	50	10	300
10EYE	M10 x 73	12	50	8	240
12EYE	M12 x 95	16	25	8	240
SHA01					

Forged Hook & Shield

Yellow



Manufactured using a forging process, to prevent opening out prevent the hook opening out when load. Complete with three segment shield anchor.

- Yellow passivated for improved corrosion resistance
- Nut and washer included
- Grade 4.8

Please see previous page for shield installation



Product Code	Thread Ø x Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMBAG				
06HOOKB	M6 x 50	20	5	870
08HOOKB	M8 x 60	14	5	870
BAG30				
TIMPAC				
06HOOKP	M6 x 50	2	10	-
08HOOKP	M8 x 60	2	10	-
PAK47				

Forged Hook Only

Yellow



A useful threaded hook bolt for attaching ropes or cables. Manufactured using a forging process for extra strength preventing the hook from opening out when the load is applied. Sold without shield anchor.

Product Code	Thread Ø x L (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
06HOOK	M6 x 50	50	18	648
08HOOK	M8 x 60	50	10	300
10HOOK	M10 x 73	50	6	216
12HOOK	M12 x 90	25	8	240
SHA01				

Chemical Anchor Studs

Hot Dipped Galvanised

Zinc



Designed for use when fixing with chemical resins.

- Chisel point, prevents the rod turning when tightening
- External hex drive
- Embedment depth mark
- Zinc plated and passivated or galvanised
- Grade 5.8

Technical Data

Size Ø (mm)	M8	M10	M12	M16	M20
Drill Hole Ø (mm)	10	12	14	18	24
Fixture Clearance Hole Ø (mm)	10	12	14	18	24

Product Code	Size (mm)	MFT (mm)	Min. ED (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX (NUT SETTER INCLUDED)						
Hot Dipped Galvanised						
08110CSG	M8 x 110	13	80	10	30	2400
10130CSG	M10 x 130	20	90	10	20	1040
12160CSG	M12 x 160	25	110	10	10	600
16190CSG	M16 X 190	35	125	10	8	304
20270CSG	M20 x 270	55	170	4	9	378
CH201						

Zinc						
Product Code	Size (mm)	MFT (mm)	Min. ED (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
08110CS	M8 x 110	13	80	10	30	2400
10130CS	M10 x 130	20	90	10	20	1040
12160CS	M12 x 160	25	110	10	10	600
16190CS	M16 X 190	35	125	10	8	304
20270CS	M20 x 270	55	170	4	9	378
CH201						

TIMPAC						
Zinc						
Product Code	Size (mm)	MFT (mm)	Min. ED (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
08110CSP	M8 x 110	13	80	2	10	-
10130CSP	M10 x 130	20	90	2	10	-
12160CSP	M12 x 160	25	110	2	10	-
PAK48						

MFT = MAX FIXTURE THICKNESS. MIN. ED = MIN. EMBEDMENT DEPTH

Threaded Bar

Grade 4.8 & 8.8 available in zinc.

Stainless steel also available.

See page 57

Chemical Resin & Accessories




Chemical Resin




TIMCO's chemical resin range offers an effective anchoring system for fixing into concrete and masonry. The stress-free nature of this solution gives greater flexibility when anchoring closer to a substrate edge such as balustrade installation.

- Ready to use
- Uses standard tools
- Less wastage
- No leakage
- Faster & easier to use
- Low extrusion force
- T-Flow™ nozzle included
- Close edge & axial spacing



STEPS 2 - 4 REPEAT X4



Technical Data

Resin Type	Rec. Tensile Load (Kn) (Performance Data Concrete >25N/Mm2)						
	M8	M10	M12	M16	M20	M24	
Stud (5.8 Grade) Size	M8	M10	M12	M16	M20	M24	
PE	4.9	7.5	10.6	12.3	19.9	27.4	
PESF	5.8	8.1	11.6	19.8	29.1	33.1	
VESF	9.1	13.8	19.4	26.8	35.7	44.6	
Embedment Depth (mm)	80	90	110	125	170	210	
Cartridge Size	Approx Holes Per Cartridge (At Standard Embedment Depth)						
	300ml	41	25	13	5	3	
410ml	92	57	34	18	8	4	
Gel & Cure Times	VESF / PESF / PE						
	Base Material (°C)	35	25	15	5	-5	-10*
	Typical Gel Time (mins)	3	5	9	20	40	50
	Min. Load Time (mins)	20	30	60	90	180	240

*Resin temperature must be at least 20°C

Vinylester Styrene Free



- European Technically Approved (ETA) low odour resin used in safety critical fixing
- For enclosed, poorly ventilated, damp and wet environments
- High performance resin with consistent results
- Offering exceptional tensile strength in a range of environments and conditions



1501537



Product Code	Size	Approval	Carton Qty (packs)	Pallet Qty (packs)
CARTRIDGE (T-FLOW NOZZLE INCLUDED)				
VESF300	300ml	ETA / WRAS / CE	12	684
VESF410	410ml	ETA / WRAS / CE	12	672
CPED1				

Polyester Styrene Free



- European Technically Approved (ETA) low odour resin used in non-safety critical fixing
- For enclosed or poorly ventilated environments



Product Code	Size	Approval	Carton Qty (packs)	Pallet Qty (packs)
CARTRIDGE (T-FLOW NOZZLE INCLUDED)				
PESF310	300ml	ETA / CE	12	684
CPED1				

Polyester



- An economic resin ideal for day to day non-safety critical applications
- For areas that are well ventilated at the time of installation



Product Code	Size	Approval	MOQ Qty (packs)	Pallet Qty (packs)
CARTRIDGE (T-FLOW NOZZLE INCLUDED)				
PE310	300ml	ETA/CE	12	684
PE410	410ml	ETA/CE	12	672
CPED1				

Professional Resin Gun

Suitable for 410ml chemical cartridges



25:1 trigger ratio

- A 64mm heavy duty co-axial resin applicator gun.
- Twin 5mm gripper plates providing four point contact with the plunger rod.
- Non-drip mechanism

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
RESINGUN	1	10
		CAC01

Professional Sealant Gun

Up to 380ml cartridges




12:1 trigger ratio

- A 48mm heavy duty sealant and caulking gun
- With a convenient hook end for hanging
- Swivel action barrel for easy application into tight corners
- Patented non-drip mechanism

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
PROGUN	1	12
		CAC01

Skeleton Gun

Up to 380ml cartridges



7:1 trigger ratio

- A 48mm gun for dispensing sealants, caulk and adhesives
- 2.3mm strengthened side plates and a 6mm gripper plate
- Convenient hook end for hanging
- Riveted front cap for reinforcement and integrated cleaning pin

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
SKELGUN	1	24
		CAC01

Resin Accessories



T-Flow Nozzles

Blow-out Pump

Cleaning Brush

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
T-Flow Mixing Nozzle			
TNOZ	To Suit All Resin Cartridges	12	100
Blow-Out Pump			
PUMP	280 x 64	1	24
Hole Cleaning Brush			
B13	Ø 13.0	10	50
B15	Ø 15.0	10	50
B22	Ø 22.0	10	50
			CAC02

Plastic Sleeves



BRICK
HOLLOW BLOCK

Assists with fixing into hollow block or brick with chemical resins. To suit M8-M10 studs.


Product Code	Size (mm)	To Suit Stud Ø (mm)	Drill Hole Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG					
1585CPS	16.0 x 85	M8 - M10	16.0 x 90	100	25
15130CPS	16.0 x 130	M8 - M10	16.0 x 135	100	25
					CAC02

TIMCO

Adhesives & Building Chemicals

We offer a comprehensive range of tapes, adhesives, glues, sealants, foams, maintenance sprays, paints, waxes and fillers

See pages
185 - 207



Nails

Collated Nails & Fuel Cells

FirmaHold Clipped Head Nails	101
FirmaHold Brad Nails	102
FirmaHold Fuel Cells	103
Paslode Fuel Cells	103
Paslode Collated Nails	104
Paslode Brad Nails	104
Paslode Twisted Shank Nails	104
FirmaHold Staples & Staplers	105

Loose Nails

Bright Loose Nails	107
Galvanised Loose Nails	107-108
Sherardised Loose Nails	109
Copper Loose Nails	109
Aluminium Loose Nails	109
Copper Roofing Accessories	109
Stainless Steel Loose Nails	110
Zinc Masonry Nails	110
Upholstery Nails & Cut Tacks	110
HallClips® & HallHooks®	110
Polymer Headed Nails & Pins	111



FirmaHold

Collated Nails & Fuel Cells

Designed for use in cordless gas & pneumatic nailers

FirmaHold collated nails and fuel cells are designed for the fixing of a wide range of timber applications, using various types of pneumatic and cordless nailing tools.

FirmaHold collated nails are manufactured to conform with EN792-13:2000 7.2.1a and comply with the requirements of all major tool manufacturers. FirmaHold offers a comprehensive range of sizes including, 18 gauge and 16 gauge brads and clipped head nails, available in a choice of rust protection, including stainless steel. Offered either with or without fuel cells, FirmaHold collated nails provide a first class solution to a wide range of timber applications.

What Is Eurocode 5?

Eurocode 5 is the regulation for Timber Structures that replaces previous building regulations and stipulates that all nails must be manufactured to comply with BS EN: 14592.

What is a Service Class?

Within Eurocode 5, structural fasteners must comply to certain levels of rust protection, which are graded by Service Classes.

Class 1 - For internal use or where the moisture content of the timber will not exceed 12%. Fasteners conforming to Service Class 1 do not require any rust protective coatings.

Class 2 - For covered exterior applications where the timber is protected from direct wetting or where the timber moisture content does not exceed 20%. Nails conforming to Service Class 2 must have a minimum of 12 µm of zinc.

Class 3 - External application and over 43 microns of hot dipped galvanised protection.

Clipped Head Nails

Suitable for use in 34° cordless and pneumatic clipped head first fix nailers.

- Diamond point for maximum penetration.
- Clipped head to increase the number of nails per strip and therefore reduce tool loading times.
- High quality paper to increase performance and reduce risk of nail jam.
- Shank Design:

Plain Shank: Low penetration resistance into all materials.

Part Ring Shank: Partially ringed shank to provide low penetration resistance and improved pull-out resistance.

Ring Shank: Provides a secure fixing with high pull-out resistance.

Brad Nails

Suitable for use in cordless & pneumatic 16 & 18 gauge second fix brad nailers. Nail & fuel cell packs.

- Sold in one-piece strengthened branded boxes.
- Diamond point for maximum penetration.
- T Head to give concealed fixings.
- Shank Design: Low penetration resistance into all materials.

Bright

Suitable for indoor applications. Conforms to Eurocode 5 and service class 1.

FirmaGalv

Electro galvanised plating, suitable for indoor applications. Conforms to Eurocode 5 and service class 1.

FirmaGalv +

Electro galvanised plating with 12 microns of zinc (Min), suitable for indoor, and covered outdoor applications. Conforms to Eurocode 5 and service class 2.

Hot Dipped Galvanised

Suitable for indoor and outdoor applications. Conforms to Eurocode 5 and service class 3.

A2 Austenitic Stainless Steel

A2 for external applications. Conforms to Eurocode 5 and service class 3.

FirmaHold Collated Clipped Head Nails

For use in structural applications using high quality paper collation for reduced nail jams. Various levels of rust protection to comply with building regulations and meets with all service classes.

- 34° collation angle
- Diamond point for maximum penetration
- Clipped head to increase the number of nails per strip and therefore reduce tool loading times



EN 14592:2008



First Fix Applications

Trade Pack

Shank Ø (mm)	Length (mm)	Shank Type	Service Class
Bright			
2.8	50	Ring	1
2.8	63	Ring	1
3.1	75	Ring	1
3.1	90	Plain	1

FirmaGalv			
2.8	50	Ring	1
2.8	63	Ring	1
3.1	75	Ring	1
3.1	90	Plain	1

FirmaGalv +			
2.8	50	Ring	2
2.8	63	Ring	2
3.1	63	Ring	2
3.1	75	Ring	2
3.1	90	Plain	2
3.1	90	Part Ring	2

Hot Dipped Galvanised			
2.8	50	Ring	3
2.8	63	Ring	3
3.1	75	Ring	3
3.1	90	Plain	3

Retail Pack

Shank Ø (mm)	Length (mm)	Shank Type	Service Class
FirmaGalv			
2.8	50	Ring	1
2.8	63	Ring	1
3.1	75	Ring	1
3.1	90	Plain	1

A2 Stainless Steel			
2.8	50	Ring	3
2.8	63	Ring	3
3.1	80	Ring	3



With Fuel Cells

Product Code	Fuel Cell Qty	Pack Qty (pcs)	Carton Qty (pcs)	Pallet Qty (packs)
CBRT50G	3	3,300	2	72
CBRT63G	3	3,300	2	72
CBRT75G	2	2,200	2	72
CBRT90G	2	2,200	2	72

FRT01

CFGT50G	3	3,300	2	72
CFGT63G	3	3,300	2	72
CFGT75G	2	2,200	2	72
CFGT90G	2	2,200	2	72

FRT01

CPLT50G	3	3,300	2	72
CPLT63G	3	3,300	2	72
CPLT63RG	3	3,300	2	72
CPLT75G	2	2,200	2	72
CPLT90G	2	2,200	2	72
CPLT90PG	2	2,200	2	72

FRT01

CHDT50G	3	3,300	2	72
CHDT63G	3	3,300	2	72
CHDT75G	2	2,200	2	72
CHDT90G	2	2,200	2	72

FRT01



With Fuel Cells

Product Code	Fuel Cell Qty	Pack Qty (pcs)	Carton Qty (pcs)	Pallet Qty (packs)
CFGR50G	1	1,100	4	192
CFGR63G	1	1,100	4	192
CFGR75G	1	1,100	4	144
CFGR90G	1	1,100	4	144

FRT01

CSSR50G	1	1,100	4	192
CSSR63G	1	1,100	4	192
CSSR80G	1	1,100	4	144

FRT01



Without Fuel Cells

Product Code	Pack Qty (pcs)	Carton Qty (pcs)	Pallet Qty (packs)
CBRT50	3,300	2	72
CBRT63	3,300	2	72
CBRT75	2,200	2	72
CBRT90	2,200	2	72

FRT01

CFGT50	3,300	2	72
CFGT63	3,300	2	72
CFGT75	2,200	2	72
CFGT90	2,200	2	72

FRT01

CPLT50	3,300	2	72
CPLT63	3,300	2	72
CPLT63R	3,300	2	72
CPLT75	2,200	2	72
CPLT90	2,200	2	72
CPLT90P	2,200	2	72

FRT01

-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-



Without Fuel Cells

Product Code	Pack Qty (pcs)	Carton Qty (pcs)	Pallet Qty (packs)
CFGR50	1,100	4	192
CFGR63	1,100	4	192
CFGR75	1,100	4	144
CFGR90	1,100	4	144

FRT01


CSSR50	1,100	4	192
CSSR63	1,100	4	192
CSSR80	1,100	4	144

FRT01

FirmaHold Collated Brad Nails

Ideal for internal applications such as skirting, architrave, tongue and groove fixing, with a T head. Also available in stainless steel for hardwood applications.

- Available in straight or 20° collation angle
- T Head to give concealed fixings
- Shank Design: Low penetration resistance into all materials



Second Fix Applications

Straight Brads

Gauge	Length (mm)	Nails Per Strip	Collation Angle
Galvanised			
16	19	50	Straight
16	25	50	Straight
16	32	50	Straight
16	38	50	Straight
16	45	50	Straight
16	50	50	Straight
16	64	50	Straight
18	16	100	Straight
18	19	100	Straight
18	25	100	Straight
18	32	100	Straight
18	38	100	Straight
18	45	100	Straight
18	50	100	Straight

Gauge	Length (mm)	Nails Per Strip	Collation Angle
A2 Stainless Steel			
16	25	50	Straight
16	38	50	Straight
16	50	50	Straight
16	64	50	Straight
18	19	100	Straight
18	25	100	Straight
18	32	100	Straight
18	38	100	Straight
18	50	100	Straight



Product Code	Fuel Cell Qty	Pack Qty (pcs)	Carton Qty (packs)
With Fuel Cells			
BG1619G	2	2,000	10
BG1625G	2	2,000	10
BG1632G	2	2,000	10
BG1638G	2	2,000	10
BG1645G	2	2,000	10
BG1650G	2	2,000	10
BG1664G	2	2,000	10
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

Product Code	Fuel Cell Qty	Pack Qty (pcs)	Carton Qty (packs)
With Fuel Cells			
BSS1625G	2	2,000	10
BSS1638G	2	2,000	10
BSS1650G	2	2,000	10
BSS1664G	2	2,000	10
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

No Fuel Cells

Product Code	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
No Fuel Cells			
BG1619	2,000	12	768
BG1625	2,000	12	576
BG1632	2,000	12	576
BG1638	2,000	12	576
BG1645	2,000	12	576
BG1650	2,000	12	576
BG1664	2,000	12	576
BG1816	5,000	20	1080
BG1819	5,000	20	1080
BG1825	5,000	20	1080
BG1832	5,000	12	648
BG1838	5,000	12	648
BG1845	5,000	12	648
BG1850	5,000	12	648

Product Code	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
No Fuel Cells			
BSS1625	2,000	12	768
BSS1638	2,000	12	576
BSS1650	2,000	12	576
BSS1664	2,000	12	768
BSS1819	5,000	20	1,280
BSS1825	5,000	20	1,280
BSS1832	5,000	12	648
BSS1838	5,000	12	648
BSS1850	5,000	12	648

Angled Brads

Gauge	Length (mm)	Nails Per Strip	Collation Angle
Galvanised			
16	32	50	20°
16	38	50	20°
16	45	50	20°
16	50	50	20°
16	64	50	20°

Gauge	Length (mm)	Nails Per Strip	Collation Angle
A2 Stainless Steel			
16	38	50	20°
16	50	50	20°
16	64	50	20°



Product Code	Fuel Cell Qty	Pack Qty (pcs)	Carton Qty (packs)
With Fuel Cells			
ABG1632G	2	2,000	10
ABG1638G	2	2,000	10
ABG1645G	2	2,000	10
ABG1650G	2	2,000	10
ABG1664G	2	2,000	10

Product Code	Fuel Cell Qty	Pack Qty (pcs)	Carton Qty (packs)
With Fuel Cells			
ABSS1638G	2	2,000	10
ABSS1650G	2	2,000	10
ABSS1664G	2	2,000	10

No Fuel Cells

Product Code	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
No Fuel Cells			
ABG1632	2,000	6	396
ABG1638	2,000	6	396
ABG1645	2,000	6	396
ABG1650	2,000	6	396
ABG1664	2,000	6	396

Product Code	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
No Fuel Cells			
ABSS1638	2,000	6	396
ABSS1650	2,000	6	396
ABSS1664	2,000	6	396

FirmaHold Fuel Cell Packs



Finishing Nailer Fuel Cell

For use with the second fix brad nailer. The cleaned propane and butane gas with a synthetic oil gives a clean combustion and reduces tool wear.

- Manufactured to European standards
- Cleaned propane and butane gas for cleaner combustion and to improve the working environment
- Fully synthetic oil for reduced carbon deposition
- High quality propellant to prevent leakage and increase shelf life
- Gas filled in accordance with European Regulations (75/324/EWG)



Product Code	Volume (ml)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
BFC	30	2	6 FRT03

Framing Nailer Fuel Cell

For use with the clipped head first fix nailer. The cleaned propane and butane gas with a synthetic oil gives a clean combustion and reduces tool wear.

- Manufactured to European standards
- Cleaned propane and butane gas for cleaner combustion and to improve the working environment
- Fully synthetic oil for reduced carbon deposition
- High quality propellant to prevent leakage and increase shelf life
- Gas filled in accordance with European Regulations (75/324/EWG)



Product Code	Volume (ml)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
CFC	80	2	6 FRT03

How to Guide

- Remove dosage valve and transit cap
- Separate the dosage valve from the transit cap
- Tilt the dosage valve forward
- Locate the front of the dosage valve on the fuel cell
- Click the back of the dosage valve down one click firmly then down fully



Fuel Cell Packs



IM65 Fuel Cell

Mini gas fuel cell with added lubricant for cordless finishing nailers and staplers.

- Suitable for IM65/IM65A, IM50 gas finishing nailers and IM200 Stapler



Product Code	Volume (ml)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
PAS300341	30	2	10 PFC01

IM350+ Fuel Cell

Gas fuel cell with added lubricant for IM350+ and IM350 cordless framing nailers.

- Suitable for IM350+ and IM350 Impulse framing nailers



Product Code	Volume (ml)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
PAS300346	80	2	10 PFC01

IM360Ci Fuel Cell

Gas fuel cell with added lubricant for Series-i cordless framing and positive placement nailers.

- Suitable for IM90i and IM360Ci Impulse framing nailers
- Patented lubricant included in gas mixture to ensure optimum performance of the tool at all times
- Patented dosing valve works with fuel injection system of the tool to ensure correct dosage for ambient temperature
- Fuel cell capacity - 1,250 shots at optimum temperature (between -15°C & +49°C)



Product Code	Volume (ml)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
PAS300348	80	1	10 PFC01



Collated Nail & Fuel Pack



IM360Ci Nail & Fuel Packs

Product Code	Dia. (mm)	Length (mm)	Head Type	Shank Type	Service Class	Fuel Cell Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
TRADE PACK - WITH FUEL CELLS								
Bright								
PAS141083	2.8	51	Fully Round	Ring	1	3	3,300	10
PAS141078	2.8	63	Fully Round	Ring	1	3	3,300	10
PAS141081	3.1	75	Fully Round	Ring	1	2	2,200	10
PAS141082	3.1	90	Fully Round	Ring	1	2	2,200	10
PAS141076	3.1	90	Fully Round	Plain	1	2	2,200	10
Galvanised +								
PAS141075	2.8	51	Fully Round	Ring	2	3	3,300	10
PAS141071	2.8	63	Fully Round	Ring	2	3	3,300	10
PAS141073	3.1	63	Fully Round	Ring	2	2	2,200	10
PAS141072	3.1	75	Fully Round	Ring	2	2	2,200	10
PAS141074	3.1	90	Fully Round	Ring	2	2	2,200	10
PAS141070	3.1	90	Fully Round	Plain	2	2	2,200	10
Hot Dipped Galvanised								
PAS140631	2.8	63	Fully Round	Ring	3	3	3,300	10
PAS140630	3.1	75	Fully Round	Ring	3	2	2,200	10
PAS140628	3.1	90	Fully Round	Ring	3	2	2,200	10
PAS140629	3.1	90	Fully Round	Plain	3	2	2,200	10
PNG01								
RETAIL PACK - WITH FUEL CELLS								
Galvanised +								
PAS141080	2.8	51	Fully Round	Ring	2	1	1,100	10
PAS141079	2.8	63	Fully Round	Ring	2	1	1,100	10
PAS141077	3.1	90	Fully Round	Plain	2	1	1,100	10
A2 Stainless Steel								
PAS140624	2.8	51	Fully Round	Ring	3	1	1,100	10
PAS140626	2.8	63	Fully Round	Ring	3	1	1,100	10
PAS140627	3.1	80	Fully Round	Ring	3	1	1,100	10
A4 Stainless Steel								
PAS140632	2.8	63	Fully Round	Ring	3	1	1,100	10
PNG01								

IM350+ Nail & Fuel Packs

Product Code	Dia. (mm)	Length (mm)	Head Type	Shank Type	Service Class	Fuel Cell Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
TRADE PACK - WITH FUEL CELLS								
Bright								
PAS141202	2.8	51	Clipped	Ring	1	3	3,300	10
PAS141208	2.8	63	Clipped	Ring	1	3	3,300	10
PAS141226	3.1	75	Fully Round	Ring	1	2	2,200	10
PAS141233	3.1	90	Fully Round	Plain	1	2	2,200	10
Galvanised +								
PAS141204	2.8	51	Clipped	Ring	2	3	3,300	10
PAS141210	2.8	63	Clipped	Ring	2	3	3,300	10
PAS141221	3.1	63	Clipped	Ring	2	2	2,200	10
PAS141227	3.1	75	Fully Round	Ring	2	2	2,200	10
PAS141234	3.1	90	Fully Round	Plain	2	2	2,200	10
Hot Dipped Galvanised								
PAS141205	2.8	51	Clipped	Ring	3	3	3,300	10
PAS141228	3.1	75	Fully Round	Ring	3	2	2,200	10
PAS141236	3.1	90	Fully Round	Uni Lock	3	2	2,200	10
PAS141235	3.1	90	Fully Round	Plain	3	2	2,200	10
PNG02								
RETAIL PACK - WITH FUEL CELLS								
Galvanised +								
PAS141256	2.8	51	Clipped	Ring	2	1	1,100	10
PAS141259	2.8	63	Clipped	Ring	3	1	1,100	10
Hot Dipped Galvanised								
PAS141267	3.1	90	Fully Round	Plain	3	1	1,100	10
A2 Stainless Steel								
PAS141257	2.8	51	Clipped	Ring	3	1	1,100	10
PAS141261	2.8	63	Clipped	Ring	3	1	1,100	10
PNG02								



Collated Brad & Fuel Packs

IM65 Straight Brad Nail & Fuel Packs

Product Code	Gauge	Length (mm)	Fuel Cell Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
STRAIGHT BRADS - WITH FUEL CELLS					
Electro Galvanised					
PAS921585	16	16	2	2,000	10
PAS921586	16	19	2	2,000	10
PAS921587	16	25	2	2,000	10
PAS921588	16	32	2	2,000	10
PAS921589	16	38	2	2,000	10
PAS921590	16	45	2	2,000	10
PAS921591	16	50	2	2,000	10
PAS921592	16	63	2	2,000	10
PBG01					
A2 Stainless Steel					
PAS921594	16	38	2	2,000	10
PAS921595	16	50	2	2,000	10
PAS921596	16	63	2	2,000	10
PBG01					

IM65A Angled Brad Nail & Fuel Packs

Product Code	Gauge	Length (mm)	Fuel Cell Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
ANGLED BRADS - WITH FUEL CELLS					
Electro Galvanised					
PAS300270	16	32	2	2,000	10
PAS300271	16	38	2	2,000	10
PAS300272	16	45	2	2,000	10
PAS300273	16	51	2	2,000	10
PAS300274	16	63	2	2,000	10
PBG02					
A2 Stainless Steel					
PAS300276	16	32	2	2,000	10
PAS300277	16	38	2	2,000	10
PAS300279	16	50	2	2,000	10
PAS300280	16	64	2	2,000	10
PBG02					

Collated Twist Shank & Fuel Pack


PPN35Ci Twist Shank Nail & Fuel Packs

Product Code	Dia. (mm)	L (mm)	Head Type	Cell Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
TRADE PACK - WITH FUEL CELLS						
Electro Galvanised						
PAS141185	3.4	35	Fully Round	2	2,500	10
PNG03						




Paslode hardened twist nails can be used for nailing connectors and hangers into solid wood. CE marked & EC5 compliant. The electro galvanised finish is suitable for external protected applications - Service Class 2.

Staples & Staplers



Dimensions



Finishes/Materials

GALVANISED

2 out of 5 corrosion rating.
Use in occasionally damp/wet, rural and sheltered areas

A2 STAINLESS STEEL

4 out of 5 corrosion rating.
Use in urban & industrial areas with a moderate salt atmosphere

Light Duty Staples

Galvanised



53
JT21

Light duty staples suitable for a wide variety of professional and DIY applications. Ideal for pinning fabrics, decoration and light repairs.




- Light duty 0.7mm wire
- 11.35mm crown width
- Flat crown for improved material clamping
- Super sharp chisel point

Product Code	Leg Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
Galvanised				
377101	6	1,000	200	6,000
377564	8	1,000	200	6,000
377321	10	1,000	200	3,600

FRS01

Heavy Duty Staples

Galvanised A2 Stainless



140
T50

Heavy duty staples suitable for a range of professional second fix applications including carpet fitting, roof insulating, woodworking and more.



- Heavy duty 1.2mm wire
- 10.60mm crown width
- Flat crown for improved material clamping
- Super sharp chisel point

Product Code	Leg Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX				
A2 Stainless Steel				
377761	8	1,000	100	3000
377023	10	1,000	100	3000
377261	12	1,000	100	3000
Galvanised				
377987	6	1,000	100	3000
377258	8	1,000	100	3000
377469	10	1,000	100	3000
377627	12	1,000	100	3000
377861	14	1,000	100	2700
BULK BOX				
Galvanised				
377155	10	5,000	20	600
377188	12	5,000	20	480

FRS01

Divergent Point Staples

Galvanised



91

Heavy duty divergent point staples are designed to twist during installation creating a stronger fixing. Ideal for wood to wood and second fix applications.



- Heavy duty 1.2mm wire
- 5.95mm crown width
- Flat crown for improved material clamping
- Divergent point for superior retention

Product Code	Leg Length (mm)	Leg Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
BOX				
Galvanised				
377963	18	3/4	1,000	40
377666	22	7/8	1,000	40

FRS01

Light Duty Stapler



124
Staple Capacity

53
JT21
6-10mm

An all steel light duty staple gun, ideal for most professional and DIY applications. Suitable for use with light duty staples.

- Pinch point free design for safe and comfortable grip
- Convenient rear loading magazine
- Also compatible with Type 53, JT21 & A-Type staples

Product Code	Staple Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
370505	6 - 10	1	4

FST01

Heavy Duty Stapler



82
Staple Capacity

140
T50
6-14mm

An all steel professional staple gun, ideal for heavy duty applications. Suitable for use with heavy duty staples.

- Adjustable staple depth controller for greater flexibility
- Convenient bottom loading magazine
- Also compatible with Type 140, T50 & G-Type staples

Product Code	Staple Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
370321	6 - 14	1	6

FST01

Hammer Tacker



165
Staple Capacity

140
T50
6-10mm

A heavy duty and durable all steel constructed hammer tacker. Ideal for applications requiring rapid and effortless staple installation such as roofing membrane. Suitable for use with heavy duty staples.

- Anti-slip soft grip handle for user comfort
- Complete with convenient rear loading magazine
- Also compatible with Type 140, T50 & G-Type staples

Product Code	Staple Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
370987	6 - 10	1	10

FST01

Loose Nails



WHAT IS EUROCODE 5?

Eurocode 5 regulation for Timber Structures replaces previous building regulations and stipulates that all nails must be manufactured to comply with BS EN 14592:2008+A1:2012.

WHAT IS A SERVICE CLASS?

Within Eurocode 5, structural fasteners must comply to certain levels of rust protection, which are graded by Service Classes.



TIMCO nails for structural applications carry CE approval complying with BS EN 14592:2008+A1:2012 or BS EN 14566:2008+A1:2009 for mechanical fasteners for plasterboard systems.

CLASS 1

For internal use or where the moisture content of the timber will not exceed 12%. Fasteners conforming to Service Class 1 do not require any rust protective coatings.

CLASS 2

For covered exterior applications where the timber is protected from direct wetting or where the timber moisture content does not exceed 20%.

CLASS 3

External application.

Bright

Suitable for indoor applications.

Conforms to Eurocode 5 and service class 1.

Galvanised

For medium duty rust protection.

Conforms to Eurocode 5 and service class 2.

Sherardised

For medium duty rust protection.

Conforms to Eurocode 5 and service class 2.

Copper

Provides high levels of rust protection.

Aluminium








Provides high levels of rust protection.

A2 Austenitic Stainless Steel

A2 for external applications.

Conforms to Eurocode 5 and service class 3.


Bright Loose Nails

Length (mm)	Ø (mm)	Approx. PCS Per 1kg	25kg Box		2.5kg Tub		1kg TIMbag		500g TIMbag		TIMpac	
			Each		Each		Carton Qty - 5		Carton Qty - 5		Carton Qty - 10	
			Product Code	Product Code	Product Code	Product Code	Product Code	Product Code				
Annular Ringshank			 Annular rings provide additional holding power, where increased grip is required.									
20	2.00	1900	BAR20	BAR20T	BAR20B	BAR20MB	-	-	-	-	-	-
25	2.00	1430	BAR25	BAR25T	BAR25B	BAR25MB	-	-	BAR25P	-	-	-
30	2.36	840	BAR30	-	BAR30B	BAR30MB	-	-	-	-	-	-
40	2.36	750	BAR40	BAR40T	BAR40B	BAR40MB	-	-	-	-	-	-
50	2.65	440	BAR50	BAR50T	BAR50B	BAR50MB	-	-	BAR50P	-	50	-
65	3.35	230	BAR65	BAR65T	BAR65B	BAR65MB	-	-	BAR65P	-	30	-
75	3.75	154	BAR75	BAR75T	BAR75B	BAR75MB	-	-	-	-	-	-
			LNA01	TUB01	NAG01	NAG01	-	-	PAK51	-	-	-
Round Wire			 General use with full round head for clamping.									
40	2.65	575	BRW40	BRW40T	BRW40B	BRW40MB	-	-	-	-	-	-
50	2.65	440	BRW50	BRW50T	BRW50B	BRW50MB	-	-	-	-	-	-
65	3.35	230	BRW65	BRW65T	BRW65B	BRW65MB	-	-	-	-	-	-
75	3.75	154	BRW75	BRW75T	BRW75B	BRW75MB	-	-	-	-	-	-
100	4.50	77	BRW100	BRW100T	BRW100B	BRW100MB	-	-	-	-	-	-
125	5.60	42	BRW125	BRW125T	BRW125B	BRW125MB	-	-	-	-	-	-
150	6.00	29	BRW150	BRW150T	BRW150B	BRW150MB	-	-	-	-	-	-
			LNA02	TUB02	NAG02	NAG02	-	-	-	-	-	-
Panel Pins			 A light weight nail, commonly used for cabinet making and light duty applications.									
20	1.60	3100	BPP20	-	-	BPP20MB	-	-	-	-	-	-
25	1.60	2340	BPP25	-	BPP25B	BPP25MB	-	-	PPB25P	-	250	-
30	1.60	1900	BPP30	-	BPP30B	BPP30MB	-	-	PPB30P	-	200	-
40	1.60	1590	BPP40	-	BPP40B	BPP40MB	-	-	PPB40P	-	100	-
50	2.00	770	BPP50	-	BPP50B	BPP50MB	-	-	PPB50P	-	50	-
			LNA03	-	NAG03	NAG03	-	-	PAK51	-	-	-
Oval			 Oval head for a concealed finish.									
40	-	940	BON40	BON40T	BON40B	BON40MB	-	-	-	-	-	-
50	-	470	BON50	BON50T	BON50B	BON50MB	-	-	-	-	-	-
65	-	230	BON65	-	BON65B	BON65MB	-	-	-	-	-	-
75	-	125	BON75	-	BON75B	BON75MB	-	-	-	-	-	-
100	-	64	BON100	-	BON100B	BON100MB	-	-	-	-	-	-
			LNA04	TUB03	NAG04	NAG04	-	-	-	-	-	-
Round Lost Head			 The head can be punched below the surface for a concealed finish.									
40	2.65	760	BLH40	BLH40T	BLH40B	BLH40MB	-	-	-	-	-	-
50	3.00	360	BLH50	BLH50T	BLH50B	BLH50MB	-	-	-	-	-	-
65	3.35	240	BLH65	BLH65T	BLH65B	BLH65MB	-	-	-	-	-	-
			LNA05	TUB05	NAG05	NAG05	-	-	-	-	-	-
Cut Clasp			 Cut clasps nails provide a more traditional fixing into timber.									
50	-	286	BCN50	-	BCN50B	-	-	-	-	-	-	-
65	-	171	BCN65	-	BCN65B	-	-	-	-	-	-	-
75	-	103	BCN75	-	BCN75B	-	-	-	-	-	-	-
100	-	48	BCN100	-	-	-	-	-	-	-	-	-
			LNA06	-	NAG06	-	-	-	-	-	-	-
Cut Flooring Brads			 A traditional nail used for fixing floor boards.									
50	-	264	CFB50	-	CFB50B	-	-	-	-	-	-	-
65	-	154	CFB65	-	CFB65B	-	-	-	-	-	-	-
			LNA07	-	NAG07	-	-	-	-	-	-	-










CE Approved

CE Approved

Galvanised Loose Nails

Length (mm)	Ø (mm)	Approx. PCS Per 1kg	10kg Box		1kg TIMbag	
			Each		Carton Qty - 5	
			Product Code	Product Code	Product Code	Product Code
Slab Nail			 Used for securing insulation to wood.			
100	3.35	82	-	-	SLN100	-
125	3.75	71	-	-	SLN125	-
150	3.75	60	-	-	SLN150	SLN150B
180	4.50	38	-	-	SLN180	SLN180B
200	4.50	36	-	-	SLN200	SLN200B
			-	-	LNA16	NAG17

Galvanised Loose Nails




Length (mm)	Ø (mm)	Approx. PCS Per 1kg	25kg Box		2.5kg Tub		2.5kg TIMbag		1kg TIMbag		500g TIMbag		TIMpac	
			Each	Each	Carton Qty - 4	Carton Qty - 5	Carton Qty - 5	Carton Qty - 10	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code
Round Wire			 General use with full round head for clamping.											
40	2.65	575	GRW40	GRW40T	GRW40LB	GRW40B	GRW40MB	GRW40P	75					
50	2.65	440	GRW50	GRW50T	GRW50LB	GRW50B	GRW50MB	GRW50P	50					
65	2.65	350	GRW26565	GRW26565T	GRW26565LB	GRW26565B	GRW26565MB	-	-					
65	3.35	230	GRW65	GRW65T	GRW65LB	GRW65B	GRW65MB	GRW65P	40					
75	3.75	154	GRW75	GRW75T	GRW75LB	GRW75B	GRW75MB	GRW75P	25					
90	4.00	105	GRW90	GRW90T	-	GRW90B	-	GRW90P	15					
100	4.50	77	GRW100	GRW100T	GRW100LB	GRW100B	GRW100MB	GRW100P	15					
125	5.60	42	GRW125	GRW125T	-	GRW125B	GRW125MB	GRW125P	10					
150	6.00	29	GRW150	GRW150T	GRW150LB	GRW150B	GRW150MB	GRW150P	8					
			LNA08	TUB08	LBG09	NAG08	NAG08	PAK51						
Square Twist			 For use with all types of builders metal work.											
30	3.75	357	GST30	GST30T	GST30LB	GST30B	GST30MB	-	-					
40	3.75	312	GST40	GST40T	GST40LB	GST40B	GST40MB	-	-					
			LNA09	TUB09	LBG10	NAG09	NAG09							
Presser Point Staples			 Used for fixing fencing and wire mesh.											
20	2.00	1000	PPS20	PPS20T	-	PPS20B	PPS20MB	PPS20P	75					
25	2.65	500	PPS25	PPS25T	-	PPS25B	PPS25MB	PPS25P	60					
30	3.35	227	PPS30	PPS30T	PPS30LB	PPS30B	PPS30MB	PPS30P	30					
40	4.00	135	PPS40	PPS40T	-	PPS40B	PPS40MB	PPS40P	20					
50	4.00	71	PPS50	PPS50T	-	PPS50B	PPS50MB	-	-					
			LNA10	TUB10	LBG11	NAG10	NAG10	PAK51						
Barbed Staples			 Used for fixing fencing and wire mesh. Barbs for improved grip and resistance to pull out.											
40	4.00	135	-	BS40T	-	BS40B	-	-	-					
				TUB11		NAG11								
Jagged Plasterboard			 Traditional alternative to the drywall screw.											
30	2.65	700	JPN30	-	-	JPN30B	JPN30MB	-	-					
40	2.65	570	JPN40	-	-	JPN40B	JPN40MB	-	-					
			LNA11			NAG12	NAG11							
Drive Screw			 Fixing roofing and cladding sheets to timber purlins.											
50	5.40	87	DSN50	DSN50T	-	-	-	-	-					
65	5.40	71	DSN65	DSN65T	-	-	-	-	-					
75	5.40	55	DSN75	-	-	DSN75B	-	-	-					
100	5.40	51	DSN100	-	DSN100LB	DSN100B	DSN100MB	-	-					
125	6.40	30	DSN125	DSN125T	DSN125LB	DSN125B	-	-	-					
150	6.40	24	DSN150	DSN150T	DSN150LB	-	-	-	-					
			LNA12	TUB13	LBG12	NAG13	NAG12							
Spring Head			 Twisted shank gives a very strong purchase.											
65	3.35	140	GSN65 (10kg)	-	GSN65LB	GSN65B	GSN65MB	-	-					
			LNA13		LBG14	NAG14	NAG13							
Clout			 Perfect for roofing applications.											
25	2.65	815	GCN25	GCN25T	-	GCN25B	GCN25MB	-	-					
30	2.65	660	GCN30	GCN30T	GCN30LB	GCN30B	GCN30MB	GCN30P	125					
40	2.65	570	GCN40	GCN40T	GCN40LB	GCN40B	GCN40MB	GCN40P	100					
40	3.35	350	GCN33540	GCN33540T	-	GCN33540B	GCN33540MB	-	-					
50	2.65	430	GCN50	GCN50T	GCN50LB	GCN50B	GCN50MB	GCN50P	50					
50	3.35	290	GCN33550	GCN33550T	-	GCN33550B	GCN33550MB	-	-					
65	2.65	320	GCN26565	GCN26565T	GCN26565LB	GCN26565B	GCN26565MB	-	-					
65	3.75	180	GCN65	GCN65T	-	GCN65B	GCN65MB	-	-					
75	3.75	150	GCN75	GCN75T	-	GCN75B	GCN75MB	GCN75P	25					
			LNA14	TUB15	LBG15	NAG15	NAG14	PAK51						
ELH Clout			 Extra large diameter head for extra clamping, perfect for fitting roofing felt and plasterboard.											
13	3.00	780	GEC13	GEC13T	GEC13LB	GEC13B	GEC13MB	-	-					
20	3.00	580	GEC20	GEC20T	GEC20LB	GEC20B	GEC20MB	-	-					
25	3.00	485	GEC25	GEC25T	-	GEC25B	GEC25MB	-	-					
30	3.00	420	GEC30	GEC30T	GEC30LB	GEC30B	GEC30MB	GEC30P	100					
40	3.00	350	GEC40	GEC40T	GEC40LB	GEC40B	GEC40MB	GEC40P	75					
50	3.00	320	GEC50	GEC50T	-	GEC50B	GEC50MB	-	-					
			LNA15	TUB16	LBG16	NAG16	NAG15	PAK51						

CE Approved

CE & UKCA


CE Approved


Sherardised Loose Nails

Length (mm)	Ø (mm)	Approx. PCS Per 1kg	25kg Box		2.5kg Tub		2.5kg TIMbag		1kg TIMbag		500g TIMbag	
			Each	Each	Each	Each	Carton Qty - 4	Carton Qty - 5	Carton Qty - 5	Carton Qty - 5		
			Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	
Annular Ringshank			 Annular rings provide additional holding power, where increased grip is required.									
40	2.65	575	SAR40	SAR40T	-	SAR40B	SAR40MB					
50	2.65	440	SAR50	SAR50T	-	SAR50B	SAR50MB					
65	3.35	230	SAR65	SAR65T	-	SAR65B	-					
75	3.75	154	SAR75	-	-	-	-					
100	5.00	66	SAR100	-	-	-	-					
			LNA17	TUB17		NAG19	NAG19					
Square Twist			 For use with all types of builders metal work.									
30	3.75	357	SST30	SST30T	SST30LB	SST30B	SST30MB					
40	3.75	312	SST40	SST40T	-	SST40B	SST40MB					
			LNA19	TUB18	LBG20	NAG20	NAG20					
Panel Pins			 A light weight nail, commonly used for cabinet making and light duty applications.									
25	1.60	2340	SPP25	-	-	-	SPP25MB					
30	1.60	1900	SPP30	-	-	-	SPP30MB					
40	1.60	1590	SPP40	-	-	-	SPP40MB					
50	2.00	770	SPP50	-	-	-	SPP50MB					
			LNA18				NAG18					


CE Approved

Copper Loose Nails

Length (mm)	Ø (mm)	Approx. PCS Per 1kg	25kg Box		10kg Box		2.5kg Tub		1kg TIMbag		500g TIMbag	
			Each	Each	Each	Each	Carton Qty - 5	Carton Qty - 5				
			Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code	Product Code		
Clout			 Large diameter head, perfect for attaching roofing felt, slate and shingles.									
30	2.65	620	COP230	-	COP230T	COP230B	COP230MB					
30	3.35	380	COP330	-	COP330T	COP330B	COP330MB					
35	3.35	340	COP335	-	-	COP335B	-					
38	2.65	500	COP238	-	COP238T	COP238B	COP238MB					
38	3.35	300	COP338	COP338BOX	COP338T	COP338B	-					
50	3.35	230	COP350	-	COP350T	COP350B	COP350MB					
			LNA20	LNA20	TUB19	NAG21	NAG21					

Length (mm)	Ø (mm)	Approx. PCS Per 1kg	5kg Box		1kg TIMbag	
			Each	Each	Each	Each
			Product Code	Product Code	Product Code	Product Code
Presser Point Staples						
25	2.65	830	-	COPPS25PB		
38	4.0	240	COPPS38	-		
			LNA26	NAG22		

Aluminium Clout Nails

L (mm)	Ø (mm)	Approx. PCS Per 1kg	10kg Box		1kg Tub		1kg TIMbag		250g TIMbag	
			Each	Each	Each	Each	Carton Qty - 4	Carton Qty - 5		
			Code	Code	Code	Code	Code	Code		
Clout			 Large diameter head, perfect for attaching roofing felt, slate and shingles.							
30	2.65	2,000	ACN30	ACN30T	ACN30LB	ACN30B				
38	3.35	1,100	ACN38	ACN38T	ACN38LB	ACN38B				
45	3.35	870	ACN45	ACN45T	ACN45LB	ACN45B				
50	3.35	800	ACN50	ACN50T	ACN50LB	ACN50B				
60	3.35	687	ACN60	-	-	-				
65	3.35	620	ACN65	-	ACN65LB	ACN65B				
			LNA23	TUB21	LBG19	NAG25				

Copper Roofing Accessories

Copper Disc Rivets



For fixing fibre cement slates.

Product Code	Length (mm)	Ø (mm)	Head Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
CDRT	20	1.50	20	1000	-
PACK					
CDRB	20	1.50	20	250	5

TUB20 / NAG24

Copper Straps



For securing slates and shingles.

Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
CSS150B	150	100	5
CSS150P	150	10	10

NAG23 / PAK51

Stainless Steel Loose Nails

Length (mm)	Ø (mm)	Approx. PCS Per 1kg	10kg Box	1kg TIMbag
			Each Code	Carton Qty - 5 Code
20	2.00	1785	SSAR20	SSAR20B
25	2.00	1465	SSAR25	SSAR25B
30	2.36	890	SSAR30	SSAR30B
40	2.65	546	SSAR40	SSAR40B
50	2.65	442	SSAR50	SSAR50B
50	3.35	276	SSAR50335	SSAR50335B
65	3.35	216	SSAR65	SSAR65B
75	3.75	150	SSAR75	SSAR75B
100	4.50	79	SSAR100	SSAR100B
			SSN01	SSN01

Annular Ringshank

Annular rings provide additional holding power where increased grip is required.

Length (mm)	Ø (mm)	Approx. PCS Per 1kg	Each Code	Carton Qty - 5 Code
20	2.00	1785	SSAR20	SSAR20B
25	2.00	1465	SSAR25	SSAR25B
30	2.36	890	SSAR30	SSAR30B
40	2.65	546	SSAR40	SSAR40B
50	2.65	442	SSAR50	SSAR50B
50	3.35	276	SSAR50335	SSAR50335B
65	3.35	216	SSAR65	SSAR65B
75	3.75	150	SSAR75	SSAR75B
100	4.50	79	SSAR100	SSAR100B
			SSN01	SSN01

Round Lost Head

The head can be punched below the surface for a concealed finish.


Length (mm)	Ø (mm)	Approx. PCS Per 1kg	Each Code	Carton Qty - 5 Code
40	2.65	550	SSLH40	SSLH40B
50	2.65	443	SSLH50	SSLH50B
65	3.35	216	SSLH65	SSLH65B
			SSN02	SSN02

Round Wire

General use with full round head for clamping.

Length (mm)	Ø (mm)	Approx. PCS Per 1kg	Each Code	Carton Qty - 5 Code
40	2.65	550	SSRW40	SSRW40B
50	2.65	440	SSRW50	SSRW50B
65	3.35	215	SSRW65	SSRW65B
75	3.75	150	SSRW75	SSRW75B
100	4.00	100	SSRW100	SSRW100B
125	5.60	40	SSRW125	SSRW125B
150	6.00	30	SSRW150	SSRW150B
			SSN03	SSN03

Upholstery Nails & Cut Tacks



Upholstery Nails



Bronze finished nail for traditional upholstery applications.

Product Code	L (mm)	Head Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
BRZENNAILP	15.7	10.5	50	10

TIMPAC PAK51

Blue Cut Tacks



For fastening underlay, carpets and upholstery.

Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
CUTTACKP	19	120	10

TIMPAC PAK53

Zinc Masonry Nails

Length (mm)	Ø (mm)	100pcs Box	50 pcs TIMpac
		Each Code	Each Code
25	2.5	HM25025	HM25025P
30	2.5	HM25030	HM25030P
35	2.5	HM25035	HM25035P
40	2.5	HM25040	HM25040P
50	2.5	HM25050	HM25050P
40	3.0	HM30040	-
50	3.0	HM30050	-
60	3.0	HM30060	HM30060P
65	3.0	HM30065	HM30065P
65	3.5	HM35065	-
75	3.5	HM35075	HM35075P
85	3.5	HM35085	-
100	3.5	HM350100	-
		LNA24	PAK51

Masonry Nails

Length (mm)	Ø (mm)	Each Code	Each Code
25	2.5	HM25025	HM25025P
30	2.5	HM25030	HM25030P
35	2.5	HM25035	HM25035P
40	2.5	HM25040	HM25040P
50	2.5	HM25050	HM25050P
40	3.0	HM30040	-
50	3.0	HM30050	-
60	3.0	HM30060	HM30060P
65	3.0	HM30065	HM30065P
65	3.5	HM35065	-
75	3.5	HM35075	HM35075P
85	3.5	HM35085	-
100	3.5	HM350100	-
		LNA24	PAK51

Masonry - Washered

Length (mm)	Ø (mm)	Each Code	Each Code
25	3.7	WMN25	-
30	3.7	WMN30	-
35	3.7	WMN35	-
40	3.7	WMN40	-
50	3.7	WMN50	-
60	3.7	WMN60	-
75	3.7	WMN75 (50pcs)	-
		LNA24	-

Mickey Pins / Capping Nails

Length (mm)	Ø (mm)	Each Code	Each Code
25	2.5	WMP25 (200pcs)	-
30	2.5	WMP30 (200pcs)	-
		LNA25	-

NEW

HallClips® & HallHooks®



HallClip® Lead Flashing Fixing Clips

The HallClip® is a patented lead flashing fixing clip that is a high tensile 'V' shaped stainless steel clip that allows you to fix flashings up to 20 times faster than a standard lead wedge.




- Time saving solution
- Easy to install
- Stronger than traditional methods
- High tensile stainless steel
- Suitable for 6-26mm chase heights
- Does not come loose unlike traditional lead wedges

Product Code	To Suit Chase Joints (mm)	Pack Qty (pcs)	Carton Qty (packs)
269855	6 - 18	50	10
269333	16 - 26	25	5

TIMPAC PAK51

HallHook® Slate Roof Repair Hook

This revolutionary device was invented by a roofer of 45 years, the HallHook® is a permanent, secret and fail-safe device that should be used when replacing a broken slate.



- Easy to install
- Invisible and fail-safe
- Permanent slate fixing
- Stainless steel
- Includes 1 x HookPull tool

Product Code	Pack Qty (pcs)	Carton Qty (packs)
269040	50	10

TIMPAC PAK51

Polymer Headed Nails & Pins



Polymer Headed Nails

A4 Stainless Steel



Used for fixing soffits, fascias, roofline trims and where other aesthetic fixings are required.

- UV Stable
- Impact Resistant

Product Code	Colour	Length (mm)	Shank Ø (mm)	Head Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX							
PN40W	White	40	3.2	12	100	50	1200
PN50W	White	50	3.2	12	100	36	864
PN50CC	Cream	50	3.2	12	100	36	864
PN50CG	Chartwell Green	50	3.2	12	100	36	864
PN50CB	Clay Brown	50	3.2	12	100	36	864
PN50O	Oak	50	3.2	12	100	36	864
PN50BR	Mahogany	50	3.2	12	100	36	864
PN50AG	Anthracite Grey	50	3.2	12	100	36	864
PN50BL	Black	50	3.2	12	100	36	864
PN65W	White	65	3.2	12	100	36	864
PN65CC	Cream	65	3.2	12	100	36	864
PN65CG	Chartwell Green	65	3.2	12	100	36	864
PN65CB	Clay Brown	65	3.2	12	100	36	864
PN65BR	Mahogany	65	3.2	12	100	36	864
PN65AG	Anthracite Grey	65	3.2	12	100	36	864
PN65BL	Black	65	3.2	12	100	36	864

Product Code	Colour	Length (mm)	Shank Ø (mm)	Head Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC							
PN50WP	White	50	3.2	12	25	10	-
PN50BLP	Black	50	3.2	12	25	10	-

Clad Pins

A4 Stainless Steel



A4 Stainless Steel cladding pin with ring shank.
• Impact Resistant

Product Code	Length (mm)	Shank Ø (mm)	Head Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC						
CP30	30	2.1	4.7	250	76	1824

Polymer Headed Pins

A4 Stainless Steel



Used for fixing soffits, fascias, roofline trims and where other aesthetic fixings are required.

- UV Stable
- Impact Resistant

Product Code	Colour	Length (mm)	Shank Ø (mm)	Head Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX							
PP25W	White	25	2.1	6.4	250	76	1824
PP25BEIGE	Beige	25	2.1	6.4	250	35	1824
PP25M	Mahogany	25	2.1	6.4	250	76	1824
PP30W	White	30	2.1	6.4	250	76	1824
PP30CC	Cream	30	2.1	6.4	250	76	1824
PP30CG	Chartwell Green	30	2.1	6.4	250	76	1824
PP30CB	Clay Brown	30	2.1	6.4	250	76	1824
PP30O	Oak	30	2.1	6.4	250	76	1824
PP30BR	Mahogany	30	2.1	6.4	250	76	1824
PP30AG	Anthracite Grey	30	2.1	6.4	250	76	1824
PP30BL	Black	30	2.1	6.4	250	76	1824
PP40W	White	40	2.1	6.4	250	50	1200
PP40CC	Cream	40	2.1	6.4	250	50	1200
PP40CG	Chartwell Green	40	2.1	6.4	250	50	1200
PP40CB	Clay Brown	40	2.1	6.4	250	50	1200
PP40O	Oak	40	2.1	6.4	250	50	1200
PP40BR	Mahogany	40	2.1	6.4	250	50	1200
PP40AG	Anthracite Grey	40	2.1	6.4	250	50	1200
PP40BL	Black	40	2.1	6.4	250	50	1200

Product Code	Colour	Length (mm)	Shank Ø (mm)	Head Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIMPAC							
PP25WP	White	25	2.1	6.4	65	10	-
PP30WP	White	30	2.1	6.4	60	10	-
PP40WP	White	40	2.1	6.4	50	10	-
PP30BLP	Black	30	2.1	6.4	60	10	-
PP40BLP	Black	40	2.1	6.4	50	10	-



Powertool Accessories

Drilling

SDS Plus & Max Hammer Bits	113-114
Rebar Cutters	114
Masonry Drill Bits	115
Tile & Glass Drill Bits	115
Wood Auger & Wood Bits	116-117
HSS Drill Bits	118-119
Step Drills & Countersinks	120
Broaching Cutters & Pilot Rods	121
Drilling & Driver Sets	122-123

Cutting

Holesaws & Accessories	124
Dry Diamond Core Bits & Accessories	126
Diamond Blades & Wheels	127-128
Bonded Abrasives	128
Circular Saw Blades	129
Jigsaw Blades & Sets	130-131
Reciprocating Saw Blades & Set	132
Multi-Tool Blades & Sets	133-134

Abrasives

Powertool Sanding	135
Hand Sanding	136
Powertool Wire Brushes	137-138
Flap Discs & Preparation Discs	138

Chucks, Driver Bits & Adaptors

Chucks, Keys & Adaptors	139
Impact Driver Bits & Holders	140
Impact Driver Bit Sockets & Adaptors	141
Driver Bits, Holders & Sets	142-143

Mixing

Mixing Paddles	143
----------------	-----



SDS Plus Hammer Bits

Professional SDS Plus Hammer Bits



A high performance drill bit with a superior carbide tip to give extended durability. PGM approved to ensure the bits drill with dimensional precision and performance when used in concrete and masonry.

- Special Nickel Chromoly shank
- High quality BC20 Tungsten Carbide tip
- Cold formed blanks utilised up to 11mm diameter
- Fully heat treated to eliminate bending
- Twin flute design for increased drilling performance
- Shot-peened for increased strength and durability
- P.G.M. approved and marked



User Caution: Rebar drilling will result in reduced tool life. All chisel tip SDS drills can shear if the tip snags the reinforcing whilst passing alongside.
PGM. This mark is an international symbol of quality for masonry bits, governed by the independent Prüfgemeinschaft Mauerbohrer e.V. (PGM). The mark guarantees that the bits are manufactured and tested to ensure dimensional precision and performance. The DIBt (German Institute of Construction Technology) specifies that PGM marked drills should be used when geometrical exact holes are required for safety critical fixings. (5.5 & 6.5 do not carry the PGM mark)

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLIP				
AP4110	4.0	110	1	25
AP4160	4.0	160	1	25
AP5110	5.0	110	1	25
AP5160	5.0	160	1	25
AP5210	5.0	210	1	25
AP55110	5.5	110	1	25
AP55160	5.5	160	1	25
AP55210	5.5	210	1	25
AP6110	6.0	110	1	25
AP6160	6.0	160	1	25
AP6210	6.0	210	1	25
AP6260	6.0	260	1	25
AP6350	6.0	350	1	25
AP65110	6.5	110	1	25
AP65160	6.5	160	1	25
AP65210	6.5	210	1	25
AP65260	6.5	260	1	25
AP7110	7.0	110	1	25
AP7160	7.0	160	1	25
AP7210	7.0	210	1	25
AP7260	7.0	260	1	25
AP8110	8.0	110	1	25
AP8160	8.0	160	1	25
AP8210	8.0	210	1	25
AP8260	8.0	260	1	25
AP8310	8.0	310	1	25
AP8350	8.0	350	1	25
AP8450	8.0	450	1	25
AP9210	9.0	210	1	25
AP10160	10.0	160	1	25
AP10210	10.0	210	1	25
AP10260	10.0	260	1	25
AP10310	10.0	310	1	25
AP10450	10.0	450	1	25
AP10600	10.0	600	1	10
AP101000	10.0	1000	1	10
AP12160	12.0	160	1	25
AP12210	12.0	210	1	25
AP12260	12.0	260	1	20
AP12310	12.0	310	1	20
AP12450	12.0	450	1	20
AP12600	12.0	600	1	10
AP121000	12.0	1000	1	10
AP13260	13.0	260	1	20
AP14160	14.0	160	1	25

APS01

SDS Plus Hammer Bits

NEW



High quality, cost effective drill bit suitable for use in rotary hammers with the SDS plus tool system.

- Fully heat treated to eliminate bending
- Shot blast finish for rust protection

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLIP				
SDS4160	4.0	160	1	20
SDS5110	5.0	110	1	20
SDS5160	5.0	160	1	20
SDS5210	5.0	210	1	20
SDS55110	5.5	110	1	20
SDS55160	5.5	160	1	20
SDS55210	5.5	210	1	20
SDS6110	6.0	110	1	20
SDS6160	6.0	160	1	20
SDS6210	6.0	210	1	20
SDS6260	6.0	260	1	20
SDS6360	6.0	360	1	10
SDS65110	6.5	110	1	20
SDS65160	6.5	160	1	20
SDS65210	6.5	210	1	20
SDS65260	6.5	260	1	20
SDS7110	7.0	110	1	20
SDS7160	7.0	160	1	20
SDS7210	7.0	210	1	20
SDS7260	7.0	260	1	20
SDS8110	8.0	110	1	20
SDS8160	8.0	160	1	20
SDS8210	8.0	210	1	20
SDS8260	8.0	260	1	20
SDS8310	8.0	310	1	10
SDS8360	8.0	360	1	10
SDS8450	8.0	450	1	10
SDS10160	10.0	160	1	20
SDS10210	10.0	210	1	20
SDS10260	10.0	260	1	20

SDS01

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLIP				
AP14210	14.0	210	1	20
AP14260	14.0	260	1	20
AP14310	14.0	310	1	20
AP14450	14.0	450	1	20
AP141000	14.0	1000	1	10
AP15260	15.0	260	1	20
AP16160	16.0	160	1	25
AP16210	16.0	210	1	20
AP16260	16.0	260	1	20
AP16310	16.0	310	1	20
AP16450	16.0	450	1	10
AP16600	16.0	600	1	10
AP161000	16.0	1000	1	10
AP18210	18.0	210	1	10
AP18260	18.0	260	1	10
AP18310	18.0	310	1	10
AP18450	18.0	450	1	10
AP20210	20.0	210	1	10
AP20310	20.0	310	1	10
AP20450	20.0	450	1	10
AP20600	20.0	600	1	5
AP201000	20.0	1000	1	5
AP22260	22.0	260	1	10
AP22450	22.0	450	1	10
AP22600	22.0	600	1	5
AP24260	24.0	260	1	10
AP24450	24.0	450	1	5
AP25260	25.0	260	1	10
AP25450	25.0	450	1	5
AP25600	25.0	600	1	5
AP251000	25.0	1000	1	5
AP28450	28.0	450	1	5
AP30450	30.0	450	1	5

APS01

SDS Plus Steels



- Point** - Breaks up concrete & masonry.
- Chisel/Spade** - Breaks up concrete & masonry. Also removes plaster or rendering.
- Tile** - Angled head design for easy removal of tiles, plaster or rendering.
- Gouge** - Removes mortar from brickwork prior to re-pointing.

Product Code	Drill Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
CASE (6 PCS)				
AP6DS	-	-	6	30
	5.0	110	1	
	5.5	110	1	
	7.0	110	1	
	6.0	160	1	
	8.0	160	1	
	10.0	160	1	

APS02

Product Code	Type	W (mm)	L (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLIP					
SDSP	Point	N/A	250	1	10
SDSC	Chisel	20	250	1	10
SDSS	Spade	40	250	1	10
SDST	Tile	40	250	1	10
SDSG	Gouge	22	250	1	10

SPC01

SDS Max Bits

SDS Max Hammer Bits



For drilling large diameter holes in concrete, stone and masonry. Suitable for use in large rotary hammers with the SDS Max tool holder system.

- Narrow angle 4-cutter head greatly reduces jamming and provides smooth drilling
- High quality Tungsten Carbide tips
- Shot peened for extra strength and durability

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLIP				
SDSM12340	12	340	1	5
SDSM12540	12	540	1	5
SDSM14340	14	340	1	5
SDSM14540	14	540	1	5
SDSM16340	16	340	1	5
SDSM16540	16	540	1	5
SDSM18340	18	340	1	5
SDSM18540	18	540	1	5
SDSM18690	18	690	1	5
SDSM18920	18	920	1	5
SDSM20340	20	340	1	5
SDSM20540	20	540	1	5
SDSM20690	20	690	1	5
SDSM20920	20	920	1	5
SDSM22340	22	340	1	5
SDSM22540	22	540	1	5
SDSM22690	22	690	1	5
SDSM22920	22	920	1	5
SDSM24340	24	340	1	5
SDSM24540	24	540	1	5
SDSM25340	25	340	1	5
SDSM25540	25	540	1	5
SDSM25690	25	690	1	5
SDSM25920	25	920	1	5
SDSM26340	26	340	1	5
SDSM26540	26	540	1	5
SDSM28340	28	340	1	5
SDSM28540	28	540	1	5
SDSM30340	30	340	1	5
SDSM30540	30	540	1	5
SDSM32340	32	340	1	5
SDSM32540	32	540	1	5

MAX01

SDS Rebar Cutters


SDS Shank Rebar Cutters (Complete)




Rotary rebar cutters are designed for use in SDS plus hammer machines switched to ROTARY MODE ONLY.

Drilling with the hammer action switched on will result in serious damage to the tool. Please read the instructions and use the recommended R.P.M.

- High temperature brazing
- Heavy duty Tungsten Carbide tips
- Made in U.S.A



How to use Rebar Cutters



Product Code	Ø (mm)	Length (mm)	Rec. R.P.M	Pack Qty (pcs)	Carton Qty (packs)
TUBE					
MSRB10*	10.0	300	750-1000	1	10
MSRB12*	12.0	300	600-850	1	10
MSRB14*	14.0	300	600-850	1	10
MSRB16	16.0	300	500-750	1	10
MSRB18	18.0	300	500-750	1	10
MSRB20	20.0	300	450-600	1	10

* PRODUCTS ARE NOT VENTED

RBR01

SDS Max Steels



- Point** - Breaks up concrete & masonry.
- Chisel** - Breaks up concrete & masonry, removes plaster or rendering.
- Slotting Tool** - Removes mortar from brickwork prior to re-pointing.

Product Code	Type	W (mm)	L (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLIP					
SDSMP280	Point	N/A	280	1	5
SDSMP400	Point	N/A	400	1	5
SDSMC280	Chisel	25	280	1	5
SDSMC400	Chisel	25	400	1	5
SDSMC40050	Chisel	50	400	1	5
SDSMC30075	Chisel	75	300	1	5
SDSMST	Slotting Tool	25	280	1	5

MAX01

Rebar Cutters (Head Only)



Used with rebar adaptor to drill through in-situ rebar when drilling into concrete.

ROTARY MODE ONLY

Product Code	Ø (mm)	L (mm)	Rec R.P.M	Carton Qty (packs)
TUBE - 1PCS				
MRB22HO	22.0	115	450-600	10
MRB24HO	24.0	115	350-500	10
MRB25HO	25.0	115	350-500	10

RBR01

Adaptor for Cutter Heads



Used with 22, 24 & 25mm rebar cutter heads.

ROTARY MODE ONLY

Product Code	Length (mm)	Carton Qty (packs)
TUBE - 1PCS		
STDS212	220	10

RBR01

Masonry Drill Bits

Masonry Drill Bits



A premium quality masonry bit for use in cordless and corded drill drivers in both rotary and hammer action.

Ideal for drilling brick, block and concrete.

- 135° High Grade Industrial Carbide Tip
- Ground flute
- Silver/black finish
- Heat treated

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
APM475	4.0	75	1	100
APM4150	4.0	150	1	100
APM585	5.0	85	1	100
APM5150	5.0	150	1	100
APM5585	5.5	85	1	100
APM55150	5.5	150	1	100
APM6100	6.0	100	1	100
APM6150	6.0	150	1	100
APM6200	6.0	200	1	50
APM6300	6.0	300	1	30
APM65100	6.5	100	1	100
APM65150	6.5	150	1	100
APM65200	6.5	200	1	50
APM65300	6.5	300	1	30
APM7100	7.0	100	1	100
APM7150	7.0	150	1	100
APM7300	7.0	300	1	40
APM8120	8.0	120	1	50
APM8150	8.0	150	1	50
APM8200	8.0	200	1	50
APM8300	8.0	300	1	25
APM10120	10.0	120	1	50
APM10150	10.0	150	1	50
APM10200	10.0	200	1	40
APM10300	10.0	300	1	30
APM10400	10.0	400	1	30
APM12150	12.0	150	1	50
APM12200	12.0	200	1	30
APM12300	12.0	300	1	30
APM12400	12.0	400	1	10
APM14150	14.0	150	1	40
APM14200	14.0	200	1	30
APM14400	14.0	400	1	20
APM16150	16.0	150	1	30
APM16200	16.0	200	1	20
APM16300	16.0	300	1	20
APM16400	16.0	400	1	15
APM20200	20.0	200	1	15
APM20400	20.0	400	1	10
APM25400	25.0	400	1	10

MPG01

TCT Multi-Purpose Drill Bits



Designed to drill steel, wood, masonry, PVCu, ceramics and concrete.

Diamond-ground cutting edges allow fast drilling even in hard materials.

ROTARY MODE ONLY.

- High quality European diamond ground carbide tip with 135° angle point
- High temperature copper brazed
- Ground flute
- Silver and gold finish
- Heat treated

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
MP475	4.0	75	1	100
MP4150	4.0	150	1	100
MP585	5.0	85	1	100
MP5150	5.0	150	1	100
MP55100	5.5	100	1	100
MP55150	5.5	150	1	100
MP6100	6.0	100	1	100
MP6150	6.0	150	1	100
MP65100	6.5	100	1	100
MP65150	6.5	150	1	100
MP7100	7.0	100	1	100
MP7150	7.0	150	1	100
MP8150	8.0	150	1	50
MP10150	10.0	150	1	50

MMP01



Dry Diamond Drill Bits



Ideal for drilling a clean hole into hard materials such as porcelain, ceramic, marble, granite and glass.

ROTARY MODE ONLY.

- Up to 10x more holes
- Over 40% faster
- Vacuum brazed diamond technology
- Suitable for dry or wet use
- Wax insert aids cooling and prolongs life
- Non-slip hex shank

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
VBD5	5.0	65	1	10
VBD6	6.0	65	1	10
VBD7	7.0	80	1	10
VBD8	8.0	80	1	10
VBD10	10.0	80	1	10
VBD12	12.0	80	1	10
VBD15	15.0	80	1	10
VBD20	20.0	80	1	10
VBD25	25.0	80	1	10

ATD01

How to use Dry Diamond Drill Bits



1. Ensure the drill bit is fastened securely in the chuck. Hold the drill firmly in both hands and start to drill at a 45° angle to the work surface. This will produce a small crescent shaped groove.



2. When the groove is formed, slowly bring the drill up to 90° to the work surface. The tool should carry on drilling through the material without slipping.

Ceramic, Tile & Glass Drill Bits

TCT Tile & Glass Bits



For accurate drilling of glass and ceramics.

A lubricant such as water is recommended when drilling glass.

Use the bit in ROTARY MODE ONLY at a low R.P.M.

- Cross ground, spear shaped Tungsten Carbide tip
- Shot blast finish

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
TG5	5.0	70	1	125
TG6	6.0	75	1	125
TG65	6.5	75	1	125
TG7	7.0	80	1	125
TG8	8.0	80	1	125
TG10	10.0	100	1	125

TGD01



Wood Auger Bits

Wood Auger Bits



A high performance wood drill for drilling a deep hole into various types of timber. Available with a hex or SDS Plus shank.

- Silver/black finish
- High grade carbon steel
- Screw point



Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------	-------------	----------------	--------------------

TUBE

Hex Shank

HA10100	10.0	100	1	10
HA12100	12.0	100	1	10
HA16100	16.0	100	1	10
HA20100	20.0	100	1	10
HA22100	22.0	100	1	10
HA25100	25.0	100	1	10
HA32100	32.0	100	1	10
HA16155	16.0	155	1	10
HA19155	19.0	155	1	10
HA20155	20.0	155	1	10
HA22155	22.0	155	1	10
HA25155	25.0	155	1	10
HA32155	32.0	155	1	10
HA6235	6.0	235	1	10
HA8235	8.0	235	1	10
HA10235	10.0	235	1	10
HA12235	12.0	235	1	10
HA13235	13.0	235	1	10
HA14235	14.0	235	1	10
HA16235	16.0	235	1	10
HA18235	18.0	235	1	10
HA19235	19.0	235	1	10
HA20235	20.0	235	1	10
HA22235	22.0	235	1	10
HA24235	24.0	235	1	10
HA25235	25.0	235	1	10
HA26235	26.0	235	1	10
HA28235	28.0	235	1	10
HA30235	30.0	235	1	10
HA32235	32.0	235	1	10
HA8460	8.0	460	1	10
HA10460	10.0	460	1	10
HA12460	12.0	460	1	10
HA14460	14.0	460	1	10
HA16460	16.0	460	1	10
HA18460	18.0	460	1	10
HA20460	20.0	460	1	10
HA22460	22.0	460	1	10
HA26460	26.0	460	1	10

SDS Shank

SA6200	6.0	200	1	10
SA8200	8.0	200	1	10
SA10235	10.0	235	1	10
SA12235	12.0	235	1	10
SA16235	16.0	235	1	10
SA20235	20.0	235	1	10
SA22235	22.0	235	1	10
SA25235	25.0	235	1	10

WAH02

High Performance Impact Auger Bits



Specifically designed to drill a clean hole into all natural woods. This high quality drill will out perform a standard Auger drill in lifetime and performance. Designed for impact drivers.

- 3x longer life
- Spurred cutting edge for a fast even cut
- Unique twist design for clean, smooth chip removal
- Burr-free lead screw point for quick, on-target starts without material build up
- High carbon steel (S55C) with precise all hardened treatment
- Made in Japan

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------	-------------	----------------	--------------------

PACK

Hex Shank

IA8	8.0	170	1	6
IA22	22.0	205	1	6
IA32	32.0	205	1	6

IA801

High Performance Deep Cut Auger Bits



A high performance Auger bit specifically designed to drill a clean hole into all natural woods. This high quality drill will out perform a standard Auger drill in lifetime and performance.

- 3x longer life
- Spurred cutting edge for a fast even cut
- Unique twist design for clean, smooth chip removal
- Burr-free lead screw point for quick, on-target starts without material build up
- High carbon steel (S55C) with precise all hardened treatment
- Made in Japan

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------	-------------	----------------	--------------------

PACK

Hex Shank

DA8	8.0	400	1	25
DA10	10.0	460	1	25
DA14	14.0	460	1	25
DA16	16.0	460	1	25
DA18	18.0	460	1	25
DA20	20.0	460	1	25
DA22	22.0	460	1	25
DA25	25.0	460	1	25
DA32	32.0	460	1	25

IA801

Speed Auger Bits



Speed Augers with a four fluted cutter, designed for rapid chip ejection and cleaner hole drilling in timber.

- Silver/Red finish with painted flutes
- High grade carbon steel
- Screw point



Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------	-------------	----------------	--------------------

TUBE

SPA16	16.0	159	1	12
SPA20	20.0	159	1	12
SPA25	25.0	159	1	10

WAH03

Wood Bits

Carpenters Kit

Speed Augers & Flat Wood Bits



Short length drills that are ideal for drilling in-between joists and studding when first fixing pipes and cables.

Contains three speed augers, each having four flutes for rapid chip ejection and cleaner drilling plus two flat bits for larger holes.

Ideal for use with impact drivers to further reduce overall tool and drill working length.

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
KIT				
CKIT			5	10
SAB 16.0	16.0	159	1	
SAB 20.0	20.0	159	1	
SAB 25.0	25.0	159	1	
FWB 32.0	32.0	152	1	
FWB 40.0	40.0	152	1	

SAB - Speed Auger Bit FWB - Flat Wood Bit MHK01

Flat Wood Bits



The twin cutting edged and integral centre point enhances speed and provides rapid chip removal when drilling various types of timber and man-made boards.

- Three point design for faster, cleaner holes
- Bright finish
- Compound angle, ground recessed cutting edge for superior cutting
- 1/4" Quick release hexagonal shank for use in both 3 jaw chucks and 1/4" quick release adaptors

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
Short Flat Bits				
FB6*	6.0	152	1	250
FB8*	8.0	152	1	250
FB10	10.0	152	1	250
FB12	12.0	152	1	250
FB13	13.0	152	1	250
FB14	14.0	152	1	250
FB15	15.0	152	1	250
FB16	16.0	152	1	250
FB18	18.0	152	1	250
FB19	19.0	152	1	250
FB20	20.0	152	1	250
FB22	22.0	152	1	250
FB24	24.0	152	1	250
FB25	25.0	152	1	250
FB26	26.0	152	1	250
FB28	28.0	152	1	250
FB30	30.0	152	1	250
FB32	32.0	152	1	250
FB35	35.0	152	1	250
FB38	38.0	152	1	250
*SINGLE POINT TIP			WFB01	
Long Flat Bits				
932548	10.0	400	1	20
932483	12.0	400	1	20
932276	14.0	400	1	20
932197	16.0	400	1	20
932784	18.0	400	1	20
932356	20.0	400	1	20
932149	22.0	400	1	20
932225	24.0	400	1	20
932108	25.0	400	1	20
932472	28.0	400	1	20
932534	32.0	400	1	20
WFB01				

Extension Rods

Used where there is restricted access and in conjunction with a 1/4" shank Flat Wood Bit. (Allen key provided).

Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
FBEQR150	150	1	150
FBEQR300	300	1	150
WFB01			

Brad Point Wood Bits



For drilling small diameter holes into various types of timber and man-made board.

- High grade HSS steel for longer life
- Fully ground
- Up to 3x the heat resistance of standard carbon steel bits



Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
BP3	3.0	60	1	10
BP4	4.0	75	1	10
BP5	5.0	87	1	10
BP6	6.0	92	1	10
BP7	7.0	108	1	10
BP8	8.0	118	1	10
BP10	10.0	133	1	10
BP12	12.0	150	1	10
BPW01				

NEW MIXED SETS AVAILABLE!



5 Piece

8 Piece

Product Code	Description	Pack Qty (pcs)	Carton Qty (packs)
CASE			
BP5DS	2-6mm*	5	30
BP8DS	3-10mm*	8	20
* Increments of 1mm		BPW02	

TCT Hinge Cutter



- Tungsten Carbide cutting edges for long life
- Bright/black finish
- 12.7mm shank compatible with both pillar drills (13mm capacity) and 1/2" industrial routers

For cutting blind holes into MDF and chipboard to accept cantilever door hinges.

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
CASE				
35HC	35	60	1	10
WAH01				

HSS Drill Bits

HSS M35 Cobalt Jobber Drill Bits - DIN338



Manufactured from a high quality M35 grade steel. Ideal for drilling holes into stainless steel and other alloy materials.

The 135° split point prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- M35 alloyed HSS steel with 5% Cobalt content
- High heat resistance for particularly tough metal drilling
- Manufactured to DIN338
- Dimensionally precise



Product Code	Ø (mm)	Length (mm)	Pack Qty	Carton Qty
			(pcs)	(packs)
PACK				
Metric				
HSSCOR1	1.0	34	1	10
HSSCOR15	1.5	40	1	10
HSSCOR2	2.0	49	1	10
HSSCOR25	2.5	57	1	10
HSSCOR3	3.0	61	1	10
HSSCOR32	3.2	65	1	10
HSSCOR33	3.3	65	1	10
HSSCOR35	3.5	70	1	10
HSSCOR4	4.0	75	1	10
HSSCOR42	4.2	75	1	10
HSSCOR45	4.5	80	1	10
HSSCOR48	4.8	86	1	10
HSSCOR5	5.0	86	1	10
HSSCOR55	5.5	93	1	10
HSSCOR6	6.0	93	1	10
HSSCOR65	6.5	101	1	10
HSSCOR7	7.0	109	1	10
HSSCOR75	7.5	109	1	10
HSSCOR8	8.0	117	1	10
HSSCOR85	8.5	117	1	10
HSSCOR9	9.0	125	1	10
HSSCOR95	9.5	125	1	10
HSSCOR100	10.0	133	1	10
HSSCOR105	10.5	133	1	10
HSSCOR110	11.0	142	1	10
HSSCOR115	11.5	142	1	10
HSSCOR120	12.0	151	1	10
HSSCOR125	12.5	151	1	10
HSSCOR130	13.0	151	1	10

HC101

HSS M35 Cobalt Jobber Drill Bit Sets



HSSCO10DS



HSSCO5DS



HSSCO19DS

Product Code	Description	Pack Qty (pcs)	Carton Qty (packs)
CASE			
HSSCO5DS	2-6mm (increments of 1mm)	5	30
HSSCO10DS	1-10mm (increments of 1mm)	10	20
HDS01			
TIN			
HSSCO19DS	1-10mm (increments of 0.5mm)	19	20
HSSCO25DS	1-13mm (increments of 0.5mm)	25	10
HDS01			

HSS M2 Ground Jobber Drill Bits - DIN338



For drilling carbon and alloy steel, cast iron, non-ferrous metal and plastics.

The 135° split point prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- High grade M2 alloyed HSS steel
- Manufactured to DIN338
- Dimensionally precise

Product Code	Ø (mm)	Length (mm)	Pack Qty	Carton Qty
			(pcs)	(packs)
TUBE				
Metric				
HSSG1	1.0	34	10	10
HSSG15	1.5	40	10	10
HSSG2	2.0	49	10	10
HSSG24	2.4	57	10	10
HSSG25	2.5	57	10	10
HSSG3	3.0	61	10	10
HSSG31	3.1	65	10	10
HSSG32	3.2	65	10	10
HSSG33	3.3	65	10	10
HSSG35	3.5	70	10	10
HSSG38	3.8	75	10	10
HSSG4	4.0	75	10	10
HSSG41	4.1	75	10	10
HSSG42	4.2	75	10	10
HSSG45	4.5	80	10	10
HSSG48	4.8	86	10	10
HSSG49	4.9	86	10	10
HSSG5	5.0	86	10	10
HSSG51	5.1	86	10	10
HSSG53	5.3	86	10	10
HSSG55	5.5	93	10	10
HSSG6	6.0	93	10	10
HSSG64	6.4	101	10	10
HSSG65	6.5	101	10	10
HSSG68	6.8	109	10	10
HSSG7	7.0	109	10	10
HSSG75	7.5	109	5	10
HSSG8	8.0	117	5	10
HSSG85	8.5	117	5	10
HSSG9	9.0	125	5	10
HSSG95	9.5	125	5	10
HSSG100	10.0	133	5	10
HSSG102	10.2	133	5	10
HSSG105	10.5	133	5	10
HSSG110	11.0	142	5	10
HSSG115	11.5	142	5	10
HSSG120	12.0	151	5	10
HSSG125	12.5	151	5	10
HSSG130	13.0	151	5	10
Imperial				
HSIG116	1/16	1 1/4	10	10
HSIG132	1/32	1 1/8	10	10
HSIG564	3/64	2	10	10
HSIG332	3/32	2 1/4	10	10
HSIG764	7/64	2 1/4	10	10
HSIG18	1/8	2 3/8	10	10
HSIG964	9/64	2 3/8	10	10
HSIG532	5/32	3 1/4	10	10
HSIG316	3/16	3 1/2	10	10
HSIG1364	13/64	3 3/4	10	10
HSIG732	7/32	3 3/4	10	10
HSIG14	1/4	4	10	10
HSIG516	5/16	4 1/2	5	10
HSIG2164	21/64	4 3/8	5	10
HSIG38	3/8	5	5	10
HSIG12	1/2	6	5	10

HG101

HSS M2 Ground Jobber Drill Bit Sets



HSSG10DS



HSSG5DS



HSSG19DS

Product Code	Description	Pack Qty (pcs)	Carton Qty (packs)
CASE			
HSSG5DS	2-6mm (increments of 1mm)	5	30
HSSG10DS	1-10mm (increments of 1mm)	10	20
HDS01			
TIN			
HSSG19DS	1-10mm (increments of 0.5mm)	19	20
HSSG25DS	1-13mm (increments of 0.5mm)	25	10
HDS01			

HSS Drill Bits

HSS M2 Ground Long Jobber Drill Bits - DIN340



For drilling carbon and alloy steel, cast iron, non-ferrous metal and plastics.

The 135° split point prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- High grade M2 alloyed HSS steel
- Manufactured to DIN340
- Dimensionally precise

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
TUBE				
Metric				
HSSGL2	2.0	85	10	10
HSSGL25	2.5	95	10	10
HSSGL3	3.0	100	10	10
HSSGL32	3.2	106	10	10
HSSGL35	3.5	112	10	10
HSSGL4	4.0	119	10	10
HSSGL42	4.2	119	10	10
HSSGL45	4.5	126	10	10
HSSGL48	4.8	132	10	10
HSSGL5	5.0	132	10	10
HSSGL55	5.5	139	10	10
HSSGL6	6.0	139	10	10
HSSGL65	6.5	148	5	10
HSSGL7	7.0	156	5	10
HSSGL8	8.0	165	5	10
HSSGL9	9.0	175	5	10
HSSGL100	10.0	184	5	10

HLG01

PACK				
Metric				
HSSGLR3	3.0	100	1	10
HSSGLR35	3.5	112	1	10
HSSGLR4	4.0	119	1	10
HSSGLR45	4.5	126	1	10
HSSGLR5	5.0	132	1	10
HSSGLR55	5.5	139	1	10
HSSGLR6	6.0	139	1	10
HSSGLR65	6.5	148	1	10
HSSGLR7	7.0	156	1	10
HSSGLR8	8.0	165	1	10

HLG01

HSS Roll Forged Jobber Drill Bits - DIN338



An economic HSS drill used for drilling steel, aluminium and non-ferrous metals, as well as plastic.

The 135° split point prevents the bit from drifting and enables faster penetration.

- HSS steel
- Black oxide finish
- Roll forged
- Manufactured to DIN338

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
Metric				
HSSRR1	1.0	34	2	10
HSSRR15	1.5	40	2	10
HSSRR2	2.0	49	2	10
HSSRR25	2.5	57	2	10
HSSRR3	3.0	61	2	10
HSSRR33	3.3	65	2	10
HSSRR35	3.5	70	2	10
HSSRR4	4.0	75	2	10
HSSRR45	4.5	80	2	10
HSSRR5	5.0	86	2	10
HSSRR55	5.5	93	2	10
HSSRR6	6.0	93	2	10
HSSRR65	6.5	101	1	10
HSSRR7	7.0	109	1	10
HSSRR8	8.0	109	1	10
HSSRR85	8.5	117	1	10
HSSRR9	9.0	125	1	10
HSSRR100	10.0	133	1	10
HSSRR110	11.0	142	1	10
HSSRR120	12.0	151	1	10
HSSRR130	13.0	151	1	10

HRI01

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
TUBE				
Metric				
HSSR1	1.0	34	10	10
HSSR15	1.5	40	10	10
HSSR2	2.0	49	10	10
HSSR25	2.5	57	10	10
HSSR3	3.0	61	10	10
HSSR32	3.2	65	10	10
HSSR33	3.3	65	10	10
HSSR35	3.5	70	10	10
HSSR36	3.6	70	10	10
HSSR4	4.0	75	10	10
HSSR42	4.2	75	10	10
HSSR45	4.5	80	10	10
HSSR48	4.8	86	10	10
HSSR49	4.9	86	10	10
HSSR5	5.0	86	10	10
HSSR52	5.2	86	10	10
HSSR55	5.5	93	10	10
HSSR6	6.0	93	10	10
HSSR65	6.5	101	10	10
HSSR68	6.8	109	10	10
HSSR7	7.0	109	10	10
HSSR72	7.2	109	5	10
HSSR75	7.5	109	5	10
HSSR8	8.0	117	5	10
HSSR85	8.5	117	5	10
HSSR9	9.0	125	5	10
HSSR95	9.5	125	5	10
HSSR96	9.6	133	5	10
HSSR100	10.0	133	5	10
HSSR102	10.2	133	5	10
HSSR105	10.5	133	5	10
HSSR110	11.0	142	5	10
HSSR115	11.5	142	5	10
HSSR120	12.0	151	5	10
HSSR125	12.5	151	5	10
HSSR130	13.0	151	5	10
Imperial				
HSIR332	1/32	2 1/4	10	10
HSIR764	7/64	2 1/2	10	10
HSIR18	1/8	2 3/4	10	10
HSIR964	9/64	2 7/8	10	10
HSIR532	5/32	3 1/4	10	10
HSIR316	3/16	3 1/2	10	10
HSIR732	7/32	3 3/4	10	10
HSIR14	1/4	4	10	10
HSIR1764	17/64	4 1/4	10	10
HSIR516	5/16	4 1/2	5	10
HSIR38	3/8	5	5	10
HSIR12	1/2	6	5	10

HRI01

HSS Roll Forged Jobber Drill Bit Sets



HSSR19DS



HSSR170DS

Product Code	Description	Pack Qty (pcs)	Carton Qty (packs)
TIN			
HSSR19DS	1-10mm (increments of 0.5mm)	19	20
HSSR25DS	1-13mm (increments of 0.5mm)	25	10
CASE			
HSSR170DS	x10pcs 1-8mm (increments of 0.5mm) x5pcs 8.5-10mm (increments of 0.5mm)	170	5

HDS02

HSS Drill Bits

HSS Blacksmiths Drill Bits



Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance when drilling larger diameter holes into all non-alloy materials. Can be used in a 1/2" chuck. The 118° split point prevents the bit from drifting. Mainly used for drilling sheet metal.

- Milled flute
- Dimensionally precise
- M2 Grade HSS with Black Oxide coating
- 12.5mm diameter shank

Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
TUBE				
BSD135	13.5	152	1	10
BSD14	14.0	152	1	10
BSD145	14.5	152	1	10
BSD15	15.0	152	1	10
BSD155	15.5	152	1	10
BSD16	16.0	152	1	10
BSD165	16.5	152	1	10
BSD17	17.0	152	1	10
BSD175	17.5	152	1	10
BSD18	18.0	152	1	10
BSD185	18.5	152	1	10
BSD19	19.0	152	1	10
BSD195	19.5	152	1	10
BSD20	20.0	152	1	10
BSD22	22.0	152	1	10
BSD24	24.0	152	1	10
BSD25	25.0	152	1	10

HBS01

HSS M2 Ground Stub Drill Bits



Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all non-alloy materials. The 135° split point prevents the bit from drifting. Mainly used for drilling sheet metal.

- Fully ground from solid material
- Dimensionally precise
- Manufactured to DIN1897



Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
TUBE				
HSSGS32	3.2	49	10	10
HSSGS33	3.3	49	10	10
HSSGS4	4.0	55	10	10
HSSGS41	4.1	55	10	10
HSSGS42	4.2	55	10	10
HSSGS49	4.9	62	10	10
HSSGS5	5.0	62	10	10

HGS01

Cutters, Step Drills & Countersinks

Cone Cutters



For drilling, enlarging and de-burring holes in thin sheet metal up to a thickness of 2mm.

- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

Product Code	Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
TUBE			
CC314	3-14	1	10
CC520	5-20	1	10
CC531	5-31	1	10
CC1631	16-31	1	10

DCS02

De-Burring Countersinks



A single flute countersink designed for cleaning, chamfering or de-burring in alloy and non-alloy metals.

- Transverse hole for burr extraction
- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

Product Code	Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
TUBE			
CS25	2-5	1	10
CS510	5-10	1	10
CS1015	10-15	1	10
CS1520	15-20	1	10

DCS01

Step Drills



Ideal for drilling, enlarging or de-burring a precise hole into thin materials such as alloy and non-alloy metals up to a thickness of 4mm.

- Titanium Nitride coating to reduce friction and prolong life
- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

Product Code	Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
TUBE			
SD412	4-12	1	10
SD420	4-20	1	10
SD430	4-30	1	10
SD439	4-39	1	10

DCS03

3 Flute Countersinks



These engineering quality countersinks drill a precise recess to allow a fastener head to sit flush in alloy and non-alloy metals, timber and man-made boards.

- 90° head angle
- High quality M2 grade HSS steel
- 3 flat shank to prevent slipping in the chuck

Product Code	Ø (mm)	For Screw Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
TUBE				
CS63	6.3	3.0	1	10
CS83	8.3	3.5-4.0	1	10
CS104	10.4	4.5-5.0	1	10
CS124	12.4	6.0	1	10
CS165	16.5	8.0	1	10
CS205	20.5	-	1	10
CS250	25.0	-	1	10

DCS01

Broaching Cutters & Pilot Pins

Broaching Cutters



Long

Short

Manufactured from a high grade M2 tool steel for drilling heavy gauge non-alloy materials, with magnetic drills. Pilot pin must be used to prevent drifting.

- Titanium-Aluminium-Nitride (TiAlN) coating ensures long service life due to 20% less friction and 20% greater hardness than even Titanium Nitride (TiN) coating
- High grade M2 HSS steel body
- Broaching cutter supplied complete with pilot pin



Product Code	Ø (mm)	Cut Depth (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------	----------------	----------------	--------------------

TUBE				
Long Cutter				
BCL12	12	50	1	10
BCL13	13	50	1	10
BCL14	14	50	1	10
BCL15	15	50	1	10
BCL16	16	50	1	10
BCL17	17	50	1	10
BCL18	18	50	1	10
BCL20	20	50	1	10
BCL21	21	50	1	10
BCL22	22	50	1	10
BCL24	24	50	1	10
BCL26	26	50	1	2
BCL28	28	50	1	2
BCL30	30	50	1	2
BCL32	32	50	1	2
BCL39	39	50	1	10

BR001

PILOT PINS INCLUDED

Product Code	Ø (mm)	Cut Depth (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------	----------------	----------------	--------------------

TUBE				
Short Cutter				
BCS12	12	30	1	10
BCS13	13	30	1	10
BCS14	14	30	1	10
BCS15	15	30	1	10
BCS16	16	30	1	10
BCS17	17	30	1	10
BCS18	18	30	1	10
BCS19	19	30	1	10
BCS20	20	30	1	10
BCS21	21	30	1	10
BCS22	22	30	1	10
BCS23	23	30	1	10
BCS24	24	30	1	10
BCS25	25	30	1	10
BCS26	26	30	1	2
BCS27	27	30	1	2
BCS28	28	30	1	2
BCS29	29	30	1	2
BCS30	30	30	1	2
BCS32	32	30	1	2
BCS33	33	30	1	2
BCS35	35	30	1	10
BCS36	36	30	1	10
BCS38	38	30	1	10
BCS39	39	30	1	10
BCS40	40	30	1	10
BCS50	50	30	1	10

BR001

Replacement Pilot Pins



A pilot pin is used with broaching cutters in order to centre the bit when drilling.

Product Code	Cutter Ø (mm)	Cutting Depth (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	---------------	--------------------	----------------	--------------------

TUBE				
Long Cutter				
BCP501250	12-50	50	1	10
Short Cutter				
BCP301250	12-50	30	1	10

BR001

TIMCO

PPE

Personal Protective Equipment

We offer a comprehensive range of eye and ear protection, safety goggles and masks, gloves, coveralls and hi-vis clothing

From page 214



Professional Drilling Sets

HSS M35 Cobalt Jobber Drill Bit Sets - DIN338

Manufactured from a high quality M35 grade steel. Ideal for drilling holes into stainless steel and other alloy materials.

19 Piece



10 Piece



5 Piece

- Fully ground from solid material
- M35 alloyed High Speed Steel (HSS) with 5% Cobalt content
- High heat resistance for particularly tough metal drilling
- Manufactured to DIN 338
- Dimensionally precise

NEW MIXED SETS AVAILABLE!

Product Code	Description	Pack Qty (pcs)	Carton Qty (packs)
CASE			
HSSCO5DS	2-6mm (increments of 1mm)	5	30
HSSCO10DS	1-10mm (increments of 1mm)	10	20
HDS01			
TIN			
HSSCO19DS	1-10mm (increments of 0.5mm)	19	20
HSSCO25DS	1-13mm (increments of 0.5mm)	25	10
HDS01			

HSS M2 Ground Jobber Drill Bit Sets - DIN338

Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all non-alloy materials.

19 Piece



10 Piece



5 Piece

- Fully ground from solid material
- High grade M2 alloyed High Speed Steel (HSS)
- Manufactured to DIN 338
- Dimensionally precise

NEW MIXED SETS AVAILABLE!

Product Code	Description	Pack Qty (pcs)	Carton Qty (packs)
CASE			
HSSG5DS	2-6mm (increments of 1mm)	5	30
HSSG10DS	1-10mm (increments of 1mm)	10	20
HDS01			
TIN			
HSSG19DS	1-10mm (increments of 0.5mm)	19	20
HSSG25DS	1-13mm (increments of 0.5mm)	25	10
HDS01			

HSS Roll Forged Jobber Drill Bits - DIN338

An economic HSS drill used for drilling steel, aluminium and non-ferrous metals, as well as plastic

19 Piece



170 Piece



- HSS steel
- Black oxide finish
- Roll forged
- Manufactured to DIN338

Product Code	Description	Pack Qty (pcs)	Carton Qty (packs)
TIN			
HSSR19DS	1-10mm *	19	20
HSSR25DS	1-13mm *	25	10
HSSR170DS	x10pcs 1-8mm* x5pcs 8.5-10mm*	170	5
* Increments of 0.5mm HDS02			

HSS Brad Point Wood Bit Sets

For drilling small diameter holes into various types of timber and man-made boards.



8 Piece



5 Piece

- High grade High Speed Steel (HSS) for longer life
- Fully Ground
- Up to 3x the heat resistance of standard carbon steel bits

Product Code	Description	Pack Qty (pcs)	Carton Qty (packs)
CASE			
BP5DS	2-6mm (increments of 1mm)	5	30
BP8DS	3-10mm (increments of 1mm)	8	20
BPW02			

Professional SDS Plus Hammer Bit Set



- Special nickel chromoly shank
- High quality European BC20 Tungsten Carbide tip
- Cold formed blanks utilised up to 11mm diameter
- Fully heat treated to eliminate bending
- Twin flute design for increased drilling performance
- Shot-peened for increased strength and durability

A set of high performance drill bits for drilling concrete and masonry. PGM approved to ensure drilling precision and performance. Contains the sizes used predominantly in plastic plug and masonry fixing applications

Product Code	Drill Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
CASE (6 PCS)				
AP6DS	-	-	6	30
	5.0	110	1	
	5.5	110	1	
	7.0	110	1	
	6.0	160	1	
	8.0	160	1	
	10.0	160	1	
APS02				

Drilling & Driver Sets

Brad Point Drill Set

A 15 piece mixed selection of the most popular Brad Point wood drills.



15 PIECE

Set includes:

Drill Bits - 3.0 x 60(3), 3.5 x 70(2), 4.0 x 75(2), 4.5 x 80(1), 5.0 x 85(1), 5.5 x 90(1), 6.0 x 90(1), 6.5 x 95(1), 7.0 x 100(1), 8.0 x 110(1), 10.0 x 120(1)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK		
B15SET	15	6 ADS01

Masonry Drill Set

A mixed selection of 15 carbide tipped Masonry Drills. The range covers the most popular hole sizes for plastic plugs.



15 PIECE

Set includes:

Drill Bits - 4.0 x 75(1), 5.0 x 85(2), 5.5 x 85(3), 6.0 x 100(2), 7.0 x 100(3), 8.0 x 120(2), 10.0 x 120(2)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK		
M15SET	15	6 ADS01

Flat Wood Bit Set

A selection of quick release Flat Wood drills. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications.



7 PIECE

Set includes:

Drill Bits - 10.0 x 152(1), 12.0 x 152(1), 16.0 x 152(1), 19.0 x 152(1), 22.0 x 152(1), 25.0 x 152(1), 32.0 x 125(1)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK		
F7SET	7	6 ADS01

HSS Drill Set

A 15 piece mixed selection of the most popular HSS Ground Metal Drills with a 135° quick start split point, from 3mm and above.



15 PIECE


Set includes:

Drill Bits - 1.5 x 40(2), 2.0 x 49(2), 2.5 x 57(2), 3.0 x 61(1), 3.2 x 65(1), 3.5 x 70(1), 4.0 x 75(1), 4.5 x 80(1), 5.0 x 86(1), 6.0 x 93(1), 8.0 x 117(1), 10.0 x 133(1)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK		
HSS15SET	15	6 ADS01

HSS & Masonry Drill Set

A mixed selection of 12 HSS Ground Metal Drills with a 135° quick start split point and 5 carbide tipped Masonry Drills.



17 PIECE

Set includes:

HSS Drill Bits (mm) - 1.5 x 40(1), 2.0 x 49(1), 2.5 x 57(1), 3.0 x 61(1), 3.2 x 65(1), 3.5 x 70(1), 4.0 x 75(1), 4.5 x 80(1), 4.8 x 85(1), 5.0 x 86(1), 5.5 x 93(1), 6.0 x 93(1)

Masonry Drill Bits (mm) - 5.0 x 85(1), 5.5 x 85(1), 6.0 x 100(1), 7.0 x 100(1), 10.0 x 120(1)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK		
MIX17SET	17	6 ADS01

Driver Bit & HSS Drill Set

A selection of quick release HSS ground metal drills, S2 driver bits, socket drivers and a magnetic adaptor. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications.



20 PIECE

Set includes:

25mm Bits - PZ1(1), PZ2(1), PZ3(1), PH1(1), PH2(1), PH3(1), SL5.0(1), SL6.0(1)

HSS Drill Bits (mm) - 1.5 x 16(2), 2.0 x 22(2), 3.0 x 40(1), 3.5 x 48(1), 4.0 x 55(1), 4.5 x 55(1), 5.0 x 55(1), 6.0 x 65(1)


Socket Drivers - 6mm(1), 8mm(1), 10mm(1)

Magnetic Adaptor (1).

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK		
MIX20SET	20	6 ADS01

Driver Bit Set

A 37 piece mixed selection of the most popular 25mm and 50mm S2 driver bits with a magnetic adaptor and an assortment of socket drivers.



37 PIECE

Set includes:

25mm Bits - PZ1(1), PZ2(1), PZ3(1), PH1(1), PH2(1), PH3(1), TX10(1), TX15(1), TX20(1), TX25(1), TX27(1), TX30(1), TX40(1), SL4.0(1), SL4.5(1), SL5.5(1), SL6.0(1), SL6.5(1), SL7.0(1), HX3.0(1), HX4.0(1), HX5.0(1), HX5.5(1), HX6.0(1)

50mm Bits - PZ1(1), PZ2(1), PZ3(1), PH1(1), PH2(1), PH3(1), SL5.5(1), SL7.0(1)

Socket Drivers - 5mm(1), 6mm(1), 8mm(1), 10mm(1)

Magnetic Bit Holder (1).

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK		
BIT37SET	37	6 ADS01

Holesaws & Accessories

Variable Pitch



A variable pitch tooth pattern for efficient dust cleaning and gives superior cutting performance in wood, plastic, non-ferrous metals and man-made boards.

- High quality M3 grade HSS steel cutting edge
- Diameter stamped onto body for ease of size recognition
- Cutting Depth (mm): Wood - 38.0

Product Code	Ø (mm)	Thread Mount (inch)	Arbor to Suit	Pack Qty (pcs)	Carton Qty (packs)
CLAMSHELL					
HS14	14.0	1/2	AA4, AA1, SDSA1	1	6
HS16	16.0	1/2	AA4, AA1, SDSA1	1	6
HS17	17.0	1/2	AA4, AA1, SDSA1	1	6
HS19	19.0	1/2	AA4, AA1, SDSA1	1	6
HS20	20.0	1/2	AA4, AA1, SDSA1	1	6
HS21	21.0	1/2	AA4, AA1, SDSA1	1	6
HS22	22.0	1/2	AA4, AA1, SDSA1	1	6
HS24	24.0	1/2	AA4, AA1, SDSA1	1	6
HS25	25.0	1/2	AA4, AA1, SDSA1	1	6
HS27	27.0	1/2	AA4, AA1, SDSA1	1	6
HS29	29.0	1/2	AA4, AA1, SDSA1	1	6
HS30	30.0	1/2	AA4, AA1, SDSA1	1	6
HS32	32.0	5/8	AA2, SDSA2	1	6
HS35	35.0	5/8	AA2, SDSA2	1	6
HS37	37.0	5/8	AA2, SDSA2	1	6
HS38	38.0	5/8	AA2, SDSA2	1	6
HS40	40.0	5/8	AA2, SDSA2	1	6
HS41	41.0	5/8	AA2, SDSA2	1	6
HS43	43.0	5/8	AA2, SDSA2	1	6
HS44	44.0	5/8	AA2, SDSA2	1	6
HS46	46.0	5/8	AA2, SDSA2	1	6
HS48	48.0	5/8	AA2, SDSA2	1	6
HS51	51.0	5/8	AA2, SDSA2	1	6
HS52	52.0	5/8	AA2, SDSA2	1	6
HS54	54.0	5/8	AA2, SDSA2	1	6
HS57	57.0	5/8	AA2, SDSA2	1	6
HS60	60.0	5/8	AA2, SDSA2	1	6
HS64	64.0	5/8	AA2, SDSA2	1	6
HS65	65.0	5/8	AA2, SDSA2	1	6
HS67	67.0	5/8	AA2, SDSA2	1	6
HS68	68.0	5/8	AA2, SDSA2	1	6
HS70	70.0	5/8	AA2, SDSA2	1	6
HS73	73.0	5/8	AA2, SDSA2	1	6
HS76	76.0	5/8	AA2, SDSA2	1	6
HS79	79.0	5/8	AA2, SDSA2	1	6
HS83	83.0	5/8	AA2, SDSA2	1	6
HS86	86.0	5/8	AA2, SDSA2	1	6
HS89	89.0	5/8	AA2, SDSA2	1	6
HS92	92.0	5/8	AA2, SDSA2	1	6
HS95	95.0	5/8	AA2, SDSA2	1	6
HS98	98.0	5/8	AA2, SDSA2	1	6
HS102	102.0	5/8	AA2, SDSA2	1	6
HS105	105.0	5/8	AA2, SDSA2	1	6
HS108	108.0	5/8	AA2, SDSA2	1	6
HS111	111.0	5/8	AA2, SDSA2	1	6
HS114	114.0	5/8	AA2, SDSA2	1	6
HS121	121.0	5/8	AA2, SDSA2	1	6
HS127	127.0	5/8	AA2, SDSA2	1	6
HS140	140.0	5/8	AA2, SDSA2	1	6
HS152	152.0	5/8	AA2, SDSA2	1	6

BMH01

Constant Pitch



A constant pitch tooth pattern ensures smooth cutting and less 'chatter' when drilling metal, particularly thin sheet. Ideal for stainless steel.

- High quality M42 grade with 8% Cobalt HSS steel cutting edge
- Diameter stamped onto body for ease of size recognition
- Cutting Depth (mm): Wood - 38.0, Sheet Metal - 3.0, Stainless Steel - 2.0

Product Code	Ø (mm)	Thread Mount (inch)	Arbor to Suit	Pack Qty (pcs)	Carton Qty (packs)
CLAMSHELL					
HSC16	16.0	1/2	AA4, AA1, SDSA1	1	6
HSC17	17.0	1/2	AA4, AA1, SDSA1	1	6
HSC20	20.0	1/2	AA4, AA1, SDSA1	1	6
HSC22	22.0	1/2	AA4, AA1, SDSA1	1	6
HSC25	25.0	1/2	AA4, AA1, SDSA1	1	6
HSC30	30.0	1/2	AA4, AA1, SDSA1	1	6
HSC32	32.0	5/8	AA2, SDSA2	1	6
HSC35	35.0	5/8	AA2, SDSA2	1	6
HSC40	40.0	5/8	AA2, SDSA2	1	6
HSC46	46.0	5/8	AA2, SDSA2	1	6
HSC48	48.0	5/8	AA2, SDSA2	1	6
HSC51	51.0	5/8	AA2, SDSA2	1	6
HSC60	60.0	5/8	AA2, SDSA2	1	6
HSC64	64.0	5/8	AA2, SDSA2	1	6
HSC68	68.0	5/8	AA2, SDSA2	1	6
HSC70	70.0	5/8	AA2, SDSA2	1	6
HSC76	76.0	5/8	AA2, SDSA2	1	6
HSC79	79.0	5/8	AA2, SDSA2	1	6
HSC102	102.0	5/8	AA2, SDSA2	1	6
HSC165	165.0	5/8	AA2, SDSA2	1	6

CMH01

Holesaw Arbors

AA4



AA1



AA2



SDSA1



SDSA2



Product Code	For Holesaw Ø (mm)	Shank (mm)	Thread Shank	Pack Qty (pcs)	Carton Qty (packs)
CLAMSHELL					
AA4	14-30	Hex 9.5	1/2"	1	6
AA1	14-30	Hex 11	1/2"	1	6
AA2	32-210	Hex 11	5/8"	1	6
SDSA1	14-30	SDS Plus	1/2"	1	6
SDSA2	32-210	SDS Plus	5/8"	1	6

BHA01

Holesaw Pilot Drills & Rod

HPD



HPDL



HPDC



HSE



Product Code	Description	Ø (mm)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLAMSHELL					
HPD	HSS Pilot Drill	6.35	75	1	10
HPDL	HSS Pilot Drill	6.35	105	1	10
HPDC	HSS Cobalt Drill	6.35	75	1	10
HSE	Extension Rod for Hex 11 Shank	-	300	1	6

BHA01

Diamond Cores & Blades

Core Types

Premium Dry Diamond Core

A premium quality 10mm turbo segmented universal core with rifled body for dust extraction. For use in most building materials including engineering bricks, clay products, and concrete block.

Dry Diamond Core

Universal dry diamond core with 8mm segments. For use in most building materials including engineering bricks, clay products, and concrete block.

Blade Types

Sintered Blades

Concentrate diamond powder segments are baked onto the blade body to form a matrix, giving a strong bond with good cutting performance and working life.

Laser Welded Blades

The segments are individually hot pressed separately to the blade body, which causes a super dense matrix to form giving superior life span and cutting ability. The segments are then laser welded to the steel body for a secure bond to prevent damage and guarantee the best cost per cut.

Cutting Edges

Segmented

Each defined cutting segment allows the blade to cool and expand during cutting. This enhances cutting performance, accuracy and the working life of the blade.

Turbo Segmented

Similar to segmented blades, these also use slots between segments to cool the blade and allow for expansion but with the added benefit of recess formed segments to give exceptional cutting speed with added dust extraction abilities.

Continuous Rim

With a continuous diamond matrix, these blades have exceptional cutting accuracy and chipping reduction. Making them ideally suited to cutting hard and brittle materials such as ceramic tiles and decorative stone such as marble.

Continuous Rim Turbo

These are a hybrid between continuous rim and segmented blades, which give a professional finish, superior cutting speed and a long working life.

All TIMCO diamond blades carry the **EN13236** standard

- S** Segmented
- C** Continuous
- Occasional Use
- Frequent Use

Diamond Cores

General Purpose (PDCK5)	Premium (GPCP & PREMDCK)
-------------------------	--------------------------

Diamond Blades

General Purpose (GPE)	Trade (GPL & GPLC)	Premium (GPLL & MM)
-----------------------	--------------------	---------------------

Tile & Glass Blades

General Purpose (TE)	Premium (TP)
----------------------	--------------

Materials

Asphalt over concrete

--	--	--	--	--	--	--	--	--	--

Bricks:

Class A Engineering

--	--	--	--	--	--	--	--	--	--

Class B Engineering

--	--	--	--	--	--	--	--	--	--

Standard facing bricks

--	--	--	--	--	--	--	--	--	--

Clay products

--	--	--	--	--	--	--	--	--	--

Concrete:

Beams, kerbs, pipes & slabs

--	--	--	--	--	--	--	--	--	--

Block paving, flag stones

--	--	--	--	--	--	--	--	--	--

Flint aggregate

--	--	--	--	--	--	--	--	--	--

General purpose

--	--	--	--	--	--	--	--	--	--

Heavy steel reinforcement

--	--	--	--	--	--	--	--	--	--

Light steel reinforcement

--	--	--	--	--	--	--	--	--	--

Roof tiles

--	--	--	--	--	--	--	--	--	--

Concrete blocks:

Lightweight 3 - 7 Nm

--	--	--	--	--	--	--	--	--	--

Medium density 7 - 12 Nm

--	--	--	--	--	--	--	--	--	--

Solid density 12+ Nm

--	--	--	--	--	--	--	--	--	--

Cement screed

--	--	--	--	--	--	--	--	--	--

Slate tiles

--	--	--	--	--	--	--	--	--	--

Stone:

Granite - Blocks & worktops

--	--	--	--	--	--	--	--	--	--

Gritston

--	--	--	--	--	--	--	--	--	--

Limestone

--	--	--	--	--	--	--	--	--	--

Marble - Blocks & worktops

--	--	--	--	--	--	--	--	--	--

Sandstone - Abrasive

--	--	--	--	--	--	--	--	--	--

Sandstone - Indian

--	--	--	--	--	--	--	--	--	--

York stone

--	--	--	--	--	--	--	--	--	--

Tiles:

Ceramic

--	--	--	--	--	--	--	--	--	--

Granite

--	--	--	--	--	--	--	--	--	--

Limestone

--	--	--	--	--	--	--	--	--	--

Marble

--	--	--	--	--	--	--	--	--	--

Natural Stone

--	--	--	--	--	--	--	--	--	--

Porcelain

--	--	--	--	--	--	--	--	--	--

Slate

--	--	--	--	--	--	--	--	--	--

Terracotta

--	--	--	--	--	--	--	--	--	--

Dry Diamond Core Bits & Accessories

Premium Dry Diamond Core Bits

NEW IMPROVED DESIGN



Premium grade diamond core drills for fast drilling into masonry, bricks and blocks. During drilling, the self-sharpening diamonds will not only give a clean and precise hole but also increase lifespan. Suitable for wet and dry cutting.

- Long life high quality diamond
- Fast cutting 10mm turbo segments
- Rifled body for excellent dust extraction
- Multiple slots for enhanced cooling
- Precision manufactured for low noise and vibration
- 1/2" BSP fitment
- Rotary use only

Product Code	Drill Ø (mm)	Length (mm)	Segment Height (mm)	Pack Qty (pcs)	Carton Qty (packs)
BOX					
GPCP22300	22	300	10	1	25
GPCP28300	28	300	10	1	25
GPCP32150	32	150	10	1	25
GPCP38150	38	150	10	1	25
GPCP48150	48	150	10	1	25
GPCP52150	52	150	10	1	25
GPCP65150	65	150	10	1	25
GPCP78150	78	150	10	1	25
GPCP82150	82	150	10	1	25
GPCP91150	91	150	10	1	10
GPCP107150	107	150	10	1	10
GPCP117150	117	150	10	1	10
GPCP127150	127	150	10	1	10
GPCP152150	152	150	10	1	6

DCT02

Premium Dry Diamond Core Kit



A selection of 5 premium grade diamond core drills for fast drilling into masonry, bricks and blocks. During drilling, the self-sharpening diamonds will not only give a clean and precise hole but also increase lifespan. Suitable for wet and dry cutting. Supplied with accessories and carry case.

- Long life high quality diamond
- Fast cutting 10mm turbo segments
- Rifled body for excellent dust extraction
- Multiple slots for enhanced cooling
- Precision manufactured for low noise and vibration
- 1/2" BSP fitment
- Rotary use only



Product Code	Drill Ø / To Fit (mm)	Length (mm)	Description	Pack Qty (pcs)
KIT (5 CORES AND 5 ACCESSORIES)				
PREMDCK5	-	-	KIT	10
	38	150	Diamond Core	1
	52	150	Diamond Core	1
	65	150	Diamond Core	1
	117	150	Diamond Core	1
	127	150	Diamond Core	1
	1/2" BSP	240	Extension	1
	1/2" BSP	88	Hex Adaptor	1
	1/2" BSP	115	SDS Adaptor	1
	8	200	Pilot Drill	1
	8	75	Taper Drift	1

DCT02

Dry Diamond Core Kit



Five of the most popular sizes and accessories in an aluminium case.

- Long life
- 8mm segments
- Core removal slots
- Low vibration
- 1/2" BSP fitment
- Rotary use only



Product Code	Drill Ø / To Fit (mm)	Length (mm)	Description	Pack Qty (pcs)
KIT (5 CORES AND 5 ACCESSORIES)				
PDCK5	-	-	KIT	10
	38	150	Diamond Core	1
	52	150	Diamond Core	1
	65	150	Diamond Core	1
	117	150	Diamond Core	1
	127	150	Diamond Core	1
	1/2" BSP	240	Extension	1
	1/2" BSP	88	Hex Adaptor	1
	1/2" BSP	115	SDS Adaptor	1
	8	200	Pilot Drill	1
	8	75	Taper Drift	1

DCT02

Accessories Kit



Product Code	Drill Ø / To Fit (mm)	Length (mm)	Description	Pack Qty (pcs)	Carton Qty (Packs)
KIT (5 ACCESSORIES)					
DCAK5	-	-	KIT	5	25
	1/2" BSP	240	Extension	1	
	1/2" BSP	88	Hex Adaptor	1	
	1/2" BSP	115	SDS Adaptor	1	
	8	200	Pilot Drill	1	
	8	75	Taper Drift	1	

DCT02

Adaptors & Extension



Hex Adaptor | A 1/2" Hex with 1/2" BSP (male) thread, for use with a standard core drill.



SDS Adaptor | An SDS Plus with 1/2" BSP (male) thread, for use with an SDS plus drill, when in rotary mode only.



BSP Extension | 1/2" BSP thread extension rod used where there is need for a deeper hole.

Product Code	Description	Total Length (mm)	To Fit	Pack Qty (pcs)	Carton Qty (packs)
PACK					
DCAH88P	Hex Adaptor	88	1/2" BSP	1	10
DCAH240P	Hex Adaptor	240	1/2" BSP	1	10
DCAS115P	SDS Adaptor	115	1/2" BSP	1	10
DCAS240P	SDS Adaptor	240	1/2" BSP	1	10
DCE240P	BSP Extension	240	1/2" BSP	1	10

DCT02

Pilot Drill, Rod & Taper Drift



Pilot Drill | Morse taper TCT masonry drill bit used to prevent the core drifting.



Pilot Rod | Used once a hole has been drilled to prevent the core drifting.



Taper Drift | Used for knocking taper tool out of spindles and sockets.


Product Code	Description	Ø (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
DCPD13210	Pilot Drill	13	210	1	10
DCPR225	Pilot Rod	12	225	1	10
DCTD	Taper Drift	8	75	1	10

DCT02

Diamond Blades & Wheels

Premium Diamond Blades

Turbo Continuous Cutting Edge



A premium quality diamond blade manufactured using the highest quality diamond powder and continuous turbo cutting edge for superior performance and working life with laser welded technology for strength and durability.

- 10mm segment height
- Extra long life
- Rapid and precise
- Low noise and vibration
- Self cooling



★★★★★
Concrete

★★★
Brick

★★★
Block

★★★
Stone

★★★★★
Hard Materials

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
MM115222	115	4½	22.23	1	10
MM125222	125	5	22.23	1	10
MM230222	230	9	22.23	1	25
MM30020	300	12	20.00	1	10
MM300222	300	12	22.23	1	10
MM35020	350	14	20.00	1	10
MM350254	350	14	25.40	1	10

DCT01

Turbo Segmented Cutting Edge



A premium quality diamond blade manufactured using the highest quality turbo segments for superior cutting performance and working life with laser welded technology for strength and durability.

- 12mm segment height
- Extra long life
- Rapid and precise
- Low noise and vibration
- Self cooling



★★★★★
Concrete

★★★★★
Brick

★★★★★
Block

★★★★★
Stone


★★★
Hard Materials

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
GPPL450254	450	18	25.40	1	5

DCT01

Trade Diamond Blades

Continuous Cutting Edge



A high quality diamond blade manufactured using premium diamond powder and a continuous turbo cutting edge.

- 10mm segment height
- Long life
- Fast cutting
- Heavy duty body
- Self cooling



★★★★★
Concrete

★★★★★
Brick

★★★★★
Block


★★★★★
Stone

★★★
Hard Materials

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
GPLC30020	300	12	20.00	1	10

DCT01

Segmented Cutting Edge



A high quality diamond blade manufactured using premium diamond powder and laser welded turbo segmented cutting edge.

- 10mm segment height
- Long life
- Fast cutting
- Heavy duty body
- Self cooling



★★★★★
Concrete

★★★★★
Brick

★★★★★
Block

★★★★★
Stone

★★★
Hard Materials

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
GPL115222	115	4½	22.23	1	10
GPL125222	125	5	22.23	1	10
GPL230222	230	9	22.23	1	25
GPL30020	300	12	20.00	1	10

DCT01

General Purpose Diamond Blade

Segmented Cutting Edge



A sintered diamond blade manufactured using a heavy duty body and high quality cold pressed diamond powder into a segmented cutting edge.

- Heavy duty
- Self cooling



★★★ **Concrete** ★★★ **Brick** ★★★ **Block** ★★★ **Stone** ★★ **Hard Materials**

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Segment Height (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK						
GPE115222	115	4½	22.23	7	1	10
GPE115222SET	115	4½	22.23	7	3	10
GPE125222	125	5	22.23	7	1	10
GPE230222	230	9	22.23	10	1	25
GPE30020	300	12	20.00	10	1	10

DCT01

Diamond Blades & Wheels

Tile & Ceramic Diamond Blades

Premium - Thin Turbo Cutting Edge



- ★★★★ Tiles
- ★★★★ Marble
- ★★★★ Porcelain
- ★★★★ Stone

- Heavy duty self cooling body
- 10mm segment height

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
TP115222	115	4 1/2	22.23	1	10
					DCT01

General Purpose - Continuous Cutting Edge



- ★★★ Tiles
- ★★★ Marble
- ★★★ Porcelain
- ★★★ Stone

- Heavy duty body
- 5mm segment height

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
TE10016	100	4	16.00	1	10
TE115222	115	4 1/2	22.23	1	10
TE180222	180	7	22.23	1	10
					DCT01

Mortar Raking Blades

Segmented Cutting Edge



- ★★★ Mortar

- For raking mortar
- 7mm segment height
- 6.35mm segment width
- Heavy duty body

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
MRE115	115	4 1/2	22.23	1	10
MRE125	125	5	22.23	1	10
					DCT03

Cup Grinding Wheel

Double Row Segments



- A double row silver brazed blade. For smoothing and removing shutter marks from concrete.
- Vented for dust extraction
- 10mm segment depth

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	Pack Qty (pcs)	Carton Qty (packs)
BOX					
CGDE115	115	4 1/2	22.23	1	10
					DCT04

Bonded Abrasives

Cutting Discs

- Used for cutting various types of metals
- Manufactured to European standard EN12413
- High cutting speed
- High stability
- Long life



Product Code	Disc Ø (mm)	Bore (mm)	T (mm)	Max RPM	Pack Qty (pcs)	Carton Qty (packs)
BOX						
FCM115222	115	22.23	2.5	13,300	50	4
FCM230222	230	22.23	3.2	6,500	25	2
FCM30020	300	20.00	3.2	5,000	25	2
						BAT01

T = THICKNESS

Grinding Disc

- Used for grinding various types of metals
- Manufactured to European standard EN12413
- High cutting speed
- High stability
- Long life



Product Code	Disc Ø (mm)	Bore (mm)	T (mm)	Max RPM	Pack Qty (pcs)	Carton Qty (packs)
BOX						
DGM115222	115	22.2	6.4	13,300	25	4
						BAT01

T = THICKNESS

Slitting Discs

- Used for cutting slits into various types of metals, including stainless steel / inox
- Manufactured to European standard EN12413
- High cutting speed
- High stability
- Long life



Product Code	Disc Ø (mm)	Bore (mm)	T (mm)	Max RPM	Pack Qty (pcs)	Carton Qty (packs)
TIN						
10FCMT115222	115	22.2	1.0	13,300	10	40
BOX						
FCMT115222	115	22.2	1.0	13,300	25	16
FCMT125222	125	22.2	1.0	12,200	25	16
FCMT230222	230	22.2	1.9	6,500	25	4
						BAT01

T = THICKNESS

Circular Saw Blades



Blade Types

TCT (Tungsten Carbide Tip)



Professional quality blades made with high quality tungsten carbide tips to provide an excellent lifespan and flawless finish.

PCD (Polycrystalline Diamond)



High quality blades with polycrystalline diamond tipped teeth for faster, cleaner cutting ability and a longer life when cutting fibre cement board. Also ideal for laminated boards.

Cut Types

Rip Cut

- Coarse Finish

For Softwood, Chipboard & Partical board, OSB, Plasterboard

Rip/Cross Cut

- Medium Finish

For Softwood, Chipboard & Partical board, OSB, Plasterboard, Soft Fibreboard, Plasterboard

Cross Cut

- Fine Finish

For Softwood, Hardwood, Chipboard & Partical board, Fibreboard, MDF, OSB, Veneered Board, Plywood, Soft Fibreboard, Plasterboard

-5° Rake

- Fine Finish

For Aluminium Thin Walled Extrusions, Aluminum Panels, Plastic Extrusions, Veneered Board

PCD

Course / Medium Finish

For Fibre Cement Board, Aqua Board, Veneered Board, MDF

TCT Circular Saw Blades

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	No. of Teeth	Cut Type	Finish Type	Included Bushing Ring Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLAM SHELL									
TCT Circular Saw Blades									
C1402016	140	5 1/2	20.0	16	Rip	Coarse	-	1	50
C1502012	150	6	20.0	12	Rip	Coarse	-	1	50
C1502040	150	6	20.0	40	Cross	Fine	-	1	50
C1603016	160	6 1/4	30.0	16	Rip	Coarse	16.0	1	50
C1603024	160	6 1/4	30.0	24	Rip/Cross	Medium	16.0	1	50
C1653018	165	6 1/2	30.0	18	Rip	Coarse	16.0 & 20.0	1	50
C1841624	184	7 1/4	16.0	24	Rip	Coarse	-	1	50
C1841640	184	7 1/4	16.0	40	Rip/Cross	Medium	-	1	50
C1843024	184	7 1/4	30.0	24	Rip	Coarse	-	1	50
C1843040	184	7 1/4	30.0	40	Rip/Cross	Medium	-	1	50
C1843060	184	7 1/4	30.0	60	Cross	Fine	-	1	50
C1903024	190	7 1/2	30.0	24	Rip	Coarse	16.0 & 20.0	1	50
C1903040	190	7 1/2	30.0	40	Rip/Cross	Medium	16.0 & 20.0	1	50
C2103032	210	8 1/4	30.0	32	Rip/Cross	Medium	25.4	1	25
C2163024	216	8 1/2	30.0	24	Rip	Coarse	-	1	25
C2163040	216	8 1/2	30.0	40	Rip/Cross	Medium	-	1	25
C2163060	216	8 1/2	30.0	60	Cross	Fine	-	1	25
C2163080	216	8 1/2	30.0	80	Cross	Fine	-	1	25
C2303030	230	9	30.0	30	Rip	Coarse	-	1	25
C2303040	230	9	30.0	40	Rip/Cross	Medium	-	1	25
C2353024	235	9 1/4	30.0	24	Rip	Coarse	16.0 & 20.0	1	25
C2353040	235	9 1/4	30.0	40	Rip/Cross	Medium	16.0 & 20.0	1	25
C2353060	235	9 1/4	30.0	60	Cross	Fine	16.0 & 20.0	1	25
C2503040	250	10	30.0	40	Rip/Cross	Medium	16.0, 20.0 & 25.4	1	25
C2503060	250	10	30.0	60	Cross	Fine	16.0, 20.0 & 25.4	1	25
C2503080	250	10	30.0	80	Cross	Fine	16.0, 20.0 & 25.4	1	25
C2543030	254	10	30.0	30	Rip	Coarse	-	1	20
C2543040	254	10	30.0	40	Rip/Cross	Medium	-	1	20
C2543060	254	10	30.0	60	Cross	Fine	-	1	20
C2603030	260	10 1/4	30.0	30	Rip	Coarse	-	1	20
C2603060	260	10 1/4	30.0	60	Cross	Fine	-	1	20
C3003040	300	11 1/4	30.0	40	Rip	Coarse	-	1	20
C3003060	300	11 1/4	30.0	60	Rip/Cross	Medium	-	1	20
C3003080	300	11 1/4	30.0	80	Cross	Fine	-	1	20
C3153030	315	12 1/2	30.0	30	Rip	Coarse	-	1	20
C3153048	315	12 1/2	30.0	48	Rip/Cross	Medium	-	1	20
C3153060	315	12 1/2	30.0	60	Rip/Cross	Medium	-	1	20
TCT Hand-Held Cordless Circular Saw Blades									
T1361024	136	5 1/2	10.0	24	Rip/Cross	Medium	-	1	50
T1501024	150	6	10.0	24	Rip/Cross	Medium	-	1	50
T1651024	165	6 1/2	10.0	24	Rip/Cross	Medium	-	1	50
T1651040	165	6 1/2	10.0	40	Cross	Fine	-	1	50
T1652024	165	6 1/2	20.0	24	Rip/Cross	Medium	-	1	50
T1652040	165	6 1/2	20.0	40	Cross	Fine	-	1	50
T1903024	190	7 1/2	30.0	24	Rip	Coarse	-	1	50
TCT 0° Mitre Circular Saw Blades									
Z2163024	216	8 1/2	30.0	24	0° Rip	Coarse	-	1	25
Z2163048	216	8 1/2	30.0	48	0° Rip/Cross	Medium	-	1	25
Z2503048	250	10	30.0	48	0° Rip/Cross	Medium	-	1	25
Z2503060	250	10	30.0	60	0° Cross	Fine	-	1	25
TCT -5° Circular Saw Blades									
A2163060	216	8 1/2	30.0	60	-5° Rake	Fine	-	1	25
A2163080	216	8 1/2	30.0	80	-5° Rake	Fine	-	1	25
A2503080	250	10	30.0	80	-5° Rake	Fine	-	1	25
A3053048	305	12	30.0	48	-5° Rake	Medium	-	1	20
A3053060	305	12	30.0	60	-5° Rake	Medium	-	1	20
A3053080	305	12	30.0	80	-5° Rake	Fine	-	1	20

CIR01

PCD Fibre Cement Saw Blades

Product Code	Disc Ø (mm)	Disc Ø (Inch)	Bore (mm)	No. of Teeth	Cut Type	Finish Type	Included Bushing Ring Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLAM SHELL									
PCD Fibre Cement Saw Blades									
PCD160204	160	6 1/4	20.0	4	PCD	Coarse / Medium	-	1	
PCD165204	165	6 1/2	20.0	4	PCD	Coarse / Medium	-	1	
PCD190204	190	7 1/2	20.0	4	PCD	Coarse / Medium	-	1	
PCD216308	216	8 1/2	30.0	8	PCD	Coarse / Medium	-	1	
PCD250306	250	10 equiv.	30.0	6	PCD	Coarse / Medium	-	1	

CIR01

Jigsaw Blades



Blade Material Types

Bi-M (Bi-Metal)

Combining the flexibility of a HCS body with a HSS hardened cutting edge, resulting in a tough, shatter resistant blade. Longer service life leads to greater cost effectiveness per blade.

HCS (High Carbon Steel)

High Carbon Steel Blades for use with softer materials, such as hard and soft wood, plastics and laminated boards.

HSS (High Speed Steel)

Hardened steel designed to cut hard materials such as mild steel, aluminium and other non-ferrous metals.

Cut Types

Straight

Standard blade type, comes in a variety of teeth types and blade lengths. Perfect for all general purpose applications.

Down

Reversed teeth to cut on the down-stroke. This prevents the splintering of decorative surfaces such as kitchen worktops.

Curve

These blades have a reduced blade depth to allow them to perform curved cuts.

Precision

These blades are made from a thicker plate to help achieve a 90° cut. It also makes this blade ideal for hardwood.

Teeth Types

MSS - Milled & Side Set

Rough/Coarse Cut

Basic tooth pattern used on the entry level blades. A quick but fairly rough cut.

MWS - Milled & Wavy Set

Fine/Medium Cut

This pattern is used to give a fine, straight cut.

SSS - Side Set & Sharpened

Fast/Medium Cut

This configuration gives a fast, medium cut.

GTG - Ground/Taper Ground

Clean/Quick Cut

These top quality blades give a clean, quick cut in both wood and plastic.

Bi-Metal Blades

LONGER SERVICE LIFE!



Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	WL (mm)	TL (mm)	Cutting Cap. (mm)	Pack Qty TPI	Carton Qty (packs)
PACK									
Wood Cutting									
AHGS14BI	T144DF	All Wood Types	Straight	SSS ●	75	100	5.0-50.0	6 5	100
AHC12BI	T101BF	All Wood / Plastic	Straight	GTG ●	75	100	3.0-30.0	10 5	100
AHC12RBI	T101BRF	Laminate	Down	GTG ●	75	100	3.0-30.0	10 5	100
Metal Cutting									
AMG11BI	T118AF	Steel / Stainless Steel / Thin Sheet Metal	Straight	MWS ●	50	76	1.0-3.0	21 5	100
AMG12BI	T118BF	Steel / Stainless Steel / Alu. / Non-Ferrous	Straight	MWS ●	50	76	2.5-6.0	12 5	100

WL= WORKING LENGTH TL=TOTAL LENGTH TPI= TEETH PER INCH JIG01

TCT High Carbon Steel Blade - Board Cutting



High Carbon Steel body with Tungsten Carbide Tip (TCT) cutting edge resulting in a tough blade which keeps its edge.

Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	WL (mm)	TL (mm)	Cutting Cap. (mm)	Pack Qty TPI	Carton Qty (packs)
PACK									
Board Cutting									
APC110	T341HM	Glass Fibre Reinforced Plastic / Plasterboard	Straight	SSS ●	106	132	5.0-50.0	6 5	100

WL= WORKING LENGTH TL=TOTAL LENGTH TPI= TEETH PER INCH JIG01

High Carbon Steel Blades - Wood Cutting



Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	WL (mm)	TL (mm)	Cutting Cap. (mm)	Pack Qty TPI	Carton Qty (packs)
PACK									
Wood Cutting									
AHG13	T111C	Softwood / Plastic	Straight	MSS ●	75	100	4.0-50.0	8 5	100
AHW12	T119B	Softwood / Insulation Mat.	Straight	MWS ●	50	76	2.0-15.0	12 5	100
AHW12K	T119B0	Softwood / Insulation Mat.	Curve	MWS ●	50	76	2.0-15.0	12 5	100
AHGS14	T144D	All Wood Types	Straight	SSS ●	75	100	5.0-50.0	6 5	100
AHGS24	T244D	All Wood Types	Curve	SSS ●	75	100	5.0-50.0	6 5	100
AHC14	T101D	All Wood / Plastic	Straight	GTG ●	75	100	10.0-45.0	6 5	100
AHC12	T101B	All Wood / Plastic	Straight	GTG ●	75	100	3.0-30.0	10 5	100
AHC14D	T101DP	All Wood / Plastic	Precision	GTG ●	75	100	10.0-45.0	6 5	100
AHC12K	T101AO	Softwood / Laminate	Curve	GTG ●	50	76	1.5-15.0	18 5	100
AHC12R	T101BR	Wood / Laminate / Plastic	Down	GTG ●	75	100	3.0-30.0	10 5	100
AHC32R	-	Wood / Laminate / Plastic	Down	GTG ●	105	130	3.0-65.0	10 5	100

WL= WORKING LENGTH TL=TOTAL LENGTH TPI= TEETH PER INCH JIG01

High Speed Steel Blades - Metal Cutting



Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	WL (mm)	TL (mm)	Cutting Cap. (mm)	Pack Qty TPI	Carton Qty (packs)
PACK									
Metal Cutting									
AK14	T127D	Non-Ferrous / Alu. / Steel / Plastic	Straight	MSS ●	75	100	3.0-15.0	8 5	100
AMG107	T118G	Very Thin Sheet Metal	Straight	MWS ●	50	76	0.5-1.5	32 5	100
AMG11	T118A	Thin Sheets of Steel and Stainless Steel	Straight	MWS ●	50	76	1.0-3.0	21 5	100
AMG21	T218A	Thin Sheet / Steel	Curve	MWS ●	50	76	1.0-3.0	21 5	100
AMG12	T118B	Steel / Stainless Steel / Non-Ferrous / Alu.	Straight	MWS ●	50	76	2.5-6.0	12 5	100
AMG31	T318A	Pipes / Profiles / Thin Sheet Metal / Non-Ferrous	Straight	MWS ●	110	132	1.0-3.0	21 5	100
AMG32	T318B	Steel / Non-Ferrous / Pipes	Straight	MWS ●	110	132	2.5-6.0	12 5	100

WL= WORKING LENGTH TL=TOTAL LENGTH TPI= TEETH PER INCH JIG01

Jigsaw Blade Sets

Comprehensive set of jigsaw blades to cover a multitude of cutting requirements into wood, metal and plastic.



Set Code	Blade Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Capacity (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
MIXED SET (10 PIECE)											
JIGSET10	-	-	-	-	-	-	-	-	-	10	10
	AHG13	T111C	Softwood / Plastic	Straight	MSS	75	100	4.0-50.0	8.50	1	
	AHGS14	T144D	All Wood	Straight	SSS	75	100	5.0-50.0	6.35	1	
	AHC12	T101B	All Wood / Plastic	Straight	GTG	75	100	3.0-30.0	10.00	2	
	AHC14	T101D	All Wood / Plastic	Straight	GTG	75	100	10.0-45.0	6.35	1	
	AHC12R	T101BR	All Wood / Laminated Board / Plastic	Down	GTG	75	100	3.0-30.0	10.00	1	
	AHW12K	T119B0	Softwood / Insulation	Curved	MWS	50	76	1.5-15.0	19.00	1	
	AMG11	T118A	Thin Sheet Metal / Stainless Steel	Straight	MWS	50	76	1.2-3.0	21.00	2	
	AMG12	T118B	Steel / Stainless Steel / Aluminium Non-Ferrous Metals	Straight	MWS	50	76	2.5-6.0	13.00	1	

TPI = TEETH PER INCH

JIG01

Handy re-usable storage case with slide open and close lid. Ideal for keeping jigsaw blades in order.



Set Code	Blade Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Capacity (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
MIXED SET (20 PIECE)											
JIGSET20	-	-	-	-	-	-	-	-	-	20	10
	AHG13	T111C	Softwood / Plastic	Straight	MSS	75	100	4.0-50.0	8.50	2	
	AHGS14	T144D	All Wood	Straight	SSS	75	100	5.0-50.0	6.35	2	
	AHC12	T101B	All Wood / Plastic	Straight	GTG	75	100	3.0-30.0	10.00	4	
	AHC14	T101D	All Wood / Plastic	Straight	GTG	75	100	10.0-45.0	6.35	2	
	AHC12R	T101BR	All Wood / Laminated Board / Plastic	Down	GTG	75	100	3.0-30.0	10.00	2	
	AHW12K	T119B0	Softwood / Insulation	Curved	MWS	50	76	1.5-15.0	19.00	2	
	AMG11	T118A	Thin Sheet Metal / Stainless Steel	Straight	MWS	50	76	1.2-3.0	21.00	4	
	AMG12	T118B	Steel / Stainless Steel / Aluminium Non-Ferrous Metals	Straight	MWS	50	76	2.5-6.0	13.00	2	

TPI = TEETH PER INCH

JIG01



Set Code	Blade Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Capacity (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
MIXED SET (16 PIECE)											
JIGSET	-	-	-	-	-	-	-	-	-	16	10
	AHG13	T111C	Softwood / Plastic	Straight	MSS	75	100	4.0-50.0	8	2	
	AHGS14	T144D	All Wood Types	Straight	SSS	75	100	5.0-50.0	6	2	
	AHC12	T101B	All Wood / Plastic	Straight	GTG	75	100	3.0-30.0	10	2	
	AHC14	T101D	All Wood / Plastic	Straight	GTG	75	100	10.0-45.0	6	1	
	AHC12R	T101BR	All Wood / Laminated Board / Plastic	Down	GTG	75	100	3.0-30.0	10	2	
	AHW12K	T119B0	Softwood / Insulation	Curved	MWS	50	76	1.5-15.0	12	2	
	AMG11	T118A	Thin Sheet Metal / Stainless Steel	Straight	MWS	50	76	1.2-3.0	21	3	
	AMG12	T118B	Steel / Stainless Steel / Aluminium Non-Ferrous Metals	Straight	MWS	50	76	2.5-6.0	13	2	

TPI = TEETH PER INCH

JIG01

Reciprocating Saw Blades



Blade Material Types

Bi-M (Bi-Metal)

Combining the flexibility of a HCS body with a HSS hardened cutting edge, resulting in a tough, shatter resistant blade. Longer service life leads to greater cost effectiveness per blade.

Tungsten Carbide Tip

Combining the flexibility of a HCS body with TCT cutting edge, resulting in a tough blade which keeps its edge.

HCS (High Carbon Steel)

High Carbon Steel Blades for use with softer materials, such as hard and soft wood, plastics and laminated boards.

Teeth Types

• MSS - Milled & Side Set

Rough/Coarse Cut

Basic tooth pattern used on the entry level blades. A quick but fairly rough cut.

• MWS - Milled & Wavy Set

Fine/Medium Cut

This pattern is used to give a fine, straight cut.

• SSS - Side Set & Sharpened

Fast/Medium Cut

This configuration gives a fast, medium cut.

• GTG - Ground/Taper Ground

Clean/Quick Cut

These top quality blades give a clean, quick cut in both wood and plastic.

Cutting Materials

Soft Wood • Green Wood • Plastic • Plasterboard • Some Bricks • Sheet Metal • Sandwich • Aluminium • Non-Ferrous • Stainless Steel

Bi-Metal Blades - Wood & Metal Cutting

LONGER SERVICE LIFE!



(A3020-150)

Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Cap. (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
PACK										
Wood Cutting										
A3021-300BI	S1411DF	All Wood / Plastic	Straight	MSS	275	300	<250	6	5	20
A3020-150	S610VF	Wood with Metal (Nails)	Straight	MSS	125	150	<100	5-8	5	20
A3020-228	S1110VF	Wood with Metal (Nails)	Straight	MSS	203	228	<175	5-8	5	20
Metal Cutting										
A3018-280	-	Steel / SS / Non-Ferrous	Straight	MWS	255	280	3.0-12.0	10	5	20
A3013-150	S922BF	Steel / SS / Non-Ferrous	Straight	MWS	125	150	3.0-8.0	14	5	20
A3013-200	S1122BF	Steel / SS / Non-Ferrous	Straight	MWS	200	225	3.0-8.0	14	5	20
A3015-150	S922AF	Steel / Sheet Metal	Straight	MWS	125	150	0.7-3.0	24	5	20
A3015-200	S1122AF	Steel / Sheet Metal	Straight	MWS	200	225	0.7-3.0	24	5	20
A3014-150	S922EF	Steel / Stainless Steel	Straight	MWS	125	150	1.5-4.0	18	5	20
A3014-200	S1122EF	Steel / Stainless Steel	Straight	MWS	200	225	1.5-4.0	18	5	20

TPI = TEETH PER INCH SAB01

Tungsten Carbide Tipped Blade - Block/Brick Cutting

LONGER SERVICE LIFE!



(AB305-215)

Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Cap. (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
PACK										
AB305-215	S1243HM	Aircrete Block / Some Bricks	Straight	MSS	260	305	<215	2	1	25

TPI = TEETH PER INCH SAB01

HCS Blades - Wood Cutting

(A3029-240)



Product Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Cap. (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
PACK										
A3021-150	S644D	Wood / Plastic / Sandwich	Curve	SSS	125	150	6.0-100	6	5	20
A3023-200	S2345X	Wood / Man-Made Board / Plastic	Straight	SSS	175	200	6.0-150	6-10	5	20
A3029-240	S1531L	Green Wood	Straight	SSS	215	240	<190	5	5	20
A3035-240	S1542K	Green / Fuel / Damp Wood	Straight	SSS	215	240	15.0-190	3	5	20

TPI = TEETH PER INCH SAB01

Reciprocating Saw Blade Set



10 PIECE

Comprehensive set of reciprocating saw blades to cover a multitude of cutting requirements into wood, metal and plastic.

Includes a handy re-usable storage case

Set Code	Blade Code	Bosch Equiv.	Materials	Cut Type	Teeth Type	Working Length (mm)	Total Length (mm)	Cutting Capacity (mm)	TPI	Pack Qty (pcs)	Carton Qty (packs)
MIXED SET (10 PIECE)											
SABSET10	-	-	-	-	-	-	-	-	-	10	5
	A3029-240	S1531L	Green Wood	Straight	SSS	215	240	<190	5	2	
	A3020-150	S610VF	Thin Sheet Metal / All Wood / Nails	Straight	MSS	125	150	<100	5-8	2	
	A3035-240	S1542K	Green / Fuel / Damp Wood	Straight	SSS	215	240	15-190	3	2	
	A3015-150	S922AF	Steel / Thin Sheet Metal / Pipes	Straight	MWS	125	150	0.7-3.0	24	2	
	A3023-200	S2345X	All Wood / Plastic	Straight	SSS	175	200	6.0-150	6-10	2	

TPI = TEETH PER INCH SAB01

Multi-Tool Blades

MULTI-PACKS NOW AVAILABLE



Blade Material Types

Titanium Coated

High performance M42 bi-metal blades with a protective hardened titanium coat to improve performance and increase working life.

Bi-M (Bi-Metal)

Combining the flexibility of a HCS body with a HSS hardened cutting edge, resulting in a tough, shatter resistant blade. Longer service life leads to greater cost effectiveness per blade.

Carbon Steel

Carbon steel are typically used for timber cutting. Available in a range of widths and cutting depths to suit multiple jobs.

Cutting Materials

Titanium Coated

Softwood • Hardwood • Steel • Non-Ferrous • Sheet Metal • Plastic • Laminate

Bi-M (Bi-Metal)

Softwood • Hardwood • Steel • Non-Ferrous • Sheet Metal • Plastic • Laminate

Carbon Steel

Softwood • Plastic • Plasterboard

Titanium Coated Bi-Metal Blades - Wood & Metal Cutting

3x LONGER SERVICE LIFE!

Radial Blade



Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims.

Product Code	Size Ø (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
MTR87TN	87	26	1.3	1	10

Straight Fine Cut Blade



For general work. Flush cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic.

Product Code	Size (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
MT32TN	32	54	1.4	1	10
MT32TN5	32	54	1.4	5	5
MT44TN	44	54	1.4	1	10
MT44TN5	44	54	1.4	5	5
MT69TN	69	42	1.4	1	10

Bi-Metal Blades - Wood & Metal Cutting

LONGER SERVICE LIFE!

Radial Blade



Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims.

Product Code	Size Ø (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
MTR87BI	87	26	1.3	1	10

Fine Straight Cut Blade



Flush cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic.

Product Code	Size (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
MT10BI	10	40	1.4	1	10
MT20BI	20	40	1.4	1	10
MT20BI5	20	40	1.4	5	5
MT32BI	32	42	1.4	1	10
MT32BI5	32	42	1.4	5	5
MT44BI	44	54	1.4	1	10
MT44BI5	44	54	1.4	5	5
MT69BI	69	42	1.4	1	10

Carbon Steel Blades - Wood & Plastic Cutting

Radial Blade



Radial blades feature a flat side for working flush against a flat work surface. Perfect for cutting skirting or trims.

Product Code	Size Ø (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
MTR87	87	26	1.4	1	10

Straight Fine Cut Blade



Flush cut blades are designed for a fine, clean cut into wood, plasterboard and many types of plastic.

Product Code	Size (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
MT10FT	10	40	1.4	1	10
MT20FT	20	40	1.4	1	10
MT32FT	32	42	1.4	1	10
MT32FT5	32	42	1.4	5	5
MT44FT	44	54	1.4	1	10
MT69FT	69	42	1.4	1	10
MT69FT5	69	42	1.4	5	5

Straight Coarse Cut Blade



Coarse cut blades are designed to give a quick, coarse cut into wood, plasterboard and many types of plastic.

Product Code	Size (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
MT32CT	32	42	1.69	1	10
MT32CT5	32	42	1.69	5	5
MT44CT	44	54	1.69	1	10
MT69CT	69	42	1.69	1	10
MT69CT5	69	42	1.69	5	5

Serrated Wavy Edge Saw Blade



The serrated blade is ideal for cutting soft materials such as cardboard, polystyrene, carpet, rubber and leather.

Product Code	Size (mm)	Cutting Depth (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK				
MT69SE	69	42	1	10

MTB01

Flexible Scraper Blade



Ideal for many scraping applications such as removing paint, glues and silicone.

Product Code	Size (mm)	Cutting Depth (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK				
MT52SC	52	35	1	10

MTB01

Diamond Carbide Grit Carbon Steel Blades

Radial Blade



Ideal for cutting tiles, porous concrete and plaster

Product Code	Size Ø (mm)	Cutting Depth (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK				
MTR65CG	65	10	1	10

MTB01

Boot Blade



Designed to remove grout from in-between tiles. The boot design rapidly removes the grout without damaging the tiles.

Product Code	Size (mm)	Cutting Depth (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK				
MTBOOT	59	45	1	10

MTB01

Delta Sanding Pad



To be used in conjunction with triangular sanding sheets. For sanding wood, metal and plastics.

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
MT93SP	93	1	5

MTB01

Sanding Sheets



Universal use on most surfaces, the hook and loop backing makes it easy to remove from the sanding pad.

Product Code	Size (mm)	Grit	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK				
MTP60	93	60	10	120
MTP80	93	80	10	120

MTB01

Multi-Tool Blade Sets



Convenient eight piece mixed set of popular blades. Ideal for multiple applications.

Product Code	Blade Code	Size (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK						
MT8PSET	-	-	-	-	4	10
	MT10BI	10	40	1.4	1	
	MT20BI	20	40	1.4	1	
	MT32BI	32	42	1.4	1	
	MT69BI	69	42	1.4	1	
	MT87BI	Ø 87	26	1.3	1	
	MT32CT	32	40	1.69	1	
	MT69CT	69	42	1.69	1	
	MT52SC	52	35	N/A	1	

MTB01



Convenient four piece mixed set of popular blades. Ideal for multiple applications.

Product Code	Blade Code	Size (mm)	Cutting Depth (mm)	Teeth Pitch (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK						
MT4PSET	-	-	-	-	4	10
	MT32BI	32	42	1.4	1	
	MT69BI	69	42	1.4	1	
	MT32CT	32	40	1.69	1	
	MT69CT	69	42	1.69	1	

MTB01

Powertool Sanding

Sanding Belts



- Heat resistant backing
- Long life
- Anti-clog coating

Manufactured using a heat resistant cloth backing and premium quality aluminium oxide grit. Designed to maintain sanding performance, prolong lifespan and meet the extreme requirements of modern belt sanders.

Product Code	Size W x L (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
PACK					
231069	75 x 533	40	Coarse	5	60
231841	75 x 533	80	Medium	5	60
231645	75 x 533	120	Fine	5	60
231429	75 x 457	40	Coarse	5	60
231987	75 x 457	80	Medium	5	60
231321	75 x 457	120	Fine	5	60
231147	100 x 610	40	Coarse	5	60
231258	100 x 610	80	Medium	5	60
231369	100 x 610	120	Fine	5	60

ABR03

Punched 1/3 Sanding Sheets



- Crack resistant
- Long life
- Anti-clog coating

High quality aluminium oxide abrasive with a high strength heat and wear resistant backing paper to provide a superior lifespan. Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

Product Code	Size W x L (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
PACK					
231050	93 x 185	80	Medium	5	50
231855	93 x 185	120	Fine	5	50
231666	93 x 185	180	Extra Fine	5	50
231112	93 x 185	80/120/180*	Assorted	5	50

ABR03

* 2 x 80/ 2 x 120/ 1 x 180 Grit

Unpunched 1/3 Sanding Sheets



- Crack resistant
- Long life
- Anti-clog coating

High quality aluminium oxide abrasive with a high strength heat and wear resistant backing paper to provide a superior lifespan. Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

Product Code	Size W x L (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
PACK					
231467	93 x 230	60	Coarse	5	50
231900	93 x 230	80	Medium	5	50
231751	93 x 230	120	Fine	5	50
231222	93 x 230	180	Extra Fine	5	50
231599	93 x 230	80/120/180*	Assorted	5	50

ABR03

* 2 x 80/ 2 x 120/ 1 x 180 Grit

Delta Sanding Pads



- Crack resistant
- Hook & loop
- Anti-clog coating

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

Product Code	Size W x L (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
PACK					
231005	95 x 95	60	Coarse	5	100
231119	95 x 95	80	Medium	5	100
231410	95 x 95	120	Fine	5	100
231360	95 x 95	180	Extra Fine	5	100
231909	95 x 95	240	Extra Fine	5	100
231333	95 x 95	80/120/180*	Assorted	5	100

ABR03

* 2 x 80/ 2 x 120/ 1 x 180 Grit

Detail Sanding Sheets




- Crack resistant
- Hook & loop
- Anti-clog coating

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

Product Code	Size W x L (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
PACK					
231753	95 x 136	80	Medium	5	100
231081	95 x 136	120	Fine	5	100
231811	95 x 136	180	Extra Fine	5	100

ABR08

Random Orbital Discs



- Crack resistant
- Hook & loop
- Anti-clog coating

Ideal for heavy power sanding on wood, paint, varnish, plaster and filler.

Product Code	Ø (mm)	Ø (inch)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
PACK						
231019	125	5	60	Coarse	5	100
231555	125	5	80	Medium	5	100
231378	125	5	120	Fine	5	100
231200	125	5	180	Extra Fine	5	100
231992	125	5	80/120/180*	Assorted	5	100
231084	150	6	60	Coarse	5	100
231080	150	6	80	Medium	5	100
231144	150	6	120	Fine	5	100
231719	150	6	180	Extra Fine	5	100
231859	150	6	80/120/180*	Assorted	5	100


ABR03

* 2 x 80/ 2 x 120/ 1 x 180 Grit

Drylining Discs

BEST SELLER

High quality sandpaper discs with white aluminium oxide abrasive for effective material removal. Perforated for excellent dust extraction. Available in a wide variety of abrasive grades to allow for varied results, from rapid material removal through to final finishing.



- Anti-slip hook & loop backing
- Lightweight and flexible backing paper
- Designed for use with all leading brands of drywall power sanders

Product Code	Ø (mm)	Ø (inch)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
BUNDLE						
231101	225	9	40	Coarse	25	7
231546	225	9	60	Coarse	25	7
231894	225	9	80	Medium	25	8
231434	225	9	100	Medium	25	8
231025	225	9	120	Fine	25	8
231175	225	9	150	Fine	25	8
231232	225	9	180	Extra Fine	25	8
231741	225	9	220	Extra Fine	25	8


ABR03

Hand Sanding



Sandpaper Rolls

Yellow Sandpaper Roll



- Crack resistant
- Long life
- Anti-clog coating


Manufactured using lightweight 180g backing paper, allowing for excellent flexibility and malleability without tearing and cracking. The premium quality aluminium oxide grit allows for excellent material removal.

Ideal for preparation of intricate & delicate applications.

Product Code	Length (m)	Width (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
ROLL						
231541	10	115	60	Coarse	1	6
231999	10	115	80	Medium	1	6
231405	10	115	120	Fine	1	6

ABR01

Green Sandpaper Roll



- Crack resistant
- Long life
- Anti-clog coating

Manufactured using premium 225g backing paper, allowing for hard wearing and flexible sanding performance. The premium quality aluminium oxide grit allows for excellent material removal.

Ideal for hand and powertool sanding.

Product Code	Length (m)	Width (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
ROLL						
231022	10	115	60	Coarse	1	6
231117	10	115	80	Medium	1	6
231823	10	115	120	Fine	1	6

ABR01

Red Sandpaper Roll



- Crack resistant
- Long life
- Anti-clog coating

Manufactured using heavy duty 250g backing paper, allowing for long lasting and hard wearing sanding performance. Premium quality calcined aluminium oxide grit allows for excellent material removal.

Ideal for woodworking, painting and decorating.

Product Code	Length (m)	Width (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
ROLL						
231004	10	115	60	Coarse	1	6
231210	10	115	80	Medium	1	6
231311	10	115	120	Fine	1	6

ABR01

Full Sanding Sheets



High quality aluminium oxide abrasive with a high strength anti-crack backing paper to provide a superior lifespan. Ideal for heavy hand or power sanding on wood, paint, varnish, plaster and filler.

Product Code	Size W x L (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
PACK					
231002	230 x 280	80	Medium	5	10
231191	230 x 280	120	Fine	5	10
231505	230 x 280	180	Extra Fine	5	10
231123	230 x 280	80/120/180*	Assorted	5	10

ABR02

* 2 x 80/ 2 x 120/ 1 x 180 Grit

Wet & Dry Sanding Sheets



Premium quality silicon carbide abrasive with a flexible waterproof backing paper. When used in conjunction with water this paper gives a smoother surface compared to dry sanding on metal, wood, paint and varnish whilst reducing dust.

Product Code	Size W x L (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
PACK					
231485	230 x 280	600	Ultra Fine	5	10
231636	230 x 280	1200	Ultra Fine	5	10
231357	230 x 280	180/320*	Assorted	5	10

ABR02

* 2 x 180 / 3 x 320 Grit

Steel Wire Wools



Used by woodworkers and craftsmen when cleaning metal and wood in preparation for lacquers, varnishes and paints.



Product Code	Weight (g)	Abrasive Grade	Pack Qty (pcs)	Carton Qty (packs)
PACK				
231659	200	Coarse	1	48
231308	200	Medium	1	48
231007	200	Fine	1	48

ABR04

Angle Grinder Wire Brushes



Steel Wire Brushes

Steel • Sheet Metal
Cast Iron



Stainless Steel Wire Brushes

Stainless Steel •
Non-Ferrous • Aluminium

Crimped Steel Wire Brushes

Suitable for use with angle and bench grinders. The crimped wire is ideal for lightly removing loose paint, rust or dirt without scarring the base material. Use stainless steel to reduce the likelihood of cross contamination when cleaning the base material.

Cup Brushes

75TCC



75TCCSS

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
75TCC	75	M14	0.3	12,500	1	5
100TCC	100	M14	0.3	8,500	1	5
125TCC	125	M14	0.3	6,500	1	5
150TCC	150	M14	0.3	6,500	1	5

BLISTER PACK

Steel Wire Cup Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
75TCC	75	M14	0.3	12,500	1	5
100TCC	100	M14	0.3	8,500	1	5
125TCC	125	M14	0.3	6,500	1	5
150TCC	150	M14	0.3	6,500	1	5

Stainless Steel Wire Cup Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
75TCCSS	75	M14	0.5	8,500	1	5
100TCCSS	100	M14	0.5	8,500	1	5

Bevel Brushes

115TBC



115TBCSS

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
115TBC	115	M14	0.3	12,500	1	5
115TBCSS	115	M14	0.3	12,500	1	5

BLISTER PACK

Steel Wire Bevel Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
115TBC	115	M14	0.3	12,500	1	5

Stainless Steel Wire Bevel Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
115TBCSS	115	M14	0.3	12,500	1	5

Wheel Brush with Reducer Set

150HWC



Includes reducing bushes reduces bore from 32mm to 25, 22, 20, 16 and 12mm (two of each).

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
150HWC	150	32	0.3	6,000	1	5
200HWC	200	32	0.3	4,500	1	5

BLISTER PACK

Steel Wire Wheel Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
150HWC	150	32	0.3	6,000	1	5
200HWC	200	32	0.3	4,500	1	5

Twisted Knot Steel Wire Brushes

Suitable for use with angle and bench grinders. The 0.5mm twist steel wire is hard wearing and gives an aggressive removal of paint, rust, rubber, concrete or dirt. The metal ring can be removed to increase usage life. Use stainless steel to reduce the likelihood of cross contamination when cleaning the base material.

Cup Brushes

80TCT



100TCTSS

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
80TCT	80	M14	0.5	8,500	1	5
100TCT	100	M14	0.5	8,500	1	5

BLISTER PACK

Steel Wire Cup Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
80TCT	80	M14	0.5	8,500	1	5
100TCT	100	M14	0.5	8,500	1	5

Stainless Steel Wire Cup Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
100TCTSS	100	M14	0.5	8,500	1	5

Bevel Brushes

100TBT



100TBTSS

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
100TBT	100	M14	0.5	12,500	1	5
100TBTSS	100	M14	0.5	12,500	1	5

BLISTER PACK

Steel Wire Bevel Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
100TBT	100	M14	0.5	12,500	1	5

Stainless Steel Wire Bevel Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
100TBTSS	100	M14	0.5	12,500	1	5

Wheel Brushes

115TWTSS



125HWT

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
115TWT	115	M14	0.5	12,500	1	5
115TWTSS	115	M14	0.5	12,500	1	5
125HWT	125	22	0.5	12,500	1	5

BLISTER PACK

Steel Wire Wheel Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
115TWT	115	M14	0.5	12,500	1	5


Stainless Steel Wire Wheel Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
115TWTSS	115	M14	0.5	12,500	1	5

Steel Wire Wheel Brush

Product Code	Ø (mm)	Wire Arbor	Thickness (mm)	Max R.P.M.	Pack Qty (pcs)	Carton Qty (packs)
125HWT	125	22	0.5	12,500	1	5

Drill Wire Brushes



Nylon Wire

Sheet Metal • Wood Stone



Steel Wire

Steel • Sheet Metal • Cast Iron

Nylon Brushes

The nylon brush is less aggressive and ideal for light de-burring, polishing and finishing.



Product Code	Ø (mm)	Shank Ø (inch)	Nylon Thickness (mm)	Max R.P.M	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------	----------------	----------------------	-----------	----------------	--------------------

BLISTER PACK

Nylon Cup Brush

50SCN	50	¼ Hex	1.3	4,500	1	12
75SCN	75	¼ Hex	1.3	4,500	1	12

PTB08

Nylon Wheel Brush

75SWN	75	¼ Hex	1.3	4,500	1	12
100SWN	100	¼ Hex	1.3	4,500	1	12

PTB06

Crimped Steel Wire Brushes

Crimped wire is ideal for lightly removing loose paint, rust or dirt without scarring the base material.



Product Code	Ø (mm)	Shank Ø (inch)	Wire Thickness (mm)	Max R.P.M	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------	----------------	---------------------	-----------	----------------	--------------------

BLISTER PACK

Steel Wire Cup Brush

50SCC	50	¼ Hex	0.3	4,500	1	12
75SCC	75	¼ Hex	0.3	4,500	1	12

PTB07

Steel Wire Wheel Brush

50SWC	50	¼ Hex	0.3	4,500	1	12
75SWC	75	¼ Hex	0.3	4,500	1	12
100SWC	100	¼ Hex	0.3	4,500	1	12

PTB04

Steel Wire End Brush

25SEC	25	¼" Hex	0.3	4,500	1	20
-------	----	--------	-----	-------	---	----

PTB01

Twisted Knot Steel Wire Brush



The twist brush is ideal for aggressive removal of paint, rust, rubber, concrete or dirt.

Product Code	Ø (mm)	Shank Ø (inch)	Wire Thickness (mm)	Max R.P.M	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------	----------------	---------------------	-----------	----------------	--------------------

BLISTER PACK

Steel Wire Wheel Brush

75SWT	75	¼	0.5	12,500	1	12
-------	----	---	-----	--------	---	----

PTB05

Flap Discs & Preparation Discs

Zirconium Flap Discs



A premium, long life and heavy duty zirconium flap disc for consistent and rapid performance whilst grinding, finishing, removing paint and weld dressing. Suitable for use with Stainless Steel (inox), Cast Iron, Alloy Metals and Wood. Ideal for flat and curved surfaces.

- Heavy Stripping
- Rapid Abrasive Action
- Type 29
- Approved to EN13743

Product Code	Ø (mm)	Ø (inch)	Bore (mm)	Grit	Abrasive Grade	Pack Qty (pcs)	2nd Qty (packs)	Carton Qty (packs)
--------------	--------	----------	-----------	------	----------------	----------------	-----------------	--------------------

PACK

231020	115	4½	22.23	P40	Coarse	1	10	100
231528	115	4½	22.23	P60	Coarse	1	10	100
231351	115	4½	22.23	P80	Medium	1	10	100
231051	115	4½	22.23	P120	Fine	1	10	100

BOX

231444	115	4½	22.23	P40	Coarse	10	-	20
231953	115	4½	22.23	P60	Coarse	10	-	20
231862	115	4½	22.23	P80	Medium	10	-	20
231006	115	4½	22.23	P120	Fine	10	-	20

ABR05

Nylon Stripping & Preparation Discs



A hardened nylon fibre strip disc for ultimate stock removal and surface preparation performance. Ideal for removing old paint, weld spatter, rust and corrosion without damaging the work piece.

Ideal for use on flat surfaces and for the removal of thermal bluing.

- Rapid Abrasive Action
- Reduced Loading Required
- Heavy Duty Backing
- Approved to EN13743

Product Code	Ø (mm)	Ø (inch)	Bore (mm)	Pack Qty (pcs)	2nd Qty (packs)	Carton Qty (packs)
--------------	--------	----------	-----------	----------------	-----------------	--------------------

PACK

231363	115	4½	22.23	1	10	100
--------	-----	----	-------	---	----	-----

BOX

231230	115	4½	22.23	10	-	20
--------	-----	----	-------	----	---	----

ABR05

Chucks, Keys and Adaptors

Heavy Duty Keyless Chuck



A keyless hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt. Suitable for 1.5mm – 13mm drills bits.

Product Code	Clamping Capacity (mm)	Capacity Mount (imp)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
HDKC13	1.5 - 13.0	1/2"	1	10 KEY01

Super Heavy Duty Keyless Chuck



A keyless heavy duty hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 1000 watt. Suitable for 1.5mm – 13mm drills bits.

Product Code	Clamping Capacity (mm)	Capacity Mount (imp)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
SHDKC	1.5 - 13.0	1/2"	1	10 KEY01

Single Handed Keyless Chuck



A keyless single hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt. Suitable for 1.5mm – 13mm drills bits.

Product Code	Clamping Capacity (mm)	Capacity Mount (imp)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
SHKC13	1.5 - 13.0	1/2"	1	10 KEY01

Keyless Chuck & SDS Plus Adaptor



A keyless hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt. Sold with an SDS plus adaptor. Suitable for 1.5mm – 13mm drills bits.

Product Code	Clamping Capacity (mm)	Capacity Mount (imp)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
KKEY	1.5 - 13.0	1/2"	1	10 KEY01

Chuck, Key & SDS Sets



A traditional keyed chuck that fits drills with 1/2" shaft. Suitable for 1.5mm – 13mm drills bits. C13 - Chuck and Key KEY - Chuck, Key and SDS adaptor



Product Code	Clamping Capacity (mm)	Capacity Mount (imp)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
C13	1.5 - 13.0	1/2"	1	10
KEY	1.5 - 13.0	1/2"	1	10 KEY01

Chuck Key & SDS Plus Adaptors

Chuck Key (AS2)

SDS Plus Adaptor (SDSCA)



Product Code	To Fit	Pack Qty (pcs)	Carton Qty (packs)
PACK			
AS2	1/2" keyed chuck	1	10
SDSCA	SDS plus to 1/2"	1	10 KEY01

Impact Driver Bits

Impact Driver Bits

Pozi



Product Code	Bit Size (mm)	Length (mm)	Qty (pcs)	Pack Qty (packs)	Carton Qty (packs)
HANDY PACK					
1PZ25X6	PZ1	25	10	5	5
2PZ25X6	PZ2	25	10	5	5
3PZ25X6	PZ3	25	10	5	5
1PZ50X6	PZ1	50	5	5	5
2PZ50X6	PZ2	50	5	5	5
3PZ50X6	PZ3	50	5	5	5
BLISTER CARD					
2PZ90X6	PZ2	90	1	24	12
2PZ150X6	PZ2	150	1	12	12

ABT01

TX Drive



Product Code	Bit Size (mm)	Length (mm)	Qty (pcs)	Pack Qty (packs)	Carton Qty (packs)
HANDY PACK					
20TX25X6	TX20	25	10	5	5
25TX25X6	TX25	25	10	5	5
30TX25X6	TX30	25	10	5	5
40TX25X6	TX40	25	10	5	5
25TX50X6	TX25	50	5	5	5
30TX50X6	TX30	50	5	5	5
40TX50X6	TX40	50	5	5	5
50TX50X6	TX50	50	5	5	5

ABT03

Phillips



Product Code	Bit Size (mm)	Length (mm)	Qty (pcs)	Pack Qty (packs)	CDU Qty (packs)
HANDY PACK					
1PH25X6	PH1	25	10	5	5
2PH25X6	PH2	25	10	5	5
3PH25X6	PH3	25	10	5	5
2PH50X6	PH2	50	5	5	5
3PH50X6	PH3	50	5	5	5
BLISTER CARD					
2PH90X6	PH2	90	1	24	12
2PH150X6	PH2	150	1	12	12

ABT02

Square



Product Code	Bit Size (mm)	Length (mm)	Qty (pcs)	Pack Qty (packs)	Carton Qty (packs)
HANDY PACK					
2SQ25X6	SQ2	25	10	5	5
2SQ50X6	SQ2	50	5	5	5

ABT04

Hex



NEW

Product Code	Bit Size (mm)	Length (mm)	Qty (pcs)	Pack Qty (packs)	Carton Qty (packs)
HANDY PACK					
3HX25X6	HX3	25	10	5	5
4HX25X6	HX4	25	10	5	5
5HX25X6	HX5	25	10	5	5
6HX25X6	HX6	25	10	5	5
8HX25X6	HX8	25	10	5	5

ABT06

Double Ended Impact Driver Bits

Double Ended Pozi



Product Code	Bit Size (mm)	Length (mm)	Qty (pcs)	Pack Qty (packs)	Carton Qty (packs)
BLISTER PACK					
2PZ65X6	PZ2	65	2	24	24
3PZ65X6	PZ3	65	2	24	24

ABT01

Double Ended Phillips



Product Code	Bit Size (mm)	Length (mm)	Qty (pcs)	Pack Qty (packs)	Carton Qty (packs)
BLISTER PACK					
2PH65X6	PH2	65	2	24	24
3PH65X6	PH3	65	2	24	24

ABT02

Double Ended TX Drive



Product Code	Bit Size (mm)	Length (mm)	Qty (pcs)	Pack Qty (packs)	Carton Qty (packs)
BLISTER PACK					
25TX65X6	TX25	65	2	12	12
30TX65X6	TX30	65	2	12	12
40TX65X6	TX40	65	2	12	12

ABT03

Impact Driver Bit Sets



11 PIECE

Convenient pocket sized mixed set of 25mm impact resistant bits with magnetic bit holder.

Set includes: PZ1(1), PZ2(2), PZ3(1), PH2(2), TX15(1), TX20(1), TX25(1), TX30(1), **Magnetic Bit Holder** (1).

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK		
228447	11	12

ABT07



28 PIECE

Comprehensive mixed set of 25mm impact resistant bits with 60mm impact magnetic bit holder.

Set includes: PZ0(1), PZ1(2), PZ2(3), PZ3(2), PH0(1), PH1(2), PH2(4), PH3(2), TX10(1), TX15(1), TX20(2), TX25(2), TX27(1), TX30(2), TX40(1), **Magnetic Bit Holder** (1).

Product Code	Pack Qty (pcs)	Carton Qty (packs)
SET		
28SETX6	28	12

ABT07



49 PIECE

Comprehensive mixed set of impact resistant bits, nut drivers and an impact magnetic bit holder.

Set includes:
25mm Bits - PZ1(2), PZ2(9), PZ3(3), PH1(2), PH2(8), PH3(2), TX20(1), TX25(2), TX30(3), TX40(2), SQ2(1).
50mm Bits - PZ1(1), PZ2(3), PZ3(1), PH2(2), PH3(1), TX30(2).
Sockets - 8mm(1), 10mm(1), 13mm(1).
Magnetic Bit Holder (1).

Product Code	Pack Qty (pcs)	Carton Qty (packs)
SET		
228258	49	6

ABT07

Impact Driver Bit Holders & Adaptors

Impact Quick Release Bit Holders



Impact resistant quick adaptor chuck allows the user to rapidly change between multiple 1/4" hex drive accessories. Available in longer lengths to assist the user when working in awkward applications.

Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER CARD			
65MAQX6	65	1	24
150MAQX6	150	1	12
300MAQX6	300	1	12

ABT08

Impact Magnetic Screw Holder



Impact resistant magnetic screw holder has been specifically designed for installation of flat head screws. The sliding magnetic sleeve securely holds the screw in place to allow single handed installations in vertical or horizontal applications.

Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER CARD			
53MSHX6	53	1	10

ABT08

Impact Magnetic Bit Holders



A high quality magnetic 1/4" hex drive adaptor with a unique 'torsion zone' that enables the bit holder to withstand the extreme pressures exerted by an impact driver.

Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER CARD			
60MAX6	60	1	24
150MAX6	150	1	12

ABT08

Impact Screw Guide



Impact resistant magnetic screw guide has a sliding sleeve designed so the user always drives the screw in at 90 degrees ensuring a flush finish. It also has the added benefit of reducing risk of finger injury as the sleeve covers the sharp screw threads.

Product Code	To Suit Screw Gauge (mm)	To Suit Screw Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER CARD				
75SGX6	3.0 - 5.0	4 - 10	1	24

ABT08

Impact Quick Release Adaptors



This impact resistant quick change adaptor is used for converting an impact wrench into a 1/4" hex drive with Quick Release.

Product Code	To Fit (imp)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER CARD				
38QCAX6	3/8"	50	1	24
12QCAX6	1/2"	50	1	24

ABT08

Impact HSS Drill Bits

Impact Quick Release HSS Drill Bits



This durable engineering quality HSS ground drill is designed for drilling sheet metal and wood with a 1/4" chuck impact driver.

The quick change shank can be rapidly interchanged for easy and hassle free drilling.

Product Code	Drill Ø (mm)	Total Length (mm)	Working Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER CARD					
HSSG2X6	2.0	67	24	1	24
HSSG25X6	2.5	75	30	1	24
HSSG3X6	3.0	75	33	1	24
HSSG35X6	3.5	84	39	1	24
HSSG4X6	4.0	89	43	1	24
HSSG45X6	4.5	94	47	1	24
HSSG5X6	5.0	100	52	1	24
HSSG6X6	6.0	107	57	1	24
HSSG8X6	8.0	117	75	1	24
HSSG10X6	10.0	133	87	1	24

ABT10

Impact Socket Drivers

Impact Socket Drivers



These professional grade impact nut drivers are designed to withstand the toughest fastening applications.

The powerful magnet allows for a secure grip and unyielding bit engagement. Ideal for use on hex head screws when installed with an impact driver.

Product Code	Socket Size	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER CARD				
14SDX6	1/4"	65	1	24
7SDX6	7mm	65	1	24
8SDX6	8mm	65	1	24
10SDX6	10mm	65	1	24
13SDX6	13mm	65	1	24

ABT08

Impact Sockets & Adaptors

Impact Sockets



High grade impact sockets for use in the most challenging applications. Made from high quality steel, the sockets are hardened and tempered for maximum strength and comes in a phosphate finish for greater corrosion resistance. Ideal for use in air impact wrenches and impact drivers.

Product Code	Socket Size (mm)	Length (imp)	To Fit (imp)	Pack Qty (pcs)	Carton Qty (packs)
CLIP					
8ISHX6	8	3"	1/2"	1	25
10ISHX6	10	3"	1/2"	1	25
12ISHX6	12	3"	1/2"	1	25
13ISHX6	13	3"	1/2"	1	25
14ISHX6	14	3"	1/2"	1	25
15ISHX6	15	3"	1/2"	1	25
16ISHX6	16	3"	1/2"	1	25
17ISHX6	17	3"	1/2"	1	25
18ISHX6	18	3"	1/2"	1	25
19ISHX6	19	3"	1/2"	1	25
21ISHX6	21	3"	1/2"	1	25
24ISHX6	24	3"	1/2"	1	25

ABT09

Scaffolders Short Impact Socket



21mm short impact socket with pin and ring to ensure a secure retention to powertool.

Ideal when working at heights and frequently used during scaffolding installation.

- Use with Impact drivers with 1/2" Square drive

Product Code	Socket Size (mm)	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER CARD				
228164	21	52	1	24

ABT09

Impact Socket Adaptors



Impact resistant quick change adaptor is used for converting a 1/4" hex drive into a male (1/2" or 3/8") socket adaptor.

Product Code	Length (mm)	Square Size (imp)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER CARD				
38IAX6	50	3/8"	1	24
12IAX6	50	1/2"	1	24

ABT08

Driver Bit Sets



11 PIECE

Convenient pocket sized mixed set of the most commonly used S2 25mm bits with a magnetic bit holder.

- Made from S2 Carbon Steel

Set includes:

PZ1(1), PZ2(2), PZ3(1), PH2(2), TX15(1), TX20(1), TX25(1), TX30(1)
Magnetic Bit Holder (1)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK		
228030	11	12 ABT07



31 PIECE

Convenient protective case with rubber corners and a handy belt clip.


- Made from S2 Carbon Steel

Set includes: PZ1(1), PZ2(5), PZ3(2), PH1(1), PH2(3), PH3(1), TX10(1), TX15(1), TX20(1), TX25(1), TX30(1), TX40(1), HX4(1), HX5(1), HX6(1), HX7(1), SL3.5(1), SL4.5(1), SL5.0(1), SL5.5(1), SL8.0(1), SQ2(1)

Quick Release Bit Holder (1)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK		
DBSETG31	31	10 ABT07

Mixing Paddles



Paint Mixers



A general purpose mixer with a twin propeller design to reduce splashing and blend materials with ease. Suitable for use with paint, varnish, glaze, floor screed and more.

- Fast mixing
- Easy clean coating
- Multi-purpose hex shank
- Reduced splashing
- Easy material blending



HEX SHANK

Product Code	Size (mm)	Shank Type	Shank Dia (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH					
673147	80 x 400	Hex	9.0	1	40
673258	100 x 600	Hex	10.0	1	30

MPD01

General Purpose Mixing Paddles



A high quality mixing paddle with helical fin design to allow for rapid and effortless mixing of a variety of viscous building compounds.

Suitable for use with tile adhesive, ready mixed plaster, floor screed, filler, cement compounds and more.

- Rapid & effortless mixing
- Heavy duty construction
- Easy clean coating
- Multi-purpose hex shank
- Protective rim
- Smooth & thorough mixing



HEX SHANK

Product Code	Size (mm)	Shank Type	Shank Dia (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH					
673369	100 x 600	Hex	9.0	1	12
673741	120 x 600	Hex	10.0	1	12

MPD01

Professional Mixing Paddles



A professional grade, heavy duty paddle mixer with helical fin pattern for rapid and effortless mixing of the most viscous building compounds.

Suitable for use with tile adhesive, bonding mortar, jointing compound, board finishes & plaster, floor screed, cement compounds, filler and more.

Compatible with all standard paddle mixers with M14 fitting.

- Rapid & effortless mixing
- Heavy duty construction
- Easy clean coating
- Protective rim
- Smooth & thorough mixing



THREADED SHANK

Product Code	Size (mm)	Shank Type	Pack Qty (pcs)	Carton Qty (packs)
EACH				
673852	120 x 600	M14	1	12
673963	140 x 600	M14	1	12
673001	160 x 600	M14	1	12

MPD01



Hand Tools

Striking & Demolition

Hammers	145-146
Axes	146
Mallets	147
Bolsters & Chisels	147
Pry Bars	148

Bricklaying & Plastering

Trowels	149-150
Aluminium Hawk	150
Brick Jointers	151
Grouting Float	151

Sawing & Cutting

Wood Saws	152
Mitre Boxes	152
Plasterers Jab Saw	153
Rasp Planes	153
Knives & Blades	153

Pliers, Cutters & Wrenches

Scissors & Wire Strippers	154
Pipe Shears & Tin Snips	155
Pliers, Cutters & Wrenches	156-157
Bolt Croppers	157

Spanner Sets, Wood Chisels & Screwdrivers

Spanner Sets & Wood Chisels	158
Screwdriver Sets	159-160
Bradawl	160
Hex Key Sets	161

Files & Rasps

Files & Rasps	162
---------------	-----

Clamps

Bar Clamps	163
G & F Clamps	163
Quick Corner Clamps	163
Spring Clamps	163

Levelling, Measuring & Marking

Spirit Levels	164-165
Measuring Wheel	166
Tape Measures	166
Squares & Rulers	167
Chalk Line & Powder	168
Builders Line & Rope	168
Stationery	169
Marxman Marking Tools	169

Riveters & Staplers

Riveters	170
Staplers	170

Preparation & Finishing Tools

Wire Brushes	171
Levelling Tools	171
Tile & Glass Scraper	171
Applicator Guns	172-173

Professional Claw Hammer

A premium quality claw hammer, ideal for effortless nail driving, with a straight claw head for prying and to assist with framing construction as well as positioning a workpiece.



Ergonomic Anti-Slip Grip



Precision Engineered
For Enhanced Striking Force

Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468117	16	400	1	6

HAM01

Claw Hammer - One Piece

A high quality curved claw hammer, ideal for demanding jobs and fast nail driving. Manufactured from a single piece of hardened steel with a soft-grip handle to enhance comfort and reduce fatigue.



Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468118	16	327	1	6
468119	20	350	1	6

HAM02

Claw Hammer - Fibreglass Handle



A high quality curved claw hammer, ideal for the toughest jobs and fast nail driving. Made from a two piece design including a fibreglass neck for vibration reduction and breakage resistance.

- Drop forged & heat treated for strength & durability
- Shock absorbing handle
- High strength fibreglass core for vibration resistance & increased user comfort
- Curved claw head for effortless nail & pin removal whilst increasing leverage whilst prying
- Lightweight & balanced
- Ergonomic anti-slip grip for safety, increased user comfort & long lasting performance

Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468120	16	336	1	6
468121	20	336	1	6

HAM02

Claw Hammer




An ergonomic, durable curved claw hammer manufactured from robust tubular steel with textured rubberised handle. Ideal for a majority of DIY and general purpose applications.

- Solid forged head for strength & durability
- 1.4mm hardened tubular shaft
- Textured grip for increased comfort & shock absorption

Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468266	16	326	1	6

HAM05

Cross Pein Hammer



A high quality cross pein hammer. The two piece design features a shock and break proof fibreglass neck for comfort and control during any task. Ideal for wood and metalworking tasks.

- Tempered striking faces to prevent chipping
- Precision engineered for maximum control & accuracy
- Ergonomic anti-slip grip for safety, increased user comfort & long lasting performance
- Reduced & polished head for accurate fastener driving & to prevent surface marking
- Shock absorbing handle

Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468122	4	299	1	6
468123	8	304	1	6

HAM03

Sledgehammer

A professional sledgehammer, constructed from extra heavy duty carbon steel with a lightweight and break resistant fibreglass shaft. Featuring fully polished striking faces and soft-grip handle.

Fibreglass Core
High strength & vibration resistant handle for user comfort

Protective Rubber Collar
Underneath the head to increase user comfort & prevent damage to the shaft

Robust Handle
To prevent splitting & breaking, safer to use than a standard wooden handled sledgehammer



Heavy Duty
Robust construction for demanding demolition tasks

Ergonomic Anti-Slip Grip

Product Code	Head Weight (lb)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468127	7	894	1	2
468128	10	894	1	2

HAM04

Axes

Featuring a heavy duty carbon steel head with a precision milled and tempered cutting edge. The lightweight fibreglass neck provides higher break resistance and a longer tool life than wooden alternatives.

Hardened Cutting Edge
For superior performance

Ergonomic Anti-Slip Grip

Fibreglass Core
High strength & vibration resistant handle for user comfort

Product Code	Head Weight (lb)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468115	1 ¼	380	1	6
468116	3 ½	825	1	4

SAW02

Brick Hammer



A premium quality brick hammer, manufactured from a single piece of toughened and hardened steel, with tempered strike faces and a soft-grip handle to reduce vibrations.

- Precision ground chisel for controlled & accurate shaping of all masonry
- High strength single piece steel to maximise driving force whilst minimising user fatigue
- Ergonomic anti-slip grip for safety, increased user comfort & long lasting performance



Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468124	20	317	1	6


HAM06

Lump Hammer



A heavy duty and robust two piece lump hammer. The two piece design features a shock and break proof fibreglass handle with a hardened steel head. Ideal for demolition work and more.

- Heavy duty
- High strength fibreglass core for vibration resistance & increased user comfort
- Ergonomic anti-slip grip for safety, increased user comfort & long lasting performance
- Heat treated & tempered strike faces
- Shock absorbing handle



Product Code	Weight (lb)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468125	2 ½	269	1	6
468126	4	292	1	4

HAM04

Mallets



A range of multi-purpose mallets, featuring solid rubber heads to deliver a firm blow with a locking and ergonomic ash wood handle which helps to prevent rebound.

- Ash wood handle for shock absorption & resistance to breaking
- Solid rubber head
- Available in black & non-marking white rubber

Product Code	Weight (oz)	Total Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLACK				
468267	16	322	1	6
468268	24	340	1	6
468269	32	343	1	4
WHITE (NON-MARKING)				
468270	16	322	1	6
468271	24	340	1	6

HAM04

Bolsters & Chisels



Used to break and shape hard materials such as brick, block, stone and concrete. Featuring hardened and tempered strike faces for longevity and impact resistance. The heavy duty hand guards improve comfort, safety and shock resistance.



Precision ground cutting edge



Hardened & tempered strike faces



Shatter resistant

Masonry Bolster and Cold Chisel with Guard

A range of heavy duty masonry bolsters and cold chisels, manufactured from high quality carbon steel with hardened and impact resistant tips for a long working life. Featuring domed striking heads to prevent damage and heavy duty hand guards. Ideal for use on stone, brickwork, mortar and masonry.

- Hardened & tempered
- Shatter resistant
- Tough powder coating

Masonry Bolster



Cold Chisel



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
CLIP				
MASONRY BOLSTER				
468225	57 x 216	2 ¼ x 8 ½	1	6
468226	100 x 220	4 x 8 ½	1	6
COLD CHISEL				
468223	19 x 250	¾ x 10	1	6
468224	19 x 300	¾ x 12	1	6

BOL01

Bolster & Chisel Set

A mixed set containing three popular masonry bolsters and chisels, manufactured from high quality carbon steel with hardened and impact resistant tips for a long working life. Featuring domed striking heads to prevent damage and heavy duty hand guards. Ideal for use on stone, brickwork, mortar and masonry.



Product Code	Item	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
BOX				
468227	-	-	3	4
	Cold Chisel	¾ x 12	1	
	Point Chisel	12	1	
	Brick Bolster	4 x 8 ½	1	


BOL01

Pry Bars



Utility Bar

A multi-purpose utility bar, designed to pry, lift and remove nails. Featuring dual nail pullers, extra wide chisel tips to prevent surface damage and hardened to withstand hammering.



3 in 1
Prying, Pulling & Scraping

Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
CLIP				
468229	375	15	1	10 PRY01

Wrecking Bar

A range of contemporary style, hexagonal shaft wrecking bars manufactured from hardened and tempered carbon steel. Ideal for wrecking, prying and demolition jobs.



- Shatterproof steel
- Nail remover & chisel
- Impact resistant
- Tough powder coating
- Forged heavy duty hex shank
- EN8D steel

Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
CLIP				
468230	300	12	1	6
468231	450	18	1	6
468232	600	24	1	6
468233	750	30	1	6
468234	900	36	1	10 PRY02

Moulding Pry Bar

A multi-purpose moulding pry bar, for effortless removal of moulding, trimming and decorative timbers. Manufactured from hardened carbon steel with a hard wearing powder coated finish. Featuring an extra wide chisel tip to prevent damage to the surface with impact resistant tips for hammer striking.



- 2 in 1 pry bar & nail puller
- Extra wide chisel tip
- Impact resistant hardened steel
- Tough powder coating
- EN9 Steel

Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
CLIP				
468228	250	10	1	6 PRY01


Wrecking & Pry Bar Set

An assortment of traditional wrecking, utility and aligning bars. Ideal for a wide variety of demanding construction and demolition tasks.

- Hardened & tempered
- Tough powder coating
- Hex shank
- Heavy duty toughened steel
- Impact resistant

Product Code	Item	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
BOX				
468235	Aligning Bar	24	5	4
	Utility Bars	7 & 15	1	
	Wrecking Bars	12 & 18	2	

PRY03



Bricklaying Trowels

A range of premium tempered and lacquered trowels. Manufactured for strength and durability in a variety of building, groundworking and bricklaying applications.


Brick Trowel



Gauging Trowel



Pointing Trowel



Product Code	Length (inch)	Width (inch)	Blade Gauge (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
BRICK TROWEL					
468211	11	5 ½	1.1	1	6
GAUGING TROWEL					
468212	7	3 ¾	1.2	1	12
POINTING TROWEL					
468210	6	2 ¾	1.1	1	12

TWL04



Bucket Trowel

A premium bucket trowel. Manufactured with a forged solid steel shank and an ergonomic soft-grip handle. Featuring rounded edges to prevent the trowel from digging into the bucket.



Product Code	Length (inch)	Width (inch)	Blade Gauge (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
468214	7	-	1.2	1	6

TWL04

Brick Trowel Set

A set of premium trowels, manufactured with forged solid steel shanks and soft-grip handles. Featuring lacquered blades for quick and easy cleaning. Includes a gauging, pointing and brick trowel.




Product Code	Contents	L x W (inch)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468213			3	2
	Pointing Trowel	6 x 2 ¾	1	
	Gauging Trowel	7 x 3 ¾	1	
	Brick Trowel	11 x 5 ½	1	

TWL04

Margin Trowel Set

A set of three premium trowels. Manufactured with forged solid steel shanks and ergonomic soft-grip handles with finger guards for superior user comfort and trowel control.



Product Code	Contents	Width (inch)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468207			3	2
	Tuck Pointing Trowel	½	1	
	Margin Trowel	1 ½	1	
	Margin Trowel	2	1	

TWL04

Plastering Trowels


Professional Plasterers Trowel

A professional stainless steel plastering trowel, designed to give the best results when plastering. Featuring a hardened and tempered stainless steel blade for toughness and flexibility.

Ergonomic Grip with soft rubber for enhanced comfort

Cast Aluminium Mounting for resistance to snapping

Tempered Thin Stainless Steel Blade to prevent rusting & provide superior flexibility



Product Code	Length (inch)	Width (inch)	Blade Gauge (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
468204	13	4 1/2	0.7	1	6
468205	16	5	0.7	1	6
468206	18	5	0.7	1	6


TWL03



Rustproof Pre-worn Blade

To prevent dragging & trowel marks to guarantee a professional finish

Stainless Steel



Plastering Trowel - Carbon Steel

A premium plastering trowel designed for professional application of finishing plaster. Featuring a tough and flexible carbon steel blade with an ergonomically designed soft-grip handle.



- Lacquered finish for easy cleaning
- Tempered blade for a strong working edge
- Lightweight & tough
- Quick & easy to clean

Product Code	Length (inch)	Width (inch)	Blade Gauge (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
468201	13	5	0.7	1	6
468202	14	5	0.7	1	6
468203	16	5	0.7	1	6

TWL03

Jointing Knife

A hard wearing jointing knife, featuring a carbon steel blade and a soft-grip handle for user comfort. Ideal for applying jointing compound and filling small imperfections and holes.




- Hardened & tempered blade for superior strength

Product Code	Width (inch)	Blade Gauge (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468209	6	1.1	1	12

TWL04

Aluminium Hawk

A premium and hard wearing aluminium hawk, manufactured from hard-rolled aluminium for strength and rigidity. Featuring an ergonomic soft-grip handle for user comfort and reduced fatigue and rounded corners for safety.



- Strong & lightweight aluminium
- Ergonomic soft-grip handle to reduce fatigue & enhance grip
- Protective hand guard for extra comfort

Product Code	Length (inch)	Width (inch)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468274	13	13	1	6

TWL02

Bricklaying & Tiling Accessories



Radius Edging Trowel

A premium edging trowel with radius edging for finishing concrete bases and pads. Featuring a tough carbon steel blade with an ergonomically designed soft-grip handle and a lightweight aluminium shaft for user comfort, control and reduced fatigue. Polished for quick and easy removal of excess product.



- ½" Radius
- Solid forged steel blade
- Easy to clean laquered finish

Product Code	Length (inch)	Width (inch)	Blade Gauge (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
468208	10	4	0.75	1	12 TWL04

Brick Jointers

A range of professional brick jointers with chamfered edges for creating seamless mortar joints between bricks.



- Heavy duty
- Carbon steel
- Double sided
- Chamfered edges

Product Code	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
468215	½ - ¾	1	12
468216	¾ - 1	1	12
468217	1 - 1½	1	12
468218	1½ - 2	1	12 TWL05

Available Now!

Decorative Tools

Page 181

Mixing Paddles

- Paint Mixer
- General Purpose & Professional Mixing Paddles

Page 143

Grouting Float

A premium application float for spreading grout, which leaves a smooth and professional finish. Featuring an ergonomically designed handle for user comfort, bevelled and rounded edges to assist application.




- Solid & ergonomic handle
- Bevelled & rounded corners
- Rubber blade for a smooth finish
- Robust backing plate for long tool life

Product Code	Length (inch)	Width (inch)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468273	9	4	1	6 TWL02

Adhesive Trowel - Square Notch

A high quality square notch trowel for spreading adhesives and viscous compounds, manufactured using a hardened and polished carbon steel blade for strength and easy cleaning. Ideal for tiling adhesive.

Straight edge



Notched edge



- Heavy duty steel blade

Product Code	L x W (inch)	Notch Size (mm)	Blade Gauge (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
468199	11 x 4½	6	0.7	1	12
468200	11 x 4½	10	0.7	1	12 TWL01

Tile Adhesive Comb

NEW

A high strength tile adhesive comb with a square notched edge for fast and effective adhesive application. Featuring a stainless steel blade for easy cleaning and superior corrosion resistance.



- Stainless steel blade
- 6mm square notch
- Anti-slip handle
- Easy cleaning & corrosion resistant
- For use with tile adhesives

Product Code	Notch Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
468272	6	1	20 TWL01

Hand Saws

Soft-Grip
Ergonomic grip to prevent slipping & increase overall comfort when in use



Tri-Cut

Fast & clean cutting
3D teeth to sweep out fibres of the wood

45° & 90°
Marking angles



Available in 14", 20"
& 22" with tpi's of
7, 9, 11

Snag Resistant Coating
Polished & lacquered blade for smooth cutting & corrosion resistance

SK5 Blade
Made from high quality carbon steel for flexibility & durability

Product Code	Type	Length (inch)	Length (mm)	Cut Type	Teeth Per Inch (TPI)	Pack Qty (pcs)	MOQ Qty (packs)
PACK							
468189	First Fix	20	500	Rip	7	1	6
468190		22	550	Rip	7	1	6
468191	Universal	20	500	Cross	9	1	9
468192		22	550	Cross	9	1	8
468193	Second Fix	20	500	Fine	11	1	6
468194		22	550	Fine	11	1	4
468195	Toolbox	14	350	Fine	11	1	10

SAW01 / SAW01 / SAW01 / SAW03

Tenon Saws & Rasp Planes



Tenon Saw

A premium 11tpi tenon saw. Featuring precision milled 2D teeth for maximum cutting accuracy. The soft-grip handle is designed to give user comfort and to maximise control during cutting.



- 2D precision teeth
- Super-soft-grip handle
- Snag resistant coating
- Reinforced for stability
- Fine cut

Product Code	Length (inch)	Length (mm)	Teeth Per Inch (TPI)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
468196	14	350	11	1	10

SAW03

Tenon Saw & Mitre Box Kit

A premium 14" 11tpi tenon saw with precision milled teeth. Ideal for precise cutting wood. Includes a general purpose mitre box with 45° and 90° cutting angles.



- 2D precision teeth
- Super-soft-grip handle
- Impact & wear resistant
- Fine cut
- Reinforced for stability
- Mitre box: to cut wood up to 4 1/4" x 3" (120 x 75mm)
- Saw size: 14"
- Snag resistant coating

Product Code	Item	Clamping Capacity (inch / mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468197	-	-	2	6
	Tennon Saw	-	1	
	Mitre Box	4 1/4 x 3 / 120 x 75	1	

SAW03

Clamping Mitre Box

A multi-functional mitre box with soft-grip clamps to secure the workpiece in woodworking applications. Manufactured from high strength and wear resistant engineering plastic which features 22.5°, 45° and 90° angles for increased usability and cutting accuracy.



- Multiple cutting angle design
- Soft-grip clamps
- High strength

Product Code	Clamping Capacity (inch / mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
468149	2 1/2 x 4 / 65 x 100	1	10

SAW03

Plasterers Job Saw

A premium job saw with protective holster. Manufactured from hardened and polished 1.5mm steel for cutting through tough materials without bending. Perfect for punching through plasterboard.



- Hardened 1.5mm blade
- 3D fast cutting teeth
- Protective holster included

Product Code	Length (inch)	Length (mm)	Teeth Per Inch (TPI)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
468198	7	175	7	1	10
					SAW04

Multi-Purpose Rasp Plane

A multi-purpose rasp plane, used for flattening and shaping a workpiece. Manufactured from solid impact resistant plastic making it ideal for shaping and sanding drywall sheets, timber, foam, soft metals, fibreglass, low density blocks and plastics. The larger size allows for two hand application for larger workpieces.



- Strong plastic body for drop resistance & increased user comfort
- Ergonomic handle
- Rapid material removal
- Fine cutting steel blade
- Two handed use

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BACKING CARD			
468150	255mm / 10"	1	12
			FLE01

Heavy Duty Rasp Plane

A heavy duty rasp plane, used for flattening and shaping a workpiece. Manufactured from solid cast aluminium making it ideal for shaping and sanding drywall sheets, timber, foam, soft metals, fibreglass, low density block and plastics.



- High strength aluminium body
- Rapid material removal
- Fine cutting steel blade
- Ergonomic grip
- Single handed use

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BACKING CARD			
468050	145mm / 6"	1	12
			FLE01

Knives & Blades

Folding Utility Knife

Compact and lightweight foldable utility knife with pack of 10 blades.



- Integral belt clip
- Blades manufactured from SK2 tool steel
- Quick & easy release button for changing blade
- Safety catch

10 BLADES INCLUDED

Product Code	Blade Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
253017	60 x 19 x 0.6	1	10
			BLD02

Safety Utility Knife

Retractable safety knife featuring an automatic blade system that retracts as soon as it leaves contact with the cut surface.



- Sure grip comfort handle
- Safety locking mechanism
- Blades manufactured from SK2 tool steel

5 BLADES INCLUDED

Product Code	Blade Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
253412	60 x 19 x 0.6	1	10
			BLD02

Snap Off Utility Knife

Snap off utility knife with anti slip rubber grip handle and retractable blade. Integral storage compartment for spare blades.



- Retractable blade
- Anti-slip rubber grip handle
- Blades manufactured from SK2 tool steel

2 BLADES INCLUDED

Product Code	Blade Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
253483	100 x 18 x 0.6	1	10
			BLD02

Utility Knife Blades



Straight


Hooked

Manufactured using SK2 steel to give a longer life and a sharper cut. For general purpose cutting of linoleum, plastic, wood, carpet, cardboard etc.

Compatible with all standard utility knives. Hooked blades with a sharp point for penetrating and cutting sheet material in particular floor coverings and plastic sheeting.

Product Code	Type	Blade Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
UBDISP	Straight	60 x 19 x 0.6	10	10
HBDISP	Hooked	51 x 19 x 0.6	10	10
CASE				
UBCASE	Straight	60 x 19 x 0.6	100	16
HANGING DISPENSER				
UBHANG	Straight	60 x 19 x 0.6	50	4
UBHANG100	Straight	60 x 19 x 0.6	100	4
				BLD01

Snap Off Utility Knife Blades



Snap off blades for standard retractable knives. Multiple cutting edges for longer life. Manufactured using SK2 steel to give a longer life and a sharper cut. For general purpose cutting of linoleum, plastic, wood etc.

Product Code	Blade Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
UBSNAP9	80 x 9 x 0.6	10	10
UBSNAP18	100 x 18 x 0.6	10	10
			BLD01

Scissors & Wire Strippers



Electricians Scissors

Heavy duty electricians scissors with micro serrated stainless steel blades for easily cutting through tough materials such as insulation materials, tapes, cable ties, wires and cables.



Heat Treated Stainless Steel Blades
For a professional finish

Anti-Pinch Handles
For user safety

Bi-Material Grip
For strength, durability & user comfort

Micro Serrations
For self sharpening & superior non-slip cutting performance

Wire Cutting & Stripping Notch
For effortless & convenient operation



Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468185	6	150	1	6 PLR08

Tradesmans Scissors

All purpose scissors manufactured with hardened stainless steel blades for long lasting sharpness with ergonomic plastic handles for user comfort. Featuring tough ABS shatter resistant handles. Ideal for paper/card, fabric, cardboard, foam, thin plastic, roofing felt, adhesive tape and plastic cable.



Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468184	9½	240	1	6 PLR08

Cable & Wire Cutters

Premium cable and wire cutters, manufactured with hardened cutting jaws capable of cutting copper and aluminium cables. Featuring soft-grip handles to reduce slipping and provide the perfect grip.



- Cuts materials up to 11mm²
- Super sharp cutting edge
- Hardened Cr-V jaws for long lasting performance
- Ergonomic soft-grip handles

Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468186	8	200	1	6 PLR01

Professional Wire Strippers

High performance multi-functional wire strippers. For use with flat or round cable and wire, with integrated wire cutting and crimping capability. To suit wires from 0.2mm² to 6mm².




Adjusts to wire size automatically

Strips wires effortlessly



Product Code	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
468110	8	1	6 PLR12



Pipe Shears & Tin Snips



Professional Pipe Shears

Premium high performance pipe shears, featuring a heavy-duty aluminium body with super soft-grip handle and ratcheting mechanism for cutting up to 46mm plastic pipe. The stainless steel V-shaped blade cuts through tough pipe effortlessly whilst the design prevents distortion of softer pipe.



Up to 46mm Pipes



Ratchet Drive for **50% Less Effort**

Prevents pipe distortion

- Clean & straight cutting
- Stainless steel V-shaped blade
- Heavy duty aluminium body



Product Code	To Suit Pipes (mm)	Pack Qty (pcs)	Carton Qty (packs)
468113	0-46	1	6

BLISTER PACK

PLR02

Premium Pipe Shears



Reduces Pipe Distortion



Up to 42mm Pipes

- Ratchet drive for reduced cutting effort
- Clean & straight cutting
- Stainless steel V-shaped blade
- Tough & lightweight

Product Code	To Suit Pipes (mm)	Pack Qty (pcs)	Carton Qty (packs)
468112	0-42	1	6

BLISTER PACK

PLR02

Pipe Shears



Reduces Pipe Distortion



Up to 26mm Pipes

- Quickly cuts plastic pipe
- Fast cutting V-shaped blade

Product Code	To Suit Pipes (mm)	Pack Qty (pcs)	Carton Qty (packs)
468111	0-26	1	6

BLISTER PACK

PLR02

Aviation Snips

Premium aviation snips, manufactured from heavy duty chrome vanadium for exceptional performance and tool life. Featuring induction hardened cutting edges to maintain sharpness and provide a clean cut. Left, right and straight cutting available individually or as a set of 3.

Cr-V

Spring loaded release mechanism for rapid cutting

Hardened & tempered cutting edges

Cuts mild steel up to 2mm

Ergonomic moulded handles for superior comfort & grip

Superior clean cutting



Product Code	Item	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
SET OF 3				
468181	-	-	3	3
	Left	10	1	
	Straight	10	1	
	Right	10	1	

PLR09

NEW				
Product Code	Type	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK				
468455	Left	10	1	6
468379	Straight	10	1	6
468020	Right	10	1	6

PLR09

Tin Snips

All purpose tin snips manufactured from hard wearing chrome vanadium, with polished and forged blades for making a variety of left, right and straight cuts. Featuring a rubberised coating for extra grip and comfort.

- Hardened & tempered cutting edges
- Single handed spring mechanism
- Robust solid steel
- Anti-slip grips

Cr-V



Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468182	10	250	1	6
468183	12	300	1	6

PLR09

Pliers, Cutters & Wrenches

**Ergonomic
Soft - Grip Handle**

General Purpose Pliers Set

Cr-V



A set of 3 pliers, manufactured from high grade chrome vanadium with hardened jaws and cutting edges ensuring that they stay sharper for longer. Featuring an ergonomic soft-grip handle to maximise user comfort and grip.

- Hardened & tempered Cr-V jaws for long lasting performance
- Precision milled teeth for maximum fastener grip
- Precision angled blades for clean cutting & a longer tool life

Product Code	Contents	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
468173				3	3
	Long Nose Pliers	6 ½	165	1	
	Combination Pliers	6 ½	165	1	
	Side Cutters	6 ½	165	1	

PLR04

Tradesmans Pliers Set

Cr-V



A set of 3 pliers ideal for professional gripping, cutting and snipping tasks. Manufactured from premium grade chrome vanadium with hardened jaws and cutting edges ensuring that they stay sharper for longer.

- Hardened & tempered Cr-V jaws for long lasting performance
- Precision milled teeth for maximum fastener grip
- Precision angled blades for clean cutting & a longer tool life

Product Code	Contents	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
468174				3	3
	Side Cutters	7	175	1	
	Combination Pliers	8	200	1	
	Water Pump Pliers	10	250	1	

PLR04

Side Cutters

Premium multi-purpose side cutters, designed for snipping and cutting plastics and metals in a variety of trade and home tasks. Manufactured from high grade chrome vanadium with heat treated and hardened cutting edges ensuring that they stay sharper for longer. Featuring an ergonomic soft-grip handle to maximise user comfort and grip.

Cr-V



- Cuts hard materials up to 1.6mm
- Hardened & tempered Cr-V jaws for long lasting performance

Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468178	6	150	1	6

PLR01

Combination Pliers

Premium multi-purpose pliers, designed for a variety of gripping and snipping tasks. Manufactured from high grade chrome vanadium with hardened jaws and cutting edges ensuring that they stay sharper for longer.

Cr-V



- Cuts hard materials up to 1.6mm
- Hardened & tempered Cr-V jaws for long lasting performance
- Precision milled teeth for maximum fastener grip

Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468175	6	150	1	6
468176	8	200	1	6

PLR05

Long Nose Pliers

Premium multi-purpose long nose pliers, designed for a variety of gripping and snipping tasks in tight and difficult to reach places. Manufactured from high grade chrome vanadium with hardened jaws and cutting edges.

Cr-V



- Cuts hard materials up to 1.6mm
- Hardened & tempered Cr-V jaws for long lasting performance
- Precision milled teeth for maximum fastener grip

Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468177	8	200	1	6

PLR05

Water Pump Pliers

For gripping slippery surfaces, nuts, bolts and irregular objects. Manufactured from chrome vanadium for wear prevention and long life. The ergonomic handle maximises grip, prevents slipping and assists rotational force.

Cr-V



- Hardened & tempered Cr-V jaws for long lasting performance
- Precision milled teeth for maximum fastener grip

Product Code	Size (inch)	Jaw Opening (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468170	8	30	1	6
468171	10	34	1	6
468172	12	40	1	6

PLR03

Multi-Function Fencing Pliers

Multi-function pliers combining five tools into one, making them an essential tool for all fencing applications. Manufactured from high grade chrome vanadium for robustness and long lasting performance.



- Cr-V
- 5 in 1 Cuts, Crimps, Grips, Strikes & Pries
- Hardened & tempered Cr-V jaws
- Precision milled teeth for maximum fastener grip
- Anti-slip handles

Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468179	13 1/2	340	1	6
PLR06				

Professional End Cutters

Premium quality end cutting pliers. Manufactured from hardened and plated chrome vanadium for wear prevention and long working life. Featuring induction hardened tips for a long lasting sharp edge.



- Cr-V
- 2 in 1 bevel & pincer for twisting or cutting nails, wires & rivets
- Hardened Cr-V jaws

Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468188	8	200	1	6
PLR10				

End Cutters

Solid carpenters end cutting pliers, manufactured from hardened chrome vanadium with ground and polished jaws for high leverage and long lasting sharpness. Featuring a rubberised coating for extra grip and comfort.



- Cr-V
- Cuts hard materials up to 1.6mm
- Pincer head for increased cutting capacity & leverage
- Hardened Cr-V jaws
- Anti-slip handles

Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468187	7	175	1	6
PLR10				

Adjustable Wrench

Professional adjustable wrenches manufactured from heavy duty chrome vanadium, hardened and tempered for exceptional tool life and performance. Featuring ergonomic soft-grip handles for superior user comfort, control and slip resistance.



- Cr-V
- Heavy duty chrome vanadium steel
- Ergonomic soft-grip handle
- High strength & durability
- Anti-slip milled teeth
- Smooth adjustment mechanism

Product Code	Size (inch)	Jaw Opening (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468166	6	20	1	6
468167	8	28	1	6
468168	10	34	1	6
468169	12	38	1	6
SPN01				

Locking Pliers

Professional locking pliers with heavy duty engineered curved jaws for a superior grip on irregular and rounded surfaces. Manufactured from premium grade chrome vanadium with induction hardened teeth for maximum grip and tool life.



- Cr-V
- Maximum jaw opening 48mm
- Heat treated locking Cr-V jaws
- Precision milled curved jaws for maximum fastener grip
- Single handed release

Product Code	Size (inch)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468180	10	250	1	6
PLR07				

Pipe Wrench

Robust and hard wearing pipe wrenches, manufactured from high grade chrome vanadium and drop forged cast iron to guarantee long tool life and exceptional performance. The precisely milled teeth create more grip as pressure is increased, reducing the chance of slipping and damage to the workpiece.



- Cr-V
- Heavy duty chrome vanadium steel
- Drop-forged
- Black powder-coated

Product Code	Size (inch)	Jaw Opening (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468240	14	48	1	6
468241	18	70	1	3
SPN03				

Bolt Croppers

Heavy duty bolt croppers, designed for effortlessly cutting through wire, chain, padlocks and bolts. Featuring adjustable hardened steel jaws with compound hinges to maximise leverage and cutting force.



- CrMo
- Chrome Molybdenum alloy steel for exceptional strength, cutting performance & corrosion resistance

Soft-grip handles

Hardened & tempered steel jaws

Product Code	Size (inch)	Cutting Capacity (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468242	18	6	1	12
468243	24	8	1	6
PLR11				

Spanner Sets

Spanner Set - Open-Ended

A set of 8 metric open-ended spanners manufactured from high grade drop forged chrome vanadium steel.

- High strength and durable
- Sold in reusable storage pack
- Anti-slip milled jaws
- Comfort grip
- Polished

Cr-V



Contents:

- 6 x 7mm (Qty 1),
- 8 x 9mm (Qty 1),
- 10 x 11mm (Qty 1),
- 12 x 13mm (Qty 1),
- 14 x 15mm (Qty 1),
- 16 x 17mm (Qty 1),
- 18 x 19mm (Qty 1),
- 20 x 22mm (Qty 1)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
468236	8	4 SPN02

Spanner Set - Double Ring

A set of 8 metric double ring spanners manufactured from high grade drop forged chrome vanadium steel.

- High strength and durable
- Sold in reusable storage pack
- Anti-slip milled jaws
- Comfort grip
- Polished

Cr-V



Contents:

- 6 x 7mm (Qty 1),
- 8 x 9mm (Qty 1),
- 10 x 11mm (Qty 1),
- 12 x 13mm (Qty 1),
- 14 x 15mm (Qty 1),
- 16 x 17mm (Qty 1),
- 18 x 19mm (Qty 1),
- 20 x 22mm (Qty 1)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
468237	8	4 SPN02

Spanner Sets - Combination

Sets of 8 and 25 metric combination spanners manufactured from high grade drop forged chrome vanadium steel.

- High strength and durable
- Sold in reusable storage pack
- Anti-slip milled jaws
- Comfort grip
- Polished

Cr-V



Contents:

- 8mm (Qty 1), 9mm (Qty 1),
- 10mm (Qty 1), 11mm (Qty 1),
- 13mm (Qty 1), 14mm (Qty 1),
- 17mm (Qty 1), 19mm (Qty 1)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
468238	8	4 SPN02



Cr-V

Contents:

- 25 Piece Set (6 - 28, 30mm, 32mm)

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
468239	25	4 SPN02

Bevel Edge Wood Chisels & Sets

Tough and hard wearing wood chisels, engineered from hardened and tempered steel. Featuring super soft-grip, split resistant handles and fully forged strike caps for use with hammers.

All Steel Cr-V Body for precision & control

Extra large strike cap

Ergonomic moulded handles for superior comfort & grip

Cr-V

Sharpened blade

Hardened & tempered chrome vanadium steel



Clip



Set of 3



Set of 7



Sharpening stone included

NEW SIZES

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLIP			
468244	6	1	6
468755	10	1	6
468245	12	1	6
468246	18	1	6
468247	25	1	6
468934	32	1	6
468028	38	1	6
468304	50	1	6

CSL01

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
SET OF 3			
468248	12mm (Qty 1), 19mm (Qty 1), 25mm (Qty 1)	3	3
SET OF 7			
468249	6mm (Qty 1), 12mm (Qty 1), 19mm (Qty 1), 25mm (Qty 1), 32mm (Qty 1), 38mm (Qty 1), Oilstone (Qty 1)	7	5

CSL02

Screwdriver Sets



Set of 4

Slotted: 5 x 75mm, 6 x 100mm
Phillips: PH1 x 75mm, PH2 x 100mm

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
468129	4	6
<small>SDR01</small>		



Set of 6

Slotted: 3 x 75mm, 5 x 100mm, 6.5 x 125mm
Phillips: PH0 x 75mm, PH1 x 100mm, PH2 x 125mm

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
468130	6	6
<small>SDR01</small>		



Set of 8

Slotted: 3 x 75mm, 5 x 100mm, 6 x 150mm
Phillips: PH0 x 75mm, PH1 x 100mm, PH2 x 150mm
Pozi: PZ1 x 100mm, PZ2 x 150mm

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
468131	8	6
<small>SDR01</small>		



Set of 9

Slotted: 5 x 38mm, 6 x 38mm, 3 x 75mm, 5 x 100mm, 6 x 150mm
Phillips: PH2 x 38mm, PH0 x 75mm, PH1 x 100mm, PH2 x 150mm.

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
468132	9	6
<small>SDR01</small>		

Set includes storage case

Magnetic Tips

For ease of use in hard to reach spaces

S2

For toughness & resistance to chipping prolonging tool life & preventing fastener damage

Hard Wearing Ground Tips



Ergonomic Handle

Designed with finger & thumb indents for increased user comfort whilst driving, allowing for maximum torque

Anti-Slip Grip

Rubberised for slip prevention & to maximise user comfort



Stubby Screwdriver Set

A set of premium stubby screwdrivers, manufactured with hardened and tempered S2 tool steel blades for extra strength and durability with reduced blades and handles making them ideal for working in tight areas.




- Hard wearing ground tips for optimal fastener driving
- Ergonomic handles for controlled & comfortable grip
- Magnetic tips to assist with installation
- High fastener driving torque

- Slotted:** 4 x 38mm, 5.5 x 38mm.
- Phillips:** PH1 x 38mm, PH2 x 38mm.
- Pozi:** PZ1 x 38mm, PZ2 x 38mm.

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
468133	6	6
SDR01		

Ratcheting Screwdriver & Bit Set

A ratcheting handle screwdriver with assorted driver bits and hex sockets. Featuring a soft-grip ratchet handle with adjustable angle control.



- Cr-V**
- Adjustable angle handle for dual driving function
 - Precise ratchet mechanism
 - Comfort grip
 - Magnetic tips
- Pozi:** PZ0, PZ1, PZ2, PZ3.
 - Phillips:** PH0, PH1, PH2, PH3.
 - TX Drive:** TX10, TX15, TX20, TX25, TX27, TX30.
 - Slotted:** 3mm, 4mm (x2), 5mm (x2), 6mm, 7mm.
 - HX:** H3, H4, H5, H6.
 - Square:** S0, S1, S2, S3.

- Imperial Sockets:** 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16".
- Metric Sockets:** 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm. 25mm 1/4" to Square Adaptor, 60mm Bit Adaptor, Ratchet Screwdriver.

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
468136	46	6
SDR01		

Precision Screwdriver Set

A set of premium precision screwdrivers, manufactured with hardened and tempered S2 tool steel blades for extra strength and durability.



- Hard wearing ground tips for optimal fastener driving
- Magnetised tips & rotating handle ends
- Ergonomic handles for controlled & comfortable grip

- Slotted:** 1.5 x 50mm, 2.0 x 50mm, 2.5 x 50mm, 3.0 x 50mm.
- Phillips:** PH00 x 50mm, PH0 x 50mm.

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
468134	6	12
SDR01		

Precision Screwdriver & Bit Set

A precision screwdriver with interchangeable driver bits, manufactured from hardened and tempered chrome vanadium for extra strength and durability.



- Ergonomic anti-slip grip handle
- Hardened driver bits for strength & durability
- Rotating handle ends

- Cr-V**
- Phillips:** PH000, PH00, PH0, PH1.
 - TX Drive:** TX4, TX5, TX6, TX7.
 - Slotted:** 2mm, 2.5mm, 3mm.
 - HX:** H0.7, H0.9, H1.3, H1.5, H2. 100mm Extension

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
468135	18	12
SDR01		

Bradawl

A robust and hard wearing bradawl, manufactured from high grade alloy steel for strength and durability. Featuring a soft-grip handle for user comfort and slip resistance.



- Super sharp round point
- Ergonomic soft-grip handle to increase user comfort
- Robust & hard wearing



Product Code	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468137	75	3	1	12
SDR02				

Hex Key Sets




T-Handle Hex Key Set

A set of T-handle metric hex keys, manufactured from hard wearing chrome vanadium with soft-grip handles. The T-handle shape allows for high torque during fastener driving with better user comfort.



Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
468220	2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0	8	5
PACK			
			SDR03



Hex Key Keyring Set

A set of metric hex keys on a convenient keyring. Manufactured from hardened steel with black oxide coating for rust prevention.



- Hard wearing ground tips, milled to maximise purchase & prevent cam-out
- Black oxide coated for rust protection


Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
468219	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0	8	12
BAG			
			SDR03

Long Arm Ball End Hex Key Set

A set of metric hex keys, manufactured from high grade alloy steel for strength and durability. Featuring a standard hex head and ball end for better fastener driving at an angle and a long shaft for increased rotational torque.



- Precision ground tips, milled to maximise purchase & prevent fastener damage
- Long shaft for greater rotational torque
- Corrosion resistant plating



Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
468221	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0	9	6
PACK			
			SDR03

Long Arm TX Drive Key Set

A set of metric TX drive keys, manufactured from high grade alloy steel for strength and durability. Featuring a long shaft for increased rotational torque with precision ground tips to prevent fastener damage.



- Precision ground tips, milled to maximise purchase & prevent fastener damage
- Long shaft for greater rotational torque
- Corrosion resistant plating
- TX drive

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
468222	TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50	9	6
PACK			
			SDR03

Files & Rasps



File Cleaning Brush
See page 171



File & Needle File Set

A set of files and precision needle files, manufactured from hardened high grade steel. Ideal for general purpose and delicate metal fabrication and sharpening. Featuring soft-grip, anti-slip handles for user comfort. Supplied in a tough canvas protective case.

- Rapid material removal
- Long lasting cutting edge
- Double sided



Contains:

- Round
- ◐ Half Round
- ▲ Triangle
- ◌ Oval
- ▭ Flat
- ◊ Crossing
- Square
- ▼ Knife
- ◀ Barrette
- ▨ Equalling & Hand

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
PACK			
468251	Files: Round (Qty 1), Half Round (Qty 1), Flat (Qty 1), Hand (Qty 1). Needle Files: Round (Qty 1), Half Round (Qty 1), Flat Square (Qty 2), Square (Qty 1), Triangle (Qty 1), Oval (Qty 1), Crossing (Qty 1), Knife (Qty 1), Barrette (Qty 1), Equalling (Qty 2)	16	10
FLE02			

File & Rasp Set

A set of files and rasps, manufactured from hardened high grade steel. Featuring soft-grip, anti-slip handles for user comfort. Supplied in a tough canvas protective case.

- Rapid material removal
- Long lasting cutting edge
- Double sided



Contains:

- Round
- ◐ Half Round
- ▲ Triangle
- Square
- ▭ Hand

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
PACK			
468250	Files: Hand (Qty 1), Round (Qty 1), Half Round (Qty 1), Triangle (Qty 1), Square (Qty 1). Rasps: Hand (Qty 1), Round (Qty 1), Half Round (Qty 1), Triangle (Qty 1)	9	10
FLE02			

Needle File Set

A set of needle files, manufactured from hardened high grade steel for professional tool life and performance during precision and delicate work. Featuring soft-grip handles for user comfort. Ideal for shaping metal, stone, ceramics, glass and other hard materials.

- Double cut teeth
- Long lasting cutting edge
- Rapid material removal
- Double sided



Contains:

- Round
- ◐ Half Round
- ▲ Triangle
- ▭ Flat
- Square
- ▨ Equalling

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
PACK			
468252	Round (Qty 1), Half Round (Qty 1), Flat Square (Qty 1), Triangle (Qty 1), Equalling (Qty 1), Square (Qty 1)	6	10
FLE02			

Rasp Set

A set of three double sided rasps, manufactured from hardened high grade steel for long tool life. Ideal for shaping and finishing timber in carpentry applications such as cabinets and furniture making. Featuring soft-grip handles for user comfort and uniform tooth height to maximise material removal and finish. Supplied in a tough canvas protective case.

- Double cut teeth
- Long lasting cutting edge
- Rapid material removal
- Double sided



Contains:

- Round
- ◐ Half Round
- ▭ Flat

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
PACK			
468253	Flat (Qty 1), Round (Qty 1), Half Round (Qty 1)	3	3
FLE02			

Clamps



Quick Change Bar Clamp

A heavy duty single handed bar clamp and spreading tool. Ideal for assisting the support of materials during heavy gluing and clamping applications. With non-marking full face pads to distribute pressure evenly to reduce the risk of damage to the workpiece.



- Single-hand quick release
- Ergonomic comfort grip handle
- 2 in 1 Clamps & Spreads
- *Up to 135kg Clamping Force

NEW SIZE

Product Code	Size Length (mm)	Clamping Capacity (inch / mm)	Clamping Force (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	------------------	-------------------------------	---------------------	----------------	--------------------

QUICK CHANGE BAR CLAMPS

468138	300	12/300	135	2	6
468139	450	18/450	135	2	5
468140	600	24/600	135	2	4
468437	900	36/900	135	2	6

MINI BAR CLAMPS


468141	150	6/150	70	2	6
468142	300	12/300	70	2	6

* Up to 70kg for Mini Bar Clamps

CLM01

F Clamp

Heavy duty F clamps with super soft-grip handles for ergonomic and comfortable use. Featuring a hardened slip resistant steel bar with solid jaws to provide a maximum clamping force of 270kg. Featuring soft plastic protective jaws to help prevent damage to the workpiece.



NEW SIZE

- Ergonomic comfort grip handle
- Non-slip steel bar
- Clamping force: 270kg

Product Code	Size Length (mm)	Clamping Capacity (inch / mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	------------------	-------------------------------	----------------	--------------------

PACK

468143	150	6/150	1	20
468144	300	12/300	1	20
468145	500	20/500	1	10
468058	800	32/800	1	10

CLM02

Heavy Duty Quick Change Bar Clamp

An engineered extra heavy duty bar clamp and spreading tool. Designed to withstand the toughest of clamping and spreading tasks with more than twice the clamping force (300kg) of a traditional bar clamp.



NEW

- Single-handed quick release
- Reinforced strong engineered plastic body
- Extended full face parallel cushioned grip pads
- Non-slip hardened steel bar with I-beam construction for added strength
- 2 in 1 tool-free change from clamp to spreader
- Adjustable foot for work bench convenience

Product Code	Size Length (mm)	Clamping Capacity (inch / mm)	Clamping Force (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	------------------	-------------------------------	---------------------	----------------	--------------------

PACK

468647	450	18/450	300	1	6
468332	600	24/600	300	1	6
468015	900	36/900	300	1	6

CLM01

G Clamp

Extra heavy duty, cast iron G clamps. Featuring strong threaded steel spindles and extra tough powder coating for corrosion resistance.



- Heavy duty
- Bend & break resistant
- Tough powder coating

Product Code	Size (inch)	Clamping Force (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------	---------------------	----------------	--------------------

PACK

468146	3 x 1 3/4	75 x 45	400	1	6
468147	4 x 2	100 x 50	470	1	6

CLM03

Quick Corner Clamp Set

For quick and effortless single-handed clamping of boards and frames with a maximum clamping force of 25kg per clamp. Ideally used as a mounting aid while assembling shelves, cupboards and frames.



NEW

- Quick and easy
- Reinforced strong engineered plastic body
- Clamping force up to 25kg per clamp
- Anti-pinch design
- Adjustable clamping capacity, 2-26mm
- Non-slip screw mechanism

Product Code	Size Length (mm)	Clamping Capacity (inch / mm)	Clamping Force (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	------------------	-------------------------------	---------------------	----------------	--------------------

PACK

468846	26	1/26	25	4	10
--------	----	------	----	---	----

CLM04

Spring Clamp Set

A heavy duty and hard wearing spring clamp set, manufactured from resin infused plastic and using high sprung steel for super strong clamping up to 15kg.



- Ergonomic comfort grip handle
- Heavy duty gripper pads
- Solid plastic body

Product Code	Contents	Clamping Force (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	----------	---------------------	----------------	--------------------

PACK

468148	2" (Qty 2), 2.5" (Qty 2)	12/15	4	10
--------	--------------------------	-------	---	----

CLM04

Professional Spirit Levels



Set of 4 Available!

Precision Magnified Vials

Precision vials ensure clear visibility from distance or low light environments

Dual Milled Surfaces

Vertical Viewing Window



Soft-Grip Handle

5x Stronger Robust Aluminium Frame

High strength & durable powder coated profile

Shock & Drop Proof

Moulded rubber end caps & reinforced vials protect against drop and shock damage



Super Strong Magnets

Rare earth magnets provide a 2x stronger hold



Highly Accurate

+/- 0.5mm per metre

Product Code	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468159*	400	16	1	10
468160	600	24	1	10
468161	900	32	1	10
468162	1200	48	1	10
468163	1800	71	1	10

SET OF 4				
468164	225, 600, 1200 & 1800	9, 24, 48 & 71	4	4

LEV03

*Vertical viewing window not included

Professional Toolbox Spirit Level



A premium quality 9" toolbox level, manufactured using robust aluminium and shock proof end caps with V-grooved milled surfaces for guaranteed accuracy. Featuring three premium encased vials to maximise performance, lifespan and visibility.

Product Code	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
468152	225	9	1	10

LEV03

Box Spirit Levels

A strong and lightweight aluminium box level, ideally suited for measuring and levelling in carpentry, electrical installing, bricklaying and many other trade and DIY applications.

Shock resistant end caps
To protect against drop & shock damage

Magnified central vial
For easy visibility

Accurate levelling
Three vials ensure accurate readings of +/- 1mm per metre

45° vial*

Robust aluminium frame
Comfortable & compact box beam profile

*Two vials (90° & 180°) on the 400mm level

Product Code	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468154	400	16	1	10
468155	600	24	1	10
468156	900	32	1	10
468157	1200	48	1	10
468158	1800	71	1	10

LEV02

Toolbox Spirit Level

A tough 9" toolbox level, made from solid hard wearing plastic. Features three vials for use at multiple angles with a magnetic base. Ideal for tight and cramped spaces.



- Tough & lightweight body
- Magnetic base
- 3 vials
- +/- 1mm/m accuracy

Product Code	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468151	225	9	1	10

LEV01

Scaffold Spirit Level

A hard wearing and impact resistant scaffolder's level, manufactured from a solid steel body with protected and shock resistant vials. Featuring rare earth magnets for 2x stronger hold and a milled face for maximum accuracy, making it ideal for use with metal pipework and scaffolding.



- Die-cast aluminium body for maximum durability
- Impact & shock proof
- Magnetised with rare earth magnets for 2x magnetic power
- Magnified vials for easy visibility
- Solid block vials for shock resistance
- Precision engineered for +/- 0.5mm/m accuracy

Product Code	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
468153	250	10	1	10

LEV04

Post Level

A tough and solid plastic post level. Designed for quick and easy levelling of fence and gate posts, structural steel and timber and other vertical applications. Includes two horizontal vials with an elasticated band and magnetic plates for handsfree use.



- Magnetised
- Three vials
- Convenient & lightweight
- Robust solid plastic frame
- For use with timber, metal or concrete posts
- Elasticated for hands free levelling



Product Code	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
BACKING CARD				
468165	125	5	1	10

LEV04

Tape & Wheel Measures



Measuring Wheel - Digital

A strong and portable measuring wheel with digital read out. The lightweight aluminium frame features telescopic sections for portability and easy storage. Includes an integrated stand and carry case.

Soft-grip handle

6 digit high resolution LCD digital display

Telescopic aluminium frame

Accuracy: $\pm 0.5\%$

Water & moisture resistant

Instantly converts metres & feet

Integrated stand

2 x AAA batteries included

Includes an Integrated Stand & Carry Case

Product Code	Measures (m)	Pack Qty (pcs)	Carton Qty (packs)
BOX			
863321	0 - 99,999.9	1	5
			TME01

Open Reel Tape Measure

A heavy duty and robust open reel tape measure, constructed from high strength shock resistant plastic and a 50m anti-stretch fibreglass tape with metric and imperial measurements. Features a soft-grip handle with rubberised edges, high speed winding mechanism and integrated ground spike.



- Anti-stretch & easy clean
- 3x faster winding compared to a standard open reel tape measure
- Built-in ground spike
- Metric & imperial scales
- Drop resistant body
- Class 3 accuracy

Product Code	Size (m x mm)	Pack Qty (pcs)	Carton Qty (packs)
CLAMSHELL			
863987	50 x 13	1	12
			TME06

Closed Reel Tape Measure

A professional closed reel tape measure, featuring a robust and soft-grip case, 30m stretch resistant fibreglass tape and geared mechanism for 3x faster winding.



- 30m stretch resistant fibreglass tape
- 3x faster winding compared to a standard closed reel tape measure
- Shock & drop proof
- Non-conductive fibreglass tape
- Metric & imperial scales
- Class 3 accuracy

Product Code	Size (m x mm)	Pack Qty (pcs)	Carton Qty (packs)
CLAMSHELL			
863654	30 x 13	1	6
			TME06

Tape Measure

Trade quality tape measure with a locking button, strengthened belt clip, hand strap and a 25mm nylon coated blade to provide a convenient stand out in excess of 2.3m. Class 2 accuracy and MID 2006 compliant for precise measuring in either metric or imperial units.



- Class 2 accuracy
- MID Certified
- Locking button
- Strengthened belt clip
- Hand strap
- Metric & imperial scales
- Stand out in excess of 2.3m

Product Code	Size (m)	Pack Qty (pcs)	MOQ Qty (packs)
PACK			
5MTAPEM	5	1	6
8MTAPEM	8	1	6
			TME06

Squares & Rulers



Combination Square

A robust and precision engineered square with metric and imperial scales. Features 45° and 90° angles with a built in level vial and scribe. Predominantly used in woodworking, metalworking and stone masonry.

5 in 1
Try & Mitre Square,
Depth & Height
Gauge, Spirit Level



- Maximum accuracy
- Built-in scribe
- Standard head for marking 45° & 90° angles
- Precision milled mechanism for smooth operation
- Etched & indented scales for durability
- Stainless steel blade & zinc alloy body

Product Code	Size (mm)	Accuracy (mm)	Pack Qty (pcs)	Carton Qty (packs)
BACKING CARD				
863963	300	±0.25	1	6 TME05

Try Square

A robust and lightweight aluminium try square with metric and imperial scales. An essential tool for woodworking, featuring a precision engineered 90° angle for accuracy. Silver anodised for corrosion resistance and scratch protection with laser engraving easy legibility.



- Solid aluminium
- Maximum accuracy
- Etched scales for durability
- Metric & imperial scales

Product Code	Size (mm)	Accuracy (mm)	Pack Qty (pcs)	Carton Qty (packs)
CLIP				
863852	250	±0.30	1	10 TME05

Triangular Scale Ruler NEW

A professional scale ruler made from lightweight, super strong aluminium. The 6 scales allow for easy conversion of drawings and measurements. Ideal for engineers, architects or draftsmen.



- Laser etched
- Chamfered edges
- Solid aluminium

Product Code	Size (inch)	Size (mm)	Accuracy (mm)	Pack Qty (pcs)	Carton Qty (packs)
BACKING CARD					
863468	12	300	±0.15	1	20 TME03

Steel Ruler & Fixings Gauge and Ruler

A highly accurate steel ruler, suitable for a variety of tasks. Featuring a stainless steel blade with class 2 metric and imperial measurement scales. A multi-purpose stainless steel ruler and fixing measurement gauge. Designed specifically to identify the length, gauge and head size of metric and imperial fasteners.



- Stainless steel
- Etched scales for durability
- Metric & imperial scales

NEW

Product Code	Size (inch)	Size (mm)	Accuracy (mm)	Pack Qty (pcs)	Carton Qty (packs)
WALLET					
863741	12	300	±0.15	1	10
863123	24	600	±0.20	1	10
863456	40	1000	±0.20	1	10
863227	12	300	±0.20	1	10 TME03

Framing & Carpenter's Square

A long armed solid steel measuring square, manufactured for precise metric and imperial measurements. Suitable for various carpentry applications including cabinetry and laying out hips, rafters and staircases.



- Solid steel blade
- Precision engineered
- Metric & imperial scales



Product Code	Size (inch)	Accuracy (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
863789	16 x 24	±0.25	1	6 TME05

Rafter Square

A lightweight and precise triangular square. This multi-purpose square combines the functions of a try square, combination square and framing square in one. Featuring a 0° to 90° protractor scale for use as a saw guide with embedded degree markings for easy legibility.




- 3 in 1 – combination square, try square & protractor
- Maximum accuracy
- Durable etched scales for ease of visibility
- Calculate angles of roof frames quickly & easily
- Built-in notches for scribing
- Robust aluminium frame

Product Code	Size (mm)	Accuracy (mm)	Pack Qty (pcs)	Carton Qty (packs)
BACKING CARD				
863554	300	±0.25	1	8 TME05

Chalk Powder & Chalk Line Set

A professional 30m snap resistant chalk line set and premium grade marking chalk suitable for all common building surfaces including wood, concrete, brick and more. Manufactured using high visibility pigments for all internal and external marking applications.



Product Code	Length (m)	Colour	Size (g)	Pack Qty (pcs)	Carton Qty (packs)
CHALK LINE SET					
WALLET					
863147	30	Red	115	1	6
CHALK POWDER					
WALLET					
863258	-	Blue	225	1	8
863369	-	Red	225	1	8

TME04

Builders Lines & Rope



Blue Polypropylene Rope



Winder



Short & Long Coil



Wagon Rope

General purpose rope suitable for towing, mooring, barrier rope, lorry tie, agricultural and industrial uses. Also used as a cable draw cord. Ideal for all general purpose building use.

Product Code	Ø x Length (mm x m)	Working Load (kg)	Break Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
WINDER						
BR330W	3.0 x 30	12	70	1	50	450
BR620W	6.0 x 20	60	350	1	30	240
BR815W	8.0 x 15	100	600	1	20	120
BR1010W	10.0 x 10	160	980	1	18	144
SHORT COIL						
BR630C	6.0 x 30	60	350	1	24	96
BR830C	8.0 x 30	100	600	1	16	144
BR1030C	10.0 x 30	160	980	1	12	48
BR1230C	12.0 x 30	220	1570	1	8	32
LONG COIL						
BR6220C	6.0 x 220	60	350	1	4	-
BR8220C	8.0 x 220	100	600	1	2	-
BR10220C	10.0 x 220	160	980	1	-	-
BR12220C	12.0 x 220	220	1570	1	-	-
WAGON ROPE						
767711	9.0 x 27	333	900	1	12	96

ROP01
ROP02

Builders Line

Ideal for staking sites prior to concreting, landscaping or bricklaying. Used as guidelines for building & landscaping.



Tube

Tube & Winder

Product Code	Length (m)	Pack Qty (pcs)	Carton Qty (packs)
TUBE & WINDER			
PBL100W	YBL100W	100	1
TUBE ONLY			
PBL100T	YBL100T	100	1

BLN01

Stationery



Carpenters Pencils

Broad design for easy grip and wider marking on rough surfaces.

- Rectangular shape won't roll away on an inclined surface
- Hard HB lead type



Product Code	Pack Qty (pcs)	Carton Qty (packs)
TUBE		
863946	12	40
DISPLAY BOX		
863223	72	20 TME02

Builders Permanent Markers

For use on multiple materials including cardboard, paper, plastic, glass, tile, metal, masonry and wood.



- Vivid colour
- Low odour
- Non-toxic ink
- Erases cleanly & easily

Product Code	Colour	Tip Type	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK				
736111	Black	Fine	2	12
736222	Black	Chisel	2	12
736333	Black	Fine & Chisel	2	12
BOX				
736444	Black, Red, Blue & Green	Fine	4	12 PEN01

Whiteboard Markers

Whiteboard marker pens are manufactured using non-toxic, low odour and easy to erase ink.



- Vivid colour
- Quick drying
- Water & UV resistant

Product Code	Colour	Tip Type	Pack Qty (pcs)	Carton Qty (packs)
BOX				
736555	Black, Red, Blue & Green	Fine	4	12 PEN02

MARXMAN

PROFESSIONAL MARKING TOOL



AS SEEN ON
DRAGONS' DEN



DESIGNED &
MANUFACTURED
IN THE UK



**MARKS A FIXING POINT
THROUGH FITTINGS,
FIXTURES & BATTENS**



Product Code	Type	Pack Qty (pcs)	Carton Qty (packs)
CASE			
MXM025956	Standard	30	1
MXM025970	Standard (20) & Deep Hole (10)	30	1

PEN03



CASE
CDU containing
30 Marxman
marking tools

Riveters



Hand Riveter



A robust steel hand riveter, with a soft-grip handle for user comfort.

Ideal for DIY and professional use such as engineering, mechanics, roofing construction and more.

- Powder coated for a long lasting & durable finish
- Soft-grip handle for user comfort
- 4 interchangeable nosepieces
- Nosepiece spanner included

Product Code	To Suit Rivets (mm)	Pack Qty (pcs)	Carton Qty (packs)
BOX			
784555	3.0, 3.2, 4.0 & 4.8	1	10 RVG01

Lazy Tong Riveter



A heavy duty riveter designed for repetitive work. During installation the lattice mechanism increases driving force, reducing work time and effort.

Ideal for professional use such as engineering, mechanics, roofing construction and more.

- Lattice mechanism increases driving force
- 5 interchangeable nosepieces
- Nosepiece spanner included
- Powder coated for a long lasting & durable finish

Product Code	To Suit Rivets (mm)	Pack Qty (pcs)	Carton Qty (packs)
BOX			
784101	3.0, 3.2, 4.0, 4.8, 6.0 & 6.4	1	10 RVG01

Staplers



Light Duty Stapler



124
Staple Capacity

53 JT21
6-10mm

An all steel light duty staple gun, ideal for most professional and DIY applications. Suitable for use with light duty staples.

- Pinch point free design for safe & comfortable grip
- Convenient rear loading magazine
- Also compatible with Type 53, JT21 & A-Type staples

Product Code	Staple Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
370505	6-10	1	4 FST01

Heavy Duty Stapler



82
Staple Capacity

140 T50
6-14mm

An all steel professional staple gun, ideal for heavy duty applications. Suitable for use with heavy duty staples.

- Adjustable staple depth controller for greater flexibility
- Convenient bottom loading magazine
- Also compatible with Type 140, T50 & G-Type staples

Product Code	Staple Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
370321	6-14	1	6 FST01

Hammer Tacker



165
Staple Capacity

140 T50
6-10mm

A heavy duty and durable all steel constructed hammer tacker. Ideal for applications requiring rapid and effortless staple installation such as roofing membrane. Suitable for use with heavy duty staples.

- Anti-slip soft-grip handle for user comfort
- Complete with convenient rear loading magazine
- Also compatible with Type 140, T50 & G-Type staples

Product Code	Staple Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
370987	6-10	1	10 FST01

Wire Brushes



Wooden Handle Wire Brush



with scraper

Ideal for the professional user when preparing surfaces to remove paint, rust, scale, grout or dirt.

Stainless steel reduces contamination of the base material

Product Code	No. of Rows	Material	Pack Qty (pcs)	Carton Qty (packs)
BOX				
3SBHD	3 x 18	Steel	1	10
4SBHD	4 x 18	Steel	1	10
3SBSS	3 x 16	Stainless	1	10
4SBSS	4 x 16	Stainless	1	10
WITH SCRAPER - BOX				
4SSBHD	4 x 18	Steel	1	10

WB01

Plastic Handle Wire Brush



A moisture and chemical resistant ergonomic handle.

Ideal for the professional user when preparing surfaces to remove paint, rust, scale, grout or dirt.

Product Code	No. of Rows	Material	Pack Qty (pcs)	Carton Qty (packs)
BOX				
4SBP	4 x 15	Steel	1	10
6SBP	6 x 15	Steel	1	10

WB01

File Cleaning Brush



For cleaning embedded filings from both wood and metal files.

Product Code	No. of Rows	Material	Pack Qty (pcs)	Carton Qty (packs)
BOX				
FCB	110 x 40	Steel	1	10

WB01

Wire Hand Brush



A high density wire brush with an ergonomic plastic handle. Ideal for a more aggressive removal of paint, rust, scale, grout or dirt. Sold in three brush types to suit a variety of applications.

Product Code	Material	Pack Qty (pcs)	Carton Qty (packs)
BOX			
RWHB	Steel	1	12
BWHB	Stainless Steel	1	12
YWHB	Brass	1	12

WB01

Levelling Tools



Air Wedge



A strong inflatable air bag that saves time during the fixing and levelling of internal doors, door frames, double glazed windows and external door frames.

Simply place frame into position, slide the deflated wedge into gap and inflate gently, trapping the frame in position allowing fixings to be installed.

Multiple additional uses including lifting and levelling of heavy furniture, washing machines, fridge freezers, kitchen units, water tanks, etc. prior to permanent fixings or levels being installed. Essential problem solving piece of kit for those working alone.

Product Code	Max. Rec. Load (kg)	Pack Qty (pcs)	Carton Qty (packs)
EACH			
744101	150	1	30

SH04

Glazing Shovel



Glazing shovels are mainly used during the professional installation of glazing units to toe and heel in order to prevent drooping and dragging. The shovel is manufactured from High Impact ABS (Acrylonitrile Butadiene Styrene) for outstanding impact resistance.

They are also used to correctly locate glazing and wedge packers.

Product Code	Length (mm)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
744665	260	68	1	25

SH03

Tile & Glass Scraper

Ergonomic plastic body with soft TPR handle for comfort in use

Wider blade for quicker use

Spare blade storage compartment in handle



Perfect for the easy removal of dirt, excess adhesives, sealants and grout from tiles and glazing. Supplied with replaceable blades. Complete with blade guard.

Product Code	Blade Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
253258	100	1	6

BLD03

Applicator Guns



Professional Foil & Cartridge Applicator Gun

Up to 380ml Cartridges



Constructed with a heavy gauge aluminium barrel, reinforced steel mechanism and ergonomic grip for precise application and long lasting performance.

- Long life & Fast flow
- Comfort grip
- Lightweight
- Non-drip

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
222551	1	12
		ASA01

Foil & Cartridge Applicator Gun

Up to 380ml Cartridges



Constructed using lightweight materials for ease of use with quick release end caps for fast removal and replacement of foils and cartridges.

- Powder coating
- Fast flow & Non-drip
- Quick release
- Lightweight

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
222378	1	12
		ASA01

Foil Applicator Gun Nozzles



Manufactured from a 100% recyclable hard wearing material. Designed to form an air tight seal with the foil to prevent premature product expiration. When replacing foils of the same product, the same nozzle can be reused to reduce nozzle and product wastage.

Product Code	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG			
732845	6	5	400
			ASA02

Professional Resin Gun

Up to 410ml Cartridges



25:1 trigger ratio

- A 64mm heavy duty co-axial resin applicator gun
- Twin 5mm gripper plates providing four point contact with the plunger rod
- Non-drip mechanism

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
RESINGUN	1	10
		ASA01

Professional Sealant Gun

Up to 380ml Cartridges



12:1 trigger ratio

- A 48mm heavy duty sealant and caulking gun
- With a convenient hook end for hanging
- Swivel action barrel for easy application into tight corners
- Patented non-drip mechanism

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
PROGUN	1	12
		ASA01

Skeleton Gun

Up to 380ml Cartridges



7:1 trigger ratio

- A 48mm gun for dispensing sealants, caulk and adhesives
- 2.3mm strengthened side plates and a 6mm gripper plate
- Convenient hook end for hanging
- Riveted front cap for reinforcement and integrated cleaning pin

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
SKELGUN	1	24
		ASA01

PU Foam Applicator Guns



Professional PU Foam Applicator Gun

PTFE Coated




A premium quality professional PU foam applicator gun for use with standard 750ml & 500ml gun grade canisters and foam cleaners.

Box also includes two extension tubes and two tapered nozzles for small gaps.

- Excellent flow control
- Lightweight
- Hard wearing PTFE coated internal components

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
783113	1	20 ASA01

PU Foam Applicator Gun



A PU foam applicator gun for use with standard 750ml & 500ml gun grade canisters and foam cleaners.

Box includes two extension tubes and two tapered nozzles for small gaps.

- Heavy duty steel body
- Stainless steel non-blocking valve
- Polypropylene hand grip
- Lubricated trigger

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
783556	1	20 ASA01

Economy PU Foam Applicator Gun



An economical PU foam applicator gun with an extended barrel for use with 750ml and 500ml PU foam canisters and foam cleaners.

- Constructed from lightweight plastic
- Steel barrel and brass needle
- Ergonomic grip
- Stainless steel internals and non-return valve

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BAG		
783992	1	36 ASA01



Energizer®

Europe's No.1 Battery Brand*

Fully stocked stand **45** option available! Includes... **Packs!**



Stocked Stand code: **ENRSTAND**

ENR414974 x5	ENR297331 x3	ENR414677 x4	ENR295634 x4
ENR414981 x8	ENR297409 x5	ENR083071 x4	ENR248357 x4
ENR297324 x4	ENR414660 x4		



Product Code	Description	Type	Pack Qty (pcs)
PACK			
ENR414974	Alkaline Power AA	AA	5
ENR414981	Alkaline Power AAA	AAA	5
ENR414660	Alkaline Power AA Value Home pack	AA	24
ENR414677	Alkaline Power AAA Value Home pack	AAA	24
ENR297324	Alkaline Power C E93	C	2
ENR297331	Alkaline Power D E95	D	2
ENR297409	Alkaline Power 9v 522	9v	1
ENR083071	Alkaline A76/LR44 Coin	A76	2
ENR295634	Alkaline LR1/E90	LR1/E90	2
ENR248357	Lithium CR2032 Coin	CR2032	2

ENG01

*Source Nielsen global Scan- latest 52 weeks ending July 2019 ©2020 Energizer.
Energizer, the Energizer Character design, and certain graphic designs are trademarks of Energizer Brands, LLC and related subsidiaries.

Painting & Decorating



Painting Accessories

Professional Roller Frame	178
Paint Roller Extension Poles	178
Mini Roller Frames	178
Roller Plastic Trays	178
Paint Scuttles	178
Paint Kettle	178

Preparation & Finishing

Protective Films	179
Dust Sheets	179
Plastic Sheets & Accessories	180
Decorators Knives Set	181
Stripping Knife	181
Surface Preparation Filling Knives Set	181
Fillers	181
Instant Paintable Caulk	182
Acrylic Caulks	182
Tile & Glass Scraper	182
Sealant Remover & Profiler Sets	182

Brushes & Rollers


Professional Synthetic Paint Brushes	175
Contractors Paint Brushes	175
Masonry Paint Brushes	175
Multi-Purpose Block Brush	176
General Purpose Brushes	176
Mini Rollers	176
Professional Rollers	177
Masonry & Contractors Rollers	177

Cleaning

Paint Panther Paint & Varnish Remover	183
Sugar Soap	183
White & Methylated Spirits	183
Paint Brush Cleaner	183
Low Odour Turps Substitute	183
Jumbo Sponges	184
Wipes	184
Rolls, Rags & Cloths	184

NEW

Brushes & Rollers




Professional Synthetic Paint Brushes

A premium paint brush for exceptional paint holding capacity and long brush life. The synthetic fibres combine softness for a smooth finish and ease of paint flow for better control and precision.

- No bristle loss
- Super smooth finish
- Compatible with vapour box
- Optimum pick up & release
- Precise & sharp cutting in

Flagged Bristle Tips

Split tips optimise paint pick up and release providing greater control and precision.




For use with all paints & varnishes



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
HEADER CARD				
720344	25	1	1	12
720721	38	1½	1	12
720485	50	2	1	12
720672	63	2½	1	12

PAI02

Paint brushes are available in Sets of 3 or 5



Contents	Set of 3 (packs)	Carton Qty (packs)
CLAMSHELL		
Product Code 720923	6	
1" / 25mm	1	
1½" / 38mm	1	
2" / 50mm	1	

PAI02

Contents	Set of 5 (packs)	Carton Qty (packs)
CLAMSHELL		
Product Code 720277	6	
1" / 25mm	1	
1½" / 38mm	2	
2" / 50mm	2	


PAI02

Contractors Paint Brushes



A high quality paint brush featuring thick bevelled bristles for good paint holding, even dispersion and ease of cutting in. It includes a traditional shaped handle for user comfort.

- For use with all paints & varnishes
- High paint loading for good coverage
- Shock absorbing handle
- Mix of synthetic & natural bristles
- Smooth paint release
- Ergonomic handle for better comfort & control



Paint brushes are available in Sets of 5 or 10



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
PLASTIC HEADER				
720074	25	1	1	12
720080	38	1½	1	12
720333	50	2	1	12
720158	63	2½	1	6

PAI02



Contents	Set of 5 (packs)	Carton Qty (packs)
CLAMSHELL		
Product Code 720737	6	
1" / 25mm	1	
1" / 28mm	-	
1½" / 38mm	2	
2" / 50mm	2	
3" / 75mm	-	

PAI02


Contents	Set of 10 (packs)	Carton Qty (packs)
CLAMSHELL		
Product Code 720579	6	
1" / 25mm	-	
1" / 28mm	3	
1½" / 38mm	3	
2" / 50mm	3	
3" / 75mm	1	

PAI02

Masonry Paint Brushes

A high quality paint brush featuring robust and hard wearing bristles for exceptional paint loading, spreading and long life. Suitable for painting on all rough textured surfaces.

- For use with all paints on semi-rough & rough surfaces
- Exceptional paint loading & spreading
- High quality natural and synthetic mixed bristles
- Easy to clean plastic handle



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
PLASTIC HEADER				
720002	100	4	1	10
720681	125	5	1	6

PAI02

Multi-Purpose Block Brush

A high quality paint brush featuring robust and hard wearing bristles for exceptional paint loading, spreading and long life. Suitable for painting on all rough textured surfaces.

- For use with interior & exterior paints, pastes, woodcare products & treatments
- 100% Synthetic bristles for optimum pick up & release
- Attached bucket hook



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
HEADER CARD				
720773	140 x 40	5 1/2 x 1 1/2	1	6
				PA102

Professional Mini Roller Sleeve Refills

A medium pile roller sleeve designed to give a professional finish. Made using a woven polyacrylic fabric for long life and durability. Compatible with 4" (100mm) paint roller systems..

12mm Medium Pile

Allows for faster coverage onto smooth surfaces with minimal splatter

- Durable woven fabric for professional coverage & finish
- For use with emulsion & water-based paints on smooth & semi-rough surfaces

Product Code	Size (mm)	Size (inch)	Core Ø (mm / inch)	Pack Qty (pcs)	Carton Qty (packs)
BAG					
720537	100	4	6mm / 1/4"	10	10
				PA101	

General Purpose Brushes

A range of an economic & general purpose brushes for applying adhesives, sealing agents and a variety of other liquids.

The Economy General Purpose Brush features an ergonomic wooden handle, the General Purpose Brush features an easy to clean plastic handle. Both have stainless steel ferrules.



Wood Plastic



- For use with stains, adhesives, resins & other woodcare products & treatments
- 100% pure lily bristles
- Good all around compatibility

Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
UNIT				
ECONOMY GENERAL PURPOSE - WOODEN HANDLE				
720910	13	1/2	1	12
720384	25	1	1	12
720667	38	1 1/2	1	12
720409	50	2	1	12
720671	75	3	1	12
720385	100	4	1	12
GENERAL PURPOSE - PLASTIC HANDLE				
720992	13	1/2	1	12
720050	25	1	1	12
720441	38	1 1/2	1	12
720690	50	2	1	12
720374	75	3	1	6
720523	100	4	1	6
				PA102

Foam Mini Roller Sleeve Refills

A set of high density foam mini roller sleeves for achieving a supreme finish on flat surfaces. They can achieve a perfectly smooth or textured finished when painting. Compatible with 4" (100mm) paint roller systems.



Foam Sleeve

Highly absorbent foam allows for greater paint pick-up which will allow a larger surface area to be covered.

- For use with gloss, primer, varnish & all oil & solvent-based paints on flat surfaces
- Smooth bubble-free finish
- Guaranteed no fibre loss
- High density superfine foam

Product Code	Size (mm)	Size (inch)	Core Ø (mm / inch)	Pile Depth (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG						
720879	100	4	6mm / 1/4"	12	10	10
						PA101

Professional Mini Roller, Frame & Tray Set

A set of 2 roller sleeves, a professional mini roller frame and tray. Including a professional woven acrylic sleeve and a hi-density foam roller sleeve for a perfect finish on a variety of surfaces.



- Professional coverage & finish
- Woven fabric & superfine foam sleeves




12mm Short Pile

For use with emulsion & water-based paints on smooth & semi-rough surfaces

Foam Sleeve

For gloss, primer, varnish & all oil & solvent-based paints on flat surfaces

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
BAG - SET OF 4			
720010	Professional Mini Roller Sleeve Refill	4	10
	Mini Foam Roller Sleeve Refill	1	
	Mini Roller Frame	1	
	Mini Plastic Roller Tray	1	
PA101			



Professional Roller Refill Sleeves

A roller sleeve designed to give a professional finish. Made using a woven polyacrylic fabric for long life and durability. Compatible with 9" (230mm) paint roller systems.



Varying Pile Types
Allow for faster coverage onto smooth surfaces with minimal splatter



6mm Short Pile
for smooth surfaces



12mm Medium Pile
for smooth & semi-rough surfaces

- For use with emulsion & water-based paints on smooth & semi-rough surfaces
- Professional coverage & finish
- Durable woven fabric for long life

Product Code	Size (mm)	Size (inch)	Core Ø (mm / inch)	Pile Depth (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK						
720049	230	9	44mm / 1 7/8"	6	1	5
720452	230	9	44mm / 1 7/8"	12	1	5

PA101



Professional Roller, Frame & Tray Set

A set containing 5 professional roller sleeves, a professional roller frame with push and screw fit handle and tray.



12mm Medium Pile
Allows for faster coverage onto smooth surfaces with minimal splatter



- Professional coverage & finish
- Excellent paint pick up
- For use with emulsion & water-based paints on smooth & semi-rough surfaces

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
BAG - SET OF 7			
720238	Professional Roller Sleeve Refill	7	4
	Professional Roller Frame	5	
	Plastic Roller Tray	1	

PA101

Masonry Mini Roller & Masonry Roller Refill Sleeves

Long and thick pile roller sleeves designed for higher paint pick up and maximum surface coverage. Made from acrylic fabric for extra long life and durability on rough surfaces.



12mm Short Pile
Masonry Mini Roller



18mm Short Pile
Masonry Roller

- For use with masonry, emulsion & water-based paints on rough surfaces
- 40% greater coverage
- Improved paint loading
- Professional finish

Product Code	Size (mm)	Size (inch)	Core Ø (mm / inch)	Pile Depth (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG						
MASONRY MINI ROLLER REFILL SLEEVES						
720354	100	4	6mm / 1/4"	12	1	10
MASONRY ROLLER REFILL SLEEVES						
720620	230	9	44mm / 1 7/8"	18	1	5

PA101

Contractors Roller, Frame & Tray Set

A set containing 5 contractors roller sleeves, a roller frame with push fit handle and tray.



12mm Short Pile
Allows for faster coverage onto smooth surfaces with minimal splatter.

- For use with emulsion, water-based & undercoat paints on smooth & semi-rough surfaces
- Good paint pick up

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
BAG - SET OF 7			
720129	Contractors Roller Sleeve Refill	7	4
	Standard Roller Frame	5	
	Plastic Roller Tray	1	

PA101

NEW

Painting Accessories

Professional Roller Frame

A professional bird cage roller frame with ergonomic plastic handle. Featuring a dual purpose push fit and reinforced screw handle for extension pole fitment. Compatible with 9" (230mm) paint roller systems.



- Cage frame style
- Dual purpose push fit & reinforced screw fit extension pole fitment
- High strength drop resistant plastic
- Moulded handle for user comfort
- Thumb rest for enhanced control

Product Code	Size (inch)	Core Ø (mm / inch)	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------	--------------------	----------------	--------------------

HEADER CARD

720054	9 x 13	44mm / 1 7/8"	1	10
--------	--------	---------------	---	----

Paint Roller Extension Poles

High strength and lightweight extension poles with twist and lock functionality, help to perfect the finish in hard to reach areas. Available in 2 lengths and compatible with TIMCO Professional Roller Frames.



- Lightweight
- Strong & durable
- Twist & lock mechanism
- Screw fit & push fit adaptor

Product Code	Size (mm)	Size (feet)	Pack Qty (pcs)	Carton Qty (packs)
--------------	-----------	-------------	----------------	--------------------

UNIT


720999	1200	4	1	10
720506	2000	6 1/2	1	10

Mini Roller Frames

Professional push fit roller frames with ergonomic plastic handles. Long handle mini roller frame (720647) has an extended head for access in hard to reach areas. Both compatible with 4" (100mm) paint roller systems.



- Push fit extension pole fitment
- High strength drop resistant plastic
- Ergonomic handle for better user comfort
- Available in two handle lengths: 280mm & 530mm



Product Code	Handle Length (mm)	Core Ø (mm / inch)	W x L (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------------------	--------------------	------------	----------------	--------------------

HEADER CARD

720542	280	6mm / 1/4"	100 x 280	1	10
720647	530	6mm / 1/4"	100 x 530	1	10

Roller Plastic Trays

Rigid plastic paint roller trays for use with a range of roller systems. Manufactured from robust, hard wearing plastic.

720764 - Mini Plastic Roller Tray - Compatible with all 4" mini roller systems.

720222 - Plastic Roller Tray - Compatible with all 9" roller systems.



- Strong & durable plastic construction
- Ribbed to aid paint loading
- Mini Roller Tray: Legs allow for extra stability when in use



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
--------------	-----------	-------------	----------------	--------------------

UNIT

720764	100	4	1	6
720222	175	9	1	6

Paint Scuttles

A rigid plastic paint scuttle, used for increasing the effectiveness of a paint roller in both loading and paint dispersion.

2.5L & 5L - Compatible with 4" (100mm) or smaller paint rollers.

15L - Compatible with 12" (300mm) or smaller paint rollers. Not suitable for 15" rollers.



Paint Mixer

See page **143**

- Strong & durable plastic construction
- Ribbed to aid paint loading
- Internal graduated measurement scale



Product Code	Volume (L)	Pack Qty (pcs)	Carton Qty (packs)
--------------	------------	----------------	--------------------

UNIT

720971	2.5	1	6
720443	5	1	6
720697	15	1	6

Paint Kettle

A tough and durable paint kettle, manufactured from solid plastic with a metal handle. Ideal for mixing and storing paints.



- Strong & durable plastic construction
- Allows more convenient painting



Product Code	Volume (L)	Pack Qty (pcs)	Carton Qty (packs)
--------------	------------	----------------	--------------------

UNIT

720809	2.5	1	6
--------	-----	---	---

Protective Boards, Films & Dust Sheets



Protective Films

Highly effective self-adhesive protective film.


Carpet and hard surface films protect against foot traffic, debris, spills etc. during decoration and building works.

Glass film protects both internal and external windows from plaster and paint splashes etc.

Film can be left up to 30 days before simple removal.

Note: Please ensure you have read and fully understood the usage guidelines before installation.

Product Code	Length (m)	Width (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
ROLL					
CARPET					
25CP	25	600	1	9	288
50CP	50	600	1	9	216
100CP	100	600	1	6	108
PRO01					
HARD SURFACE (NOT SUITABLE FOR MARBLE)					
25HP	25	600	1	9	288
50HP	50	600	1	9	216
PRO03					
GLASS					
25WP	25	600	1	9	288
50WP	50	600	1	9	216
PRO02					



- Safer than dust sheets
- Protects against spills
- 0.05mm thickness
- One man application
- Leaves no residue
- Easy peel

Professional Dust Sheets

High quality dust sheet for multiple uses including floor and furniture covering during decoration.



Product Code	Size (ft)	Weight (kg)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
CDS129	12x9	1.71	1	10
CDS1212	12x12	2.00	1	10
PRO10				

Laminated Dust Sheets

High quality dust sheet with a lamination to greatly reduce risk of paint and liquid soaking through. Also available in handy size ideal for smaller jobs.



Product Code	Size (ft)	Weight (kg)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
CDSL129	12x9	1.59	1	10
CDSL63	6x3	0.24	1	10
PRO10				

Stair Runner Dust Sheet

High quality and cut to a convenient width to suit standard staircases avoiding need to fold which reduces risk of trips and falls.



Product Code	Size (ft)	Weight (kg)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
CDS243	24x3	1.12	1	10
PRO10				

Economy Dust Sheet

Multi-pack of dust sheets for multiple uses including floor and furniture covering during decoration. Helps protect from dust, dirt, paint splashes and spatter.



Product Code	Size (ft)	Weight (kg)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
CDS129P3	12x9	1.40	3	4
PRO10				

Plastic Sheets & Accessories



Protective Cling Sheet

A 200m² static charged polythene dust sheet roll that clings to surfaces without the need for tape or adhesive. These static sheets attract dust and over-spray providing excellent protection during decorating and renovation works.




Plastic Sheet Cutter included



Product Code	Size (m)	Thickness (microns)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOX					
PCS504	50 x 4	8.5	1	6	72 PRO06

Protective Sheet Cutter

Helps cut plastic sheet easily and safely.



Product Code	Box Qty (pcs)	Carton Qty (packs)
BOX		
PSCUTTER	1	50 PRO07

Protective Zipper Door



Provides a dust sealed temporary doorway for concealment of work areas. Transparent for safety and to allow light to pass through. Caution: Polythene should not be used when hot paint stripping.



Product Code	Size (m)	Thickness (microns)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
PACK					
PZD	2.1 x 1.2	100	1	10	360 PRO08

Polythene Dust Sheets

PDS43 - An economical way to protect possessions and furniture during decoration and renovation works.

PDS502 - Large waterproof polythene sheet for larger scale decoration and renovation works.

Caution: Polythene should not be used when hot paint stripping.



PDS43



PDS502

Product Code	Size (m)	Thickness (microns)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
PACK / ROLL					
PDS43	3.65 x 2.75	8	1	100	1800
PDS502	50 x 2	8	1	20	160 PRO10

General Purpose Builders Sheets

Large plastic sheets with a thickness of 32 microns providing a waterproof protective barrier during decorating and building renovation work.



Product Code	Size (m)	Thickness (microns)	Pack Qty (pcs)	Carton Qty (packs)
ROLL				
DPS254	25 x 4	32	1	16
DPS504	50 x 4	32	1	16 PRO05

Support Pole

The highly flexible adjustment make these telescopic supports perfect for drywall construction work. Also function on sloping roofs as the supports find a secure hold with their swivelling PVC contact pads.

Can also be used for the quick and easy hanging of plastic sheeting to create sealed areas for dust and dirt retention in work areas on site.



- Robust design with an extendable range from 1.6m up to 2.9m.
- One-person assembly
- Safe working load – 50kg

Product Code	Size (m)	Pack Qty (pcs)	Carton Qty (packs)
EACH			
775101	1.6-2.9	2	10 PRO09

Masking Tapes

Trade quality, general purpose masking tape made from saturated semi-crepe paper with pressure sensitive natural rubber adhesive.



See Page
186



Knife Sets & Fillers

Decorators Knives Set

NEW

A set of premium decorating knives manufactured using strong and flexible stainless steel blades with ergonomic soft grip handles. Ideal for most surface preparation tasks including paint removal, filling and smoothing.



- Made from stainless steel
- 1.2mm hardened & tempered blade
- Improved comfort & control
- Long lasting performance



Product Code	Contents	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
BOX - SET OF 3				
720741			3	10
	Filling Knife	1 1/2 & 2	2	
	Stripping Knife	3	1	

PAI03

Stripping Knife

NEW

A premium stripping knife with a hardened and tempered stainless steel blade for strength and rigidity. Used for removing paints, adhesives and other coatings from surfaces prior to painting and decorating.



- Made from stainless steel
- Tapered edge for rapid paint & material removal
- 1.2mm hardened & tempered blade



Product Code	Width (inch)	Blade Body Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)
HEADER CARD				
720038	3	1.2	1	12

Surface Preparation Filling Knives Set

NEW

A set of assorted preparation knives manufactured from stainless steel for superior flexibility and corrosion resistance. Ideal for mixing lightweight fillers when patching cracks and small imperfections during wall, ceiling and woodwork filling tasks.



- For use with lightweight decorating fillers
- 0.3mm blade thickness for superior strength & flexibility

Made From Stainless Steel

Product Code	Contents	Pack Qty (pcs)	Carton Qty (packs)
BAG - SET OF 4			
720875		4	12
	50mm Preparation Knife	1	
	80mm Preparation Knife	1	
	100mm Preparation Knife	1	
	120mm Preparation Knife	1	

PAI03



Ready Mixed Surface Filler

A versatile filling and sealing compound, developed to give a tough and durable surface repair. Ideal for repairing holes, architraves, plasterwork, cracks and imperfections in skirting, render around windows and door frames & more.



Fills up to 10mm per layer



- Interior use
- Easy to apply
- Fully cured in 24 hours
- Flexible & waterproof seal
- Skin formation in 30 mins
- Suitable for oil & water-based paints

Product Code	Size (kg)	Layer Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
TUB					
357003	1	10	1	6	432

FLR02

Fine Surface Filler

A ready to use, fine grade interior smoothing and filling compound.

Once cured, it forms a tough, durable repair that can be sanded and painted over with oil and water-based paint.

Ideal for repairing cracks, fine nicks and shallow depressions in walls and ceilings.

- Interior use
- Fully cured in 24 hours
- Water based
- Easy to overpaint
- Low odour
- Flexible when drying
- Skin formation in 30 minutes



Fills up to 3mm per layer



Product Code	Size (g)	Layer Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
TUB					
357001	600	3	1	6	432

FLR02

Multi-Purpose Powder Filler

A multi-purpose plaster based repair compound. After setting it can be sanded and painted and sets hard enough to accept screws and nails.

Ideal for filling screw holes, scratches and deep cracks on plaster, brick, wood and most other common building materials in internal & external environments before painting.



- Interior & exterior
- Smooth finish
- Dries white
- Easy to mix, apply & sand
- Shrinking and cracking resistant
- 1 part water to 2-2 1/2 parts powder
- Sets in 1 - 2 hours

Fills up to 10mm per layer



Product Code	Size (kg)	Layer Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOX					
357002	1.8	10	1	6	240

FLR02

Caulks, Tile & Glass Scraper, Sealant Remover & Profiler Sets



Instant Paintable Caulk

A premium grade, acrylic sealant that has been developed to be overpainted immediately after application with water based and synthetic paints. Formulated for interior use, it will adhere to most surfaces without primers and gives long lasting flexibility in applications where movement can occur.

Instantly Paintable

- Interior use
- Long lasting flexibility
- Reduced cracking
- Low odour
- Reduced discolouration

Overpaint Immediately

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CARTRIDGE					
732002	300ml	White	1	12	1248

SEA04

Acrylic Caulks

A general purpose fast drying and flexible decorator's filler and sealant. Adheres to most substrates and can be overpainted with most paint types or papered over.



For sealing and filling of internal gaps and cracks such as those between plasterwork, decorative mouldings, skirting boards and architraves.

- Fast curing
- Interior use
- Water resistant
- Lightweight
- Easy tooling
- Low odour



Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CARTRIDGE						
732871	300ml	White	1	12	12	936
732001	380ml	White	1	-	12	744

SEA04

Tile & Glass Scraper

Perfect for the easy removal of dirt, excess adhesives, sealants and grout from tiles and glazing. Supplied with replaceable blades. Complete with blade guard.



- Wider blade for quicker use
- Ergonomic plastic body with soft TPR handle for comfort in use
- Complete with blade guard



Product Code	Blade Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BLISTER PACK			
253258	100	1	10

BLD03

Adhesives & Sealants

Pages 191-193

Sealant Remover & Profiler Kit

NEW

A multi-functional all in one kit designed to guarantee professional results when removing and reapplying sealants, grouts, fillers and caulks. The kit includes a heavy duty sealant removal tool to cleanly and effortlessly remove old product, and a sealant profiler which includes 5 quick and easy to change profiles.



- Ergonomic grip for better comfort & control
- Tough & durable
- Easy to clean
- Integrated sealant nozzle cutting blade



Multi-Functional All In One Kit
For a perfect finish every time

Product Code	Contents	Pack Qty (pcs)	Secondary Qty (packs)	Carton Qty (packs)
BACKING CARD - SET OF 7				
720592		7	10	60
	3mm Changeable Tip	1		
	6mm Changeable Tip	1		
	10mm Changeable Tip	1		
	13mm Changeable Tip	1		
	17mm Changeable Tip	1		
	Applicator Tool	1		
	Removal Tool	1		


PAI03




Sealant Profiler Set

NEW

A set of silicone and acrylic sealant profiling tools. The four piece set has multiple different ways to shape sealants whilst preventing bumps and gaps in sealant beads, giving professional results every time.



- Anti-slip hard rubber prevents products sticking
- Large & small radius features for recessing joints
- Easy to clean surface



Product Code	Contents	Pack Qty (pcs)	Secondary Qty (packs)	Carton Qty (packs)
CASE - SET OF 4				
720127	A combination of curved, straight & angled sealant tools	4	12	144

PAI03

NEW


Cleaning

Paint Panther Paint & Varnish Remover *Barrettine*

A highly effective, incredibly fast paint and varnish stripper to remove many types of coatings. Gel consistency ideal for vertical and other less accessible areas to be treated. Methylene chloride free.



- Easy to apply
- Market-leading paint stripping power
- Lower odour compared to other leading brands
- Reduced evaporation rate to boost stripping efficiency
- Removes metallised paints
- Gel formula to cling to vertical surfaces



Before



After 2 mins



After 5 mins*

*This was a controlled experiment using 4 layers of paint.

Product Code	Size	Pack Qty (pcs)	MOQ Qty (pcs)	Carton Qty (packs)
TIN				
STPP50	500ml	1	6	6
STPP001	1L	1	6	6

BAR02

Paint Brush Cleaner

A solvent-based cleaner containing emulsifiers that remove wet household paints and varnishes from brushes, rollers and pads.



- Fast cleaning solution
- For use on brushes and rollers
- Ready to use
- For all traditional one part paints

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOTTLE			
720357	500ml	1	12

PDC01

Sugar Soap

A water-based solution that removes dirt, grime and other contaminants from surfaces prior to decorating. Assists the adhesion of paint to the surface.



- Ready to use cleaner & degreaser
- Enhances paint finish
- Cleans and prepares all surfaces
- Removes grease, dirt & nicotine stains

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOTTLE			
720040	500ml	1	6

PDC01

Low Odour White Spirits

A thinner for traditional paints, varnishes and for general cleaning/degreasing of paint brushes.



- Fast & effective thinner & cleaner
- Low odour formula

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOTTLE			
720468	750ml	1	12
720951	2L	1	6

PDC01

Low Odour Turps Substitutes

Turps substitute, also known as turpentine substitute, is used as a general purpose cleaning solvent or as a thinner for oil based paints.



- Powerful cleaning & maintenance
- Quickly removes paint from brushes, rollers and surfaces
- Low odour formula

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOTTLE			
720167	750ml	1	12
720983	2L	1	6

PDC01

Mineralised Methylated Spirit

For thinning French polish and cleaning glassware, most hard surfaces and more.



- Cleaner, degreaser & stain remover
- Smear free hard surface cleaner
- Fuel for alcohol burners & camping stoves

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOTTLE			
720886	2L	1	6

PDC01

Wipes, Rags & Cloths

See Page 184



Wipes, Rags & Cloths



Extra Tough Builders Wipes



Multi use wipes formulated to clean and remove wet and semi-cured paint, grease, glues, sealant, adhesive, bitumen, tar, expanding foam, oil, silicone and permanent marker.

Contains aloe vera and an anti-bacterial additive.

Product Code	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
TUB			
SCRUB	100	6	480 WPE01

Textured Heavy Duty Wipes



A heavy duty textured wipe designed to remove the most stubborn substances, such as paint, grease, glue, sealant, adhesives, bitumen, tar, expanding foam and many other wet and semi-cured substances.

Contains aloe vera and an anti-bacterial additive.

Product Code	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
TUB			
HDSRUB	75	6	480 WPE01

Stockinette Roll



Ideal for cleaning and polishing. Frequently used to clean up grease and oil.

- 100% cotton
- Highly absorbent
- Easily cut to size

Product Code	Length (m)	Weight (g)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
SSR400	4.8	400	1	10 WPE02

Microfibre Cleaning Cloths



Ultra soft and absorbent cloths, providing lint free and non-abrasive cleaning and polishing to multiple surfaces. Washable and reusable.

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
973147	380 x 380	10	30 WPE02

Assorted Wiping Rags



Large quantity of mixed rags in a vacuum pack for convenient storage and dispensing. Ideal for general cleaning and wiping jobs on site.

Product Code	Weight (kg)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
973138	10	N/A	10 WPE02

Centrefeed Rolls



Large highly absorbent 2 ply rolls for everyday spills on site, at home and in the office. Can be used with dispensers by removing centre core or used on their own for quick and easy portable cleaning or hand drying.

Product Code	Type	Roll Height (mm)	Length (m)	Pack Qty (pcs)	Carton Qty (packs)
PACK					
BLUE					
973508	Standard	170	150	6	10
973169	Economy	170	60	6	10
WHITE					
973359	Standard	170	150	6	10 WPE02

Jumbo Sponges

A synthetic, high water loading capacity sponge. Ideal for cleaning and wiping down surfaces on site and around the home. Available individually or in a pack of 3.



- High water holding capacity
- Cleans surfaces & removes excess grout and adhesives
- Tear resistant foam

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
720394	225 x 50	1	12
PACK			
720100	225 x 50	3	6 PAI04



Adhesives & Chemicals

Tapes

General Purpose Tapes	186
Building Tapes	187
Plumbing & Electrical Tapes	187
Safety & Hazard Tapes	188

Adhesives, Sealants & Fillers

Contact Adhesives & Superglue	189
Admixtures	189
Wood Adhesives	190
Grip & Fill	190
Adhesive Sealants	191
Sealants & Sealant Remover	192
Acrylic Sealants & Applicator Guns	193
Expanding Foams	194
Applicator Guns & Fillers	195

Metolux

Decor & Wood Fillers	196
Metoset Liquid Mortar	196

Briwax Woodcare

Finishing Wax & Spray	197
Spray Wax & Sticks	197

Lubricants

Multi-Purpose Lubricant	198
Silicone Lubricant	198
Copper Anti-Seize	198
Cutting & Tapping Lubricant	198
Chain Lubricant	198
Graphite Lock Lubricant	198

Greases & Oils

Lithium Greases	199
2 Stroke & 4 Stroke Oil	199
Chainsaw Oil	199

Maintenance & Cleaning Sprays

Oil & Grease Remover	200
Adhesive Residue Remover	200
Label Remover	200
Welder's Anti-Spatter	200
Air & Gas Leak Detector	200
Cordless Nail Gun Cleaner	200

Paints

Galvanising & Metal Paint	201
Finishing Paint	201
Very High Temperature Paint	201
Primer	201
Stain Concealing Paint	201
Survey & Spot Marker	202

Barrettine

Barrettine Wood Treatment	203-205
---------------------------	---------

Cleaners

Exterior Multi-Purpose Cleaner	206
Brick, Masonry & Patio Cleaner	206
Path, Patio & Driveway Sealer	206
Wood / PVCU / Glass Cleaners	207
Cleaner & Degreaser	207
Grout Cleaner	207
Calcium, Lime & Rust Remover	207



General Purpose Tapes

Heavy Duty Cloth Tape



- Easy tear
- High tensile strength
- Strong adhesion
- Temperature resistant from -5° to 60°C
- Water resistant

A super strength tape ideal for use within construction, industry, home and garden. It is designed to be used in multiple indoor and outdoor applications.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
HDCTBLACK	Black	50	50	1	24
HDCTSILVER	Silver	50	50	1	24
HDCTWHITE	White	50	50	1	24

TAP02

Cloth Tape



- Adheres to multiple surfaces
- Easy tear
- Tough and strong
- Weather resistant

A medium quality cloth tape used to repair, fasten, bundle, strengthen, mark, plus much more.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
CTBLACK	Black	50	48	1	36
CTSILVER	Silver	50	48	1	36
CTWHITE	White	50	48	1	36

TAP02

Double Sided Cloth Tape



- Professional results
- Easily removable
- Easy tear

A strong double sided cloth tape designed to stick two surfaces together where an invisible joint is required. Ideal for fixing carpets, signs and protective sheeting to multiple surfaces. (Backing tape is yellow).

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
DSC1	White	25	50	1	24

TAP02

Packaging Tape

PACKS OF 3



- Strong
- Excellent adhesion

A quality tape giving an instant and secure fixture, ideal for sealing boxes, attaching labels and general packing applications.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
PTC	Clear	50	48	3	18
PTB	Brown	50	48	3	18

TAP04

Masking Tape



- Easy to tear and apply to curved / irregular surfaces
- Compatible with solvent and water based paints
- Excellent adhesion to wide range of surfaces
- Clean and precise removal

Trade quality, general purpose masking tape made from saturated semi-crepe paper with pressure sensitive natural rubber adhesive. Made in Europe.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
SMT25	Cream	50	25	1	72
SMT38	Cream	50	38	1	48
SMT50	Cream	50	50	1	36

TAP03

Hook and Loop Tape



Versatile stick on hook and loop tape often used to affix products to surfaces and mounting displays at exhibitions. Simply cut to required length.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
BOX					
HLT5	White	5	20	1	32

TAP14

Building Tapes



Aluminium Foil Tape



- Flame retardant
- Heat & moisture resistant
- Backing paper for easy application

Used in jobs requiring moisture and chemical resistance, thermal conductivity, flame resistance, heat and light reflectance and is weather resistant. Perfect for joining foil covered insulation, sealing off pipes and ducts.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
AFT50	Silver	45	50	1	36
AFT75	Silver	45	75	1	24
AFT100	Silver	45	100	1	18

TAP07

Extreme Temperature Aluminium Foil Tape



- Flame retardant
- Service range -35° to 120°C
- All year around applications

Extreme temperature aluminium tape for use in both cold and warm environments or applications. Ideal for HVAC industry, covered outdoor use or jobs conducted during the winter months.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
AFT50ET	Silver	45	50	1	36

TAP07

Reinforced Aluminium Foil Tape



- Flame retardant
- Heat & moisture resistant
- High strength and tear resistant

Aluminium foil tape with an integral fibre mesh which provides reinforcement for tougher applications where a stronger joint is required.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
AFT50RE	Silver	45	50	1	36

TAP07

Drywall Joint Tape



- Quick and easy to apply
- Strong & thin jointing of plasterboards
- Eliminates blisters and bubbles

A professional grade self-adhesive drywall tape, which is manufactured using a strong 9 x 9 fibreglass weave for high mechanical strength. Made in Europe.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
4890DJT	White	90	48	1	24

TAP10

Double Sided Damp Proof Membrane Jointing Tape



Damp Proof Membrane
See page 236

- High adhesion
- Backing paper for easy application

A high performance double sided butyl tape used for bonding DPMs. Use with TIMCO PVC builders tape to provide a continuous damp proof seal between two sheets, where joints cannot be avoided.

Product Code	Colour	Width (mm)	Length (m)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
DSDJT	Black	50	10	1	12

TAP11

High Strength PVC Builders Tape



NEW

- Flame retardant
- Silage sheeting
- Jointing & Patching
- Masking
- Residue free

Strong versatile PVC tapes used for residue free masking and the jointing of PVC, polythene sheets and membranes. Frequently used for sealing contamination barriers, polythene dust sheets, silage covers and bales.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
HSBT	Black	33	75	1	36
HSOBT	Orange	33	50	1	36

TAP08

Plumbing & Electrical Tapes

PTFE Thread Seal Tape



- WRAS approved & suitable for potable water
- Convenient storage spool

Thread sealing tape used for a variety of plumbing applications including those involving potable water. Please note: Water use only. Not suitable for gas.

Product Code	Length (m)	Width (mm)	Thickness (mm)	Colour	Pack Qty (pcs)	Carton Qty (packs)
ROLL						
PTFE2	12	12	0.075	White	2	125
PTFE10	12	12	0.075	White	10	25

TAP12

PVC Insulation Tape

PACKS OF 10



- BS EN 60454
- Flame retardant
- Highly dielectric strength

Ideal for insulating electrical wires and joints. Easily torn by hand, can be written on and cleanly removed from smooth surfaces.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
ITBLACK	Black	25	18	10	12
ITWHITE	White	25	18	10	12
ITGREY	Grey	25	18	10	12
ITRED	Red	25	18	10	12
ITBLUE	Blue	25	18	10	12
ITGREEN	Green	25	18	10	12
ITYELLOW	Yellow	25	18	10	12
ITBROWN	Brown	25	18	10	12
ITGYSTRIPE	Green / Yellow	25	18	10	12

TAP01

Self Amalgamating Tape



A self fusing emergency repair tape which will provide a watertight seal to leaking pipes or hoses. Suitable for jointing, splicing and repairing cables, hoses, plastic and metallic tubes.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
SAT3	Black	3	25	1	48

TAP09

Safety & Hazard Tapes

Hazard Tape



- Weather resistant
- Highly visible
- Tough and strong

A durable self adhesive PVC hazard tape, ideal for marking floors, walls and hazardous areas. Can be used internally and externally.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
HAZT	Black / Yellow	33	50	1	36
TAP05					

Hazard Cloth Tape



- Highly visible
- Tough and strong
- Easy tear

A highly visible cloth tape used for marking out hazardous or restricted areas. Ideal for marking floors, doors and walls. Internal and external use.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
CTHAZRW	Red / White	33	50	1	36
CTHAZBY	Black / Yellow	33	50	1	36
TAP05					

Anti-Slip Tape



Manufactured using a high grade P60 grit to offer excellent grip, commonly used where there is risk of slip hazards such as stairs, shop fronts, ramps and paths etc. Three layers of Acrylic Solvent glue gives excellent adhesion to multiple surfaces.

- Adheres to multiple surfaces
- Backing paper for easy application

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
ASTSTRIPE	Black / Yellow	10	50	1	36
ASTBLACK	Black	10	50	1	36
TAP06					

Barrier Tape



- Highly visible
- Weather resistant



A durable non-adhesive polythene barrier tape, ideal for marking out hazardous areas. Can be used internally and externally. 500m comes in a convenient dispensing box for easy storage and application.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
BART	Red / White	100	70	1	24
BARTYB	Yellow / Black	100	70	1	24
BOX					
BART500	Red / White	500	70	1	12
BARTYB500	Yellow / Black	500	70	1	12
TAP05					

High Visibility Wet Paint Tape



- Highly visible
- Weather resistant



Highly visible non-adhesive wet paint tape ideal for the safe marking of hazardous areas during decoration and renovation. 500m comes in a convenient dispensing box for easy storage and application.

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
WPT100	Yellow / Black	100	70	1	24
WPT500	Yellow / Black	500	70	1	12
TAP05					

Underground Tape



Ideal for burying above service cables and pipes to warn against damage to underground utility lines during subsequent excavation.

Product Code	Type	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
UTWP	Water Pipe	365	150	1	6
UTSP	Sewer Pipe	365	150	1	6
UTTC	Telephone Cable	365	150	1	6
UTFO	Fibre Optic Cable	365	150	1	6
UTEC	Electric Cable	365	150	1	6
UTGP	Gas Pipe	365	150	1	6
TAP13					

Contact Adhesive & Superglue



Admixtures

Multi-Purpose Adhesive



A premium grade adhesive initially developed for the carpet and flooring industry. Effectively bonds PU and foam backed carpets, carpet tiles and underlay to concrete, screed, timber and metal. Heat resistant to 60°C. To achieve a higher bonding strength, apply the adhesive to both surfaces.

- Easy application
- 30 seconds cure time
- Low odour
- Interior use only



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
SPRAY					
247544	500ml	Amber	1	12	1848
AHS01					

Premium SBR Bond



A premium quality latex based primer, admixture and bonding agent. The reinforced anti-foaming polymer formula increases the durability and flexibility of concrete, mortar, renders, floor screeds and adhesive compounds.

Ideally suited for pointing, patching, bedding, waterproofing, tanking and flooring, especially in wet, humid, damp environments.

- Salt resistant
- Freeze-thaw stable
- Reduces surface dusting
- Water resistant
- Interior & exterior

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOTTLE				
236010	5L	1	4	192
ADM01				

Instant Contact Adhesive

Premium grade high strength, instant adhesive for internal and external applications. Ideal for humid and damp environments such as kitchens and bathrooms.

Suitable for plastic, PVCu, rubber, ceramic, metal, glass, wood, MDF, paper, card, fabric, formica, stone, concrete, cork, linoleum, leather & porcelain.



- The low odour formula has been developed to bond a wide variety of substrates
- Forms an extremely strong instant bond once the two surfaces have been joined
- Heat resistant to 90°C (spray) and 80°C (liquid)
- Easy application
- Water resistant
- Interior & exterior

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
SPRAY					
247789	500ml	Clear	1	12	1848
AHS01					
TIN					
247235	250ml	Clear	1	12	1656
247359	500ml	Clear	1	12	768
AHS01					

PVA Bond




A multi-purpose bonding agent, primer, sealer, cement and plaster admixture.

Ideal for priming unsound surfaces prior to plastering or painting and as an adhesive on wood, cork and textiles. Suitable for most applications where at

least one surface is porous, for general dust sealing on flaking paintwork/walls etc and as a cement and plaster admixture.

- Improves flexibility & frost resistance
- Reduces surface dusting & porosity
- Improves adhesion
- Mortar & Plaster Admixture BS EN 5270
- Concrete additive
- Dries clear



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOTTLE				
236123	5L	1	4	192
ADM01				

Instant Bond Mitre Kit



- High viscosity formulation
- Strong adhesive
- Water resistant
- Temperature resistant from -55° to 80°C
- Dries clear
- Can be used for small gap filling
- Interior use only

Mitre superglue is a fast setting (approx 90 seconds) medium to high strength all purpose adhesive. Use mitre bond activator to create an instant bond (approx. 10 seconds) when fixing with mitre superglue.

Suitable for use on a variety of surfaces such as plastics, PVCu, metal, wood, MDF, leather, rubber, ceramics and much more.

Product Code	Contents	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
KIT					
247321			1	24	1440
	Mitre Superglue	50g	1		
	Bond Activator	200ml	1		
AHS01					

Wood Adhesives



Internal D3 Wood Adhesive



A high quality, resin based wood adhesive for all wood bonding. It can be used internally and provides a high strength, impact resistant bond. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use.

Can also be used in short term wet, damp and humid environments such as kitchens, bathrooms, washrooms and covered external applications.

- Fully conforms to the BS 14256
- Dries clear
- Sets in 10 mins
- Hybrid resin formula
- Paintable
- Easy to clean



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOTTLE				
247458	500ml	1	20	480
247258	1L	1	12	384

AHS03

Premium Internal & External D4 Wood Adhesive



A solvent free wood adhesive based upon the latest hybrid resin technology. Can be used internally or externally giving a high strength, 100% waterproof, impact and temperature resistant bond.

Ideal for woodworking, joinery and timber construction.

- Hybrid resin formula
- Super strong bonding
- Paintable
- Sets in 10 mins
- Easy to clean
- 100% weatherproof
- Dries clear
- Odourless



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOTTLE				
247471	1L	1	12	384

AHS03

PU Wood Adhesive




A premium grade polyurethane wood adhesive that will bond hard, soft, exotic and painted wood. This rapid curing foaming adhesive expands into materials to form an incredibly strong bond with a superior curing time compared to traditional PVA based wood adhesives.

Suitable for use with softwood, hardwood, chipboard, fibreboard, MDF, plywood and most porous and non-porous substrates.

- Quickly adheres to all wood types
- 100% weatherproof
- Medium viscosity
- Internal & external
- Can be applied to damp surfaces
- Polyurethane formula
- Temperature resistant from -30° to 150°C
- D4 BS EN 204

Product Code	Size	Open Time	Colour	Pack Qty (pcs)	Carton Qty (packs)
BOTTLE - LIQUID					
247708	750g	5min	Brown	1	6
247834	750g	30min	Brown	1	6
CARTRIDGE - GEL					
247010	310ml	5min	Translucent	1	12
247433	310ml	30min	Translucent	1	12

AHS03



Grip & Fill

Grip & Fill - Solvent Free



For plasterboard, skirting boards & architraves, electrical conduit, brick, ferrous metal and more. A direct bond adhesive formulated for professional users. Designed to give a high adhesive strength to most building materials in trade and DIY applications. The unique formula also achieves exceptional gap filling results on uneven surfaces.

- Medium viscosity
- Easy application
- Strong adhesion
- Movement resistant
- Adheres to damp surfaces
- Odourless
- Interior

Product Code	Size	Colour	Pack Qty (pcs)	MOQ (packs)	Pallet Qty (packs)
CARTRIDGE					
247318	350ml	White	1	12	600

AHS02



Grip & Fill Nozzles Bag of 6 Code: 247121



ADHESIVES & SEALANTS

Concrete • Brick • Stone • Wood • MDF • Metal • Plastic • Ceramic • Glass



INSTANT GRAB ADHESIVE



9 in 1 Instant Grab Adhesive has been developed to give superior bonding strength to all building materials, even in wet conditions.

Instant Grab Adhesive

- High viscosity for an instant grip
- Pre-cut notched nozzle for enhanced application
- Perfect for internal & external applications

Clear Grab Adhesive

- Medium viscosity for easy toolability
- Perfect for internal applications
- Dries clear making it perfect for kitchen & bathroom applications



Features and Benefits:

Hybrid polymer | Sets in 15 minutes | Superior strength | Water resistant | Paintable | Works with wet surfaces | Anti-slump formula | Odourless

Product Code	Size	Colour	Viscosity	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
247138	290ml	White	High	1	12	936

AHS02

Product Code	Size	Colour	Viscosity	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
247972	290ml	Clear	Medium	1	12	936

AHS02

ADHESIVE & SEALANT

9 in 1 Adhesive & Sealants have been developed to give superior bonding and sealing performance to all building materials, even in wet conditions.

Universal Adhesive & Sealant

- Medium viscosity for easy toolability
- Perfect for internal & external applications
- Available in four colours to suit a variety of applications

Crystal Clear Adhesive & Sealant

- Dries crystal clear making it perfect for kitchen & bathroom applications
- UV protected to stay crystal clear longer
- Medium viscosity for easy toolability



Features and Benefits:

Hybrid polymer | Sets in 15 minutes | Superior strength | Water resistant | Paintable | Works with wet surfaces | Anti-slump formula | Odourless

Product Code	Size	Colour	Viscosity	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
247468	290ml	White	Medium	1	12	936
247357	290ml	Grey	Medium	1	12	936
247697	290ml	Brown	Medium	1	12	936
247146	290ml	Black	Medium	1	12	936

AHS02

Product Code	Size	Colour	Viscosity	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
247336	290ml	Crystal Clear	Medium	1	12	936

AHS02

Spare cartridge nozzles available in bags of 12



Product Code: 247050

Sealants



Acetoxy Silicone

A general purpose, single component silicone which offers a flexible water tight seal to most surfaces including glass, painted surfaces, ceramics, sanitaryware and most non-porous surfaces.

For sealing around most types of door and window frames, kitchen units, pipes, sanitary fixtures and duct work. Can also be used for draught proofing.

- Interior & exterior
- Fast curing
- Water resistant
- Absorbs movement
- Strong bond
- Low odour
- Easy tooling
- 12.5% elasticity



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CARTRIDGE					
732480	300ml	White	1	12	936
732098	300ml	Clear	1	12	936
732741	300ml	Black	1	12	936
732852	300ml	Brown	1	12	936

SEA02

Premium LMN Silicone

A premium grade, low modulus neutral curing silicone, which has excellent adhesion to virtually all substrates, both porous and non-porous. A long lasting flexible sealant for a wide variety of domestic, commercial and industrial applications including expansion joints, curtain walling and glazing systems. Ideal for external sealing around PVCu, timber and aluminium frames.

- Interior & exterior
- Fast curing
- Water & UV resistant
- Absorbs movement
- Strong bond
- Low odour
- Easy tooling
- 12.5% elasticity



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CARTRIDGE					
732120	300ml	White	1	12	720
732792	300ml	Clear	1	12	720

SEA02

Fire Rated Silicone

A premium grade, neutral curing fire retardant silicone sealant, with a fire resistance of up to 4 hours in linear joints, with excellent elasticity of up to 25%. It withstands temperatures of up to 120°C to prevent the spread of fire, smoke and toxic gases.

Ideal for plaster, glass, metal, wood and masonry.

- B1 fire rated
- Tested in accordance with EN 1366-4
- Up to 4 hours fire resistance
- Water & weather resistant
- Interior & exterior
- UV resistant
- Up to 30mm wide joints
- Anti-slump
- 25% elasticity



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CARTRIDGE					
732003	300ml	White	1	12	1248

SEA02

Premium Bathroom Silicone

A premium grade silicone containing active anti-fungal compounds to prevent bacteria, mildew and black mould growth in areas of very high humidity and condensation. It creates a permanently watertight and flexible seal.

Ideal for tiles, ceramics, metal, glass, wood, plastic, laminate and linoleum.

- Interior & exterior
- Mould & bacteria repellent
- Excellent adhesion
- Permanently waterproof
- 20% elasticity
- Fast curing



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CARTRIDGE					
732004	300ml	White	1	12	1248
732005	300ml	Clear	1	12	1248

SEA02

Bathroom & Sanitary Silicone

A high grade, sanitary silicone containing powerful anti-fungal compounds to prevent mould growth. Typically used in areas of high humidity such as bathrooms, kitchens and washrooms.

Ideal for domestic or commercial applications. Adheres to most non-porous surfaces without the use of a primer and gives a clean and professional finish.

- Interior
- Permanently elastic
- Waterproof
- Mould repellent
- Low odour
- 20% elasticity



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CARTRIDGE					
732750	300ml	White	1	12	936
732653	300ml	Clear	1	12	936

SEA02

Sealant Remover

A quick and easy method of removing cured acrylic and silicone sealants from ceramic tiles, glass, painted surfaces and most plastics. The thick gel coat penetrates and breaks down the silicone for effortless removal. Ideal for shower trays, baths, sinks, toilets, basins, window frames and more.

- For acrylic & silicone
- Safe on all surfaces
- Multi-materials
- Interior & exterior
- Fast acting



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOTTLE					
732104	100ml	White	1	12	2976

SEA02

Acrylic Sealants



Acrylic Caulk



A general purpose fast drying and flexible decorator's filler and sealant. Adheres to most substrates and can be overpainted with most paint types or papered over. For sealing and filling of internal gaps and cracks such as those between plasterwork, decorative mouldings, skirting boards and architraves.

- Fast curing
- Interior
- Water resistant
- Lightweight
- Easy tooling
- Low odour

Product Code	Size	Colour	Pack	MOQ	Carton	Pallet
			Qty (pcs)	Qty (pcs)	Qty (packs)	Qty (packs)
CARTRIDGE						
732871	300ml	White	1	12	12	936
732001	380ml	White	1	-	12	744

SEA04

Instant Paintable Caulk



A premium grade, acrylic sealant that has been developed to be overpainted immediately after application with water based and synthetic paints. Formulated for interior use, it will adhere to most surfaces without primers and gives long lasting flexibility in applications where movement can occur. Ideal for plaster, plasterboard, painted surfaces, decorative moulding, wallpaper and tiles.

- Instantly paintable
- Interior
- Long lasting flexibility
- Reduced cracking
- Low odour
- Reduced discolouration

Product Code	Size	Colour	Pack	Carton	Pallet
			Qty (pcs)	Qty (packs)	Qty (packs)
CARTRIDGE					
732002	300ml	White	1	12	1248

SEA04

Fire Rated Intumescent & Acoustic Acrylic Sealant



Fire & Acoustic Seals Fire Rated Intumescent and Acoustic Acrylic Sealant is an emulsion based sealant that swells when subjected to temperatures in excess of 125°C that restricts the passage of smoke and fire. Suitable for fire rated cladding, doors & walls.

- Extensively tested
- Certifire Approved CF5840
- BS 476 Part 20/22
- 12.5% flexibility
- Flexible & smooth finish
- Crack resistant
- Can be overpainted with most paints
- Excellent adhesion

Product Code	Size	Colour	Pack	MOQ	Pallet
			Qty (pcs)	Qty (packs)	Qty (packs)
CARTRIDGE					
FAWHITE	310ml	White	1	25	1600

PFM02

Applicator Guns

Up to 380ml Cartridges

Professional Foil & Cartridge Applicator Gun

Constructed with a heavy gauge aluminium barrel, reinforced steel mechanism and ergonomic grip for precise application and long lasting performance.



- Long life & fast flow
- Comfort grip
- Lightweight
- Non-drip

Product Code	Pack	Carton
	Qty (pcs)	Qty (packs)
BOX		
222551	1	12

CAC01

Foil & Cartridge Applicator Gun

Constructed using lightweight materials for ease of use with quick release end caps for fast removal and replacement of foils and cartridges.



- Powder coating
- Fast flow & non-drip
- Quick release
- Lightweight

Product Code	Pack	Carton
	Qty (pcs)	Qty (packs)
BOX		
222378	1	12

CAC01

Professional Sealant Gun

- A 48mm heavy duty sealant and caulking gun
- Swivel action barrel for easy application into tight corners
- With a convenient hook end for hanging
- Patented non-drip mechanism



12:1 trigger ratio

Product Code	Pack	Carton
	Qty (pcs)	Qty (packs)
PACK		
PROGUN	1	12

CAC01

Skeleton Gun

- A 48mm gun for dispensing sealants, caulk and adhesives
- 2.3mm strengthened side plates and a 6mm gripper plate
- Convenient hook end for hanging
- Riveted front cap for reinforcement and integrated cleaning pin



7:1 trigger ratio

Product Code	Pack	Carton
	Qty (pcs)	Qty (packs)
PACK		
SKELGUN	1	24

CAC01

Expanding Foam



B3 Fill & Fix Expanding PU Foam



A high quality polyurethane based expanding foam designed to give excellent thermal and acoustic characteristics. Expands up to 30 times its original volume. Ideal for filling and insulating irregular or awkward gaps where the foam can expand and fill the cavity to prevent heat loss and deaden sound. Can be used as a temporary fix prior to mechanical anchors being installed to window and door frames.

- CFC Free
- Fast curing & cut
- Sandable
- Paintable
- Can be plastered
- Up to 30 x expansion
- Excellent thermal & acoustic insulation

Product Code	Type	Size	Pack Qty		Carton Qty		Pallet Qty	
			(pcs)	(packs)	(packs)	(packs)	(packs)	(packs)
CAN								
247641	Gun Grade	750ml	1	12	12	12	336	
247596	Hand Held	750ml	1	12	12	12	336	
SPARE STRAWS								
247999	-	-	12	-	20	-	480	PUF01

B1 Fill & Fix Fire Rated Expanding PU Foam



A premium quality fire resistant polyurethane based expanding foam formulated to give excellent performance in a majority of fire critical applications. The complex cell structure also gives the foam excellent thermal and acoustic characteristics. Coloured pink for easy identification. Please note: For 30 and 60 minute fire door applications, use Fire & Acoustic Seals Fire Door Foam (FAS-750G).

- 4 hour fire rated
- CFC Free
- Fast curing & cut
- Paintable
- Can be plastered
- Up to 30 x expansion
- Heat & acoustic insulator
- BS 476-20
- EN 1366-4
- DIN 4102-1

Product Code	Type	Size	Pack Qty		Carton Qty		Pallet Qty	
			(pcs)	(packs)	(packs)	(packs)	(packs)	(packs)
CAN								
247760	Gun Grade	750ml	1	12	12	12	624	
247704	Hand Held	750ml	1	12	12	12	624	
SPARE STRAWS								
247999	-	-	1	20	20	20	480	PUF01

Fill & Fix PU Foam Cleaner



Designed to rapidly dissolve, remove and clean uncured PU foam from surfaces and for cleaning PU foam applicator guns. Complete with dual fitting nozzle for connecting to guns for cleaning or for direct spraying onto surfaces.

- Cleans tools and surfaces
- Solvent based
- Extends tool life
- Leaves work surfaces clean
- Easy application



Product Code	Type	Size	Pack Qty		Carton Qty		Pallet Qty	
			(pcs)	(packs)	(packs)	(packs)	(packs)	(packs)
CAN								
247893	-	500ml	1	12	12	12	504	PUF01

Fire & Acoustic Seals FD60 Fire Door Foam



A revolutionary polyurethane foam designed to seal the cavities between walls and fire door frames. The product has been extensively tested to achieve 30 and 60 minutes fire resistance in a wide range of construction and building fire stopping applications.

Tested in accordance with: BS 476: Part 20 & 22, BS EN 1634-1, BS 8214
Compatible with TIMCO plastic packers.

- No need for mineral fibre wool or mastic
- Quick and easy to apply in just 3 minutes per doorset
- One can fills the cavities of 3-4 doorsets up to 30mm in width

Product Code	Type	Size	Pack Qty		Carton Qty		Pallet Qty	
			(pcs)	(packs)	(packs)	(packs)	(packs)	(packs)
CAN								
FAS-750G	Gun Grade	750ml	1	12	12	12	336	PFM01


Drywall Adhesive Fill & Fix Expanding PU Foam

NEW



A ready to use, fast curing and low expansion polyurethane adhesive for quick, easy and clean bonding of plasterboard, insulation panels, floorboards and shower/bathroom panels to a variety of building materials.

- Fast curing, plaster in as little as 1 hour
- Limited expansion for fast & accurate application
- Coverage 15m²
- Excellent initial bond
- No mixing, no water, no waste, no mess
- Fills gaps & levels uneven surfaces
- Suitable for vertical applications
- Remains flexible & does not become brittle
- Paintable
- CFC Free
- Can be applied between +5°C & 30°C
- Gloves included



Product Code	Type	Size	Pack Qty		Carton Qty		Pallet Qty	
			(pcs)	(packs)	(packs)	(packs)	(packs)	(packs)
CAN								
247864	Gun Grade	750ml	1	12	12	12	336	PUF01

Applicator Guns

Spare extension nozzles available!

Product Code: 247014 | Qty: 25pcs

Professional PU Foam Applicator Gun



PTFE Coated


A premium quality professional PU foam applicator gun for use with standard 750ml & 500ml gun grade canisters and foam cleaners.

Box also includes two extension tubes and two tapered nozzles for small gaps.

- Excellent flow control
- Lightweight
- Hard wearing PTFE coated internal components

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
783113	1	20
		CAC01

PU Foam Applicator Gun




A PU foam applicator gun for use with standard 750ml & 500ml gun grade canisters and foam cleaners.

Box includes two extension tubes and two tapered nozzles for small gaps.

- Heavy duty steel body
- Stainless steel non-blocking valve
- Polypropylene hand grip
- Lubricated trigger

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
783556	1	20
		CAC01

Economy PU Foam Applicator Gun



An economical PU foam applicator gun with an extended barrel for use with 750ml and 500ml PU foam canisters and foam cleaners.

- Constructed from lightweight plastic
- Steel barrel & brass needle
- Ergonomic grip
- Stainless steel internals & non-return valve

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BAG		
783992	1	36
		CAC01

Fillers



Made in the UK

Ready Mixed Surface Filler



A versatile filling and sealing compound, developed to give a tough and durable surface repair to a variety of internal applications.

Ideal for repairing holes, cracks and imperfections in skirting, architraves, plasterwork, render around windows and door frames & more.

- Interior
- Flexible and waterproof seal
- Fully cured in 24 hours
- Easy to apply
- Suitable for oil and water based paints
- Skin formation in 30 minutes



Product Code	Size (kg)	Layer Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
TUB					
357003	1	10	1	6	432
					FLR02

Fine Surface Filler



A ready to use, fine grade interior smoothing and filling compound.

Once cured, it forms a tough, durable repair that can be sanded and painted over with oil and water-based paint.

Ideal for repairing cracks, fine nicks and shallow depressions in walls and ceilings.

- Interior
- Fully cured in 24 hours
- Water based
- Easy to overpaint
- Low odour
- Flexible when drying
- Skin formation in 30 minutes



Product Code	Size (g)	Layer Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
TUB					
357001	600	3	1	6	432
					FLR02

Multi-Purpose Powder Filler



A multi-purpose plaster based repair compound. After setting it can be sanded and painted and sets hard enough to accept screws and nails.

Ideal for filling screw holes, scratches and deep cracks on plaster, brick, wood and most other common building materials in internal & external environments before painting.

- Interior & exterior
- Smooth finish
- Dries white
- Easy to mix, apply & sand
- Shrinking and cracking resistant
- 1 part water to 2-2½ parts powder
- Sets in 1 - 2 hours



Product Code	Size (kg)	Layer Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOX					
357002	1.8	10	1	6	240
					FLR02

Metolux Fillers & Liquid Mortar

Metolux 2 Part Decor All Purpose Filler



Metolux 2 Part Universal Decor Filler is a fast hardening two component polyester filling paste for the repairing of holes and surface imperfections in a wide range of materials including wood, metal, concrete, plaster and fibreglass.

- Easy to sand after 20 minutes
- Easy to blend



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
TIN				
65425	500g	Light Grey	1	6
65427	1.5kg	Light Grey	1	6
65428	6.0kg	Light Grey	1	2

MFL01

Metolux 1 Part Wood Filler

Metolux 1 Part Wood Filler is a pre-coloured high strength polyester wood filler. Used for the filling and repair of small pinholes and cracks up to 5mm deep in timber. Particularly suited to flat face-up applications and for materials such as MDF and chipboard. Ideal for interior use.



- Fast drying
- Easy application
- Easy to sand
- Handy 250ml pack size
- Very low odour



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
TIN				
65388	250ml	White	1	6
65389	250ml	Pine	1	6
65390	250ml	Light Oak	1	6
65394	250ml	Dark Oak	1	6

MFL01

Metolux 2 Part Styrene Free Wood Filler



Metolux 2 Part Styrene Free Wood Filler is a two component high strength polyester wood filler. It provides a strong high quality repair to wood imperfections.

Supplied in pre-coloured blends to match your wood type. The weatherproof formulation is ideal for internal and external applications with additives to help flex with the natural movement of timber.



- Professional grade
- Easy to mix
- Easy to sand
- Can be painted, stained, varnished and waxed
- Non slump

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
TIN				
65431	275ml	White	1	6
65432	770ml	White	1	6
65433	3.3L	White	1	2
65437	275ml	Pine	1	6
65438	770ml	Pine	1	6
65439	3.3L	Pine	1	2
65440	275ml	Light Oak	1	6
65441	770ml	Light Oak	1	6
65442	3.3L	Light Oak	1	2
65434	275ml	Dark Teak	1	6
65435	770ml	Dark Teak	1	6
65443	275ml	Light Redwood	1	6
65444	770ml	Light Redwood	1	6
65446	275ml	Dark Mahogany	1	6
65447	770ml	Dark Mahogany	1	6

MFL01

Metolux 2 Part Metoset Liquid Mortar



Metolux 2 Part Liquid is a two component polyester liquid mortar for crack and chip repair. Alternatively it can be used to fix threaded rod or rebar into concrete, stone or plain brick. Ideal for filling cracks and cavities in difficult to reach areas.

- Easy to apply
- Rapid setting
- Internal & external
- Paintable
- Useful to fill cavities, cracks or difficult access areas
- High mechanical and physical resistance



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
TIN				
65628	1.0kg	Grey	1	6
65627	5.0kg	Grey	1	2

MFL01

Metolux Hardener



Spare hardener for use with:
2 Part Styrene Free Wood Filler
2 Part Decor All Purpose Filler

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
TUBE			
78792P	40g	2	10

MFL01



Woodcare

Makers of leading luxury wood finishes in England for discerning wood lovers and furniture makers.



Original Finishing Wax



Briwax Original is formulated with fast drying, stronger solvents which speed up drying and also increase the cleaning ability of the wax slightly. This means that it will renovate older dirtier furniture and leave you with the deep grain enriching Briwax shine. Unsealed wooden surfaces should be smooth, dry and clean.



Product Code	Colour	Size	Pack Qty (pcs)	Carton Qty (packs)
TIN				
BW0501241521	Honey	400g	1	36
BW0501464821	Teak	400g	1	36
BW0502000021	Clear	400g	1	36
BW0502101221	Antique Brown	400g	1	36
BW0502101421	Antique Mahogany	400g	1	36
BW0502101521	Antique Pine	400g	1	36
BW0502143121	Tudor Oak	400g	1	36
BW0502161321	Dark Oak	400g	1	36
BW0502280321	Jacobean	400g	1	36
BW0502341921	Medium Brown	400g	1	36
BW0502403621	Old Pine	400g	1	36
BW0502445621	Rustic Pine	400g	1	36
BW0502464721	Spanish Mahogany	400g	1	36
BW0502540121	Walnut	400g	1	36
BW0502542121	Silver Grey	400g	1	36
BW0303000005	Clear	5L	1	4
BW0303101205	Antique Brown	5L	1	4
BW0303101505	Antique Pine	5L	1	4
BW0303280305	Jacobean	5L	1	4
BW0303341905	Medium Brown	5L	1	4
BW0303445605	Rustic Pine	5L	1	4

Quick Dry Hard Wax Oil



Briwax Hard Wax Oil is a water based clear satin finish that is hard wearing, water and stain resistant that will dry to an attractive, durable, natural finish. Suitable for use on internal woodwork subject to a high degree of wear. Brings out the natural beauty of the wood, making the colours richer. Easy to apply and maintain, leaving a wear, and water and stain resistant finish to woodwork.

Product Code	Colour	Size	Pack Qty (pcs)	MOQ Qty (packs)
TIN				
BW0501LW1000	Satin	1L	1	3
BW0501LW2500	Satin	2.5L	1	2

Wax Filler Sticks



Wax Filler Sticks are for the repair of scratches, cracks and small holes on wooden and plastic surfaces. They are available in dark, medium, light and grey. The Wax Filler Sticks are ideal for small damaged areas of furniture.

Apply using light pressure with the tip of the spatula and clean off surplus to leave a smooth flat surface. Each pack contains 4 shades to help with colour matching. For a close colour match, blend different shades of softwax by successive applications using light to dark colours.

Product Code	Colour	Size (ml)	Pack Qty (pcs)	Carton Qty (packs)
PACK				
BWSWSLGT	Light Shades	40	4	6
BWSWSMED	Medium Shades	40	4	6
BWSWSDK	Dark Shades	40	4	6
BWSWSGRY	Grey Shades	40	4	6

Spray Wax



The grain enhancing beauty of a Briwax finish, in an easy to use, convenient aerosol pack. Can be used in exactly the same way as Briwax or as a regular maintenance product for most types of furniture. Contains no silicones.

Product Code	Size	Pack Qty (pcs)	MOQ Qty (packs)
CAN			
BW9301000018		1	12

Beeswax Stick


Pure Beeswax Filler Sticks are ideal for furniture restoration to fill small cracks and holes.

This wax is also handy for odd jobs around the house.



Product Code	Size (g)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
BWBEWS	35	1	6

Lubricants



Multi-Purpose Lubricant

Developed to penetrate, loosen, maintain, protect and clean metal surfaces. Specially formulated to rapidly penetrate into hard to reach areas.



Ideal for drying electrical systems, stopping hinges and latches from squeaking, maintaining locking mechanisms, reducing tool wear and tear, priming ignition systems, loosening seized nuts and bolts and much more.

- Premium quality oil suspended in a low viscosity dispersing fluid
- Excellent moisture repelling properties
- Resists corrosion

- Maintains lasting performance of a variety of metal components
- Temperature resistant from -50 to 200°C
- Complete with an easy to use 360° spray nozzle, for precise application in hard to reach and confined spaces

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237789	480ml	1	12	912 AER01

Silicone Lubricant

Formulated for applications where there are plastic or rubberised components, due to the absence of any chemicals which cause hardening and splitting. Ideal for window seals and slides, runners, bearings, o-rings, textile equipment and more.



- Low odour
- Non-staining
- Protects
- Temperature resistant from -50 to 200°C
- Long lasting
- No heavy hydrocarbons that can cause cracking, squeaking, splitting and hardening



Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237357	380ml	1	12	1140 AER01

Copper Anti-Seize

A premium pure copper lubricant with a graphite additive, suspended in a high quality grease. It maintains and protects steel, stainless steel, cast iron, copper & brass components from high temperatures, corrosion and seizure.



Ideal for all automotive, industrial and construction uses including: threaded fasteners, brake pads and callipers, manifolds and exhausts, boiler parts, flanges and pipes.

- Protects
- Copper formulation resists high temperatures
- Heat resistant up to 1100°C
- Water resistant
- The graphite additive allows for easy assembly and dismantling of a wide range of metal applications

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237456	380ml	1	12	1140 AER01

Cutting & Tapping Lubricant

Formulated to significantly reduce friction and wear, increase cutting speeds, protect and extend tool life and ensure a consistent high quality surface finish.

Ideal for all machine shops, tool-rooms and maintenance departments.



- Contains extreme pressure additives
- Prevents pitting, galling and metal seizure
- Improves tooling accuracy
- Suitable for use on hard to work metals including stainless steel, titanium, aluminium and tool steel
- Complete with an easy to use 360° spray nozzle, for precise application in hard to reach and confined spaces

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237159	380ml	1	12	1140 AER01

Chain Lubricant

Designed to penetrate, maintain, protect and clean chain, wire rope and moving metal parts. The high viscosity formula gives excellent lubricant retention, preventing "fling off" and unnecessary wear and maintenance.

Ideal for chain, gears, wire rope, pulleys, rollers, bearings and more.



- The Molybdenum disulphide additive gives exceptional long lasting friction reduction
- Prolongs the performance and lifespan of moving metal parts and surfaces
- Prevents corrosion and reduces dirt and grime build up, even in wet and humid environments



Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237123	380ml	1	12	1140 AER01

Graphite Lock Lubricant

A graphite lock lubricant engineered to penetrate locking, hinging and latching mechanisms, ensuring long lasting, smooth operation. Containing microscopic graphite grains to prevent seizing and stop a build up of grime.

Ideal for mechanisms such as padlocks, hinges, locks, latches and more.



- Easy to use
- Long lasting lubrication
- Excellent water resistance
- Anti-seize formulation
- No grease
- Enhanced durability



Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237009	80ml	1	12	2016 AER01

Greases & Oils



Made in the UK

White Lithium Grease



An opaque viscous lubricant with a non-thinning heat resistant formulation to ensure long term performance. Ideal for industrial, marine and automotive applications where water ingress can be detrimental to lubrication.

- Highly visible
- Superior corrosion resistant
- Temperature resistant from -20 to 140°C
- Extremely effective in areas requiring water resistance

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237482	380ml	1	12	1140 AER01

Premium Lithium Complex Grease



A premium quality and long life, lithium complex grease with extreme pressure additives, making it suitable for the most demanding anti-friction and high load applications. Ideal for effective and long lasting lubrication in harsh, hot, wet and dusty applications in the agriculture, construction and automotive industries.

- Excellent mechanical stability
- High water resistance
- Very high temperature resistance
- Resists oxidation and corrosion
- Excellent pumpability
- Temperature resistant from -30 to 150°C

Product Code	Colour	Size	Carton Qty (packs)	Pallets Qty (packs)
CARTRIDGE				
526002	Red	400g	12	1200 LBN01

Lithium EP2 Grease



A high quality, multi-purpose lithium grease with high pressure additives, making it suitable for all anti-friction and medium to high load conditions. Ideal for industrial, construction and automotive applications such hydraulic systems, wheel bearings and pump systems.

- Good mechanical stability
- Water resistant
- High temperature resistance
- Resists oxidation and corrosion
- Good pumpability
- Temperature resistant from -30 to 140°C

Product Code	Colour	Size	Carton Qty (packs)	Pallets Qty (packs)
CARTRIDGE				
526001	Cream/Brown	400g	12	1200 LBN01

2 Stroke Engine Oil



A premium formula, high performance two-stroke engine oil. Using the latest additive technology and synthetic and fine mineral based oils it is capable of withstanding the high demands of modern engines and machinery. Ideal for lawnmowers, strimmers, motorcycles, scooters, small generators and onboard engines.

Supplied in a measured dispensing bottle for easy use.

- Semi-synthetic
- High performance
- Low smoke formulation
- Prevents power loss
- Protects internal parts
- Reduced exhaust contaminants

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOTTLE				
526005	1L	1	12	450 LBN02

4 Stroke Engine Oil



A premium quality lubricant, designed to maintain viscosity in a variety of operating temperatures. Containing a detergent inhibitor to assist sludge control, with added wear resistance and anti-oxidant properties. Ideal for a wide variety of engines in marine, agricultural and site applications such as lawnmowers, air compressors, small capacity petrol engines and more.

- 10W-30
- Mono-Grade
- Reduces internal sludging
- Prolongs engine life
- Temperature fluctuation tolerant

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOTTLE				
526004	1L	1	15	450 LBN02

Chainsaw Oil



A heavy duty and high viscosity oil formulated using premium base oils and tacky modifiers. Developed to help reduce wear and extend the tool lifetime. Ideal for lubricating bars and chains on pump fed chainsaws.

- Anti-fling agents
- Anti corrosion
- Extends bar & chain life

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOTTLE				
526003	1L	1	15	450 LBN02

Maintenance & Cleaning Sprays



Made in the UK

Oil & Grease Remover



A solvent based degreaser, which penetrates, lifts and easily removes heavy oils, grease and tar deposits from most metals and hard plastic surfaces.

Ideal for automotive, industrial, general workshop maintenance and surface preparation.



- Powerful degreasing performance
- Highly effective at penetrating and lifting unwanted contaminants
- Quick drying
- Immediately emulsifies with water
- Leaves the surface clean and residue free

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237156	380ml	1	12	1140 AER03

Adhesive Residue Remover



A powerful and rapid acting solvent based cleaning solution. Can be used for the safe removal of unwanted adhesive residue, wax, ink, sealants and much more.

Ideal for surface degreasing and cleaning before paint, adhesive and sealant application.



- Powerful cleaning
- Rapid acting
- Degreases
- Removes wax & ink
- Non-aggressive solvent formulation
- Leaves no film
- Low odour

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237004	480ml	1	12	912 AER03

Label Remover



A unique blend of citrus and hydrocarbon oils used to quickly penetrate and neutralise the adhesive, allowing for effortless and safe removal of unwanted self adhesive labels and stickers.

Ideal for removing labels from products including pipe fittings, hand tools, bracketry and hardware.



- Safe on most materials
- Fast penetration
- Penetrates through paper labels
- Breaks down adhesive residue
- Removes some inks & dyes

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237005	200ml	1	12	1680 AER03

Welder's Anti-Spatter



Specifically formulated to eliminate the need to remove unsightly spatter, which significantly reduces working time.

Ideal for welds, working areas and equipment.



- Non-flammable
- Can be easily removed after welding
- Low odour and colourless
- Quick drying
- Silicone and petroleum free, so does not interfere with post welding coatings

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237560	300ml	1	12	1140 AER01

Air & Gas Leak Detector



Professional formulation, designed to quickly and reliably detect the smallest leak in pressurised systems. Reacts instantly upon contact with gas and air pressure, forming a stream of bubbles to identify the leak.

Ideal for refrigeration units, air conditioning systems, exhausts, pipes, valves, screw connectors, welded seams and more.

- Water based
- Instant reaction
- Non-flammable
- Complete with an easy to use 360° spray nozzle, for precise application in hard to reach and confined spaces

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237023	300ml	1	12	1140 AER01

Cordless Nail Gun Cleaner



A powerful and fast acting cleaner, formulated for removing exhaust gas residue, dirt and grime from cordless nail guns. Regular use enhances the performance and extends the life of the power tool. Suitable for use on most leading brands of cordless nailing tools.



- Powerful cleaning
- Fast acting
- Extends tool life
- Safe on plastics
- Leaves no residue
- Enhances tool performance

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237003	300ml	1	12	1140 AER03

Paints



Galvanising Paint



A premium quality zinc spray that gives excellent corrosion resistance, as either a primer or topcoat of metals after grinding, welding, cutting and drilling. Ideal for threaded fasteners, exposed metal edges and welds, conduit, fencing and railings, gates, signs, rails and more.



- Sacrificial zinc coating forms a hard-wearing bond to ferrous metals
- The high zinc purity blends with previously galvanised coatings
- Paintable
- Gives a professional finish or a suitable base layer for acrylic, alkyd, p/u alkyd and epoxy paints
- Actively fights rust and corrosion

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CAN					
237750	380ml	Cold Galvanised	1	12	1140
237002	380ml	Bright Galvanised	1	12	1140

AER02

Metal Paint



A quick drying, hard-wearing and long lasting paint for metal surfaces. Formulated to be used as a primer, undercoat and top coat in one application. Ideal for metal gates, fences, doors, garden furniture, railings and more.



- Quick drying
- Hard-wearing
- Direct to rust application
- Smooth finish
- Prevents rusting
- Interior & exterior
- Primer, undercoat and top coat

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CAN					
237006	380ml	Smooth Black	1	12	1140
237007	380ml	Smooth White	1	12	1140
237008	380ml	Smooth Silver	1	12	1140

AER02

Finishing Paint



A multi-purpose acrylic based finishing paint designed to give a professional and corrosion resistant finish to most substrates including: ferrous metals, stainless steel, aluminium, plaster, wood and some plastics. Ideal for ironmongery, garden furniture, decorative fixtures, concealing unsightly surfaces and repairing damaged paint surfaces.



- The fast drying, UV resistant and flexible formula gives a drip-free application
- Temperature resistant from -50 to 80°C
- Enhanced colour pigments for a long lasting finish

Product Code	Size	Finish	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CAN					
237128	380ml	Matt Black	1	12	1140
237190	380ml	Gloss Black	1	12	1140

AER02

Very High Temperature Paint



A hard-wearing heat and flame resistant coating for metal surfaces. During the curing process a durable silicone matrix is formed to give protection against extreme temperatures. Ideal for stoves, heaters, fireplaces and surrounds, boiler flues, machinery, exhausts, radiators, incinerators, furnaces and more.



- Corrosion resistant coating
- Withstands temperatures up to 650°C
- Fast drying formula
- Single coat
- No primer required
- Non-drip and run free
- Interior & exterior

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CAN					
237896	380ml	Matt Black	1	12	1140

AER02

Primer



Formulated to maximise the adhesion of finishing paints to metals and hard plastics. Excellent high build formula fills and masks surface imperfections, resulting in a smooth and consistent finish. Ideal for welded seams, machinery and equipment, ironmongery, fences, gates and commercial steelwork.



- The corrosion resistant properties enhance finishing paint performance
- Temperature resistant from -50 to 80°C
- Protects exposed metal surfaces after welding and fabrication

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CAN					
237320	380ml	Red Oxide	1	12	1140
237480	380ml	Grey	1	12	1140

AER02

Stain Concealing Paint



A fast drying spray paint which permanently prevents existing stains reappearing through paint finishes. Can be overpainted in 15 minutes. Ideal for concealing stains caused by water, grease, nicotine, rust, soot, graffiti and more on a wide variety of materials.



- Quick drying
- Low odour
- Cracking & peeling resistant
- Touch dry in 15 mins
- Interior & exterior
- Coverage: 0.7-0.8m²

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CAN					
237001	400ml	Matt White	1	12	840

AER02

Survey & Spot Markers



Made in the UK

Survey & Spot Markers

A rapid drying marking paint for applying semi-permanent markings to soil, grass, concrete and most hard surfaces. Ideal for a variety of uses including: highway maintenance, site excavation, turf marking, landscaping and marking cable positions prior to drilling and cutting. Lasts at least 3 months on most hard surfaces. Applications to wet and damp surfaces may decrease performance.



- Contains built-in bright colour pigments for a bold finish
- Includes a heavy duty, non clogging nozzle for inverted use
- Includes dual trigger pads for compatibility with survey marking applicators

Product Code	Size	Colour	Application*	Packs Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
CAN						
237369	750ml	White	General marker	1	12	684
237025	750ml	Yellow	General marker	1	12	684
237798	750ml	Blue	Water	1	12	684
237206	750ml	Red	Electricity	1	12	684
237047	750ml	Green	Cablework	1	12	684
237225	750ml	Black	Covering old lines	1	12	684
237900	750ml	Orange	Hazards	1	12	684

*SURVEY MARKING APPLICATIONS INCLUDE BUT ARE NOT LIMITED

AER02

Barrettine

TRUSTED BY THE PROFESSIONALS

Serving customers in the DIY market, decorating centres, builders merchants, garden centres, agricultural distributors / merchants, shed and fence manufacturers throughout the country.

Part of the J.V. Barrett Group, we are a family owned business with a reputation for quality products and quality brands.

We formulate and manufacture at our factory in Bristol and supply the Barrettine brand nationally through our network of distributors, wholesalers and retailers.



Barrettine Wood Treatment



Wood Protective Treatment

A wood protector for sealing rough, sawn or smooth timber. It contains water repellent resins and a biocide film preserver to prevent the surface growth of mould and algae.



- Low odour formula
- UV fade resistant colour pigments
- Deep penetrating oil/spirit formula
- Up to 6m² per litre coverage
- Harmless to beneficial insects & plants when dry



Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
TIN					
PTCL005	5L	Clear	1	2	156
PTDB005	5L	Dark Brown	1	2	156
PTLB005	5L	Light Brown	1	2	156

BAR01

Universal Preserver

A clear wood preserver and primer that provides a colourless finish for further painting or varnishing. Can be used on untreated wood or treated timber outdoors.



- Deep penetrating oil/spirit
- Low odour formula
- Up to 5m² per litre coverage
- Quality primer resins for excellent adhesion
- High level, long-lasting wood protection & wood preservation



Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
TIN					
UNCL005	5L	Clear	1	2	156

BAR01

Wood Preserver

A high-quality, low odour oil/spirit wood preservative that is deep penetrating. Used for protecting wood against wood-destroying fungi (wet rot), wood discolouring fungi and wood-boring insects.



- Deep penetrating oil/spirit
- Low odour formula
- Superb quality water repellent resins
- UV fade resistant colour pigments
- Up to 6m² per litre coverage
- High level, long-lasting wood protection & wood preservation




Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
TIN					
WOCL005	5L	Clear	1	2	156
WODB005	5L	Dark Brown	1	2	156
WOLB005	5L	Light Brown	1	2	156
WOST005	5L	Summer Tan	1	2	156

BAR01

Decking Oil - All In One

Specifically formulated for use on pressure treated and preservative impregnated timber offering superb protection to deck boards, deck tiles and balustrades.



- UV fade-resistant pigments
- Contains a surface biocide preserver to protect against mould
- Harmless to beneficial insects & plants when dry
- Up to 8m² per litre coverage



Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
TIN					
DOCL005	5L	Clear	1	2	156
DOCP005	5L	Amber Light Oak	1	2	156
DODO005	5L	Dark Oak	1	2	156
DONO005	5L	Natural Oak	1	2	156

BAR01

Decking Oil - Anti-Slip

A premium quality topcoat decking oil incorporating anti-slip technology. Improves grip on decking, handrails and wooden steps. Awarded 'Best Garden Product' in the DIY Week awards 2019.




- A low sheen finish with UV stabilisers helps to slow wood turning grey
- Resists flaking or cracking with excellent water beading
- Oils and protects
- Contains a surface biocide to protect against fungal and mould attack
- Harmless to beneficial insects & plants when dry
- Up to 17m² per litre coverage

Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
TIN					
DTAS25	2.5L	Clear	1	4	260

BAR01



Log Cabin & Decking Treatment



Log Cabin & Complete Decking Treatment is specifically formulated to oil and protect log cabins, decking boards, deck tiles and balustrades made from pretreated, pressure treated or preservative impregnated timber.



CLEAR

- Contains surface biocide to aid in the prevention of surface mould and algae
- Contains added UV Stabilisers
- Regular treatment provides superb water repellency

- Resists flaking / peeling, whilst water repellence helps prevent timber splitting and cracking
- Harmless to beneficial insects and pets when dry
- Up to 8m² per litre coverage

Product Code	Size	Colour	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
TIN					
LCDT005	5L	Clear	1	2	156 BAR01

Timber Cut End Preserver

Specially formulated to be used on pressure-treated timber where it has been cut, drilled or worked in any way to expose the untreated inner wood. Protects against decay such as wet rot, discolouring fungus and wood boring insect attack.



GREEN

- Protects vulnerable exposed end grain
- Deeply penetrates to protect cuts and notches

- Ideal for cladding & other cut pressure treated timbers
- Up to 6m² per litre coverage

Product Code	Size	Finish	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIN					
TEGR001	1L	Green	1	6	468 BAR01

Wood Reviver

Wood Reviver will turn back the clock, restoring grey, UV-damaged wood to its original warm tones. Wood Reviver can also rescue wood from stains caused by surface mould, tannin runs, watermarks, iron, rust and light dirt.



BEFORE AFTER

- Ready to use formulation
- Low VOC and chlorine bleach free
- Instantly renovates blackened/grey wood

- Removes rust stains from fixings
- Restores the original tone of the wood
- Up to 4m² per litre coverage

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOTTLE				
WORE001	1L	1	6	552 BAR01

Polyurethane Varnish

A high quality satin finish. Gives excellent durability to kitchen furniture, internal doors and other joinery products.

Ideal for internal doors & joinery, kitchen furniture and worktops.




- High durability varnish
- Up to 14m² per litre coverage

Product Code	Size	Finish	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIN					
PSVA001	1L	Clear Satin	1	9	324 BAR01

Woodworm Killer

A traditional woodworm treatment for a deep penetrating low odour oil/spirit based woodworm killer. It prevents & exterminates woodworm and wood boring insects from treated timber.



- Low odour formula
- For internal & external timber structures

- Up to 3.3m² per litre coverage


Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOTTLE				
SPWW50	500ml	1	6	870 BAR01

Yacht Varnish


A tough, top-quality varnish with a high gloss finish. Protects against cracking and flaking caused by UV light. Also provides complete and long-lasting protection under testing weather conditions.



- High durability varnish
- Tough, top quality varnish
- High gloss finish
- Up to 14m² per litre coverage
- For interior and exterior use



Product Code	Size	Finish	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIN					
CGYV001	1L	Clear Gloss	1	9	324 BAR01



Quick Drying Floor Varnish

Nourishes and protects, whilst providing a lasting depth of sheen that naturally enhances the beauty of wood flooring.



- Quality interior floor varnish
- Durable, clear finish for wooden floors and work surfaces
- Up to 14m² per litre coverage

Product Code	Size	Finish	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIN					
QDFV25	2.5L	Clear Satin	1	4	288 BAR01

Traditional Floor Wax

A clear quick drying wax finish which nourishes and protects whilst providing a lasting depth of sheen that naturally enhances the beauty of wood flooring.



- Quality interior floor wax
- Long lasting depth of sheen
- Nourishes and protects
- Up to 16m² per litre coverage


Product Code	Size	Finish	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIN					
CFWX25	2.5L	Clear	1	4	288 BAR01

Danish Oil

A blend of oils and resin which provide an attractive lustre finish to all woods. Ideal for Scandinavian furnishings, doors, panelling, wood turning and more.



Ideal for doors, panelling, wood turning etc.



- Apply using a brush or lint-free cloth
- Blend of oils and resins to provide an attractive lustre finish to interior woods
- If using outside, apply wood preservative first
- Up to 10m² per litre coverage

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
TIN				
OIDA50	500ml	1	12	1056 BAR01

Teak Oil

An oil for the treatment and enhancement of untreated wood. Teak Oil penetrates unsealed wood leaving a natural, water resistant finish.

Ideal for garden furniture or traditional matt finished interior furniture.




- Quick and easy to apply
- Dries to a satin-matt finish
- Up to 10m² per litre coverage
- Preserves the natural beauty of wood

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOTTLE				
OITE50	500ml	1	12	1056 BAR01

Raw Linseed Oil

A traditional completely natural oil from the extract of flax seed which penetrates unsealed wood leaving a natural, water resistant finish with a slightly enhanced colour that darkens slightly with age.

Ideal for oak beams, cricket bats, garden canes and instruments.



- Highly water resistant
- Offers a matt finish
- Up to 10m² per litre coverage
- Suitable for interior and exterior use

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOTTLE				
OIRL50	500ml	1	12	1056 BAR01

Boiled Linseed Oil

A natural linseed oil blended with driers to improve drying times. Boiled Linseed penetrates unsealed wood leaving a natural, water resistant finish with a slightly enhanced colour that darkens slightly with age.

Suitable for interior and exterior use



- A quicker drying alternative Linseed oil
- Low VOC content
- Up to 10m² per litre coverage
- Blended with driers to improve drying times
- Provides natural protection for wood surfaces

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOTTLE				
OIBL50	500ml	1	12	1056 BAR01

Cleaners



Made in the UK

Exterior Multi-Purpose Cleaner Concentrated

A multi-purpose cleaning product for removing dirt, algae, mould, fungi and general grime build up from a variety of external surfaces such as PVCu, hard plastics, glass, rubber, metal and more.



The pH neutral and biodegradable formula contains a citronella additive to repel insects and neutralise unwanted odours with added carnauba wax to leave surfaces looking clean and shiny.

- Anti-static agent to reduce dirt and grime build up
- pH neutral to protect delicate plastics and rubbers
- Built in water softener
- Safe & easy to use as a concentrate
- No streaking and spotting
- Easy to use 40 dose dispensing bottle
- One 25ml dose dilutes to 10L of water
- Also suitable for interior cleaning tasks

Ideal for cleaning conservatories, greenhouses, windows, roof lights, flat roofs and more.

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
257001	1L	1	10	550

CLR01

Brick, Masonry & Patio Cleaner

A heavy duty acid based cleaner for removing dirt, grime and unwanted stains from stone, concrete, bricks and blocks. Ideal for removing leaf stains from patio slabs, stubborn algae from block paving, cement and mortar stains from brickwork and rust marks.



- Fast acting
- High strength
- Acid based
- Dissolves mortar stains
- Exterior use only
- Water clean up
- Not suitable for use on calcareous or polished stone and tarmacadam

Over 3x the coverage of other leading brands. Clean up to 30m²



Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
257002	4L	1	4	160

CLR01

Path, Patio & Driveway Cleaner Concentrated

A non-toxic revolutionary cleaning treatment for a variety of exterior surfaces. An easy to use formula that requires no rinsing, scrubbing or pressure washing.



No rinsing, scrubbing or pressure washing

Formulated to effectively kill algae, mould, fungi, moss and green growth on concrete, brick, stone, paving, decking, tarmacadam and much more.

- Spray and leave
- Long lasting protection
- Easy to use
- Up to 140m² coverage
- Pet and wildlife safe
- Non-toxic and bleach free
- Eco friendly - organic and biodegradable

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
257112	5L	1	4	128

CLR01

Path, Patio & Driveway Sealer

A water based environmentally friendly sealing agent, formulated to provide long lasting moisture and UV resistance. It leaves brick, concrete and stonework looking revitalised whilst protecting against weathering, efflorescence moss and mould growth.



Over 3x the coverage of other leading brands

Ideal for all types of external masonry, including natural and artificial stone, limestone, sandstone, slate, brick and concrete paving.

- Exterior use only
- Moisture repellent
- Stain resistant
- Enhances appearance
- UV resistant
- Non-yellowing
- Eco friendly
- Concentrated formula

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
257003	1L	1	4	360

CLR01

Exterior Wood Cleaner

A fast acting, water based decking cleaner, formulated for use on all timber, composite and plastic decking. The super concentrated formula removes dirt, grime, fungi and algae making it ideal for light cleaning and thorough restoration.



Treats up to 40m²

Ideal for all external timbers, including fencing, trellis, pergolas, garden furniture and more.

- Exterior use only
- Fast acting
- Just add water
- Easy application
- Concentrated formula

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
257004	500ml	1	12	1056

CLR01

PVCu Cleaner

A heavy duty cleaner for transforming weathered and dirty PVCu surfaces.

It provides protection and makes PVCu look as good as new.



Ideal for window and door frames, conservatories, cladding, soffits, fascias and more.



- Ready to use
- Heavy duty

- No scrubbing
- Removes mould, dirt and grime

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOTTLE				
257105	1L	1	12	528 CLR02

Glass Cleaner

A rapid drying glass cleaner that effortlessly removes dirt and grease whilst leaving a streak and static free finish.



Ideal for windows and mirrors but also suitable for tiling, PC monitors and TVs.



- Rapid drying
- Removes dirt & grease

- Streak free
- Static free

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOTTLE				
257106	1L	1	12	528 CLR02

Multi-Purpose Citrus Cleaner & Degreaser

A powerful, multi-purpose cleaner and degreaser. It contains natural citrus solvents which penetrate deep into oils, greases, adhesive residue and dirt, allowing for quick and easy cleaning.



Ideal for a variety of hard surfaces such as plastic, metal and wood in home, office, commercial, automotive and agricultural applications.



- Natural solvents
- Interior and exterior
- Streak free & Static free

- Not suitable for use on marble, natural stone or glass

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOTTLE				
257110	1L	1	12	528 CLR02

Multi-Purpose Calcium, Lime & Rust Stain Remover

A multi-purpose cleaner and disinfectant that removes fats, soaps, limescale, algae, rust, copper stains and other contaminants from a variety of surfaces around the home and workshop.



Ideal for bathrooms, washrooms, kitchens, hand tools, garden tools, site machinery and automotive applications.


- Interior and exterior
- Concentrated
- Fast acting

- Fresh fragrance
- Chrome safe
- Environment safe

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOTTLE				
257108	1L	1	12	528 CLR02

Grout Cleaner

A powerful cleaning agent formulated for removing dirt and grime from grout. Contains buffing and deep cleaning properties to leave grout lines looking as good as new.



Ideal for all types of grout between wall tiles, floor tiles and brick.

- Interior and exterior
- Fast acting
- Removes black damp stains

- Ready to use
- Acid free
- Coloured grout safe stains

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOTTLE				
257107	1L	1	12	528 CLR02

Heavy Duty Cleaner & Degreaser

A professional degreasing solution, formulated for removing stubborn stains, scuff marks, oils and greases, in the home, garden, on site and in the workshop. It penetrates contaminants and lifts them from the surface, allowing for easy removal.



Ideal for metal, glass, plastic, painted surfaces, wood and masonry.

- Interior and exterior
- High penetration power
- Fast water solubility
- Highly dilutable

- Dissolves grease, oil, dirt, wax & glue
- Removes uncured PU foam



Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
BOTTLE				
257109	5L	1	4	160 CLR02

For Wipes,
Rags & Cloths

See page 184





Workwear, PPE & Safety

Workwear

Trousers & Shorts	209-210
Overalls	210
T-Shirts, Fleece & Hoodies	211
Jackets & Bodywarmers	211
Waterproof Clothing	212
Accessories	213

Hi-Vis Clothing

Vests, Fleece & Polo Shirts	214
Jackets	215
Trousers	215

PPE

Ear Protection	216
Knee Pads	216
Eye Protection	217-218
Safety Goggles & Face Shield	219
Safety Masks	220
Gloves	221-223
Coveralls & Shoe Covers	224

First Aid

First Aid Kits	225
Eye Care	225
Plasters	225

Cleaning

Hand Cleaners	226
Sanitisers	226
Soaps	226

Safety

Tarpaulins & Tie Downs	227
Barrier Fencing	227
Safety Signs	227
Ratchet Straps & Bungee Cords	228
Lifting Slings	228

NEW

Workwear


Craftsman Trousers

Premium work trousers, made using heavy duty breathable fabric for increased comfort with Cordura reinforced knees for added durability.

Tapered style



Reinforced seams



- Heavy duty YKK front zip fly
- Polyester & cotton blend
- Triple-stitched critical seam

Included: Reflective rear strips, D ring for personal items, adjustable hammer strap, 7 belt loops & 9 pockets.



Extra tough cordura-reinforced top entry knee pad pockets and hems for superior durability and extreme protection from scuffs, tears and abrasions.



Dark Grey

4 Way Stretch Fabric
for comfort & movement



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
CTGBK3032	W30 L32	1	20
CTGBK3232	W32 L32	1	20
CTGBK3432	W34 L32	1	20
CTGBK3632	W36 L32	1	20
CTGBK3832	W38 L32	1	20
CTGBK4032	W40 L32	1	20

WWT03

Workman Trousers & Shorts

Multi-purpose work trousers & shorts, made using breathable and reinforced fabric for extra comfort and durability.

- Robust stitching for long lasting seams
- Heavy duty & dust proof
- Breathable fabric
- Tapered style trousers for best look & fit
- Trousers feature top entry knee pad pockets
- Heavy duty YKK zip fly
- Polyester & cotton blend
- Hammer strap
- 8 pockets

Reinforced holster pockets and belt loops for improved durability & protection from scuffs, tears & abrasions.



Dark Grey

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
WTGBK3030	W30 L30	1	20
WTGBK3032	W30 L32	1	20
WTGBK3230	W32 L30	1	20
WTGBK3232	W32 L32	1	20
WTGBK3234	W32 L34	1	20
WTGBK3430	W34 L30	1	20
WTGBK3432	W34 L32	1	20
WTGBK3434	W34 L34	1	20
WTGBK3630	W36 L30	1	20
WTGBK3632	W36 L32	1	20
WTGBK3634	W36 L34	1	20
WTGBK3830	W38 L30	1	20
WTGBK3832	W38 L32	1	20

WWT02



Dark Grey

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
WSGBK30	W30	1	20
WSGBK32	W32	1	20
WSGBK34	W34	1	20
WSGBK36	W36	1	20
WSGBK38	W38	1	20
WSGBK40	W40	1	20

WWT04


Yardsman Trousers

General purpose trousers made using lightweight and sturdy fabric.


- Hard wearing fabric
- Polyester & cotton blend
- Regular fitting for a variety of jobs
- Single-stitched seams
- 5 belt loops
- Front zip fly
- Hammer strap
- Top entry knee pad pockets
- 8 pockets



Jet Black



Knee pad inserts available, sold separately - Product Code: 770301



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
YTBK3032	W30 L32	1	20
YTBK3232	W32 L32	1	20
YTBK3432	W34 L32	1	20
YTBK3632	W36 L32	1	20
YTBK3832	W38 L32	1	20
YTBK4032	W40 L32	1	20

WW701

NEW

Overalls

Workman Overalls

Premium working overalls, made using extra tough fabric with heavy duty zips and pockets. Ideal for the most demanding of working duties such as agriculture and heavy engineering.

- Wear & tear resistant material
- Polyester & cotton blend
- Reinforced elastication for comfort & mobility
- Two large back patch pockets
- Full-length nylon front zip with concealed press studs
- Two zipped chest pockets
- Reflective rear strips



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
BAG				
WOMM	M	Magnet	1	10
WOML	L	Magnet	1	10
WOMXL	XL	Magnet	1	10
WOMXXL	XXL	Magnet	1	10
WOMBM	M	Maritime Blue	1	10
WOMBL	L	Maritime Blue	1	10
WOMBXL	XL	Maritime Blue	1	10
WOMBXXL	XXL	Maritime Blue	1	10
WOGPM	M	Greener Pastures	1	10
WOGPL	L	Greener Pastures	1	10
WOGPXL	XL	Greener Pastures	1	10
WOGPXXL	XXL	Greener Pastures	1	10



Magnet



Maritime Blue

WW002

Greener Pastures

Size Guide: M (Chest: 42") / L (Chest: 46") / XL (Chest: 50") / XXL (Chest: 54")

Yardsman Overalls

General purpose lightweight and durable overalls. Ideal for light working duties such as engineering, automotive and cleaning.

- Flexible polycotton for all day comfort
- Hard wearing fabric
- Polyester & cotton blend
- Elasticated waist for full mobility
- Two open chest pockets with press studs for easy access
- Large swing pockets with high strength inner stitching
- Full length concealed press studs
- Adjustable elasticated waist



Blue




Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
YOMBM	M (Chest: 42")	1	10
YOMBL	L (Chest: 46")	1	10
YOMBXL	XL (Chest: 50")	1	10
YOMBXXL	XXL (Chest: 54")	1	10

WW001

NEW

T-shirts, Hoodies & Fleeces



Short & Long Sleeve Trade T-Shirts

Packs of 3 short or long sleeve t-shirts for a variety of work types. Made from breathable fabric for added comfort and seasonal layering.

- Classic fit & quick drying
- Hypoallergenic lightweight fabric
- Easily layered up in cooler seasons
- Pack contains mix of red, green & grey marl colours



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
SHORT SLEEVE			
TTMIXM	M (Chest: 42")	3	34
TTMIXL	L (Chest: 46")	3	34
TTMIXXL	XL (Chest: 50")	3	32
LONG SLEEVE			
LSTTMIXM	M (Chest: 42")	3	20
LSTTMIXL	L (Chest: 46")	3	20
LSTTMIXXL	XL (Chest: 50")	3	18

WWH01

Hoodies

A heavyweight hoodie with elasticated hem and cuffs for warmth and comfort. Ideal for everyday use in a variety of work environments.

- Breathable & warm fleece lining
- Elasticated hem & cuffs for added warmth
- Excellent colour retention
- Adjustable draw cord hood
- Cotton & polyester blend
- Heavy duty & durable
- 1 Kangaroo pocket

Green



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
HOODIEGM	M (Chest: 42")	1	22
HOODIEGL	L (Chest: 46")	1	22
HOODIEGXL	XL (Chest: 50")	1	20

WWH05

Half Zip Overhead Fleeces

Lightweight and tough overhead fleece with half front zip. Made from premium grade microfleece fabric for added user comfort.

- Premium grade microfleece
- Lightweight & breathable material
- Elasticated cuffs with thumb hole
- Good colour retention
- Insulation against cold
- Half-length front zip
- 100% polyester
- Bound hem

Black



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
HZOFBM	M (Chest: 42")	1	20
HZOFBL	L (Chest: 44")	1	20
HZOFBXL	XL (Chest: 48")	1	20

WWH04

NEW

Jackets & Bodywarmers


Softshell Jackets

A premium softshell jacket, giving the user protection from water, wind and cold weather. Lined with a breathable and lightweight microfleece fabric.

- 100% polyester wear resistant lining
- Adjustable hook & loop cuffs
- Reflective strips
- Drawcord hem
- Breathable & hard wearing
- 2 fleece-lined waist pockets
- Premium nylon zip


4 Way Stretch Fabric
for comfort & movement

Black & Charcoal



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
SSJ1201M	M (Chest: 44")	1	15
SSJ1201L	L (Chest: 46")	1	15
SSJ1201XL	XL (Chest: 48")	1	15

WWJ02



Padded Bodywarmers

A premium padded bodywarmer with anti-pilling microfleece lining for superior user comfort and warmth.

Black & Charcoal

- Super lightweight
- Insulation against the cold
- 4 way stretch fabric for comfort & movement
- Easy to clean & fast drying
- Hard wearing polyester fabric
- Soft lined collar
- 3 pockets



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
PB1101M	M (Chest: 46")	1	30
PB1101L	L (Chest: 48")	1	30
PB1101XL	XL (Chest: 50")	1	30

WWJ01

NEW
Waterproof Clothing



Waterproof Lined Rain Jackets

A heavy duty and lightweight lined rain jacket and hood made from tough fabric for durable and long lasting waterproofing. With a concealed back vent for increased user comfort.

- 100% waterproof
- Heavy duty
- Reflective strips
- Lightweight lining
- Two-way adjustable drawcord hood
- Turned hem & front zip
- Wind resistant adjustable cuffs
- 2 lower pockets with nylon zips

Black & Blue



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
LRJ1001M	M (Chest: 48")	1	25
LRJ1001L	L (Chest: 50")	1	25
LRJ1001XL	XL (Chest: 52")	1	25

WWR01

Rain Jacket & Trousers

Lightweight and relaxed fit 2-piece waterproof rain suit, with easy pull-on design. Made to be waterproof, windproof and breathable for all weather protection and dry working comfort.

- 100% waterproof & breathable
- Elasticated waist trousers with press stud ankle cuffs
- Maximum resistance to continuous 2K 2K Construction for 2000mm constant water exposure & breathability
- Easy to clean & stain resistant
- Zip-fastened jacket with elasticated cuffs

Compression storage pouch



Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
RJT801GM	M (Chest: 48")	1	30
RJT801GL	L (Chest: 50")	1	30
RJT801GXL	XL (Chest: 52")	1	30

WWR02



Olive Green

Waterproof Trousers

Heavy duty and lightweight waterproof trousers with elasticated waist for added user comfort.

- 100% waterproof
- Loose fit & durable fabric
- Reflective bands for visibility
- 2 open side pockets
- 100% polyester
- Non-breathable
- Press stud ankle cuffs

Grey



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
WT901M	M (Waist: 30", Leg: 32")	1	50
WT901L	L (Waist: 32", Leg: 32")	1	50
WT901XL	XL (Waist: 34", Leg: 32")	1	50

WWR03

NEW

Accessories

Work Belt

Heavy duty belt made from a woven polyester fabric blend, with a quick-release and lock buckle. One size fits all.

- Suitable for all work trousers
- Woven polyester strap
- High strength
- Cut to length



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BAG			
WBB2848	L - XL	1	50

L - XL: WAIST: 28 - 48" WWA01

Trade Socks

Premium quality socks, designed with a padded sole to give the wearer optimal comfort. The reinforced heel and toe provide abrasion resistance. Suitable for a vast majority of trades as well as for everyday use.

- Reinforced heel & toe
- Premium polywoven fabric for durability
- Shock absorption padded sole
- Fully elasticated for comfort
- Suitable for all footwear



Product Code	Size	Pack Qty (pcs)
BAG		
TSOCKL	UK 7 - 12	3

WWA03

Pro Beanie

A soft knit fabric, one size fits all beanie hat designed to be soft, warm and very comfortable. With added Thinsulate® lining for the ultimate insulation and user comfort.

- Microfleece thinsulate® inner lining
- Soft & warm acrylic
- Elasticated fit for comfort
- Deep cuff & quick drying



Product Code	Size	Pack Qty (pcs)
BAG		
BEANIE	One Size	1

WWA02

Fleece Neck Warmer

A double layered, one size fits all neck warmer, designed to give the wearer a super soft and warm feel whilst not inhibiting movement. Featuring insulated and wind resistant fabric for enhanced performance and comfort.

- Microfleece thinsulate® inner lining
- Lightweight & wind resistant
- Super soft material
- Insulated inner layer
- Elasticated fit for comfort
- Quick drying



Product Code	Size	Pack Qty (pcs)
BAG		
NWGREY	One Size	1

WWA02

Hi-Vis Clothing

The movement of machinery and vehicles in the workplace presents major risks to staff and visitors. There are more than 5,000 incidents involving transport in the workplace each year. Staying visible with the use of high visibility clothing is essential when working on construction sites and in warehouses and significantly reduces this risk.

EN ISO 20471 categorises all Hi-Vis clothing into three classes. The selection of Hi-Vis should be based on a risk assessment of the conditions and risks for a particular worker.

Certification of items into classes is based on the combined surface area of reflective materials for each item:

	Class 1	Class 2	Class 3
Reflective Tape	0.10 sqm	0.13 sqm	0.20 sqm
Fluorescent Material	0.14 sqm	0.50 sqm	0.80 sqm



Hi-Vis Class 1 – The lowest level of visibility. An example would be Hi-Vis trousers when worn separately from other High-Vis items.

Hi-Vis Class 2 – The intermediate level of visibility. An example would be a Hi-Vis sleeveless vest.

Hi-Vis Class 3 – The highest level of visibility. An example would be a Hi-Vis Jacket.

Class 3 can be achieved in two ways. Simply select an item to Class 3 such as a Parka jacket or combine items with total reflective material equal to or greater than a single Class 3 item.



Executive Vests

High visibility executive waistcoat with highly reflective panels to body and shoulders for visibility, particularly during the hours of darkness. Secure zip fastening with multiple utility pockets for ID card, mobile phone, pens and two belloved front pockets plus a radio loop D ring.

- Zipper fastening
- 50mm reflective tape on body and shoulders
- 100% knitted polyester
- Conforms to EN ISO 20471:2013+A1:2016



Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
EACH Yellow				
HVEVSML	Small	1	1	50
HVEVMED	Medium	2	1	50
HVEVLRG	Large	2	1	50
HVEVXL	X Large	2	1	50
HVEVXXL	XX Large	2	1	50
HVEV3XL	XXX Large	2	1	50
HVEV4XL	XXXX Large	2	1	50
Green				
HVVYGSML	Small	1	1	50
HVVYGMED	Medium	2	1	50
HVVYGLRG	Large	2	1	50
HVVYGXL	X Large	2	1	50
HVVYGXXL	XX Large	2	1	50
HVVYG3XL	XXX Large	2	1	50
HVVYG4XL	XXXX Large	2	1	50
Blue				
HVVYBSML	Small	1	1	50
HVVYBMED	Medium	2	1	50
HVVYBLRG	Large	2	1	50
HVVYBXL	X Large	2	1	50
HVVYBXXL	XX Large	2	1	50
HVVYB3XL	XXX Large	2	1	50
HVVYB4XL	XXXX Large	2	1	50

Vests

High visibility yellow waistcoat with highly reflective panels to body and shoulders for visibility particularly during the hours of darkness.

- Hook & loop fastening
- 50mm reflective tape on body & shoulders
- 100% knitted polyester
- Conforms to EN ISO 20471:2013+A1:2016



Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
EACH				
HVVSML	Small	1	1	50
HVVMED	Medium	2	1	50
HVVLRG	Large	2	1	50
HVXXL	X Large	2	1	50
HVXXL	XX Large	2	1	50
HV3XL	XXX Large	2	1	50
HV4XL	XXXX Large	2	1	50

Sweatshirts With Hood

Ideal for colder outdoor and dry working environments. A high visibility yellow fleece sweatshirt with reflective bands for improved visibility during the hours of darkness.

- Ribbed waist and wrists
- Fleece lined
- 50mm reflective tape on body, shoulders and arms
- Conforms to EN ISO 20471:2013+A1:2016



Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
EACH				
HVSWEATSML	Small	3	1	10
HVSWEATMED	Medium	3	1	10
HVSWEATLRG	Large	3	1	10
HVSWEATXL	X Large	3	1	10
HVSWEATXXL	XX Large	3	1	10
HVSWEAT3XL	XXX Large	3	1	10
HVSWEAT4XL	XXXX Large	3	1	10

Polo Shirts

Hardwearing and comfortable high visibility yellow polo shirt with panels that reflect light to maximise visibility, particularly during the hours of darkness.

- 50mm reflective tape
- Breathable Bird Eye fabric
- Conforms to EN ISO 20471:2013+A1:2016



Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
EACH SHORT SLEEVE				
HVSSPSML	Small	2	1	20
HVSSPMED	Medium	2	1	20
HVSSPLRG	Large	2	1	20
HVSSPXL	X Large	2	1	20
HVSSPXXL	XX Large	2	1	20
HVSSP3XL	XXX Large	2	1	20
HVSSP4XL	XXXX Large	2	1	20
LONG SLEEVE				
HVLSPSML	Small	3	1	20
HVLSPMED	Medium	3	1	20
HVLSPLRG	Large	3	1	20
HVLSPXL	X Large	3	1	20
HVLSPXXL	XX Large	3	1	20
HVLSP3XL	XXX Large	3	1	20
HVLSP4XL	XXXX Large	3	1	20

Fleeces

Ideal for colder outdoor and dry working environments, this high visibility yellow polar fleece jacket incorporates reflective bands for improved visibility during the hours of darkness.



- 50mm reflective tape on body, shoulders & arms
- Elasticated wrists
- Conforms to EN ISO 20471:2013+A1:2016

Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
EACH				
HVJJSML	Small	3	1	20
HVJJMED	Medium	3	1	20
HVJLARG	Large	3	1	20
HVJXL	X Large	3	1	20
HVJXXL	XX Large	3	1	20
HVJ3XL	XXX Large	3	1	20
HVJ4XL	XXXX Large	3	1	20

CTH04

Bomber Jackets

Bomber jacket in high visibility yellow with reflective bands for improved visibility, particularly during the hours of darkness. Waterproof hood concealed in collar and multiple utility pockets with zip and hook & loop storm flap fastening. Quilted lining and fleece cuffs for warmth and comfort.



- 50mm reflective tape on body, shoulders & arms
- Two way zippers with storm proof flap
- Hook & loop adjustable wrists
- Conforms to EN ISO 20471:2013+A1:2016
- Waterproof - conforms to EN 343:2019, protection against rain

Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
EACH				
HVJSML	Small	3	1	10
HVJMED	Medium	3	1	10
HVJLARG	Large	3	1	10
HVJXL	X Large	3	1	10
HVJXXL	XX Large	3	1	10
HVJ3XL	XXX Large	3	1	10
HVJ4XL	XXXX Large	3	1	10

CTH04

Parka Jackets

Parka jacket in high visibility yellow with reflective bands for improved visibility during the hours of darkness. Waterproof hood concealed in collar and multiple utility pockets with zip and hook & loop storm flap fastening. Longer length with quilted lining and fleece cuffs for warmth and comfort.



- 50mm reflective tape on body, shoulders & arms
- Fleece lined collar and wrist cuffs
- Zip with storm proof flap
- Hook & loop adjustable wrists
- Conforms to EN ISO 20471:2013+A1:2016
- Waterproof - conforms to EN 343:2019, protection against rain

Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
EACH				
HVPSML	Small	3	1	10
HPJMED	Medium	3	1	10
HPJLARG	Large	3	1	10
HPJXL	X Large	3	1	10
HPJXXL	XX Large	3	1	10
HPJ3XL	XXX Large	3	1	10
HPJ4XL	XXXX Large	3	1	10

CTH04

Softshell Jackets

Grey and high visibility yellow softshell weatherproof jacket with reflective bands for improved visibility, particularly in the hours of darkness. Ideal for colder outdoor working environments.

- 50mm reflective tape on body, shoulders and arms
- Hook & loop adjustable wrists
- Waterproof
- Fleece lining



Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
EACH				
HVSJSM	Small	3	1	10
HVSJMED	Medium	3	1	10
HVSJLARG	Large	3	1	10
HVSJXL	X Large	3	1	10
HVSJXXL	XX Large	3	1	10
HVSJ3XL	XXX Large	3	1	10
HVSJ4XL	XXXX Large	3	1	10

CTH04

Executive Trousers

High visibility yellow workwear trousers with reflective tape for extra visibility. Elasticated waist with zip fly. 35% cotton and 65% polyester woven fabric with two hip pockets and two additional utility thigh pockets.



- 50mm reflective tape round both legs
- Elasticated waistband with belt loops
- Zip fly with button
- 2x hip pockets and 2x thigh pockets
- Conforms to EN ISO 20471:2013+A1:2016



Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
EACH				
HVTRSMED	Medium	1	1	20
HVTRSLRG	Large	1	1	20
HVTRSXL	X Large	1	1	20
HVTRSXXL	XX Large	1	1	20
HVTRS3XL	XXX Large	1	1	20

CTH05

Elasticated Waist Trousers

High visibility yellow waterproof over trousers with reflective tape for extra visibility. 100% Polyester.



- 50mm reflective tape round both legs
- Pocket slits to allow easy access to wearers trouser pockets
- Conforms to EN ISO 20471:2013+A1:2016
- Waterproof - conforms to EN 343:2019, protection against rain
- Elasticated waistband

Product Code	Size	Hi-Vis Class	Pack Qty (pcs)	Carton Qty (packs)
EACH				
HVETSMED	Medium	1	1	20
HVETSLRG	Large	1	1	20
HVETRSXL	X Large	1	1	20
HVETRSXXL	XX Large	1	1	20
HVETRS3XL	XXX Large	1	1	20

CTH05

Ear Protection

The ear protector chosen should provide enough attenuation to protect your hearing but consideration should also be given to it's compatibility with other items of PPE being worn such as safety glasses.

Attenuation is the process of losing noise energy and it is the attenuation data that should be examined when selecting appropriate ear defenders.

The Single Number Rating or SNR value can be used to compare the level of noise attenuation offered by different hearing protectors.

The higher the SNR, the higher the level of noise attenuation or protection is provided by the hearing protection.

To determine acoustic pressure on your ears, subtract the SNR value from the average noise level that has been measured during the risk assessment. For example:

TIMCO's foldable ear defenders (770390) have a SNR of 30.4 dB.

Warning: Reducing sound to a lower level than normal talking may be a safety risk.



Note: This graph is meant as a guide only.

Ear Defenders

Foldable Ear Defenders



SNR 30.4 dB Noise level reduction

CE Approved to EN 352-1:2002

Ideal for long comfortable use in medium sound environments.

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
BLISTER PACK			
770390	One Size	1	6

EAR02

Ear Defenders



SNR 27.6 dB Noise level reduction

CE Approved to EN 352-1:2002

An economic cupped ear defender, ideal for periodical wear when in low sound environments.

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
BAG			
770111	One Size	1	10

EAR02

Disposable PU Ear Plugs

Tapered body for easy and precise fit. Slow expansion ensures consistent performance and comfortable fit.



SNR 34.0 dB Noise level reduction

CE Approved to EN 552-1:2002

Product Code	Size	Pack Type	Pack Qty (pairs)	Carton Qty (packs)
PACK / JAR / BOX				
770191	One Size	Pack	5	50
770867	One Size	Jar	50	48
770049	One Size	Box	200	10

EAR01

Knee Pads

Professional Knee Pads



These Professional knee pads mould around your knees to give ultimate protection and comfort for long periods of time.



CE Approved EN 14404:2004 Type 1

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
BOX			
770789	One Size	1	15

KNE01

Knee Pads



These knee pads mould around your knees to give ultimate protection and comfort for long periods of time.



CE Approved EN 14404:2004 Type 1

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
BOX			
770456	One Size	1	16

KNE01

Knee Pad Inserts



Durable foam knee pad inserts for standard pocketed trousers and overalls.



CE Approved EN 14404:2004 Type 1

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770301	One Size	1	20

KNE01

Eye Protection

Safety eyewear is an important form of PPE that protects one of the most important yet exposed parts of the body. Understandably, the European Standards covering eye protection are some of the most comprehensive of all those dealing with any item of PPE.

It's important that the user considers the environment and level of risks involved before selecting the correct eyewear item.

To assist with the selection, all PPE is required to be marked with the specification of its standard, with lettering/numbering acting as an indication of capability.

In accordance with TIMCO's quality standards we only supply glasses with the highest class 1 optical quality lenses. Meaning that there is no optical distortion and they are suitable for long periods of wear.

Example of code on lens

CE 2C - 1.2 1 F



	Radiation Protection EN 170 / EN 172	Light Transmission	Optical Quality (Class)	Mechanical Strength EN 166
2	UV Protection (EN170). The number 2 indicates the filter may effect colour recognition.	1.2 74.4% – 100%	1 High quality for regular use.	B Medium energy impact. Resists a 6mm/0.86g ball travelling at 120m/s.
2C or 3	UV Protection (EN170). The number 2C (previously 3) indicates the filter allows good colour recognition.	1.7 43.2% – 58.1%		2 Medium quality for occasional use.
5	Solar Protection (EN172). i.e. 100% UV sun glare protection with no infrared (IR) protection.	2.5 17.8% – 29.1%	3 Low quality for rare use.	
6	Solar Protection (EN172). i.e. 100% UV sun glare protection with infrared (IR) protection.	3.1 8.0% – 17.8%		N Resistance to lens fogging. Often referred to as Anti-fog or Anti-mist.
				T Resistance to high speed particles at extremes of temperature, -5°C to +55°C (can be seen in conjunction with F and B).

EN 170 : Ultraviolet (UV) Filters
EN 172 : Solar radiation filters

Premium & Sports Style Safety Glasses

Sports Style Safety Glasses with Foam Dust Guard - Full Frame



A designer pair of safety glasses built for strength, comfort and flexibility. The unique detachable foam gasket around the frame reduces the risk of dust, dirt and liquid ingress whilst providing additional comfort to the user. The soft rubber lining on the arms and around the nose give extra comfort and grip around the ears, temple and nose when worn for long periods.



Optical Class 1 Grade F Lens UV Protection	CE Approved EN 166 F EN 170	Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
		BOX			
		770123	Clear	1	12 EYE01

Sports Style Safety Glasses with Adjustable Temples - Full Frame



A designer pair of safety glasses built for strength and comfort. The soft rubber dual function adjustable arms and temples guarantee optimal fit and comfort on all head shapes and sizes. The rubber nose piece gives added comfort in all conditions around the bridge of the nose.



Optical Class 1 Grade F Lens UV Protection	CE Approved EN 166 F EN 170	Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
		BOX			
		770401	Clear	1	12 EYE01

Premium Safety Glasses - Half Frame



Robust and modern safety glasses giving ultimate comfort and vision on all head shapes and sizes. The soft rubber lining on the arms and around the nose give extra comfort and grip around the ears, temple and nose when worn for long periods. The clear lenses provide excellent visibility and are treated with an advanced micro coating to prevent scratches.



Optical Class 1 Grade F Lens UV Protection	CE Approved EN 166 F EN 170	Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
		BAG			
		770379	Clear	1	12 EYE01

Slimfit Safety Glasses - Full Clear Frame



Modern slim fit safety glasses with additional side protection. Ergonomically designed to give ultimate comfort and protection on all head shapes and sizes. The soft rubber lining on the arms and around the nose give extra comfort and grip around the ears, temple and nose when worn for long periods. The clear lenses provide excellent visibility and are treated with an advanced micro coating to prevent scratches.



Optical Class 1 Grade F Lens UV Protection	CE Approved EN 166 F EN 170	Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
		BAG			
		770505	Clear	1	12 EYE01

Safety Glasses




Clear Lens
For most applications conducted in normal light conditions.

Amber Lens
For brighter vision and improved contrast when working in poor light or overcast weather.

Smoke Lens
For bright light or sunny conditions to maintain vision but protect the eyes from sun glare.

Comfort Safety Glasses



Lightweight safety glasses with soft overmold to arms giving extra comfort and grip around the ears and temples when worn for long periods. Available in three lens types to suit varying light conditions of indoor and outdoor workplace environments. Treated with an advanced coating to prevent scratches.




Optical Class 1
Grade F Lens
UV Protection

CE Approved
EN 166 F
EN 170 / EN 172 (Smoke Lens)

Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
BAG			
770999	Clear	1	12
770010	Amber	1	12
770618	Smoke	1	12

EYE01

Standard Safety Glasses



Lightweight economic safety glasses designed to be comfortable and secure. Available in three lens types to suit varying light conditions of indoor and outdoor workplace environments. Treated with an advanced coating to prevent scratches.



Optical Class 1
Grade F Lens
UV Protection


CE Approved
EN 166 F
EN 170 / EN 172 (Smoke Lens)

Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
BAG			
770023	Clear	1	12
770340	Amber	1	12
770800	Smoke	1	12

EYE01

Overspecs

Slimfit Overspecs



Comfortable overspec glasses to provide a low profile solution when used with spectacles. The arms are extremely flexible and the soft rubber lining gives extra comfort and grip around the ears and temples when worn for long periods. Treated with an advanced micro coating to prevent scratches.



Optical Class 1
Grade F Lens
UV Protection


CE Approved
EN 166 F
EN 170



Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
BAG			
770753	Clear	1	10

EYE01

Overspecs



An economic overspec designed to give front and side eye protection. Ideal for short term usage such as visiting factories and workshops. Can also be worn as standard safety glasses. Side vented to reduce mist build-up and the curved arms give increased comfort.



Optical Class 1
Grade F Lens
UV Protection

CE Approved
EN 166 F
EN 170



Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
BAG			
770159	Clear	1	12

EYE01

Wraparound Safety Glasses



Lightweight wraparound glasses designed to give enhanced peripheral vision whilst also increasing side protection. The arms are adjustable to accommodate all head sizes and the lenses are treated with an advanced coating to prevent scratches.



Optical Class 1
Grade F Lens
UV Protection

CE Approved
EN 166 F
EN 170



Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
BAG			
770571	Clear	1	12


EYE01

Safety Goggles & Face Shield



Safety Goggles

Sport Style Safety Goggles




A low profile high end pair of goggles, designed to ensure the user has consistent performance for long periods of wear. The extra soft rubber gasket moulds around the face to give extreme comfort and ultimate protection from liquids, vapours, chemicals and dust. The curved single piece shock and impact resistant lens maximises peripheral vision.



Optical Class 1
Grade B KN Lenses
UV Protection

CE Approved
EN 166 3 4 B (Frame)
EN 166/EN170 (Lens)




Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
770963	Clear	1	6

BOX

EYE02

Premium Safety Goggles



A slim line mid range goggle designed to protect the eyes from impact, dust, chemicals, paints and liquids.

The low profile design ensure consistent comfort around the face when worn for long periods of time. The extra wide adjustable head strap gives additional comfortable around the head and prevents the goggles from slipping when used with a safety helmet or bump cap.



Optical Class 1
Grade BT Lens
UV Protection

CE Approved
EN 166 F (Frame)
EN 166 3 4 BT/EN 170 (Lens)




Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
770258	Clear	1	10

BAG

EYE02

Safety Goggles



An economic goggle designed to protect the eyes from impact, dust and liquids. Ideal for short term usage such as sanding, spraying and cleaning. The indirect vents will prevent mist build-up and liquid ingress.



Optical Class 1
Grade F Lens
UV Protection

CE Approved
EN 166 F (Frame)
EN 166 1 F / EN 170 (Lens)



Product Code	Lens Colour	Pack Qty (pcs)	Carton Qty (packs)
770147	Clear	1	10

BAG

EYE02

Face Shield



Lightweight flip-up detachable full face visor with an integral brow guard. Sold with an adjustable head harness to fit all head shapes and sizes.

• CE Approved to EN 166 3 B

Optical Class 1
Grade B Shield

CE Approved
EN 166 3 B

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
770654	One Size	1	24

BAG

FCV01
219

Safety Masks

Our range of dust masks provide clean and safe air when working in potentially hazardous conditions. Designed using the very latest technology in filtration material, the masks prevent harmful particles passing through.

Often an essential requirement of certain workplaces, all TIMCO masks are fitted with easy-breath exhalation valves and there are various filter protection levels in the range. FFP3 - Highest Level FFP2 - Moderate Level



FFP3 Masks With Valves

Assigned Protection Factor (APF): 20
Equivalent to 99% Filter efficiency.


CE Approved to EN149

Protects against medium to high levels of dust from home repair, woodworking, construction or water based mist.

Moulded

Contoured design ensures compatibility with glasses / goggles

Adjustable latex free elasticated straps



Exhalation valve reduces heat and moisture build-up

Polypropylene outer layer for a smooth comfortable lining without loose fibres

A medium to high protection moulded mask with a 360° full face soft band for optimum comfort, fit and breathing.

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOX			
770525	One Size	5	20
BAG			
770120	One Size	3	50 FCV02

Max Comfort | 360° enhanced full face band

FFP2 Masks With Valves

Assigned Protection Factor (APF): 10
Equivalent to 94% Filter efficiency.


CE Approved to EN149

Protects against low to medium levels of dust from home repair or water based mist.

Moulded

Contoured design ensures compatibility with glasses / goggles

Latex free elasticated straps



Exhalation valve reduces heat and moisture build-up

Polypropylene outer layer for a smooth comfortable lining without loose fibres

A low to medium protection moulded mask with an enhanced soft nose band for improved comfort, fit and breathing.

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOX			
770359	One Size	10	20
BAG			
770045	One Size	3	50 - FCV02

Max Comfort | Enhanced nose band

Fold Flat



Exhalation valve reduces heat and moisture build-up

Latex free elasticated straps



A medium to high protection folding mask for comfort, fit and breathing. Foldable for convenience.

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOX			
770834	One Size	10	20
BAG			
770008	One Size	3	50 FCV02

Max Comfort | Soft foam nose band for comfort

Fold Flat



Exhalation valve reduces heat and moisture build-up

Latex free elasticated straps



A low to medium protection folding mask with a soft nose band for improved comfort, fit and breathing. Foldable for convenience.

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOX			
770919	One Size	10	20
BAG			
770737	One Size	3	50 FCV02

Max Comfort | Soft foam nose band for comfort

Gloves

A comprehensive range of work gloves designed for the toughest and harshest year-round domestic, work site and commercial environments.

Constructed from a variety of innovative materials, the TIMCO safety glove range has been designed to cover multiple environments and applications where there is risk of serious injury such as cuts, abrasion and splinters. Used to provide general comfort and cushioning when regularly handling rough or heavy materials, gloves will enhance grip on hand held equipment to ensure a safe, smooth control and operation of machinery and tools.

Coloured size guide:*



*not including impact gloves

All TIMCO's gloves are CE approved

CE CAT II - Intermediate Risk
EN388 EN ISO 21420

Glove rating key:

0 = Abrasion Rating 0-4
0 = Cut Rating 0-5
0 = Tear Rating 0-4
0 = Puncture Rating 0-4
X Rating A-F



Impact Cut Gloves

Sandy Nitrile Coated HPPE Fibre and Glass Fibre Gloves with TPR Pads

High Performance Polyethylene

TPR (thermo plastic rubber) pads for back of hand and finger protection



Reinforced crotch to thumb and index finger

Padded palm area

Extended cuff for wrist protection

Designed to combat hand and finger injuries specifically in industries with high risk of crushing impact hazards. Fitted with strategically placed TPR segments to help prevent damage to back of hand and fingers. Cut resistant liner and longer, fastening cuffs for wrist protection and comfort.

4 = Abrasion
X = Cut
4 = Tear
2 = Puncture
C = EN ISO 13997
P = Impact Protection



Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770945	Medium	1	12
770036	Large	1	12
770007	X Large	1	12

GL008

High Cut Gloves

PU Coated HPPE Fibre with Glass Fibre Gloves

High anti cut protection level C

Excellent Grip



Elasticated knitted cuffs for comfort

Seamless liner with breathable back

Provides a high level of cut and puncture resistance whilst giving excellent grip. Ideal for environments where there is a high risk of cut and puncture.



4 = Abrasion
X = Cut
4 = Tear
2 = Puncture
C = EN ISO 13997

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770885	Medium	1	12
770745	Large	1	12
770228	X Large	1	12

GL008

Medium Cut Gloves

PU Coated HPPE Fibre with Glass Fibre Gloves

Medium anti cut protection level B

Excellent Grip



Elasticated knitted cuffs for comfort

Seamless liner with breathable back

Provides a medium level of cut and puncture resistance whilst giving excellent grip and dexterity. Ideal for environments where there is a medium risk of cut and puncture.



4 = Abrasion
X = Cut
4 = Tear
2 = Puncture
B = EN ISO 13997

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770209	Medium	1	12
770040	Large	1	12
770715	X Large	1	12

GL008

Light Grip Gloves

Crinkle Latex Coated Polyester Gloves

Crinkle textured coating for strong grip

Tight fit for dexterity



Elasticated knitted cuffs for comfort

Seamless liner with breathable back

A strong general purpose glove with excellent grip and durability. Tight fitting for improved dexterity.



2 = Abrasion
1 = Cut
3 = Tear
1 = Puncture

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770852	Medium	1	12
770164	Large	1	12
770746	X Large	1	12

GL002

Toughlight Grip Gloves

Sandy Latex Coated Polyester Gloves

Sandy textured latex coating for high anti-slip

Ergonomic fit for high dexterity



Elasticated knitted cuffs for secure fit

Multi-Pack Available

NEW

A highly flexible and extremely comfortable glove. Excellent breathability with good grip and anti-slip properties.



2 = Abrasion
1 = Cut
3 = Tear
1 = Puncture

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770558	Medium	1	12
770847	Large	1	12
770347	X Large	1	12
MULTI-PACK			
770112	Large	12	10
770064	X Large	12	10

GL003

Secure Grip Gloves

Smooth Nitrile Foam Coated Polyester Gloves

Smooth textured nitrile foam coating for a secure grip in wet

Lightweight design



Elasticated knitted cuffs for comfort

Seamless liner with breathable back

Multi-Pack Available

NEW

Designed to give excellent grip. A supple, lightweight glove giving a secure grip in wet, dry & oily conditions whilst not impeding dexterity.



4 = Abrasion
1 = Cut
2 = Tear
1 = Puncture

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770846	Medium	1	12
770716	Large	1	12
770944	X Large	1	12
MULTI-PACK			
770700	Large	12	10
770864	X Large	12	10

GL007

Durable Grip Gloves

PU Coated Polyester Gloves

Excellent dexterity for precise or delicate work

Lightweight ergonomic design



Elasticated knitted cuffs for comfort

Seamless liner with breathable back

Multi-Pack Available

NEW

Designed for precision work. This tough, tight fitting and durable glove is ideal when handling small components.



3 = Abrasion
1 = Cut
3 = Tear
1 = Puncture

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770249	Medium	1	12
770736	Large	1	12
770649	X Large	1	12
MULTI-PACK			
770324	Large	12	10
770718	X Large	12	10

GL006

Eco-Grip Gloves

Crinkle Latex Coated Polycotton Gloves

Crinkle textured coating for a strong grip

Seamless liner with breathable back



Elasticated knitted cuffs for comfort

Multi-Pack Available

An economic general use glove with good grip ideal for construction, manufacturing, landscaping, warehousing, farming and many more.

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770226	Medium	1	12
770194	Large	1	12
770667	X Large	1	12
MULTI-PACK			
770583	Medium	12	10
770189	Large	12	10
770524	X Large	12	10

GL001



2 = Abrasion
1 = Cut
2 = Tear
1 = Puncture

Warm Grip Gloves

Crinkle Latex Coated Polyester Gloves

Crinkle textured coating for a strong grip

Ideal for outdoor or cold temperatures



Elasticated knitted cuffs for comfort

Seamless liner with breathable back

Strong general purpose glove with excellent thermal insulation, durability and grip. Ideal for the colder months or in temperature controlled warehouses.

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770826	Medium	1	12
770496	Large	1	12
770766	X Large	1	12

GL005



2 = Abrasion
1 = Cut
3 = Tear
1 = Puncture

Waterproof Grip Gloves

Sandy Nitrile Foam Coated Polyester Gloves

Sandy textured nitrile foam coating for secure grip in wet

All season use



Elasticated knitted cuffs for comfort

Double dip process for full hand water resistance

A waterproof, flexible and durable glove designed to grip most surfaces when wet. Ideal when working outdoors or in damp environments.



4 = Abrasion
1 = Cut
2 = Tear
1 = Puncture

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770446	Medium	1	12
770775	Large	1	12
770485	XLarge	1	12

GL004

PVC Grip Gloves

PVC Coated Cotton Interlock Gloves

Fully waterproof up to wrist

Cotton liner for comfort



Elasticated knitted cuffs for comfort

Designed to resist water, most liquids and oils

Fully waterproof glove, up to the wrist with a soft cotton knit for comfort and excellent protection against a range of substances, chemicals and oils.



3 = Abrasion
1 = Cut
2 = Tear
1 = Puncture

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770690	XLarge	1	12

GL009

Aqua Thermal Grip Gloves

Sandy Latex Coated Polyester Gloves

Ideal for cold & wet outdoor use

Excellent thermal insulation



NEW

Elasticated knitted cuffs for comfort

Full hand waterproof coating

Polyester and acrylic napping brushed double thermal liner with full hand-dipped orange latex. Excellent grip and comfort.

CE Approved
EN 388
EN511 & EN ISO 21420

2 = Abrasion
2 = Cut
4 = Tear
2 = Puncture

X = Convective
2 = Contact
1 = Water permeability



Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770673	Medium	1	12
770204	Large	1	12
770747	XLarge	1	12

GL012

PVC Gauntlets

PVC Coated Cotton Interlock Gloves

Fully waterproof



High abrasion resistance

Designed to resist water, most liquids and oils

Fully waterproof glove, excellent protection against a range of substances, chemicals and oils.



3 = Abrasion
1 = Cut
2 = Tear
1 = Puncture

Product Code	Size	Pack Qty (pairs)	Carton Qty (packs)
PACK			
770333	XLarge	1	12

GL009

Diamond Textured Extra Strength Nitrile Gloves

Full palm and finger diamond texture for optimal grip

Powder & latex free



NEW

Industrial strength

High dexterity

Extra strength disposable nitrile gloves with diamond texture grip. Ideal for industrial and engineering work when handling components covered with oils, paints, dirt and grime.

CE Approved
EN 388 / EN 374

**UK
CA
0321**



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOX			
770728	Medium	50	10
770394	Large	50	10
770808	XLarge	50	10

GL010

Nitrile Gloves

Industrial grade (Non-medical)

Textured fingertips for enhanced grip

Powder & latex free

High dexterity



**CE
2777**

EN ISO 374-5:2016

EN ISO 374-1:2016 +A1: 2008/Type C


Strong and economical, these disposable nitrile gloves are ideal for light work when handling certain chemicals, oils, paints, dirt and grime. Also provides protection against bacteria, fungi, viruses & liquids.



Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOX			
770009	Medium	100	10
770691	Large	100	10
770118	XLarge	100	10

GL010

Coveralls




Cat III Type 5 / 6 Coveralls

A Cat 3 Type 5/6 SMS protective disposable coverall with hood gives ultimate protection against substances such as vapours, asbestos, paint, dust, spray and splatter.



- Head to ankle protection
- Two way zip
- Tape seal over zip
- Latex & silicone free
- Elasticated hood and cuffs (hands & ankles)

SMS triple layer fabric for enhanced protection



CE 0624

Type 5:
EN ISO 13982 - 1
Particulate Protection

Class 1:
EN 1073 - 2
Barrier to radioactive particulates

Type 6:
EN 13034
Protective clothing against liquid chemicals

EN 1149-5:2018
Electrostatic Properties

Product Code	Size	Height (inch)	Chest (inch)	Pack Qty (pcs)	Carton Qty (packs)
EACH					
770244	Medium	5'6" - 5'9"	36 - 39"	1	50
770633	Large	5'8" - 6'0"	39 - 43"	1	50
770094	X Large	5'11" - 6'2"	43 - 46"	1	50
770642	XX Large	6'1" - 6'4"	46 - 49"	1	50
770229	XXX Large	6'3" - 6'7"	49 - 52"	1	50

COV01



General Purpose Coveralls

A lightweight polypropylene coverall with hood to protect against low risk substances such as paints, dust, sprays and splatters.



- Elasticated, hood, cuffs and ankles ensure a tight seal to prevent ingress
- Lightweight polypropylene protection
- Protects against: paints, dust, sprays and splatter



Product Code	Size	Height (inch)	Chest (inch)	Pack Qty (pcs)	Carton Qty (packs)
EACH					
770334	Medium	5'6" - 5'9"	36 - 39"	1	50
770582	Large	5'8" - 6'0"	39 - 43"	1	50
770167	X Large	5'11" - 6'2"	43 - 46"	1	50
770705	XX Large	6'1" - 6'4"	46 - 49"	1	50
770836	Large	6'3" - 6'7"	49 - 52"	1	50

COV01

Shoe Covers



Shoe Covers

Industrial grade (Non-medical)

Breathable and elasticated ankle

Reusable

Hard wearing waterproof shoe cover

Textured sole for extra grip on slippery surfaces

A hard wearing waterproof shoe cover with a breathable and elasticated ankle. Ideal for tradesmen who need to keep footwear on for safety reasons whilst working indoors but want to help keep customers' homes clean and dry. Textured sole for extra grip on slippery surfaces. Suitable for shoe sizes UK5 - UK12.

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
BAG				
770755	UK 5-12	Blue	40	800

COV02

First Aid



1 Aura Box =
up to 30 recycled
plastic bottles



**100% OF AN AURA BOX
IS MADE FROM
RECYCLED PLASTIC**

BS Workplace First Aid Kit



BS8599-1 is the first new standard for statutory First Aid Kits in the workplace since 1997. These kits reflect the changes in both workplace practice and risks, making them demonstrably more 'fit for purpose' in today's environment, when compared to the old HSE kits. Durable and stylish polypropylene case. Wall mountable with integrated bracket.

LOW RISK (eg. shops, offices)		HIGH RISK (eg. construction sites, workshops)	
Small	Less than 25 people	Small	Less than 5 people
Medium	25 - 100 people	Medium	2 - 25 people
Large	1 kit per 100 people	Large	1 kit per 25 people

Product Code	Description	Carton Qty (packs)
CASE		
MED330	Small Workplace First Aid Kit	10
MED343	Medium Workplace First Aid Kit	10
MED348	Large Workplace First Aid Kit	5

FAD01

HSE Workplace First Aid Kit



Content based on 1997 Approved Code of Practice. Durable polypropylene box with green safety clips, integrated carry handle, and a secure airtight lid provides protection from dust and water.

Product Code	Description	Carton Qty (packs)
CASE		
MED112	10 Person Workplace First Aid Kit	10
MED113	20 Person Workplace First Aid Kit	10
MED114	50 Person Workplace First Aid Kit	5

FAD01

Eye Care

Deluxe eye wash station with eye pods and insert. Durable and stylish polypropylene case. Wall mountable with integrated bracket. Fast and effective treatment. Meets current HSE regulations.



Product Code	Description	Carton Qty (packs)
CASE		
MED904	Deluxe Eye Wash Station	10
BOTTLE / BOX		
MED900	Saline Eye Wash - Bottle of 500ml	10
MED901	Eye Wash Pods 20ml - Box of 25	10

FAD01

Heavy Bleed & Burns Kit

Specifically designed to provide rapid and effective treatment to the kind of serious injuries tradespeople may face on site. Includes a major bleed trauma dressing and sterile burn dressings. Durable and stylish polypropylene case. Wall mountable with integrated bracket.



Product Code	Description	Carton Qty (packs)
CASE		
MEDX050	Heavy Bleed & Burns Kit	10

FAD01

Car & Van First Aid Kit

Components have been specifically selected for ease of use and for coping with minor road traffic accident injuries without the need for training and during the critical period prior to the arrival of emergency services.



Contained in a convenient soft zip bag, this kit should be considered as essential in every car, taxi, van and truck.

Product Code	Description	Carton Qty (packs)
BAG		
MED3014	Car and Van First Aid Kit	10

FAD01

Note: Max. 8 passengers

Accident Book



A mandatory requirement for the workplace. These data protection compliant accident books have clear instructions on use and guidance for record keeping included.

Product Code	Description	Number of pages	Pack Qty (pcs)	Carton Qty (Packs)
PACK				
MED999	Accident Book	40	5	7

FAD01

Plasters

Handy packs of washproof, fabric and heavyweight fabric plasters with stretch and cushioning for maximum comfort and protection. Individually wrapped and sterile.

Washproof Plasters



Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
MED536	100	10

FAD01

Fabric Plasters



Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
MED516	100	10

FAD01

Heavyweight Fabric Plasters



Product Code	Pack Qty (pcs)	Carton Qty (packs)
BOX		
MED2210	100	5

FAD01

Hand Cleaners, Sanitisers & Soaps



Extra Heavy Duty Hand Cleaners



Formulated to remove the most stubborn oils, greases, paints, diesel, adhesive residue and general dirt and grime. Ideal for: Workshops, construction sites, agriculture, engineers, plumbers, landscapers and more.

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOTTLE			
432000	500ml	1	30
432022	4L	1	4
PUMP BOTTLE			
432011	4L	1	4

HCL01

- Superior cleaning performance
- Pumice scrub
- Moisturising additives
- Orange citrus fragrance
- 100% solvent free

Heavy Duty Hand Cleaners



Formulated to remove general dirt and grime, light oils, adhesive residue, paint and more. With added walnut scrub to reduce skin irritation after frequent use. Contains natural citrus oil and moisturisers to leave the skin feeling clean, fresh and smooth.

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOTTLE			
432033	500ml	1	30
432055	4L	1	4
PUMP BOTTLE			
432044	4L	1	4

HCL01

- Superior cleaning performance
- Walnut scrub
- Moisturising additives
- Lime fragrance
- 100% solvent free

Alcohol Hand Sanitiser

Alcohol-based hand sanitiser which rapidly kills, protects and stops the spread of germs, bacteria and viruses, including E-coli, Salmonella, Tuberculosis, Influenza, SARS, Rhinoviruses, Coronaviruses and more.



- Quick drying
- Moisturises and doesn't dry skin out like iso-propanol based sanitisers.
- Contains 62% premium grade alcohol which conforms to BS EN standards
- Suitable for food preparation and healthcare applications

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
PUMP BOTTLE			
432066	500ml	1	20

HCL02

Hospital Grade Anti-Bacterial Hand Soap

Hospital grade, water-based hand cleaner with both anti-bacterial and anti-microbial properties. Quickly kills viruses, germs and bacteria such as MRSA, C-difficile, E-coli, Salmonella and Listeria. The gentle, foaming agents help to lift contaminants and leave the hands feeling fresh and clean.



- Hospital grade
- BS EN certified
- Medically certified

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
PUMP BOTTLE			
432088	500ml	1	12

HCL02

Active Hands Luxury Soap

A pearlised hand cleaner suitable for all general-purpose cleaning and washroom use. The premium water blended formula gently removes dirt, grime and kills germs while leaving hands and skin smelling fresh and clean. Non-ionic surfactants help remove dirt and oil easily without forming a 'soap scum' in hard water.



- Petroleum and solvent free
- Fragrant
- Gentle on hands and skin

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
PUMP BOTTLE			
432099	500ml	1	12

HCL02

Active Hands Cream

A multi-purpose alcohol free sanitiser, moisturiser and barrier cream for use in the workplace. The moisturising formula will protect skin from cracking and damage, leaving it feeling soft and refreshed, whilst its anti-bacterial properties kill germs and stop the spread of bacteria for up to two hours.



- Quick drying
- Non-greasy
- Suitable for food preparation and healthcare applications

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
PUMP BOTTLE			
432077	250ml	1	12

HCL02

Tarpaulin & Tie Downs



Light & Heavy Duty Tarpaulins

Great for convenient covering of outdoor equipment and materials to protect from the elements.



Light Duty

Heavy Duty

- UV Treated for extended use outdoors
- Reinforced hem with polypropylene fibre rope
- Rust proof aluminium eyelets

Product Code	Size (m)	Mesh/Weave Count	Weight (gsm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
PACK HEAVY DUTY						
TTH23	2x3	14x14	180+	1	18	450
TTH45	4x5	14x14	180+	1	5	125
TTH58	5x8	14x14	180+	1	2	50
PACK LIGHT DUTY						
TTL23	2x3	8x8	80	1	40	1000
TTL45	4x5	8x8	80	1	12	300
TTL58	5x8	8x8	80	1	6	150

PRO11

Tarpaulin Tie Down Clips



Provide instant anchor points when using bungee cords, guylines, tie downs or rope to secure tarpaulins, canopies and covers. Aggressive teeth bite and hold without damaging material.

Product Code	Length (mm)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG				
TTC10	80	40	10	50

PRO15

Tarp Tie Down Bungee Balls



Multiple uses including; securing tarpaulins over frames such as market stalls, boat and vehicle covers, trampoline surrounds and covers. Can also be looped around items for bundling.

Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
TTB10	230	10	50

PRO15

Safety



Barrier Fencing & Pins



Temporary fencing made from a durable, weatherproof and reusable plastic. Suitable for cordoning off restricted areas.

The barrier fencing pin is frequently used with barrier fencing, warning tape or rope to fence off building work and other 'off-limit' areas on site. Zinc plated pins for corrosion resistance.

Product Code	Colour	Length (m)	Height (m)	Dia (mm)	Pack Qty (pcs)	Carton Qty (packs)
BARRIER FENCING						
PACK						
775248	Orange	50	1	-	1	20
775123	Green	50	1	-	1	20
PIN BOX						
775685	-	-	1.2	10	10	10

PRO13

PRO14

A-Frame Safety Signs

Light weight safety signs with double-sided printing, for temporary marking of potential hazards in the workplace or in public areas. Foldable for storage.

Size H x W x D (mm) - 610 x 300 x 30



Product Code	Type	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BAG				
747321	Cleaning in Progress	1	20	80
747015	Slippery Surface	1	20	80
747987	Trip Hazard	1	20	80
747654	Wet Paint	1	20	80
747159	Work in Progress	1	20	80
747753	Wet Floor	1	20	80
747852	Keep Out	1	20	80
747246	Hazardous Area	1	20	80

SHS01

Fire Door Signs

NEW

Fire door signage to communicate information about fire doors. Legal requirement for all business buildings with fire doors. Screw fix for quick installation.



- Face fixing
- Fixings included
- Satin Anodised Aluminium



Product Code	Type	Pack Qty (pcs)	Carton Qty (packs)
BAG			
725109BX	Keep Locked	1	50
725135BX	Keep Shut	1	50
TIMPAC			
725109	Keep Locked	1	10
725135	Keep Shut	1	10

BSA08

Straps, Slings & Bungee Cords



Ratchet Straps & Tie Down

Cam Buckle Tie Down



Ideal for quickly securing light loads during transit or storage.

Tested to EN 12195-2

122 KG

Product Code	W x L (mm x m)	Break Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	----------------	---------------------	----------------	--------------------

PACK				
Working Load 122kg				
5CBTD2	25 x 5	245	2	40
PAD10				

Standard Duty Strap



Ideal for quickly securing light loads during transit or storage.

Tested to EN 12195-2

250/350KG

Product Code	W x L (mm x m)	Break Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	----------------	---------------------	----------------	--------------------

PACK				
S Hook - Working Load 250kg				
5RS2S	25 x 5	500	2	10
5RS4S	25 x 5	500	4	5
J Hook - Working Load 350kg				
5RS2J	25 x 5	700	2	10
PAD09				

Endless Strap



Ideal for securing light duty loads during transit or storage. Endless design without hooks.

Tested to EN 12195-2

500 KG

Product Code	W x L (mm x m)	Break Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	----------------	---------------------	----------------	--------------------

PACK				
Working Load 500kg				
5RSNH	25 x 5	1000	2	10
PAD09				

Commercial Duty Strap



Ideal for quickly securing medium loads during transit or storage.

Tested to EN 12195-2

1000 KG

Product Code	W x L (mm x m)	Break Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	----------------	---------------------	----------------	--------------------

PACK				
J Hook - Working Load 1000kg				
6RS2J	35 x 6	2000	2	5
PAD09				

Heavy Duty Strap



Ideal for quickly securing heavy loads during transit or storage.

Tested to EN 12195-2

2500 KG

Ideal for quickly securing heavy loads during transit or storage.

Tested to EN 12195-2

Product Code	W x L (mm x m)	Break Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	----------------	---------------------	----------------	--------------------

PACK				
J Hook - Working Load 2500kg				
5RS1J	50 x 5	5000	1	6
10RS1J	50 x 10	5000	1	5
15RS1J	50 x 15	5000	1	4
PAD09				

Lifting Slings

2 Tonne Lifting Sling



2000 KG

High quality durable flat lifting slings designed for the safe moving of heavy loads on site. Double stitched duplex layer for maximum durability with reinforced becket eye to ensure strength and longevity. Lightweight for ease of use.

Conforms to current regulations for safe and reliable use on site.

Product Code	Width x Length (mm x m)	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------------------	----------------	--------------------

PACK			
Working Load 2000kg			
723485	60 x 2	1	16
723413	60 x 3	1	12
PAD12			

3 Tonne Lifting Sling



3000 KG



EN 1492-1

Product Code	Width x Length (mm x m)	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------------------	----------------	--------------------

PACK			
Working Load 3000kg			
723604	90 x 2	1	10
723684	90 x 3	1	9
PAD12			

Please note: A safety factor of 7:1 has been applied in order to calculate the stated maximum working loads. Working loads should never be exceeded.

Bungee Cords



2 PCS 8 PCS 20 PCS

Ideal for quickly securing light loads during transit or storage.

- Bungee Cords tested to BS AU 258
- Mixed Bungee Cords tested to BS AU 258 (Excluding size 4.5mm x 25cm)

Product Code	Ø (mm)	Length (cm)	Working Load (kg)	Pack Qty (pcs)	Carton Qty (packs)
--------------	--------	-------------	-------------------	----------------	--------------------

BAG - 2 PCS					
60BUN	8.0	60	30	2	100
100BUN	8.0	100	30	2	100

TUBE - 8 PCS MIXED					
BUNMIX8	-	-	-	8	25
	4.5	25	N/A	4	
	8.0	60	30	2	
	8.0	80	30	2	

TUBE - 20 PCS MIXED					
BUNMIX20	-	-	-	20	10
	4.5	25	N/A	4	
	8.0	45	30	4	
	8.0	50	30	4	
	8.0	60	30	4	
	8.0	75	30	4	

PAD11



Building Hardware

Builder's Metalwork

Masonry Hangers	230
Timber Hangers	231
Restraints	232
Wall Starter Kits	232
Truss Clip	233
Angle Bracket	233
Flat Connector Plate	233
Herringbone Joist Strut	233
Nail Plate	233
Universal Framing Anchor	233
Timber Connector	234
Helical Bar	234
Brick Reinforcement Coil	234
Fixing Band	234
Waterbar	234
Drywall Bracket	234
Cramps & Ties	235-236

Building Supplies

Damp Proof Membrane	236
Builders Tape	236
Spacers	237
Roof-line & Above	239
Weeps & Drill Vents	239
Underfloor Ventilation	240
Through-Wall Ventilation	240
Internal Grille Vents	241
Loft Doors & Access Panels	241

Refuse

Builders Bulk Bags	242
Sandbags	242
Rubble Sacks	242

Masonry & Multi-Functional Hangers



Single Piece Masonry Hanger



Straight top flange. No welds. Hangers above 150mm are manufactured 10mm less to allow for notching and regularised timber.



APPROVED

Welded Masonry Hanger



Hangers above 150mm are manufactured 10mm less to allow for notching and regularised timber.



Multi-Functional Hanger



Designed for use with different fixings to give greater flexibility and improved performance.

NOTE: Total length refers to the length of the hanger when flat.

Technical Data	
Width (mm)	47
Height (mm)	100 125 140 165 190 215
Bearing (mm)	80 75
No. of Nail Holes	6
Characteristic value (kN)*	9.7
Safe working load (kN)#	5.4

*Eurocode 6 | #BSS628

Technical Data					
Width (mm)	47	75	90	100	150
Height (mm)	All				
Bearing (mm)	80		75 90		
No. of Nail Holes	6				
Characteristic value (kN)*	6.7				
Safe working load (kN)#	3.5				

*Eurocode 6 | #BSS628

Technical Data				
Total Length (mm)	240	346	404	504
Width (mm)	47	All		
Bearing (mm)	85			
Characteristic value (kN)*	N/A	12.8	19.8	25.1
SWL (kN)# - Short term	N/A	6.4	9.9	12.55
SWL (kN)# - Medium term	N/A	6.1	9.4	11.95
SWL (kN)# - Long term	N/A	5.3	8.25	10.45

*Eurocode 6 | #BSS628 SWL-Safe Working Load

Product Code	W x H x B (mm)	Joist W x H (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BOX				
Galvanised Steel - 2.4mm				
47100MH	47 x 100 x 80	47 x 100	10	50
47125MH	47 x 125 x 80	47 x 125	10	50
47147MH	47 x 140 x 80	47 x 150	10	50
47175MH	47 x 165 x 75	47 x 175	10	5
47200MH	47 x 190 x 75	47 x 200	10	50
47225MH	47 x 215 x 75	47 x 225	10	50

BMW01

Product Code	W x H x B (mm)	Joist W x H (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BOX				
Galvanised Steel - 2.4mm				
75150WMH	75 x 140 x 80	75 x 150	10	50
75175WMH	75 x 165 x 80	75 x 175	10	50
75200WMH	75 x 190 x 80	75 x 200	10	50
75225WMH	75 x 215 x 80	75 x 225	10	50
90150WMH	90 x 140 x 80	90 x 150	6	30
90175WMH	90 x 165 x 80	90 x 175	6	30
90200WMH	90 x 190 x 80	90 x 200	6	30
90225WMH	90 x 215 x 80	90 x 225	6	30
100150WMH	100 x 140 x 75	100 x 150	6	30
100175WMH	100 x 165 x 75	100 x 175	6	30
100200WMH	100 x 190 x 75	100 x 200	6	30
100225WMH	100 x 215 x 75	100 x 225	6	30
150200WMH	150 x 190 x 90	150 x 200	6	30
150225WMH	150 x 215 x 90	150 x 225	6	30

BMW01

Product Code	W x H x B (mm)	Total Length (mm)	No. of Nail Holes	MOQ Qty (pcs)	Qty Break (pcs)
BOX					
Galvanised Steel - 2.0mm					
47346MFH	47 x 150 x 85	346	25	10	50
47404MFH	47 x 179 x 85	404	33	10	50
47504MFH	47 x 229 x 85	504	49	10	50
76346MFH	76 x 135 x 85	346	49	10	50
76404MFH	76 x 164 x 85	404	25	10	50
76504MFH	76 x 214 x 85	504	33	10	50
90504MFH	90 x 207 x 85	504	49	10	50
100346MFH	100 x 123 x 85	346	25	10	50
100404MFH	100 x 152 x 85	404	33	10	50
100504MFH	100 x 202 x 85	504	49	10	50
150404MFH	150 x 127 x 85	404	33	10	50
150504MFH	150 x 177 x 85	504	49	10	50

Mini Multi-Functional Hanger					
Galvanised Steel - 1.6mm					
47240MMFH	47 x 97 x 85	240	18	10	5

BMW02

Installation Guidelines

- Ensure the back plate of the hanger sits flat against the wall and is securely fixed.
- A minimum of three block courses (675mm) must be constructed above the hanger before the joist is loaded.
- Nail the side flanges with 3.75 x 30 galvanised square twist nails.
- Allow enough time for the mortar to cure before any load is applied.

- Maximum gap between the wall and joist is 6mm.
- Joist should be square cut and sit tight to the back of the hanger.
- Hangers 150mm and above are manufactured 10mm less to allow for notching and regularised timber.

Installation Guidelines

- All holes should be nailed using 3.75 x 30 square twist nails or equivalent.

Timber Hangers



No Tag Timber Hanger



Superior design allows the use of fewer nails for faster installation. Increased leg lengths, all widths can take up to a 220mm deep joist.

Rapid Installation Time

Technical Data	
Width (mm)	All
Length (mm)	All
Bearing (mm)	60
Characteristic value (kN) Eurocode 5	14.41
No. of nail holes	23
Safe working load (kN) BS5628 - Short term	7.21
Safe working load (kN) BS5628 - Medium term	6.86
Safe working load (kN) BS5628 - Long term	6.0

Product Code	W x L x B (mm)	Joist W x H (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BOX				
Galvanised Steel - 0.8mm				
44TH	44 x 281 x 60	44 x 125 to 220	20	100
47TH	47 x 279 x 60	47 x 125 to 220	20	100
63TH	63 x 271 x 60	63 x 125 to 220	20	100
75TH	75 x 265 x 60	75 x 125 to 220	20	100
90TH	90 x 258 x 60	90 x 125 to 220	20	100
100TH	100 x 253 x 60	100 x 125 to 220	10	50

BMW03

Standard Timber Hanger



Designed to give a quick and simple solution for various timber connections such as joists and stairwell trimmings. Increased leg lengths, all widths can take up to a 225mm deep joist.

Technical Data	
Width (mm)	All
Length (mm)	All
Bearing (mm)	50
Characteristic value (kN) Eurocode 5	15.44
No. of nail holes	32
Safe working load (kN) BS5628 - Short term	7.72
Safe working load (kN) BS5628 - Medium term	7.35
Safe working load (kN) BS5628 - Long term	6.43

Product Code	W x L x B (mm)	Joist W x H (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BOX				
Galvanised Steel - 1.0mm				
125TH	125 x 300 x 50	125 x 100 to 225	10	50
150TH	150 x 300 x 50	150 x 100 to 225	10	50
A2 - 304 Stainless Steel - 1.0mm				
47THS	47 x 277 x 50	47 x 100 to 225	20	100
76THS	76 x 300 x 50	76 x 100 to 225	20	100
100THS	100 x 300 x 50	100 x 100 to 225	10	50

BMW05

Long Leg Timber Hanger



Specifically designed for deeper timber to timber applications. Ideal for loft conversions and "under-slung" floor joist applications where the hanger extends below the supporting beam. Increased leg lengths, all widths can take up to a 250mm deep joist.

Technical Data	
Width (mm)	All
Length (mm)	All
Bearing (mm)	50
Characteristic value (kN) Eurocode 5	28.04
No. of nail holes	46
Safe working load (kN) BS5628 - Short term	14.02
Safe working load (kN) BS5628 - Medium term	13.35
Safe working load (kN) BS5628 - Long term	11.68

Product Code	W x L x B (mm)	Joist W x H (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BOX				
Galvanised Steel - 1.2mm				
44450LTH	44 x 453 x 50	44 x 150 to 250	10	50
47450LTH	47 x 445 x 50	47 x 150 to 250	10	50
76450LTH	76 x 435 x 50	76 x 175 to 250	10	50
90450LTH	90 x 425 x 50	90 x 150 to 250	10	50
100450LTH	100 x 420 x 50	100 x 150 to 250	10	50
125450LTH	125 x 450 x 50	125 x 175 to 250	10	50
150450LTH	150 x 450 x 50	150 x 175 to 250	10	50

BMW03

Installation Guidelines

- Ensure the back plate of the hanger sits flat against the timber.
- Joist should be square cut and sit tight to the back of the hanger.
- Fix the joist in every hole with 3.75 x 30 galvanised square twist nails (for stainless steel applications use 2.36 x 30 stainless steel annular ringshank nails).

Mini Timber Hanger



Timber to timber joist hangers, suitable for light duty applications such as ceiling joists, decking and trimmers.

NOTE: Tag on base of the hanger helps avoid rotation.

Technical Data			
Type	THM	THMS	THMP
Material	Galv	SS	Galv
Width (mm)	All	All	All
Characteristic value (kN) Eurocode 5	8.34	9.5	9.5
Safe working load (kN) BS5628 - Short term	4.17	4.75	4.75
Safe working load (kN) BS5628 - Medium term	3.97	4.53	4.53
Safe working load (kN) BS5628 - Long term	3.47	3.96	3.96

Installation Guidelines

- Ensure the back plate of the hanger sits flat against the timber.
- Joist should be square cut & sit tight to the back of the hanger.
- Fix the joist in every hole with 3.75 x 30 galvanised square twist nails (for stainless steel applications use 2.36 x 30 stainless steel annular ringshank nails).

Product Code	W x H x B (mm)	Joist W x H (mm)	No. of Nail Holes	MOQ Qty (pcs)	Qty Break (pcs)
BOX					
Galvanised Steel - 1.0mm					
38THM	38 x 75 x 50	38 x 75 to 100	14	20	100
44THM	44 x 68 x 50	44 x 75 to 100	14	20	100
47THM	47 x 67 x 50	47 x 75 to 100	14	20	100
Larger Joist Size					
38THMP	38 x 100 x 50	38 x 100 to 150	20	20	100
44THMP	44 x 97 x 50	44 x 100 to 150	20	20	100
47THMP	47 x 96 x 50	47 x 100 to 150	20	20	100
A2 - 304 Stainless Steel - 1.0mm					
44THMS	44 x 97 x 50	44 x 75 to 100	20	10	50
47THMS	47 x 96 x 50	47 x 75 to 100	20	10	50

BMW03

Restraints & Wall Starters



Heavy Duty Restraint Straps



Generally used for horizontal restraint such as roof trusses, rafters and joists tied to masonry. Designed to BS 5268 Part 3 and other building standards for lateral restraint. Manufactured from galvanised steel, for ultimate corrosion resistance use stainless steel.




Light Duty Restraint Straps



Generally used for vertical restraint such as holding down a wall plate. Manufactured from galvanised steel, for ultimate corrosion resistance use stainless steel.



Engineered Heavy Duty Restraint Strap



Lightweight design makes it easy to handle, yet retains its structural strength so it can be used instead of traditional heavy duty straps in both horizontal and vertical applications.

Product Code	Length (mm)	Bend (mm)	Total Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BUNDLE					
Galvanised Steel - 1.4mm					
600ERSH	500	100	600	10	50
800ERSH	700	100	800	10	50
1000ERSH	900	100	1000	10	50
1200ERSH	1100	100	1200	10	50
1600ERSH	1500	100	1600	10	50

BMW07

Bent Strap

Product Code	Length (mm)	Bend (mm)	Total Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BUNDLE					
Galvanised Steel - 4.0mm					
400BRSH	300	100	400	10	50
600BRSH	500	100	600	10	50
800BRSH	700	100	800	10	50
1000BRSH	900	100	1000	10	50
1200BRSH	1100	100	1200	10	50
1500BRSH	1400	100	1500	10	50
1600BRSH100	1500	100	1600	10	50
1600BRSH	1450	150	1600	10	50
Stainless Steel - 4.0mm					
1000BRSHS	900	100	1000	10	50
1200BRSHS	1100	100	1200	10	50

BMW06

Bent Strap

Product Code	Length (mm)	Bend (mm)	Total Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BUNDLE					
Galvanised Steel - 2.4mm					
300BRSL	200	100	300	10	50
600BRSL	500	100	600	10	50
800BRSL	700	100	800	10	50
1000BRSL	900	100	1000	10	50
1200BRSL	1100	100	1200	10	50
1500BRSL	1400	100	1500	10	50
Stainless Steel - 2.4mm					
1000BRSLs	900	100	1000	10	50

BMW08

Flat Strap

Product Code	Total Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BUNDLE			
Galvanised Steel - 4.0mm			
1000FRSH	1000	10	50

BMW06

Flat Strap

Product Code	Total Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BUNDLE			
Galvanised Steel - 2.4mm			
1000FRSL	1000	10	50
Stainless Steel - 2.4mm			
1000FRSLs	1000	10	50

BMW08

Twisted Strap

Product Code	Length (mm)	Twist (mm)	Total Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BUNDLE					
Galvanised Steel - 4.0mm					
600TRSH	500	100	600	10	50
1000TRSH	900	100	1000	10	50

BMW06

Twisted Strap

Product Code	Length (mm)	Twist (mm)	Total Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BUNDLE					
Galvanised Steel - 2.4mm					
1000TRSL	900	100	1000	10	50

BMW08

Installation Guidelines

For horizontal restraint

- Use a minimum of six 3.75 x 30mm square twist nails or equivalent fixed to timber joists/rafters.

Wall Starter Kit

A stainless steel system, designed to join new walls to existing masonry, suitable for both internal and external brick or block walls.

Kit includes: x2 Wall rails, x5 Plugs, coach screws, washers, x10 Wall rail connectors.



Technical Data

Length (mm)	1170
Design Shear Strength per 2.4m (kN)*	5.1

*Fixing into existing AAC block work with a compressive strength of 3.5N/mm2

Product Code	Width (mm)	Length (mm)	Kit Length (2 x Profiles) (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BOX					
Stainless Steel					
269666	41	1170	2340	12	40

BMW14

Installation Guidelines

For horizontal restraint

- Use a minimum of seven 3.75 x 30mm square twist nails or equivalent fixed to timber joists/rafters.

For vertical restraint

- Use a minimum of ten 3.75 x 30mm square twist nails or equivalent fixed to timber joists/rafters.
- When used as a vertical restraint to hold down a wallplate. Use a minimum length of 900mm

Structural Fixings



Truss Clip



For fixing trusses, girders and rafters to wall plate. Can also be used for general applications as a multi-purpose connector to provide restraint whenever two timber members cross.

Technical Data

Width (mm)	38	47
Characteristic value (kN) Eurocode 6	6.36	
Safe working load (kN) BS5628 - Short term	3.18	

Product Code	Width (mm)	Total Height (mm)	No. of Nail Holes	MOQ Qty (pcs)	Qty Break (pcs)
BOX					
Galvanised Steel - 1.0mm					
38TC	38	110	12	25	125
47TC	47	110	12	25	125

BMW05

Angle Bracket



A versatile and general purpose 90° bracket used to strengthen timber joints. Available in galvanised steel. For ultimate corrosion resistance use stainless steel.

Technical Data

L x H (mm)	50x50	60x40	90x90	150x90	150x150
Nail Holes (3.75mm)	11	13	15	19	23
Nail Holes (6.0mm)	9	7	-	-	-
Bolt Holes (M8)	-	-	4	5	6
Bolt Holes (M10)	-	-	3	3	3
Bolt Slots (M10)	2	2	2	3	4

Product Code	Length x Height (mm)	Width (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BAG				
Galvanised Steel - 2.0mm				
5050AB*	50 x 50	62	25	100
6040AB*	60 x 40	62	25	100
9090AB	90 x 90	62	25	100
15090AB	150 x 90	62	15	60
150150AB	150 x 150	62	15	45
A2 Stainless Steel - 2.0mm				
6040ABS*	60 x 40	62	25	100
9090ABS	90 x 90	62	25	100

*Not Reinforced / BMW09

Flat Connector Plates



Versatile flat brackets for timber jointing and general repair work.

Technical Data

Length (mm)	100	180	240	300
Nail Holes (3.75mm)	11	15	19	23
Screw Holes (6.0mm)	9	-	-	-
Bolt Holes (M8)	-	4	5	6
Bolt Holes (M10)	-	3	3	3
Bolt Slots (M10)	2	2	3	4

Product Code	Length (mm)	Width (mm)	Pack Qty (pcs)	Qty Break (packs)
BAG				
Galvanised Steel - 2.0mm				
FCP100	100	62	5	10
FCP180	180	62	5	10
FCP240	240	62	5	10
FCP300	300	62	5	10

BMW09

Herringbone Joist Strut



Prevent sideways movement or the buckling of joints. Simple alternative to timber noggins.

Product Code	Joist Centre (mm)	Strut Length (mm)	Pack Qty (pcs)	Qty Break (packs)
BUNDLE				
Galvanised Steel - 1.0mm				
HJS400	400	480	10	10
HJS450	450	523	10	10
HJS600	600	680	10	10

BMW04

Nail Plate



A versatile perforated plate used for connecting or repairing timber. Strengthening ribs for added rigidity. All holes are pressed countersunk to aid location of the nail and to give a flush finish.



EN14545

Product Code	Width (mm)	Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BOX				
Galvanised Steel - 1.0mm				
42NP	42	178	20	100
85NP	85	178	20	100
104NP	104	154	20	100
169NP	169	178	10	60
178NP	178	338	10	50
A2 Stainless Steel - 1.0mm				
85NPS	85	178	20	100

BMW09

Universal Framing Anchor



For strong nailed joints and economical secondary connections in timber framing. Framing Anchors are an effective, versatile and economical method of providing strong, mechanical joints.

Product Code	Width (mm)	Height (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BOX				
Galvanised Steel - 1.0mm				
UFA	40 x 40	124	25	500

BMW03

Timber Connector



Designed to increase the joint strength when bolting two pieces of timber together.



EN14545

Product Code	Outer Ø (mm)	Hole Ø (mm)	Bore (mm)	Pack Qty (pcs)	Qty Break (packs)
Galvanised Steel					
BOX					
TCD50	50	14.0	M12	100	2
CAB05					
BAG					
TCD50B	50	14.0	M12	15	5
BAG33					
PACK					
TCD50P	50	14.0	M12	6	10
PAK51					

Helical Bar



Frequently used in masonry joints for crack stitching and reinforcing. Stainless steel for ultimate corrosion resistance.



EN845-1

BUNDLE					
Stainless Steel					
Product Code	Ø (mm)	Length (mm)	Pack Qty (pcs)	Qty Break (packs)	
M6HB	6.0	1000	25	10	
M8HB	8.0	1000	25	10	BMW12

Chemical Resin

For helical grout for stitching & repairs.

See page

97

Brick Reinforcement Coil

Produced for brick and block work reinforcement. It's primary usage is to prevent cracking. For ultimate corrosion resistance use stainless steel.



COIL					
Galvanised Steel					
Product Code	Width (mm)	Length (m)	Pack Qty (pcs)	Qty Break (packs)	
63BRCG	65	20	1	20	
100BRCG	100	20	1	20	
175BRCG	175	20	1	20	
Stainless Steel					
63BRCS	65	20	1	20	
100BRCS	100	20	1	20	
175BRCS	175	20	1	20	
225BRCS	225	20	1	20	BMW12

Waterbar



A steel bar for fitting into door sills for weather protection.

Traditionally used with wooden doors, the water bar is fitted into the threshold so that the front door closes against it, sealing any gaps and preventing wind and rain from entering the property.

Product Code	Length (m)	Width (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BUNDLE				
Galvanised Steel - 4.0mm				
TWB1	1	28	10	50
TWB2	2	28	10	50
BMW11				

Helical Flat Roof Fixing




Hammer driven fixing frequently used for securing structural 6mm plywood composite insulation board to flat roofing systems.

Made from high tensile steel, the fixing twists into timber without the need for pre-drilling.

Product Code	Size (mm)	MFT (mm)	Pack Qty (pcs)	Qty Break (packs)
BAG				
Zinc				
269745	8.0 x 90	55	25	60
269991	8.0 x 135	100	25	48
269425	8.0 x 165	130	25	48
269637	8.0 x 195	160	25	42
269244	8.0 x 220	185	25	36
269763	8.0 x 250	215	25	32
269278	8.0 x 270	235	25	30

MFT= Max. Fixture Thickness / BMW16

Hip Iron



Provides a decorative restraint when bedding hip tiles.

Due to the angle of the roof along the hip, a hip iron is fixed at the bottom of the hip first to support the weight of the hip tiles so that they cannot slip down.

Product Code	Length (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BOX			
Hot Dipped Galvanised - 3.0mm			
HI3003	300	10	50
BMW15			

Fixing Band



A versatile perforated metal strip which can easily be cut or bent to provide a quick and reliable light weight brace suitable for suspending pipework, cables and doing general repairs.

Product Code	Width (mm)	Length (m)	Pack Qty (pcs)	Qty Break (packs)
CASE* / BAG				
Galvanised Steel				
1210FB*	12	10	1	10
1810FB*	18	10	1	10
2510FB*	25	10	1	10
Stainless Steel				
2010FBS	20	10	1	10
BMW13				

Coloured Fixing Band

Manufactured from galvanised steel to give a high level of corrosion resistance. Colour coated to match the application.



Product Code	Width (mm)	Length (m)	Pack Qty (pcs)	Qty Break (packs)
CASE				
White				
1210FBWHITE	12	10	1	10
Black				
1210FBBLACK	12	10	1	10
BMW13				

Drywall Bracket

Designed especially for connecting plasterboard dry lining systems to masonry walls, concrete soffit and timber joists.



Product Code	Total Length (mm)	Pack Qty (pcs)	Qty Break (packs)
BOX			
Zinc			
DB195	195	100	6
DB295	295	100	4
DLB01			

Cramps & Ties



Safety Frame Cramp

Traditionally used for securing timber windows and door frames into masonry. They can also be used for restraining masonry to new and existing structures in non structural applications. Two 6mm holes and one 9mm hole.



Product Code	Width (mm)	Projection (mm)	Upstand (mm)	Pack Qty (pcs)	Qty Break (packs)
BOX					
Stainless Steel - 2.0mm					
100SFCS	19	100	50	250	10
150SFCS	19	150	50	250	10
200SFCS	19	200	50	250	10

BMW10

Heavy Duty Fishtailed Cramp

Two 6mm holes and one 8mm hole. Manufactured from galvanised steel for superior corrosion resistance.



Product Code	Width (mm)	Projection (mm)	Upstand (mm)	MOQ Qty (pcs)	Qty Break (pcs)
BAG					
Galvanised Steel - 2.3mm					
100FFC	25	100	50	25	100
150FFC	25	150	50	25	100
200FFC	25	200	50	25	100

BMW10

Window Board Tie

A simple solution to tie window boards to masonry.



Product Code	Width (mm)	Projection (mm)	Upstand (mm)	Pack Qty (pcs)	MOQ Qty (pcs)	Qty Break (packs)
BOX						
Galvanised Steel - 2.0mm						
WBT10	12	147	25	10	-	50
WBT	12	147	25	1	100	-

BMW10

Movement Ties

When used with debonding sleeves, provide restraint in one direction and horizontal movement for expansion and contraction found in long spans of brickwork. The tie sits inside the debonding sleeve allowing the tie to move in situ.



Product Code	Width (mm)	Length (mm)	Pack Qty (pcs)
BAG			
Stainless Steel			
TTSSPE150	19	150	250
TTSSPE200	19	200	250

BMW10

Movement Tie Debonding Sleeves

Designed for use with movement ties to provide restraint in one direction and horizontal movement for expansion and contraction found in long spans of brickwork. The debonding sleeve is located over the tie to allow the tie to move.



Product Code	Width (mm)	Length (mm)	Pack Qty (pcs)
BAG			
TTDS120	20	120	250

BMW10

Timber Frame Tie

Timber Frame Ties are suitable for tying masonry outer cladding to softwood structural framework of domestic dwellings and industrial/commercial buildings up to 4 storeys and not greater than 15m in height.

- Complies with a DD140 Type 6 tie.
- Meets with the appropriate parts of NHBC standards.
- Supplied with annular rings hank nails.



Product Code	Width (mm)	Projection (mm)	Cavity Width (mm)	Pack Qty (pcs)	Qty Break (packs)
BOX					
Stainless Steel					
269413	19	130	50	250	10
269846	19	155	75	250	10
269719	19	180	100	250	10

BMW10

Screw-in Frame Tie

Universal frame and wall ties for connecting wooden window and door frames to masonry and masonry to masonry with the use of a nylon plug.



Product Code	Length (mm)	Thread Length (mm)	Thread Dia (mm)	Pack Qty (pcs)	Qty Break (packs)
BOX					
Zinc & Yellow					
150SFT	150	40	6	100	4

BMW10

Cavity Wall Ties

Perfect for masonry cavity walls in domestic houses and small commercial buildings of up to three storeys and maximum 1.5m in height. Manufactured from A2 Stainless Steel for ultimate corrosion resistance.

Type 2 - General Duty Wall Ties



Product Code	Length x Gauge (mm)	Cavity Width (mm)	Max. Wall Height (m)	Pack Qty (pcs)	Qty Break (packs)
BUNDLE					
A2 Stainless Steel					
225WT2	225 x 3	76 to 100	15	250	10
250WT2	250 x 3	101 to 125	15	250	10
275WT2	275 x 3	Up to 150	15	250	10

BMW10

Type 4 - Light Duty Wall Ties



Product Code	Length x Gauge (mm)	Cavity Width (mm)	Max. Wall Height (m)	Pack Qty (pcs)	Qty Break (packs)
BUNDLE					
A2 Stainless Steel					
200WT4	200 x 2.3	50 to 75	10	250	10
225WT4	225 x 2.3	76 to 100	10	250	10
250WT4	250 x 2.7	101 to 125	10	250	10
275WT4	275 x 2.7	up to 150	10	250	10

BMW10



Insulation Retaining Discs

Used with a cavity wall tie to hold insulation material against the inner wall of the cavity.



Product Code	Diameter (mm)	Colour	Pack Qty (pcs)	Qty Break (packs)
BAG				
LOCIRD65BL	65	Black	250	6
LOCIRD80R	80	Red	250	4

BMW10

Damp Proofing



Damp Proof Membrane



Handy Pack

Commonly used to protect a building's concrete slab from moisture rising from the foundations. A damp proof membrane or DPM is a versatile product and can also be used for a wide range of applications such as creating a protective surface before laying laminate or wood floors. BBA certified.

- Membrane made from 100% recycled materials
- EN 13967:2012

Product Code	Size (m)	Thickness (Microns)	Thickness (Gauge)	Pack Qty (pcs)	Qty Break (packs)
ROLL					
887125	4 x 12.5	500	2000	1	10
887025	4 x 25.0	250	1000	1	10
887425	4 x 25.0	300	1200	1	10
TTS01					
HANDY PACK					
887405	4 x 5.0	250	1000	1	10
TTS01					

Damp Proof Course



Damp proof course or DPC offers a protective barrier and is used within the inner layers of brick or block walls to protect buildings from rising damp.

- 100% recycled materials

Product Code	W (mm)	L (m)	Thickness (Microns)	Thickness (Gauge)	Pack Qty (pcs)	MOQ Qty (packs)
ROLL						
887100	100	30	500	2000	1	9
887112	112	30	500	2000	1	8
887150	150	30	500	2000	1	6
887225	225	30	500	2000	1	4
887300	300	30	500	2000	1	3
887450	450	30	500	2000	1	2
887600	600	30	500	2000	1	2
TTS02						

Double Sided Damp Proof Membrane Jointing Tape

A high performance double sided butyl tape used for bonding DPMs. Use with High Strength PVC Builders Tape to provide a continuous damp proof seal between two sheets, where joints cannot be avoided.



- High adhesion
- Backing paper for easy application

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
DSDJT	Black	10	50	1	12
TAP11					

High Strength PVC Builders Tape

A strong versatile PVC tape used for jointing PVC and polythene sheets and membranes. Frequently used for sealing contamination barriers, polythene dust sheets, silage covers and bales.



- Flame retardant
- Perfect for electrical, patching & jointing applications

Product Code	Colour	Length (m)	Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
ROLL					
HSBT	Black	33	75	1	36
TAP08					




Full Tape Range

See Page 186

Spacers



Horseshoe Shims



Used for easy and quick levelling of battens, drying/lyning systems, stud work, door and window frames.

- Polypropylene material
- Resistant to weather changes
- Waterproof
- Bag and tub includes two sizes



Packers



A solution for multiple applications. Used to ensure correct weight distribution of glazed units and increase security around fixing points during frame fitting.

- Polypropylene material
- Resistant to weather changes
- Waterproof
- Strong and durable



Individual Packs

Product Code	Size (mm)	Thickness (mm)	Colour	Pack Qty (pcs)	Carton Qty (packs)
28MM - BULK BOX - 1,000 PCS					
P1GREENBU	28 x 100	1.0	Green	1,000	10
P2BLACKBU	28 x 100	2.0	Black	1,000	10
P3WHITEBU	28 x 100	3.0	White	1,000	10
P4GREYBU	28 x 100	4.0	Grey	1,000	10
P5BLUEBU	28 x 100	5.0	Blue	1,000	10
P6REDBU	28 x 100	6.0	Red	1,000	10
28MM - BAG - 200 PCS					
P1GREEN	28 x 100	1.0	Green	200	5
P2BLACK	28 x 100	2.0	Black	200	5
P3WHITE	28 x 100	3.0	White	200	5
P4GREY	28 x 100	4.0	Grey	200	5
P5BLUE	28 x 100	5.0	Blue	200	5
P6RED	28 x 100	6.0	Red	200	5

SHL01

Mixed Packs

Product Code	Size (mm)	T (mm)	Colour	Shim Qty (pcs)	Pack Qty (pcs)	Carton Qty (packs)
MIXED BAG - 100 PCS						
SHIM100	45 x 35	1.0	Yellow	20	100	22
	45 x 35	3.0	Blue	20		
	45 x 35	5.0	Brown	20		
	45 x 35	6.0	Black	10		
	100 x 50	1.0	Yellow	10		
	100 x 50	3.0	Blue	10		
	100 x 50	5.0	Brown	10		
MIXED BAG - 200 PCS						
SHIM	45 x 35	1.0	Yellow	20	200	8
	45 x 35	2.0	Green	20		
	45 x 35	3.0	Blue	20		
	45 x 35	4.0	Red	20		
	45 x 35	5.0	Brown	10		
	45 x 35	6.0	Black	10		
	100 x 50	1.0	Yellow	20		
	100 x 50	2.0	Green	20		
	100 x 50	3.0	Blue	20		
	100 x 50	4.0	Red	20		
	100 x 50	5.0	Brown	10		
	100 x 50	6.0	Black	10		
	MIXED TUB - 400 PCS					
SHIMTUB	45 x 35	1.0	Yellow	40	400	20
	45 x 35	2.0	Green	40		
	45 x 35	3.0	Blue	40		
	45 x 35	4.0	Red	40		
	45 x 35	5.0	Brown	20		
	45 x 35	6.0	Black	20		
	100 x 50	1.0	Yellow	40		
	100 x 50	2.0	Green	40		
	100 x 50	3.0	Blue	40		
	100 x 50	4.0	Red	40		
	100 x 50	5.0	Brown	20		
	100 x 50	6.0	Black	20		

T=Thickness / SHI01

Mixed Packs

Product Code	Size (mm)	T (mm)	Colour	Packer Qty (pcs)	Pack Qty (pcs)	Qty Break (packs)
24MM - BULK BOX - 1,000 PCS						
744957	24 x 100	1.0	Green	200	1,000	10
	24 x 100	2.0	Black	160		
	24 x 100	3.0	White	200		
	24 x 100	4.0	Grey	120		
	24 x 100	5.0	Blue	200		
	24 x 100	6.0	Red	120		
28MM - BULK BOX - 1,000 PCS						
744224	28 x 100	1.0	Green	200	1,000	10
	28 x 100	2.0	Black	160		
	28 x 100	3.0	White	200		
	28 x 100	4.0	Grey	120		
	28 x 100	5.0	Blue	200		
	28 x 100	6.0	Red	120		

T=Thickness / SHI02

Mixed Packs

Product Code	Size (mm)	T (mm)	Colour	Packer Qty (pcs)	Pack Qty (pcs)	Qty Break (packs)
28MM - BAG - 200 PCS						
PACKER	28 x 100	1.0	Green	30	200	5
	28 x 100	2.0	Black	40		
	28 x 100	3.0	White	50		
	28 x 100	4.0	Grey	20		
	28 x 100	5.0	Blue	20		
	28 x 100	6.0	Red	40		
28MM - TUB - 400 PCS						
PACKERTUB	28 x 100	1.0	Green	60	400	20
	28 x 100	2.0	Black	80		
	28 x 100	3.0	White	100		
	28 x 100	4.0	Grey	40		
	28 x 100	5.0	Blue	40		
	28 x 100	6.0	Red	80		

T=Thickness / SHI02

Wedge Strips




Tapered snap-off wedge strips, manufactured from strong and durable plastic.

Allows convenient, multiple 1mm to 8mm levelling thicknesses in one wedge.

Product Code	Size (mm)	Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMBAG				
745233	100 x 20	1-8	50	5

BAG34




Glazing Shovel & Air Wedge

See Page 171

THE NEW (ALMOST) INVISIBLE WALL WEEP FROM TIMLOC

CLEARLY YOU
CAN (JUST ABOUT)
SEE WHAT ALL
THE EXCITEMENT
IS ABOUT.



1

Low profile water outlet

Ensuring minimal visibility when fitted, the water outlet is unobtrusive to the naked eye.

2

Venturi effect outlet tube

Reduces pressure, allowing for optimal water drainage.

3

Full height upstand to cavity side

Enables drainage, reducing the risk of blockage if cement builds up in the cavity.

4

External ribs & tapered profile

To key mortar for a secure fixing.

Roof-line & Above



Weeps & Drill Vents

Push-in Soffit Vent



Circular vents used to allow ventilation from the eaves into roofing.

Product Code	Colour	Size (mm)	Pack Qty (pcs)
BOX			
LOC1139	Grey	70.0	10
LOC1140	White	70.0	10
LOC1141	Black	70.0	10
LOC1142	Brown	70.0	10

RLN01

Roll Out Dry Fix Ridge Pack



Convenient 'single pack' mechanical fixing solution for roof ridge installations.

Product Code	Size (m)	Pack Qty (pcs)
BOX		
LOC54700	6	1


RLN01



Invisiweep Wall Weep



Used for discharging water from external walls. Available in a range of colours to suit brickwork.



Product Code	Colour	Size H x W x L (mm)	Pack Qty (pcs)
BOX			
LOCIW50BB	Blue/Black	65 x 10 x 102	50
LOCIW50BL	Black	65 x 10 x 102	50
LOCIW50BR	Brown	65 x 10 x 102	50
LOCIW50BU	Buff	65 x 10 x 102	50
LOCIW50CL	Clear	65 x 10 x 102	50
LOCIW50GR	Grey	65 x 10 x 102	50
LOCIW50TE	Terracotta	65 x 10 x 102	50
LOCIW50WH	White	65 x 10 x 102	50

EXTENSION TUBE			
LOCIW500EX	Clear	Ø 6 x 500	10

CNA02

Ambi-Verge Universal Dry Fix Verge System



Universal dry fix verge system for profiled roof tiles. A robust, attractive and weather resistant alternative to wet mortar bedding.

Product Code	Colour	Size (mm)	Pack Qty (pcs)
BOX			
LOC99141	Grey	405 x 95/160	20
LOC99142	Brown	405 x 95/160	20
LOC99143	Black	405 x 95/160	20
LOC99144	Terracotta	405 x 95/160	20

RLN01

Ambi-Verge Eaves Starter




Product Code	Colour	Size (mm)	Pack Qty (pcs)
BOX			
LOC99153	Grey	105 x 155	1
LOC99154	Black	105 x 155	1
LOC99155	Brown	105 x 155	1
LOC99156	Terracotta	105 x 155	1

RLN01

Cavity Wall Weep Vent



Multi-function product for discharging water from external walls and cavity ventilation.



Product Code	Colour	Size H x W x L (mm)	Pack Qty (pcs)
BOX			
LOC1143BB	Blue/Black	65 x 10 x 100	50
LOC1143BL	Black	65 x 10 x 100	50
LOC1143BR	Brown	65 x 10 x 100	50
LOC1143BU	Buff	65 x 10 x 100	50
LOC1143CL	Clear	65 x 10 x 100	50
LOC1143GR	Grey	65 x 10 x 100	50
LOC1143TE	Terracotta	65 x 10 x 100	50
LOC1143WH	White	65 x 10 x 100	50

VENT Extension			
LOC1144	Clear	50mm	100

CNA02

Universal Verge Ridge/Apex End Cap

Ridge end caps, available in round or angled design.

Round End Cap



Product Code	Colour	Size (mm)	Pack Qty (pcs)
BOX			
LOC99136	Black	265 x 240	1
LOC99112	Brown	265 x 240	1
LOC99114	Terracotta	265 x 240	1
LOC99113	Grey	265 x 240	1

RLN01

Angled End Cap



Product Code	Colour	Size (mm)	Pack Qty (pcs)
BOX			
LOC99107	Black	265 x 240	1
LOC99108	Brown	265 x 240	1
LOC99110	Terracotta	265 x 240	1
LOC99109	Grey	265 x 240	1

RLN01

Drill Vent



Cavity ventilator and drainage weeps. Often fitted retrospectively to improve existing ventilation.


Product Code	Colour	Size (mm)	Drill Hole Ø (mm)	Pack Qty (pcs)
BOX				
LOCVD1	Natural	80	25	50
LOCVD2	Buff	80	25	50
LOCVD3	Terracotta	80	25	50

CNA02

Underfloor Ventilation



Telescopic Underfloor Ventilator & Extension Accessories



To provide ventilation below suspended ground floors. Telescopic and adjustable to suit numerous brick courses.

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
BOX			
Telescopic Underfloor Vent			
LOC1201	up to 5 course	20	-
LOC1201XL	5 to 7 course	10	-
Horizontal Front Extension			
LOC1203	+115mm	20	-
Vertical Extension			
LOC1204	+150mm	20	-
Horizontal Rear Extension			
LOC1206	+100mm	1	20
Duct Adapter			
LOC1205	to suit 110mm	1	20

CNA01

Airbrick - Plastic

Used in conjunction with underfloor vent system and cavity sleeves to provide ventilation below suspended ground floors and through external walls.



Product Code	Colour	Size W x H x D (mm)	Pack Qty (pcs)
BOX			
LOC1201ABBB	Blue/Black	215 x 69 x 60	20
LOC1201ABBL	Black	215 x 69 x 60	20
LOC1201ABBR	Brown	215 x 69 x 60	20
LOC1201ABBU	Buff	215 x 69 x 60	20
LOC1201ABGR	Grey	215 x 69 x 60	20
LOC1201ABTE	Terracotta	215 x 69 x 60	20
LOC1201ABWH	White	215 x 69 x 60	20

CNA01

Through-Wall Ventilation



Aero-Core Anti-Draught Ventilators

Combination ventilator sets for background venting and heat producing appliances.

Aero-Core with Baffle



Aero-Core with Cowl & Baffle



Aero-Core with High Rise



Product Code	Colour	Size (mm)	Pack Qty (pcs)
BOX			
Aero-Core with Baffle			
LOCACV7BR	Brown	127 x 350	1
LOCACV7TE	Terracotta	127 x 350	1
TWW02			
Aero-Core with Cowl & Baffle			
LOCACV7CBR	Brown	127 x 350	1
LOCACV7CTE	Terracotta	127 x 350	1
LOCACV7CWH	White	127 x 350	1
TWW02			
Aero-Core with High Rise			
LOCACV7HRTE	Terracotta	127 x 350	1
TWW02			

Cavity Sleeves

Tough, flexible ventilators for external walls.

Cavity Sleeve



Telescopic Extension



Baffle



Product Code	Size (inch)	To Suit	Pack Qty (pcs)
BOX			
Cavity Sleeve			
LOC12021	9 x 3	Single airbrick	1
LOC12022	9 x 6	Two airbricks stacked	1
TWW02			
Telescopic Extension			
LOC1237	9 x 3	+90mm	1
LOC1236	9 x 6	+90mm	1
TWW02			
Baffle			
LOC1238	9 x 3	2x per 9 x 6 sleeve	1
TWW02			

External Cowl

External cowl used to sustain airflow but reduce draughts.



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)
BOX			
Terracotta			
LOCABC93TE	255 x 95	9 x 3	1
LOCABC96TE	255 x 160	9 x 6	1
LOCABC99TE	255 x 230	9 x 9	1
TWW02			
Brown			
LOCABC93BR	255 x 95	9 x 3	1
LOCABC96BR	255 x 160	9 x 6	1
LOCABC99BR	255 x 230	9 x 9	1
TWW02			

Insulation Retaining Discs

Used with a cavity wall tie to hold insulation material against the inner wall of the cavity.



See page

236

Internal Grille Vents



Plastic Grille Vents

Internal white plastic louver vents for sustaining airflow and reducing drafts. Please note: Flyscreen and Hit & Miss vents are not to be used for gas appliance ventilation.

Louvre Vent



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)
BOX			
White			
LOC1218W	165 x 89	6 x 3	1
LOC1207W	242 x 89	9 x 3	1
LOC1211W	242 x 165	9 x 6	1
LOC1212W	242 x 242	9 x 9	1

TWW01

Louvre Vent with Flyscreen



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)
BOX			
White			
LOC1218WF	165 x 89	6 x 3	1
LOC1207WF	242 x 89	9 x 3	1
LOC1211WF	242 x 165	9 x 6	1
LOC1212WF	242 x 242	9 x 9	1

TWW01

Hit & Miss Louvre Vent



Product Code	Size (mm)	Size (inch)	Pack Qty (pcs)
BOX			
White			
LOC1219W	165 x 89	6 x 3	1
LOC1208W	242 x 89	9 x 3	1
LOC1209W	242 x 165	9 x 6	1
LOC1210W	242 x 242	9 x 9	1

TWW01

Access Doors & Panels

Loft Access Door

Plastic insulated loft access doors provide simple, easy access through a ceiling into the loft space.

Drop In



Hinged



Product Code	Size (mm)	Pack Qty (pcs)
BOX		
Drop In		
LOC1168	562 x 665	1

TAC02

Hinged		
LOC1169	562 x 662	1

TAC02

Access Panel

Used in both residential and commercial projects. Access panels (also referred to as access hatches) are vital in order to access concealed electrical, plumbing and building services.



Product Code	Size (mm)	Pack Qty (pcs)
BOX		
Clip Fit		
LOCAP110	115 x 165	1
LOCAP200	205 x 205	1
Hinged		
LOCAP150	155 x 235	1
LOCAP300	305 x 305	1
LOCAP450	470 x 470	1

TAC01

Slotted Loft Door Operating Pole



Product Code	Size (mm)	Pack Qty (pcs)
BAG		
LOCZ1170	600	1

TAC02

Refuse



Builders Bulk Bags

Manufactured from durable polypropylene and designed with an open top, a flat base and lifting loops. Ideal for the transport of all building materials including rubble, gravel, sand, aggregate as well as topsoil, logs, garden waste and non-toxic industrial waste.

- Tested and certified to carry 1 tonne
- Woven 30% recycled polypropylene
- Fully recyclable
- Open top & flat base
- Strong woven lifting loops



Product Code	Size (cm)	Safe Working Load (kg)	Pack Qty (bags)
PACK			
BBB1000	900 x 900 x 800	1000	2 PRO12

Heavy Duty Rubble Sacks



Manufactured from strong and durable tear resistant 11 x 10 woven polypropylene, these reusable sacks are available in two sizes and have draw string tops for tying off. Ideal for use on site for building and landscaping waste.



Product Code	Size (cm)	Weight (gsm)	Weight (g)	Pack Qty (bags)	Carton Qty (packs)
PACK					
SRSRD6090	60 x 90	60	70/pce	10	35
SRSRD80120	80 x 120	60	132/pce	10	15

-PRO12

Sandbags

When filled with sand, sandbags provide an effective way to prevent or reduce the risk of flood damage. Also used for temporary weighing down of road signs, gazebos and tarpaulins.

PP Sandbag



- String at top for convenient tying off
- Ideal for temporary wall building to prevent flood damage
- Reusable



Hessian Sandbag

- Biodegradable



Product Code	Type	Colour	Size (cm)	Pack Qty (bags)
PACK				
775666	Polypropylene (PP)	White	33.5 x 80	50
775174	Hessian	Natural	34 x 75	50

PRO16

Rubble Sacks

Convenient and compact rolls of 30 sacks, manufactured from recycled polyethylene. Ideal for general waste on building sites and landscaping work.



Product Code	Size (mm)	Thickness (microns)	Pack Qty (bags)	MOQ Qty (packs)	Pallet Qty (packs)
ROLL					
SRS30	535 x 820	85	30	10	240

PRO12



Security & Ironmongery

Ironmongery

Fire Door Hinges	244
Intumescent Accessories	244-245
Door & Cabinet Hinges	246-249
Specialist Hinges	250-251
Satin Anodised Aluminium Accessories	252
Satin Anodised Aluminium Door Bolts	253
Satin Anodised Aluminium Pull Handles	254
Contractors Door Handles & Packs	255
Antique Style Hinges & Handles	256-257
Internal Door Latch Packs	258
Internal Door Handle Range	259-260
Door Latches & Catches	260
Door Locks	261-262
Door Bolts	263
Door & Window Security	264
Furniture Fixings	265
Jointing Biscuits, Plates & Braces	266
Door Stops & Hooks	267
Hanging Rails & Accessories	268
Storage & Shelving	269



Security

Padlocks	270
Chains & Cables	271
Key Storage & Accessories	271
Chains & Cables	271
Squire Security	272-279

Fire Door Hinges

Ball Bearing Fire Door Hinges

- Smooth ball bearing action
- Suitable for 30 & 60 minute fire doors
- For doors with heavy traffic - tested to 200,000 cycles
- CE Approved - BS EN 1935
- Fit with intumescent hinge pads (Not included) when fitting fire doors to adhere to fire regulations.



Grade 13

- Ideal for heavy doors up to 120kg
- Made from stainless steel



Satin

Grade 11

- Ideal for heavy doors up to 80kg
- Made from steel



Polished Chrome

Grade 7

- Ideal for heavy doors up to 40kg
- Made from steel



Polished Chrome

Technical Data			
Hinge Grade	13	11	7
Size L x W (mm)	101 x 76	101 x 76	76 x 50
Thickness (mm)	3.0	2.6	2.0
Knuckle Ø (mm)	14.2	12.5	11.0
Rec. Screw Ø (mm / imp)	5.0 / 10	5.0 / 10	4.5
Max. Door Weight (kg)	120	80	40



Electro Brass



Satin Chrome



Satin Nickel



Epoxy Black



Epoxy White



Antique Brass

Product Code				L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Electro Brass	Polished	Satin	Matt Black			
GRADE 13 - STAINLESS STEEL						
BLISTER PACK						
334777	334843	334052	334161	101 x 76	1	5
334617	334080	334903	334741	101 x 76	1.5	5
BOX						
334027	334457	334111	334308	101 x 76	1	40
334006	334444	334519	334366	101 x 76	1.5	40

FHB01

Product Code				L x W (mm)	Pack Qty (pairs)	Carton Qty (packs)
Electro Brass	Polished Chrome	Satin Chrome	Satin Nickel			
GRADE 11 - STEEL						
TIMPAC						
334753P	334988P	334040P	-	101 x 76	1	10
BOX						
334753	334988	334040	334555	101 x 76	1	40


FHB03

Product Code				L x W (mm)	Pack Qty (pairs)	Carton Qty (packs)
Electro Brass	Polished Chrome	Satin Chrome	Satin Nickel			
GRADE 7 - STEEL						
TIMPAC						
334101P	334159P	334654P	-	334321P	-	76 x 50
BOX						
334101	334159	334654	334789	334321	334267	334034
				76 x 50	1	60

FHB02

Intumescent Accessories

Intumescent Fire Only Seals




- Tested to BS476 Part 22, BS EN 1634-1
- Laboratory ageing tested for 100 years
- Rapid high-pressure multi-directional expansion
- Supplied with self adhesive backing for ease of installation

Product Code		W x D (mm)	L (mm)	Fire Rating (mins)	Pack Qty (pcs)	Carton Qty (packs)
White	Brown					
SINGLE DOOR PACK						
487762	487284	10 x 4	1050	30	5	20
487661	487097	15 x 4	1050	30 & 60	5	20
BULK PACK						
487053	487964	10 x 4	2100	30	50	4
487222	487773	15 x 4	2100	30 & 60	50	4

ITS01

Intumescent Fire & Smoke Seals



- Supplied with additional brush seal to slow the spread of smoke
- Tested to BS476 Part 22, BS EN 1634-1
- Laboratory ageing tested for 100 years
- Rapid high-pressure multi-directional expansion
- Supplied with self adhesive backing for ease of installation

Product Code		W x D (mm)	L (mm)	Fire Rating (mins)	Pack Qty (pcs)	Carton Qty (packs)
White	Brown					
SINGLE DOOR PACK						
487854	487336	10 x 4	1050	30	5	20
487746	487558	15 x 4	1050	30 & 60	5	20
BULK PACK						
487408	487671	10 x 4	2100	30	50	4
487239	487515	15 x 4	2100	30 & 60	50	4

ITS01

Intumescent Hinge Pads

NEW SIZES



Intumescent hinge pads are an essential requirement when fitting hinges to fire doors as they seal any gaps in the rebate and prevent the transfer of heat from the hinge to the door and frame in the event of a fire.

- Tested to BS476 Part 22, BS EN 1634-1

Product Code	W x L (mm)	Depth (mm)	Fire Rating (mins)	Pack Qty (pcs)	Carton Qty (packs)
BAG					
487385	31 x 100	1.0	30	6	250
TIMPAC					
487492	18 x 75	1.0	30 & 60	6	200
487357	30 x 100	1.0	30 & 60	6	200

ITS02

Universal Intumescent Tubular Latch, Deadlock & Sashlock Kits

NEW

TIMCO FlexiFire HS is a graphite-based elastomeric sheet material custom cut for use on rebated hardware such as tubular latches, deadlocks and sashlocks. FlexiFire HS has an expansion ratio in excess of 15 times its original volume.

- Safe to handle and easy to use (no PPE required)
- Excellent temperature insulation before and after exfoliation
- Completely non-toxic and non-fibrous
- Unaffected by moisture, humidity, atmospheric pollution
- When heated to approximately 180°C graphite located at the surface begins to exfoliate
- FlexiFire has been tested extensively to both
- BS476 Part 22 & EN1634-1



Tubular Latch



Deadlock



Sashlock


Product Code	Size	Thickness (mm)	Fire Rating (mins)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC					
TUBULAR LATCH KIT					
487050	Universal	1.0	30 & 60	1	100
DEADLOCK KIT					
487677	Universal	1.0	30 & 60	1	100
SASHLOCK KIT					
487359	Universal	1.0	30 & 60	1	100

Intumescent Letterbox

NEW

A stylish ABS framed, telescopic letterbox, with metal flaps and fitted with a high performance intumescent liner. In the event of fire the intumescent liner expands rapidly and seals off the letterbox opening, preventing the spread of fire and smoke whilst maintaining the integrity of the fire door assembly.

- Fire tested to BS 476 part 22: 1987 & BS EN 1634-1
- Acoustic tested to BS EN ISO 140-3: 1995 Achieving 32dB Rw
- Security tested to BS EN 13724 Clause 6.6.5 (Compliant within scope of PAS 23/24)
- Smoke tested to BS 476 part 31/1: 1983
- Integral sound dampening bumpers
- Ergonomic curved edge design



Product shown is Satin Anodised Aluminium with black frame.



Polished Gold

Product Code			Size L x H (mm)	Frame Colour	Fire Rating (mins)	Pack Qty (pcs)	Carton Qty (packs)
Satin Anodised Aluminium	Polished Silver	Polished Gold					
BOX - FIXINGS INCLUDED							
487438	487457	487158	272 x 70	Black	30	1	10
487009	-	-	272 x 70	Silver	30	1	10
487051	487299	487279	305 x 70	Black	30	1	10
487382	-	-	305 x 70	Silver	30	1	10

ITS03

Applique Drop Down Seal


NEW

The seals are activated by the closing action of the door, dropping down to seal only when the door is closed. This leaves the door threshold clear and flat, without the need for high fixed thresholds. Designed to form an effective barrier against the outside climate, noise, light, fire, smoke and insects. They provide a cost-effective solution for document part E and part M of the latest UK building regulations relating to disability access and energy conservation.

Satin Anodised Aluminium

Galvanised steel flat springs & reinforced actuators

4-fin high quality 'V' zero class PVC rubber seal, self extinguishing



*Using bumper provided

- Galvanised steel flat springs and reinforced actuators
- Acoustic testing BS EN ISO 140-3: 1995 rating of up to 37dB Rw
- Fire tested to BS476: Part 20/22: 1987 to 60 mins
- Smoke tested to BS EN 1634-3: 2004

Product Code		Size L x H (mm)	Width (mm)	Maximum Drop (mm)	Fire Rating (mins)	Pack Qty (pcs)	Carton Qty (packs)
Satin Anodised Aluminium							
BOX - FIXINGS INCLUDED							
487918		730 x 40	13	14	60	1	5
487647		830 x 40	13	14	60	1	5
487250		930 x 40	13	14	60	1	5
487333		1030 x 40	13	14	60	1	5

ITS03

Intumescent Pipe Collars & Wraps



See page 72

Door & Cabinet Hinges



Performance Ball Raced Hinge


Ideal for heavy, high quality doors in domestic applications.

- Four ball bearing raced knuckles to prevent wear and provide a lifetime of silent, smooth door operation
- Button tip for improved aesthetics
- Manufactured from solid brass to guarantee no rust and a superior finish
- Available in a variety of finishes

Polished Brass



Technical Data		
Size L x W (mm)	76 x 50	102 x 76
Thickness (mm)	2.50	3.00
Knuckle Ø (mm)	8.0	10.0
Screw Size (mm)	4.0 x 25	5.0 x 30
Rec. Screw Ø (mm)	4.0	5.0
Rec. Screw Gauge (Imp.)	8	10
Max. Door Weight (kg)	40	80



Product Code

Polished Brass	Antique Brass	Bronze	Polished Chrome	Satin Chrome	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BOX - FIXINGS INCLUDED							
234953	234842	234185	234011	234444	76 x 50	1	80
234751	234268	234759	234050	234591	102 x 76	1	40


BDH05

Twin Ball Bearing Hinge - 201 Stainless Steel

Designed for use on medium duty doors in domestic applications.

- Two lubricated ball bearings prevent knuckle wear for long lasting performance
- Ball bearings provide a smooth door operation
- Button tip for improved aesthetics
- Manufactured from stainless steel for superior rust protection

Polished Stainless Steel



Technical Data	
Size L x W (mm)	76 x 51
Thickness (mm)	2.0
Knuckle Ø (mm)	11.6
Rec. Screw Ø (mm)	4.0
Rec. Screw Gauge (Imp.)	8
Max. Door Weight (kg)	40

Product Code

Polished Stainless Steel	Satin Stainless Steel	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BOX - FIXINGS INCLUDED				
340999	340123	76 x 51	1	50

DHB01

Twin Ball Bearing Hinge - Steel


Designed for use on medium duty doors in domestic applications.

- Two lubricated ball bearings prevent knuckle wear for long lasting performance
- Ball bearings provide a smooth door operation
- Button tip for improved aesthetics
- Manufactured from steel with a variety of plating finishes

Satin Nickel



Technical Data		
Size L x W (mm)	76 x 51	102 x 76
Thickness (mm)	2.2	2.7
Knuckle Ø (mm)	10.6	12.6
Hole Ø (mm)	6.0	7.0
Rec. Screw Ø (mm)	4.0	5.0
Rec. Screw Gauge (Imp.)	8	10
Max. Door Weight (kg)	40	80



Product Code

Satin Nickel	Electro Brass	Antique Brass	Polished Chrome	Satin Chrome	White	Black	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BOX - FIXINGS INCLUDED									
340147	340843	340573	340456	340987	340369	340258	76 x 51	1	50
340101	340321	-	340555	340670	-	-	102 x 76	1	40

DHB01

Double Phosphor Bronze Washered Hinge

Ideal for hanging internal doors in domestic applications.

- Double washers prevent knuckle wear for long lasting performance
- Brass pin and phosphor bronze washers guarantee no rust
- Hinge manufactured from solid brass to guarantee no rust and a superior finish
- Available in a variety of finishes

Technical Data			
Size L x W (mm)	76 x 50	102 x 67	102 x 75
Thickness (mm)	2.50	3.50	3.50
Knuckle Ø (mm)	8.0	10.0	10.0
Screw Size (mm)	4.0 x 25	5.0 x 30	5.0 x 30
Rec. Screw Ø (mm)	4.0	5.0	5.0
Rec. Screw Gauge (Imp.)	8	10	10
Max. Door Weight (kg)	24	40	60

Polished Brass



Product Code

Polished Brass	Antique Brass	Bronze	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BOX - FIXINGS INCLUDED					
234158	234147	234114	76 x 50	1	80
234269	234100	234249	102 x 67	1	40
234358	234910	234762	102 x 75	1	40

BDH02



Double Stainless Steel Washered Hinge

Ideal for hanging internal doors in domestic applications.

- Double washers prevent knuckle wear for long lasting performance
- Stainless steel pin and washers for superior rust protection
- Hinge manufactured from solid brass to guarantee no rust and a superior finish
- Available in a variety of finishes

Technical Data			
Size L x W (mm)	76 x 50	102 x 67	102 x 75
Thickness (mm)	2.50	3.50	3.50
Knuckle Ø (mm)	8.0	10.0	10.0
Screw Size (mm)	4.0 x 25	5.0 x 30	5.0 x 30
Rec. Screw Ø (mm)	4.0	5.0	5.0
Rec. Screw Gauge (Imp.)	8	10	10
Max. Door Weight (kg)	24	40	60

Polished Chrome



Product Code				
Polished Chrome	Satin Chrome	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BOX - FIXINGS INCLUDED				
234381	234635	76 x 50	1	80
234412	234951	102 x 67	1	40
234708	234210	102 x 75	1	40



Satin Chrome

BDH03

Double Steel Washered Hinge

Ideal for hanging internal doors in domestic applications.

- Double washers prevent knuckle wear for long lasting performance
- Economy steel pin and washers
- Hinge manufactured from solid brass to guarantee no rust and a superior finish
- Available in a variety of finishes

Technical Data		
Size L x W (mm)	76 x 50	102 x 67
Thickness (mm)	2.00	2.20
Screw Size (mm)	4.0 x 25	5.0 x 30
Rec. Screw Ø (mm)	4.0	5.0
Rec. Screw Gauge (Imp.)	8	10
Max. Door Weight (kg)	20	25

Polished Brass



Product Code				
Polished Brass	Polished Chrome	Satin Chrome	L x W (mm)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED				
234555P	234731P	234426P	76 x 50	1 10
234898P	234129P	234684P	102 x 67	1 10
BAG - FIXINGS INCLUDED				
234555	234731	234426	76 x 50	1 10
234898	234129	234684	102 x 67	1 10



Polished Chrome



Satin Chrome

BDH04

Strong Steel Butt Hinge (451)

Ideal for use on heavy duty doors.

- A heavy duty version of the plain butt hinge
- Manufactured from thicker gauge steel for added strength
- Fixed pin for use with inward and outward opening doors

Technical Data	
Size L x W (mm)	100 x 73
Thickness (mm)	2.5
Knuckle Ø (mm)	12.0
Rec. Screw Ø (mm)	5.0
Rec. Screw Gauge (Imp.)	10
Max. Door Weight (kg)	40

Product Code

Zinc	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BAG - EXCLUDES FIXINGS			
434569	100 x 73	1	30

IDH10

Butt Hinges

An economy hinge for a variety of uses.



Self Coloured

Zinc

Polished Chrome

Satin Chrome

White

Black

Fixed Pin (1838)

- Fixed pin for use with inward and outward opening doors
- Manufactured from steel with a variety of plating finishes



Electro Brass



Technical Data						
Size L x W (mm)	25 x 25	38 x 34	63 x 44	75 x 50	90 x 60	100 x 70
Thickness (mm)	1.2	1.2	1.5	1.5	1.7	1.7
Knuckle Ø (mm)	5.0	5.6	6.8	7.3	8.7	9.3
Rec. Screw Ø (mm)	3.0	3.5	3.5	4.0	4.0	4.5
Rec. Screw Gauge (Imp.)	4	6	6	8	8	9
Max. Door Weight (kg)	2	2	10	20	25	30

Product Code									
Self Coloured	Zinc	Electro Brass	Polished Chrome	Satin Chrome	White	Black	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED									
-	434364P	-	-	-	-	-	25 x 25	1	10
-	434225P	-	-	-	-	-	38 x 34	1	10
-	434789P	-	-	-	-	-	63 x 44	1	10
434963P	434831P	434701P	434607P	-	-	434329P	75 x 50	1	10
434025P	434158P	434167P	434123P	-	-	434401P	100 x 70	1	10
BAG - EXCLUDES FIXINGS									
434005	434364	434652	-	-	-	-	25 x 25	1	200
434475	434225	434587	-	-	-	-	38 x 34	1	200
-	434789	434269	-	-	-	-	63 x 44	1	90
434963	434831	434701	434607	434817	434099	434329	75 x 50	1	90
434841	434069	434456	-	-	-	-	90 x 60	1	50
434025	434158	434167	434123	434555	434303	434401	100 x 70	1	60
BULK BOX - EXCLUDES FIXINGS									
-	434886	-	-	-	-	-	75 x 50	10	200

IDH01

Loose Pin (1840)

- Loose pin for easy door removal
- Recommended for internal doors
- Manufactured from steel with a variety of finishes



Electro Brass

Technical Data			
Size L x W (mm)	75 x 50	90 x 60	100 x 71
Thickness (mm)	1.5	1.7	1.7
Knuckle Ø (mm)	7.2	8.7	9.3
Rec. Screw Ø (mm)	4.0	4.0	4.5
Rec. Screw Gauge (Imp.)	8	8	9
Max. Door Weight (kg)	20	25	30

Product Code									
Zinc	Electro Brass	Polished Chrome	Satin Chrome	White	Black	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)	
TIMPAC - FIXINGS INCLUDED									
434642P	434659P	434435P	434006P	-	-	75 x 50	1	10	
BAG - EXCLUDES FIXINGS									
434642	434659	434435	434006	434720	434655	75 x 50	1	90	
434317	434208	434237	-	-	-	90 x 60	1	50	
434482	434101	434118	434520	434498	434319	100 x 71	1	60	

IDH02

Strong Security Hinge (451/S)

Ideal for use in public areas and outward opening doors.

- Interlocking lugs prevent door removal due to vandalism
- Manufactured from thicker gauge steel for added strength
- Fixed pin for use with inward and outward opening doors



Zinc

Technical Data	
Size L x W (mm)	100 x 72.5
Thickness (mm)	2.5
Knuckle Ø (mm)	12.0
Rec. Screw Ø (mm)	5.0
Rec. Screw Gauge (Imp.)	10
Max. Door Weight (kg)	40


Product Code			
Zinc	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
434210	100 x 72.5	1	30 IDH10

Narrow Uncranked Butt Hinge (5050)

A narrow economy hinge for a variety of uses.

- Narrow hinge leaves for use with thinner doors
- Fixed pin for use with inward and outward opening doors
- Manufactured from steel and available in self colour and zinc finishes

Self Coloured



Zinc

Technical Data				
Size L x W (mm)	75 x 48	100 x 58	127 x 65	150 x 75
Thickness (mm)	1.5	1.5	1.7	2.0
Knuckle Ø (mm)	7.2	8.3	8.8	9.0
Rec. Screw Ø (mm)	4.0	4.0	5.0	5.0
Rec. Screw Gauge (Imp.)	8	8	10	10
Max. Door Weight (kg)	20	30	40	50

Product Code				
Self Coloured	Zinc	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BAG - EXCLUDES FIXINGS				
434645	434015	75 x 48	1	90
434324	434255	100 x 58	1	60
434422	434149	127 x 65	1	30
434119	434999	150 x 75	1	20 IDH14

Cast Iron Butt Hinge (200)

Commonly used for specialised applications.

- Manufactured from cast iron to match period door ironmongery
- Fixed pin for use with inward and outward opening doors
- Available in self colour and black finishes

Self Coloured



Technical Data		
Size L x W (mm)	75 x 50	102 x 60
Thickness (mm)	3.5	4.0
Knuckle Ø (mm)	12.0	12.0
Rec. Screw Ø (mm)	4.0	4.5
Rec. Screw Gauge (Imp.)	8	9
Max. Door Weight (kg)	20	30

Product Code				
Self Coloured	Black	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BAG - EXCLUDES FIXINGS				
434176	434905	75 x 50	1	50
434444	434731	102 x 60	1	30 IDH12

Solid Drawn Hinge

Ideal for hanging light cupboard and cabinet doors in quality joinery projects.


- Manufactured from solid drawn brass to guarantee no rust and a superior finish
- Available in a variety of finishes

Polished Brass



Technical Data				
Size L x W (mm)	38 x 22	50 x 28	64 x 35	75 x 40
Thickness (mm)	1.30	1.45	2.00	2.00
Knuckle Ø (mm)	4.8	5.0	5.0	6.6
Screw Size (mm)	3.0 x 12	3.0 x 15	3.0 x 15	3.5 x 25
Rec. Screw Ø (mm)	3.0	3.0	3.0	3.5
Rec. Screw Gauge (Imp.)	4	4	4	6

Product Code					L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Polished Brass	Antique Brass	Bronze	Polished Chrome	Satin Chrome			
PLAIN BAG - FIXINGS INCLUDED							
234789	234471	234357	234617	234482	38 x 22	1	250
234654	234582	234204	234329	234593	50 x 28	1	250
234321	234963	234448	234846	234682	64 x 35	1	250
234016	234159	234023	234279	234571	75 x 40	1	250 BDH01



Antique Brass

Bronze



Polished Chrome

Satin Chrome

Plain Bearing Flush Hinge

Ideal for hanging light cupboard and cabinet doors in quality joinery projects.

- Flush finish enables a quick and easy fitting with no morticing required
- Brass bearing to prevent wear and provide a lifetime of silent, smooth door operation
- Manufactured from high quality extruded brass to guarantee no rust and a superior finish
- Available in a variety of finishes



Polished Brass



Antique Brass Bronze



Polished Chrome Satin Chrome

Technical Data			
Size L x W (mm)	60 x 41	75 x 50	
Thickness (mm)	1.40	1.70	
Knuckle Ø (mm)	6.0	6.4	
Screw Size (mm)	3.0 x 15	3.5 x 25	
Rec. Screw Ø (mm)	3.0	3.5	
Rec. Screw Gauge (Imp.)	4	6	

Product Code					L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Polished Brass	Antique Brass	Bronze	Polished Chrome	Satin Chrome			
BAG - FIXINGS INCLUDED							
234077	234579	234862	234606	234432	60 x 41	1	100
234316	234685	234111	234553	234797	75 x 50	1	100

Hurlinge - Fixed Pin (104)

Ideal for use in a variety of joinery applications. Commonly used for light cupboards, cabinets, bifold, louvre doors and shutters.

- Offset knuckle provides an even appearance between the door and frame
- Flush finish enables a quick and easy fitting with no morticing required
- Lugs on the knuckle for quick and simple alignment
- Manufactured from steel and available in a variety of finishes



Zinc



Electro Brass Polished Chrome

Technical Data			
Size L x W (mm)	75 x 55	101 x 66	
Thickness (mm)	1.5	2.0	
Knuckle Ø (mm)	8.0	9.0	
Rec. Screw Ø (mm)	3.5	4.0	
Rec. Screw Gauge (Imp.)	6	8	
Max. Door Weight (kg)	20	30	

Product Code					L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Zinc	Electro Brass	Polished Chrome					
BAG - EXCLUDES FIXINGS							
434457	434367	434202			75 x 55	1	90
434142	434819	434666			101 x 66	1	60

Flush Hinge (105)

Ideal for use in a variety of joinery applications. Commonly used for light cupboards, cabinets, bifold, louvre doors and shutters.

- Flush finish enables a quick and easy fitting with no morticing required
- Manufactured from steel and available in a variety of finishes



Zinc



Electro Brass White

Technical Data					
Size L x W (mm)	38 x 28	50 x 38.5	63 x 37	75 x 51	
Thickness (mm)	1.2	1.2	1.2	1.5	
Knuckle Ø (mm)	6.5	6.5	6.5	8.0	
Rec. Screw Ø (mm)	3.5	3.5	3.5	3.5	
Rec. Screw Gauge (Imp.)	6	6	6	6	
Max. Door Weight (kg)	2	5	10	12	

Product Code				L x W (mm)	Pack Qty (pair)	Carton Qty (packs)	
Zinc	Electro Brass	White					
TIMPAC - FIXINGS INCLUDED							
434451P	434464P	-		38 x 28	1	10	
434056P	434872P	434915P		50 x 38.5	1	10	
434900P	434946P	-		63 x 37	1	10	
434777P	434174P	-		75 x 51	1	10	
BAG - EXCLUDES FIXINGS							
434451	434464	-		38 x 28	1	200	
434056	434872	434915		50 x 38.5	1	200	
434900	434946	-		63 x 37	1	90	
434777	434174	-		75 x 51	1	90	

Hurlinge - Loose Pin (104Z)

Ideal for use in a variety of joinery applications. Commonly used for light cupboards, cabinets, bifold, louvre doors and shutters.

- Offset knuckle provides an even appearance between the door and frame
- Loose pin for easy door removal
- Flush finish enables a quick and easy fitting with no morticing required
- Lugs on the knuckle for quick and simple alignment
- Manufactured from steel and available in a variety of finishes



Zinc



Electro Brass Polished Chrome

Technical Data			
Size L x W (mm)	75 x 52	100 x 66	
Thickness (mm)	1.5	2.0	
Knuckle Ø (mm)	8.0	9.0	
Rec. Screw Ø (mm)	3.5	4.0	
Rec. Screw Gauge (Imp.)	6	8	
Max. Door Weight (kg)	20	30	


Product Code					L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Zinc	Electro Brass	Polished Chrome					
TIMPAC - FIXINGS INCLUDED							
434432P	434728P	-			100 x 66	1	10
BAG - EXCLUDES FIXINGS							
434002	434976	434641			75 x 52	1	90
434432	434728	434258			100 x 66	1	60

Specialist Hinges

Rising Butt Hinge (466)

Designed for uneven floor surfaces or obstructions such as deep pile carpets.

- Spiral knuckle lifts the door throughout the opening cycle
- Quick and easy removal of doors
- Self-closing design
- Available in left and right handed opening
- Manufactured from steel and available in zinc and electro brass finishes



Technical Data			
Size L x W (mm)	75 x 72	100 x 86	
Thickness (mm)	2.5	3.0	
Knuckle Ø (mm)	14.0	15.5	
Rec. Screw Ø (mm)	4.0	5.0	
Rec. Screw Gauge (Imp.)	8	10	
Max. Door Weight (kg)	30	40	


Product Code				L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Zinc Left Hand	Zinc Right Hand	Electro Brass Left Hand	Electro Brass Right Hand			
TIMPAC - FIXINGS INCLUDED						
434910P	434349P	-	-	75 x 72	1	30
BAG - EXCLUDES FIXINGS						
434910	434349	434483	434639	75 x 72	1	30
434157	434792	434458	434127	100 x 86	1	20

IDH06

Lift Off Hinge (457)

Designed to enable the door to be lifted out of the frame.

- For doors that may require emergency access when closed
- Quick and easy removal of doors
- Available in left and right handed opening
- Manufactured from steel in a zinc finish



Product Code				L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Zinc Left Hand	Zinc Right Hand					
BAG - EXCLUDES FIXINGS						
434706	434467	75 x 62	1	50		
434815	434307	101 x 63	1	30		

IDH15

Technical Data			
Size L x W (mm)	75 x 62	101 x 63	
Thickness (mm)	2.0	3.0	
Knuckle Ø (mm)	10.3	13	
Rec. Screw Ø (mm)	4.0	5.0	
Rec. Screw Gauge (Imp.)	8	10	
Max. Door Weight (kg)	20	30	

Ball Bearing Stormproof Hinge (1951)

Designed to fit stormproof rebated casement frames in quality joinery projects.

- Ball bearing raced knuckles to prevent wear and provide a lifetime of silent, smooth door operation
- Cranked knuckle to assist with weatherproofing
- Manufactured from high quality extruded brass to guarantee no rust and a superior finish
- Available in a variety of finishes



Polished Brass



Polished Chrome



Satin Chrome

Technical Data			
Size L x W (mm)	64 x 55		
Thickness (mm)	2.5		
Knuckle Ø (mm)	8.0		
Screw Size (mm)	4.0 x 25		
Rec. Screw Ø (mm)	4.0		
Rec. Screw Gauge (Imp.)	8		
Max. Door Weight (kg)	40		

Product Code				L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Polished Brass	Polished Chrome	Satin Chrome				
BOX - EXCLUDES FIXINGS						
234584	234236	234761	64 x 55	1	80	BDH09

Stormproof Hinge (1951)

Designed to fit a stormproof rebated casement frame.

- Allows the door to pivot away from the frame
- Cranked knuckle to assist with weatherproofing
- Manufactured from steel and available in a variety of finishes



Zinc



Brown



White

Technical Data			
Size L x W (mm)	63 x 58		
Thickness (mm)	1.8		
Knuckle Ø (mm)	10.0		
Rec. Screw Ø (mm)	4.0		
Rec. Screw Gauge (Imp.)	8		

Product Code				L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Zinc	Brown	White				
TIMPAC - FIXINGS INCLUDED						
434105P	-	-	63 x 58	1	10	
BAG - EXCLUDES FIXINGS						
434105	434077	434643	63 x 58	1	80	IDH11

Counter Flap Hinge

Designed for all counter types. A popular choice for public bars.

- Lies flat when open
- Manufactured from high quality extruded brass to guarantee no rust and a superior finish
- Available in a variety of finishes



Polished Brass



Polished Chrome



Satin Chrome

Technical Data			
Size L x W (mm)	100 x 40		
Thickness (mm)	2.5		
Screw Size (mm)	4.0 x 25		
Rec. Screw Ø (mm)	4.0		
Rec. Screw Gauge (Imp.)	8		
Max. Door Weight (kg)	10		

Product Code				L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Polished Brass	Polished Chrome	Satin Chrome				
BOX - EXCLUDES FIXINGS						
234999	234807	234340	100 x 40	1	100	BDH08

Backflap Hinge - Uncranked Knuckle (404)

Ideal for thin doors or folding joints on furniture.

- Fits to the surface when the material is too thin for butt hinges
- Manufactured from steel in a zinc finish



Technical Data						
Size L x W (mm)	25 x 74	32 x 76	38 x 87	50 x 106	65 x 147	75 x 167
Thickness (mm)	1.5	1.5	1.5	2.0	2.3	2.5
Knuckle Ø (mm)	6.6	6.6	7.7	8.8	8.8	8.8
Rec. Screw Ø (mm)	3.5	3.5	4.0	4.5	4.5	4.5
Rec. Screw Gauge (Imp.)	8	8	8	9	9	9

Product Code		L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
Self Coloured	Zinc			
TIMPAC - FIXINGS INCLUDED				
-	434846P	32 x 76	1	10
-	434715P	38 x 87	1	10
-	434843P	50 x 106	1	10
BAG - EXCLUDES FIXINGS				
434328	-	25 x 74	1	150
434461	434846	32 x 76	1	150
434783	434715	38 x 87	1	100
434029	434843	50 x 106	1	100
434164	434554	65 x 147	1	60

IDH08

Piano Hinge

Commonly fitted to piano lids, plus a wide variety of other uses, providing a neat solution. Also known as continuous hinge.

- Surface mounted no rebating required for quick and easy installation
- Designed to run the full length of the door or cabinet for extra stability
- Easily cut to required length
- Manufactured from steel are available in electro brass and nickel finishes

Electro Brass



Technical Data			
Size L x W (mm)	1800 x 25	1800 x 32	1800 x 38
Thickness (mm)	0.88	0.88	0.88
Knuckle Ø (mm)	4.5	4.5	4.5
Rec. Screw Ø (mm)	3.0	3.0	3.0
Rec. Screw Gauge (Imp.)	4	4	4



Nickel

Product Code		L x W (mm)	Pack Qty (pair)	MOQ Qty (packs)
Electro Brass	Nickel			
BOX - FIXINGS INCLUDED				
434181	434471	1800 x 25	1	20
434248	434067	1800 x 32	1	20
434563	434911	1800 x 38	1	20

IDH16

Parliament Hinge

Commonly used when projecting architraves prevent the door from opening fully.

- Projecting knuckle allows the door to open to 180° maximising doorway and room space
- Manufactured from high quality extruded brass to guarantee no rust and a superior finish
- Available in a variety of finishes



Polished Brass

Technical Data			
Size L x W (mm)	102 x 100	102 x 125	102 x 150
Thickness (mm)	4.00	4.00	4.00
Knuckle Ø (mm)	11.0	11.0	11.0
Rec. Screw Ø (mm)	5.0	5.0	5.0
Rec. Screw Gauge (Imp.)	10	10	10
Max. Door Weight (kg)	30	30	30
Projection (mm)	50	75	100

Product Code				Pack Qty (pair)	Carton Qty (packs)
Polished Brass	Polished Chrome	Satin Chrome	L x W (mm)		
BOX - FIXINGS INCLUDED					
234813	234337	234002	102 x 100	1	20
234297	234919	234500	102 x 125	1	20
234460	234364	234222	102 x 150	1	20

BDH06



Polished Chrome



Satin Chrome

NEW

Satin Anodised Aluminium Accessories & Handles

Flush Pull

Flush pulls are a simple recess pull that allows doors to slide in front of one another without catching any door hardware. These are morticed into the face of the door providing a flush finish. Ideal for pocket, sliding or folding doors.

- Flush fitting
- Face fixing
- Internal use only



Product Code	Satin Anodised Aluminium	Size (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
725141BX		89	1	20
TIMPAC - FIXINGS INCLUDED				
725141		89	1	5
				BSA09

Single Robe Hook

Commonly fitted to doors or walls to provide a hanger for robes, bathroom towels or similar.


- Face fixing
- Internal use only



Product Code	Satin Anodised Aluminium	Size (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
725142BX		47 x 19	2	50
TIMPAC - FIXINGS INCLUDED				
725142		47 x 19	2	5
				BSA04

Hat & Coat Hooks

Commonly fitted to doors or walls to provide a hanger for hats, coats or similar.



- Face fixing
- Internal use only



Product Code	Satin Anodised Aluminium	Size (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
725144BX		125 x 19	2	50
TIMPAC - FIXINGS INCLUDED				
725144		125 x 19	2	5
725145		125 x 19	5	5
				BSA04

Door Stops

A selection of door stops designed to prevent damage from handles hitting the wall when the door is opened. Each features a rubber buffer to protect doors from damage.



Projection



Round



Oval

Product Code	Satin Anodised Aluminium	Type	Size (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED					
725180BX		Projection	70	3	50
725182BX		Round	38	3	50
725183BX		Oval	50	1	50
TIMPAC - FIXINGS INCLUDED					
725180		Projection	70	3	5
725182		Round	38	3	5
725183		Oval	50	1	5
					BSA01

Casement Stay

Casement stays are used for securely holding wooden windows in an open position.

- For wooden casement windows
- Universal application (suitable for left or right opening windows)



Product Code	Satin Anodised Aluminium	Size (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
725193BX		200	1	50
725198BX		254	1	50
TIMPAC - FIXINGS INCLUDED				
725193		200	1	5
725198		254	1	5
				WHW02

Wedge Pattern Casement Fastener

Wedge pattern casement fastener designed to secure wooden windows in a closed position. The handle closes over the wedge which is fixed to the window frame.

- Reversible



Product Code	Satin Anodised Aluminium	Size (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
725187BX		100	1	50
TIMPAC - FIXINGS INCLUDED				
725187		100	1	5
				WHW02

Toilet Roll Holder

Wall mounted toilet roll holder with spring-loaded insert. Perfect for holding 1 roll of toilet paper.



- Face fixing
- Aluminium construction

Product Code	Satin Anodised Aluminium	Size (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
725186BX		135 x 80	1	25
TIMPAC - FIXINGS INCLUDED				
725186		135 x 80	1	5
				BSA08

Letter Plate

Letter plate with gravity flap which can be opened by lifting upwards. The gravity flap automatically closes once the flap is released. Bolt through fixing for a secure fitting.

- Gravity flap
- Rear fixing
- Suitable for internal & external applications
- Fixings included



Product Code			
Satin Anodised Aluminium	Size (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
725979BX	254 x 76	1	10
TIMPAC - FIXINGS INCLUDED			
725979	254 x 76	1	5
			BSA08

Covered Escutcheon

Covered escutcheon with rotating cover for privacy.

- Suitable for internal & external applications
- Provides privacy
- Face fixing
- Fixings included



Product Code			
Satin Anodised Aluminium	Size (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
725059BX	38	2	50
TIMPAC - FIXINGS INCLUDED			
725059	38	2	5
			BSA08

Cylinder Door Pulls

Cylinder door pulls provide a method of pulling a door closed when no pull handle or door knob is present. Available for use with Euro or standard profile cylinders.



Euro Standard

Product Code				
Satin Anodised Aluminium	Type (mm)	Length (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG				
725155BX	Euro	70 x 42	1	50
725158BX	Standard	70 x 42	1	50
TIMPAC				
725155	Euro	70 x 42	1	5
725158	Standard	70 x 42	1	5
				BSA09

NEW

Door Bolts

Lever Action Flush Bolt

Lever action flush bolts are morticed into the face or leading edge of the door providing a flush finish. Commonly fitted to internal double doors to secure the slave door leaf in place.

- Flush fitting
- Internal use only
- Suitable for French and double doors



Product Code			
Satin Anodised Aluminium	Size (mm)	Bolt Ø (mm)	Pack Qty (pack)
BAG - FIXINGS INCLUDED			
725140BX	155 x 20	10	1
TIMPAC - FIXINGS INCLUDED			
725140	155 x 20	10	1
			5
			BSA02

Necked Barrel Bolt

Necked barrel bolts are used for securing recessed fitted doors in a closed position.

- Face fixing
- Internal use only



Product Code			
Satin Anodised Aluminium	Size L x W (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
725224BX	75 x 25	1	10
TIMPAC - FIXINGS INCLUDED			
725224	75 x 25	1	5
			BSA02

Straight Barrel Bolt

Ideal for securing flush fitting doors in a closed position.

- Face fixing
- Internal use only



Product Code			
Satin Anodised Aluminium	Size L x W (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
725204BX	50 x 25	1	10
725205BX	75 x 25	1	10
725217BX	100 x 25	1	10
TIMPAC - FIXINGS INCLUDED			
725204	50 x 25	1	5
725205	75 x 25	1	5
725217	100 x 25	1	5
			BSA02

Bathroom Indicator Bolt

Bathroom indicator bolt with a slide-action to engage the bolt. For use on toilet doors, the red/green indicator appears when the bolt is locked/unlocked to indicate if occupied or not.



- Aluminium construction
- Internal use only

Product Code				
Satin Anodised Aluminium	Size L x W (mm)	Bolt Ø (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
725170BX	66 x 32	9.5	1	50
TIMPAC - FIXINGS INCLUDED				
725170	66 x 32	9.5	1	5
				BSA02

NEW

Pull Handles

Oval Grip Pull Handle

Door pull handle with off-set oval grip. Also known as cranked handles. For use in internal and external applications.

- Face fixing
- Solid aluminium construction
- Suitable for internal & external applications



Product Code				
Satin Anodised Aluminium	Size (mm)	Fixing Plate L x W (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
725084BX	228	36 x 30	1	10
TIMPAC - FIXINGS INCLUDED				
725084	228	36 x 30	1	5

BSA09

D Shaped Pull Handle On Rose

D shaped pull handle on rose suitable for internal and external applications. Featuring concealed fixings under the screw on rose.

- Suitable for internal & external applications
- Face fixing



Product Code					
Satin Anodised Aluminium	Size (mm)	Handle Ø (mm)	Rose Ø (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED					
725091BX	152	19	54	1	10
725092BX	229	19	54	1	10
725094BX	305	19	54	1	10
TIMPAC - FIXINGS INCLUDED					
725091	152	19	54	1	5
725092	229	19	54	1	5
725094	305	19	54	1	5

BSA09

D Shaped Cabinet Handle

Traditional D shaped pull handle with round bar profile is suitable for internal applications. Rear concealed bolt through fixing for a secure fitting.

- Suitable for internal applications
- Rear fixing



Product Code				
Satin Anodised Aluminium	Size (mm)	Handle Ø (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
725098BX	100	10	1	10
725102BX	150	10	1	10
TIMPAC - FIXINGS INCLUDED				
725098	100	10	1	5
725102	150	10	1	5

CBH01

Bow Handle

Bow shaped pull handle suitable for internal and external applications.


- Suitable for internal & external applications
- Face fixing



Product Code				
Satin Anodised Aluminium	Size (mm)	Rose Ø (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
725096BX	145	34	1	10
TIMPAC - FIXINGS INCLUDED				
725096	145	34	1	5

BSA09

Finger Plates



Finger Plate Pull Finger Plate Push

- Face fixing

Finger plates for protecting the push side of a door and hide any fixings from the pull handle on the opposite side. Face fixing with four pre-drilled countersunk fixing holes.



Also available with the text PULL or PUSH engraved at the top of the plate providing clear instructions for the user.

Product Code					
Satin Anodised Aluminium	Type	Size (mm)	Thickness (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED					
725137BX	Finger Plate	305 x 76	1.2	1	20
725138BX	Finger Plate Pull	305 x 76	1.2	1	20
725139BX	Finger Plate Push	305 x 76	1.2	1	20
TIMPAC - FIXINGS INCLUDED					
725137	Finger Plate	305 x 76	1.2	1	5
725138	Finger Plate Pull	305 x 76	1.2	1	5
725139	Finger Plate Push	305 x 76	1.2	1	5

BSA08

Available now!

Internal Door Latch Packs & Handles

See Pages 258-261



NEW

Contractors Door Handles & Packs

Lever Latch Door Pack

Complete internal door set, pack includes everything to hang and operate a latching door.



- Complete set includes latch & hinge
- For internal latching doors
- Suitable for most wooden doors

Technical Data	
Handle: Backplate Size L x W (mm)	103 x 40
Latch: Size (mm)	64
Hinge: Size (mm)	76

Product Code			
Satin Anodised Aluminium	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
BOX - FIXINGS INCLUDED			
200235	100	1	40 BSA10

Contractors 3 Lever Lock Door Pack

Complete internal/external lock set, pack includes everything to hang and operate a locking door.



- Complete set includes lock & hinges
- For internal locking doors
- Suitable for most wooden doors

Technical Data	
Handle: Backplate Size L x W (mm)	154 x 40
Sashlock: Size (mm)	64
Hinge: Size (mm)	100

Product Code			
Satin Anodised Aluminium	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
BOX - FIXINGS INCLUDED			
200967	100	1	20 BSA10

Contractors Handles

Available in four styles, lock, latch, euro profile and bathroom. Suitable for most wooden doors.



Technical Data			
Type	Latch	Lock & Bathroom	Euro Profile
Handle: Backplate Size L x W (mm)	103 x 40	154 x 40	155 x 40
Handle: Length (mm)	100		

Product Code			
Satin Anodised Aluminium	Handle Type	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
200851BX	Latch	1 Pair	50
200304BX	Lock	1 Pair	50
200146BX	Bathroom	1 Pair	50
200647BX	Euro	1 Pair	50
BLISTER PACK - FIXINGS INCLUDED			
200851	Latch	1 Pair	4
200304	Lock	1 Pair	4
200146	Bathroom	1 Pair	4
200647	Euro	1 Pair	4



Lever On Rose Handles

Contractors lever on rose, for use on internal doors in conjunction with a tubular latch. Features a sprung rose so the handle returns to its original position when released.



- Internal use only
- Suitable for most wooden doors

Product Code				
Satin Anodised Aluminium	Rose Ø (mm)	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
BOX - FIXINGS INCLUDED				
200666	52	134	1 Pair	50
BLISTER PACK - FIXINGS INCLUDED				
200515	52	134	1 Pair	4 BSA09

Bathroom Thumb Turn & Release On Rose Set

Bathroom thumb turn and release, for use on internal bathroom/WC doors in conjunction with a mortice bathroom lock or mortice deadbolt.



- Suitable for most wooden doors
- Emergency override/release from outside

Product Code			
Satin Anodised Aluminium	Size (mm)	Pack Qty (pack)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
725105BX	54	1 Pair	10
TIMPAC - FIXINGS INCLUDED			
725105	54	1 Pair	5 BSA07

Antique Style Hinges & Handles

Butterfly Hinges



Antique Black

Black Antique Butterfly pattern hinge, surface fixing ideal for small cupboards or boxes.

- Made from steel

Technical Data

Size L x W (mm)	70 x 48
Thickness (mm)	2.50
Rec. Screw Ø (mm)	3.5
Rec. Screw Gauge (Imp.)	6

Product Code

Antique Black	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
4434474	70 x 48	1	5 IDH17

Unequal Hinges



Antique Black

Black Antique Unequal pattern working hinges for internal doors to give a decorative finish.

- Made from steel

Technical Data

Size L x W (mm)	105 x 86
Thickness (mm)	5.5
Rec. Screw Ø (mm)	3.5
Rec. Screw Gauge (Imp.)	6

Product Code

Antique Black	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
442523	105 x 86	1	5 IDH20

Curly Tail Casement Fastener



Antique Black

Curly Tail casement fastener for traditional wooden casement windows.

- Made from steel

Technical Data

Size L (mm)	86
Handle Back Plate Size L x W (mm)	63 x 19
Hook Back Plate Size L x W (mm)	63 x 19
Mortice Back Plate Size L x W (mm)	63 x 19
Rec. Screw Ø (mm)	3.5
Rec. Screw Gauge (Imp.)	6

Product Code

Antique Black	Handle Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
949946	86	1	5 WHW02

Crown / Coronet Hinges



Antique Black

Black Antique Crown/Coronet pattern working hinges for doors to give a decorative finish.

- Made from steel

Technical Data

Size L (mm)	317
Thickness (mm)	5
Rec. Screw Ø (mm)	3.5
Rec. Screw Gauge (Imp.)	6

Product Code

Antique Black	L x W (mm)	Pack Qty (pair)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
442875	317 x 107	1	5 IDH19

Scroll Necked Bolt

Necked slide bolt for doors & cupboards. For use when the door and frame are not flush. Supplied with matching fixing screws.

- Made from steel


Antique Black



Product Code

Antique Black	Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
200843	128	5	1	10 BSA02

Spear Hinges



Antique Black

Black Antique spear pattern working hinges for doors to give a decorative finish.

- Made from steel

Technical Data

Size L (mm)	161	237
Thickness (mm)	5	5
Rec. Screw Ø (mm)	3.5	3.5
Rec. Screw Gauge (Imp.)	6	6

Product Code

Antique Black	L x W (mm)	Band Length (mm)	Band Length (inch)	Pack Qty (pair)	Carton Qty (packs)
BAG - FIXINGS INCLUDED					
442005	161 x 90	142	6	1	5
442674	237 x 108	213	9	1	5 IDH18

Fleur De Lys Pull Handle



Fleur De Lys style pull handle, face fixing.
• Made from steel

Technical Data		
Size (inch)	4	6
Size (mm)	100	162
Rec. Screw Ø (mm)	3.5	4.0
Rec. Screw Gauge (Imp.)	6	7

Product Code				
Antique Black	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
200131	100	4	1	20
200761	162	6	1	10

BSA09

Curly Tail Casement Stay

Curly tail casement stay for traditional wooden casement windows. Supplied with two pins.
• Made from steel



Antique Black

Technical Data	
Size L (mm)	252
Casement Stay Back Plate Size L x W (mm)	51 x 18
Pin Back Plate Size L x W (mm)	48 x 20
Rec. Screw Ø (mm)	3.5
Rec. Screw Gauge (Imp.)	6

Product Code				
Antique Black	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
BAG - FIXINGS INCLUDED				
949002	252	10	1	5

WHW02

Casement Stay (900A)

Casement stay 900A pattern, suitable for traditional wooden casement windows.
• Made from steel



Epoxy Black

Brown

Technical Data				
Size L (mm)			252	
Casement Stay Back Plate Size L x W (mm)			40 x 15	
Thickness (mm)			1	
Offset Pin Back Plate Size L x W (mm)			40 x 15	
Centre Pin Back Plate Size L x W (mm)			40 x 15	
Rec. Screw Ø (mm)			3.5	
Rec. Screw Gauge (Imp.)			6	

Product Code					
Epoxy Black	Brown	Length (mm)	Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
BAG - FIXINGS INCLUDED					
949437	949855	252	10	1	10

WHW02

Narrow Style Lever Handles

A pair of narrow style handles. Available in three styles, lock, latch and bathroom.

- Made from steel
- Sprung handles



Lock

Latch

Bathroom

Technical Data	
Size L x W (mm)	155 x 37
Centres (mm)	57
Max Door Thickness (mm)	44

Product Code			
Antique Black	Type	Pack Qty (pair)	Carton Qty (packs)
BOX - FIXINGS INCLUDED			
200966	Lock	1	10
200314	Latch	1	10
200787	Bathroom	1	10

BSA09

Traditional Lever Handles

A pair of traditional style handles. Available in three styles, lock, latch and bathroom.

- Made from steel
- Sprung handles



Lock

Latch

Bathroom

Technical Data	
Size L x W (mm)	155 x 54
Centres (mm)	57
Max Door Thickness (mm)	44

Product Code			
Antique Black	Type	Pack Qty (pair)	Carton Qty (packs)
BOX - FIXINGS INCLUDED			
200898	Lock	1	10
200232	Latch	1	10
200776	Bathroom	1	10

BSA09

Fleur De Lys Ornate Lever Handles

A pair of Fleur De Lys ornate handles, for use with mortice sashlock. Available in three styles, lock, latch and bathroom.

- Made from steel
- Sprung handles



Lock

Latch

Bathroom

Technical Data	
Size L x W (mm)	195 x 55
Centres (mm)	57
Max Door Thickness (mm)	44

Product Code			
Antique Black	Type	Pack Qty (pair)	Carton Qty (packs)
BOX - FIXINGS INCLUDED			
200420	Lock	1	10
200953	Latch	1	10
200007	Bathroom	1	10

BSA09

NEW

Internal Door Latch Packs



Victorian Scroll

Victorian Scroll Internal Door Latch Pack includes a pair of latch handles, a tubular latch and a pair of steel butt hinges in a matching finish.




Technical Data	
Handle: Backplate Size L x W (mm)	114 x 42
Latch: Size (mm)	64 Case / 45 Bucket
Hinge: Size L x W (mm)	76 x 50
Hinge Type	1838
Hinge: Max. Door Weight (kg)	20

Product Code					
Polished Chrome	Satin Chrome	Matt Black	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
BOX - FIXINGS INCLUDED					
200003	200753	200818	88	1	30
BLISTER - FIXINGS INCLUDED					
200627	200723	200009	88	1	4
BSA10					

Victorian Straight

Victorian Straight Internal Latch Pack includes a pair of latch handles, a tubular latch and a pair of steel butt hinges in a matching finish.



Technical Data	
Handle: Backplate Size L x W (mm)	114 x 42
Latch: Size (mm)	64 Case / 45 Bucket
Hinge: Size L x W (mm)	76 x 50
Hinge Type	1838
Hinge: Max. Door Weight (kg)	20

Product Code					
Polished Chrome	Satin Chrome	Matt Black	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
BOX - FIXINGS INCLUDED					
200246	200368	200952	90	1	30
BLISTER - FIXINGS INCLUDED					
200085	200041	200638	90	1	4
BSA10					

Zeta

Zeta Internal Latch Pack includes a pair of latch handles, a tubular latch and a pair of steel butt hinges in a matching finish.



Technical Data	
Handle: Backplate Size L x W (mm)	175 x 45
Latch: Size (mm)	64 Case / 45 Bucket
Hinge: Size L x W (mm)	76 x 50
Hinge Type	1838
Hinge: Max. Door Weight (kg)	20

Product Code					
Polished Chrome	Satin Chrome	Matt Black	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
BOX - FIXINGS INCLUDED					
200853	200159	200397	113	1	30
BSA10					

Edleston Lever On Rose

Edleston Internal Door Latch Pack includes a pair of handles, a tubular latch and a pair of ball bearing hinges in a matching finish.



Technical Data	
Handle: Rose Ø (mm)	51
Latch: Size (mm)	64 Case / 45 Bucket
Hinge: Size L x W (mm)	76 x 50
Hinge Type	Ball Bearing
Hinge: Max. Door Weight (kg)	40

Product Code					
Polished Chrome	Satin Chrome	Matt Black	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
BOX - FIXINGS INCLUDED					
200403	200352	200080	113	1	30
BSA10					

Radmore Lever On Rose

Radmore Internal Door Latch Pack includes a pair of handles, a tubular latch and a pair of ball bearing hinges in a matching finish.




Technical Data	
Handle: Rose Ø (mm)	51
Latch: Size (mm)	64 Case / 45 Bucket
Hinge: Size L x W (mm)	76 x 50
Hinge Type	Ball Bearing
Hinge: Max. Door Weight (kg)	40

Product Code					
Polished Chrome	Satin Chrome	Matt Black	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
BOX - FIXINGS INCLUDED					
200699	200544	200836	106	1	30
BSA10					

Shavington Lever On Rose

Shavington Internal Door Latch Pack includes a pair of handles, a tubular latch and a pair of ball bearing hinges in a matching finish.



Technical Data	
Handle: Rose Ø (mm)	51
Latch: Size (mm)	64 Case / 45 Bucket
Hinge: Size L x W (mm)	76 x 50
Hinge Type	Ball Bearing
Hinge: Max. Door Weight (kg)	40

Product Code			
Polished / Satin Chrome	Handle Length (mm)	Pack Qty (pack)	Carton Qty (packs)
BOX - FIXINGS INCLUDED			
200657	117	1	30
BSA10			

NEW

Lever Door Handle Range



Victorian Scroll

Victorian scroll lever handles, for use on doors in conjunction with a tubular latch, a mortice sashlock or a mortice bathroom lock.

Matt Black



Satin Chrome

Polished Chrome

Latch

Bathroom

Lock

Technical Data

Type	Latch	Lock & Bathroom
Handle: Backplate Size L x W (mm)	114 x 42	152 x 42
Handle: Length (mm)	88	
Latch: Size (mm)	64 Case / 45 Backet	

Product Code


Polished Chrome	Satin Chrome	Matt Black	Handle Type	Pack Qty (pack)	Carton Qty (packs)
BLISTER - FIXINGS INCLUDED					
200520	200323	200785	Latch	1 Pair	4
200962	200355	200788	Bathroom	1 Pair	4
200034	200748	200161	Lock	1 Pair	4

BSA09

Victorian Straight

Victorian straight lever handles, for use on doors in conjunction with a tubular latch, a mortice sashlock or a mortice bathroom lock.

Polished Chrome



Satin Chrome

Matt Black

Latch

Bathroom

Lock

Technical Data

Type	Latch	Lock & Bathroom
Handle: Backplate Size L x W (mm)	114 x 42	152 x 43
Handle: Length (mm)	90	
Latch: Size (mm)	64 Case / 45 Backet	

Product Code


Polished Chrome	Satin Chrome	Matt Black	Handle Type	Pack Qty (pack)	Carton Qty (packs)
BLISTER - FIXINGS INCLUDED					
200845	200102	200682	Latch	1 Pair	4
200392	200639	200247	Bathroom	1 Pair	4
200075	200927	200054	Lock	1 Pair	4

BSA09

Zeta

Zeta lever latch handles, for use on doors in conjunction with a tubular latch, a mortice sashlock or a mortice bathroom lock.

Satin Chrome



Polished Chrome

Matt Black

Latch

Bathroom

Lock

Technical Data

Type	Latch, Lock & Bathroom
Handle: Backplate Size L x W (mm)	175 x 45
Handle: Length (mm)	113
Latch: Size (mm)	64 Case / 45 Backet

Product Code

Polished Chrome	Satin Chrome	Matt Black	Handle Type	Pack Qty (pack)	Carton Qty (packs)
BLISTER - FIXINGS INCLUDED					
200757	200834	200060	Latch	1 Pair	4
200855	200738	200335	Bathroom	1 Pair	4
200004	200048	200771	Lock	1 Pair	4

BSA09

Edleston Lever On Rose

A contemporary designed lever with an arc and twist, easy to grip.

Matt Black



Satin Chrome

Polished Chrome

Polished / Satin Chrome

Technical Data

Handle: Rose Ø (mm)	51
Handle: Length (mm)	113
Latch: Size (mm)	64 Case / 45 Backet

Product Code

Polished Chrome	Satin Chrome	Polished / Satin Chrome	Matt Black	Pack Qty (pack)	Carton Qty (packs)
BLISTER					
200559	200809	200010	200751	1 Pair	4

BSA09

Radmore Lever On Rose

A sleek styled lever with straight lines.

Polished Chrome



Satin Chrome

Matt Black

Technical Data

Handle: Rose Ø (mm)	51
Handle: Length (mm)	106
Latch: Size (mm)	64 Case / 45 Backet

Product Code

Polished Chrome	Satin Chrome	Matt Black	Pack Qty (pack)	Carton Qty (packs)
BLISTER				
200318	200507	200942	1 Pair	4

BSA09

Shavington Lever On Rose

Modern styling with an oval appearance with soft curve.

Polished / Satin Chrome



Matt Black

Technical Data

Handle: Rose Ø (mm)	51
Handle: Length (mm)	117
Latch: Size (mm)	64 Case / 45 Backet

Product Code

Polished / Satin Chrome	Matt Black	Pack Qty (pack)	Carton Qty (packs)
BLISTER			
200006	200100	1 Pair	4

BSA09

Bathroom Thumb Turn And Release

NEW

Bathroom turn and release, for use on internal bathroom/WC doors in conjunction with a mortice bathroom lock or mortice deadbolt.



Product Code

Polished Chrome	Satin Chrome	Polished / Satin Chrome	Matt Black	Rose Ø (mm)	Pack Qty (pack)	Carton Qty (packs)
BLISTER PACK - FIXINGS INCLUDED						
200117	200172	200334	200850	51	1 Pair	5

BSA09

Standard & Euro Profile Escutcheon

NEW



Standard

Standard profile escutcheon, for use with traditional mortice sashlocks.



Euro

Euro profile escutcheon, for use with Euro profile cylinders.

Product Code

Polished Chrome	Satin Chrome	Polished / Satin Chrome	Matt Black	Rose Ø (mm)	Pack Qty (pack)	Carton Qty (packs)
STANDARD						
BLISTER PACK - FIXINGS INCLUDED						
200876	200573	200002	200941	51	1 Pair	5
EURO						
BLISTER PACK - FIXINGS INCLUDED						
200050	200735	200421	200880	51	1 Pair	5

BSA09

Door Latches & Catches

Economy Tubular Latch

Electro Brass



A simple yet reliable latch for use in domestic applications along with sprung door handles.

- Made from steel
- Bolt through
- Fixed forend

Nickel

Product Code

Electro Brass	Nickel	Case D x H x W (mm)	Backset (mm)	Faceplate H x W (mm)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG - FIXINGS INCLUDED							
675646	675460	67 x 20 x 15	45	59 x 27	67 Case / 45 Backset	1	10
675001	675647	79.5 x 20 x 15	57.5	59 x 27	79.5 Case / 57.5 Backset	1	10

MRL04

Tubular Latch

Electro Brass



A medium duty tubular latch suitable for use in domestic and commercial applications. The latch should be used with sprung door furniture. Includes dust box.

- Bolt through
- Suitable for 30 & 60 minute fire doors



CF5531

Product Code

Electro Brass	Satin Nickel	Case D x H x W (mm)	Backset (mm)	Faceplate H x W (mm)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED							
675303P	675900P	67 x 21 x 15	45	58 x 27	67 Case / 45 Backset	1	10
675555P	675783P	76 x 21 x 15	57	58 x 27	76 Case / 57 Backset	1	10
BAG - FIXINGS INCLUDED							
675303	675900	67 x 21 x 15	45	58 x 27	67 Case / 45 Backset	1	10
675555	675783	76 x 21 x 15	57	58 x 27	76 Case / 57 Backset	1	10

MRL04

Architectural Tubular Latch

A heavy duty architectural pattern tubular latch for use in high use domestic and commercial applications. The latch features a heavy duty spring mechanism and be used with sprung and unsprung door handles. Includes dust box.



- Includes both electro brass and satin nickel changeable faceplates
- Bolt through
- Suitable for 30 & 60 minute fire doors



CF5531

Product Code

Electro Brass & Satin Nickel	Case D x H x W (mm)	Backset (mm)	Faceplate H x W (mm)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED						
675264P	64 x 22.5 x 15	45	60 x 25	64 Case / 45 Backset	1	10
675815P	78 x 22.5 x 15	57	60 x 25	78 Case / 57 Backset	1	10
675673P	103 x 22.5 x 15	82.5	60 x 25	103 Case / 82.5 Backset	1	10
675015P	128 x 22.5 x 15	107.5	60 x 25	128 Case / 107.5 Backset	1	10
BAG - FIXINGS INCLUDED						
675264	64 x 22.5 x 15	45	60 x 25	64 Case / 45 Backset	1	10
675815	78 x 22.5 x 15	57	60 x 25	78 Case / 57 Backset	1	10
675673	103 x 22.5 x 15	82.5	60 x 25	103 Case / 82.5 Backset	1	10
675015	128 x 22.5 x 15	107.5	60 x 25	128 Case / 107.5 Backset	1	10

MRL04

Architectural Tubular Deadbolt



A heavy duty architectural pattern tubular deadbolt for use in high use domestic and commercial applications. The deadbolt is to be used in conjunction with a bathroom turn that has a 5mm spindle. Includes dust box.

- Includes both electro brass and satin nickel changeable faceplates
- Bolt through

Product Code

Electro Brass & Satin Nickel	Case D x H x W (mm)	Backset (mm)	Faceplate H x W (mm)	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED						
675999P	65.5 x 22.5 x 15	45	60 x 25	65.5 Case / 45 Backset	1	10
675606P	78 x 22.5 x 15	57	60 x 25	78 Case / 57 Backset	1	10
675481P	103.5 x 22.5 x 15	82.5	60 x 25	103.5 Case / 82.5 Backset	1	10
675198P	129 x 22.5 x 15	108	60 x 25	129 Case / 108 Backset	1	10
BAG - FIXINGS INCLUDED						
675999	65.5 x 22.5 x 15	45	60 x 25	65.5 Case / 45 Backset	1	10
675606	78 x 22.5 x 15	57	60 x 25	78 Case / 57 Backset	1	10
675481	103.5 x 22.5 x 15	82.5	60 x 25	103.5 Case / 82.5 Backset	1	10
675198	129 x 22.5 x 15	108	60 x 25	129 Case / 108 Backset	1	10

MRL04

Door Locks



5 Lever British Standard Locks

A high security mortice lock for use in interior and exterior doors in commercial and domestic environments. Rigorously tested to BS 3621:2007 which is a common requirement of building and contents insurance policies.

Sashlock

Satin Stainless Steel



- Made from Stainless Steel
- Tested to BS 3621:2007



Deadlock

Satin Stainless Steel



The heavy duty spring mechanism makes this lock ideal for sprung and unsprung door handles.



Electro Brass

Technical Data

Type	Sashlock		Deadlock	
	66 / 45	78 / 57	66 / 45	78 / 57
Size (mm)	66 / 45	78 / 57	66 / 45	78 / 57
Case D x H x W (mm)	66 x 110 x 18	78 x 110 x 18	66 x 80 x 18	78 x 80 x 18
Backset (mm)	45	57	45	57
Faceplate H x W (mm)	155 x 25	155 x 25	125 x 25	125 x 25
Centres (mm)	57	57	57	57

Product Code

Satin Stainless Steel	Electro Brass	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
-----------------------	---------------	-----------	----------------	--------------------

SASHLOCK

BOX - FIXINGS INCLUDED

675065	675333	66 Case / 45 Backset	1	10
675846	675514	78 Case / 57 Backset	1	10

DEADLOCK

BOX - FIXINGS INCLUDED

675444	675953	66 Case / 45 Backset	1	10
675220	675157	78 Case / 57 Backset	1	10

MRL05

5 Lever British Standard Sashlock Rebate Kit

To be used in conjunction with our 5 Lever British Standard Sashlock. Typically used on a pair of rebated doors to offset the lock and keep faceplates.



Satin Nickel

- Made from steel



Electro Brass

Product Code

Satin Nickel	Electro Brass	To Suit Door Rebate (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	---------------	--------------------------	----------------	--------------------

BAG - FIXINGS INCLUDED

675759	675135	13	1	20
--------	--------	----	---	----

MRL05

3 Lever Locks

A medium security sashlock that is ideal for use in domestic and commercial applications.

Sashlock

Satin Nickel



- Made from steel
- Tested to BS EN 12209



CE
1121

Deadlock

Satin Nickel



Features a medium duty spring mechanism and is recommended to be used with sprung door handles.



Electro Brass

Technical Data

Type	Sashlock		Deadlock	
	65 / 45	78 / 58	65 / 45	78 / 58
Size (mm)	65 / 45	78 / 58	65 / 45	78 / 58
Case D x H x W (mm)	65 x 102 x 14	78 x 110 x 18	65 x 70 x 14	78 x 70 x 14
Backset (mm)	45	58	45	58
Faceplate H x W (mm)	153 x 22	153 x 22	120 x 22	120 x 22
Centres (mm)	57	57	-	-
Key Length	Standard	Standard	-	-

Product Code

Satin Nickel	Electro Brass	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	---------------	-----------	----------------	--------------------

SASHLOCK

SASHLOCK - BOX - FIXINGS INCLUDED

675321	675987	65 Case / 45 Backset	1	10
675014	675456	78 Case / 58 Backset	1	10

DEADLOCK

DEADLOCK - BOX - FIXINGS INCLUDED

675751	675951	65 Case / 45 Backset	1	10
675943	675357	78 Case / 58 Backset	1	10

MRL01

3 Lever Sashlock Rebate Kit

To be used in conjunction with our 3 lever sashlock. Typically used on a pair of rebated doors to offset the lock and keep faceplates.



Satin Nickel

- Made from steel



Electro Brass

Product Code

Satin Nickel	Electro Brass	To Suit Door Rebate (mm)	Pack Qty (pcs)	Carton Qty (packs)
--------------	---------------	--------------------------	----------------	--------------------

BAG - FIXINGS INCLUDED

675369	675258	13	1	20
--------	--------	----	---	----

MRL01

Euro Profile Locks

Ideal for medium to high security doors in domestic and commercial applications. Features a heavy duty spring and can be used in conjunction with a Euro profile cylinder.

Sashlock

Satin Nickel



- Made from steel
- Tested to BS EN 12209



Deadlock

Satin Nickel



Features a heavy duty spring and can be used with both sprung and unsprung door handles

Technical Data

Type	Sashlock		Deadlock	
Size (mm)	66 / 45	78 / 56	66 / 45	78 / 56
Case D x H x W (mm)	66 x 110 x 15.5	78 x 110 x 15.5	66 x 80 x 15.5	78 x 80 x 15.5
Backset (mm)	45	56	45	56
Faceplate H x W (mm)	155 x 25	155 x 25	125 x 25	125 x 25
Centres (mm)	47.5	47.5	-	-

Product Code

Satin Nickel	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
SASHLOCK - BOX - FIXINGS INCLUDED			
675020	66 Case / 45 Backset	1	10
675852	78 Case / 56 Backset	1	10
DEADLOCK - BOX - FIXINGS INCLUDED			
675513	66 Case / 45 Backset	1	10
675955	78 Case / 56 Backset	1	10

MRL03

Specialist 3 Lever Sashlocks

Narrow Backset

3 lever sashlock with a 50mm depth ideal for narrow style glazed doors.

- Made from steel



Satin Nickel

Extra Long Keys

3 lever sashlock with a 64mm depth. Supplied with 2 extra long keys.

- Made from steel



Satin Nickel

Technical Data

Size (mm)	51 / 31	65 / 45
Case D x H x W (mm)	51 x 106 x 14	65 x 102 x 14
Backset (mm)	31	45
Faceplate H x W (mm)	152 x 22	152 x 24
Centres (mm)	57	57
Key Length	Standard	Extra Long

Product Code

Satin Nickel	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
SASHLOCK NARROW BACKSET - BAG - FIXINGS INCLUDED			
675546	51 Case / 31 Backset	1	10
SASHLOCK EXTRA LONG KEYS - BAG - FIXINGS INCLUDED			
675267	65 Case / 45 Backset	1	10

MRL01

Bathroom Locks

A medium duty bathroom lock that is ideal for use in domestic and commercial applications.

The lock features a medium duty spring and is recommended to be used with sprung door handles. The deadbolt is operated by a turn with a 5mm spindle.

Satin Nickel



- Made from steel
- Tested to BS EN 12209




Technical Data

Size (mm)	65 / 45	78 / 57
Case D x H x W (mm)	65 x 102 x 14	78 x 102 x 14
Backset (mm)	45	57
Faceplate H x W (mm)	152 x 22	152 x 22
Centres (mm)	57	57

Product Code

Satin Nickel	Electro Brass	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BOX - FIXINGS INCLUDED				
675359	675861	65 Case / 45 Backset	1	10
675222	675248	78 Case / 57 Backset	1	10

MRL02



Electro Brass


3 Lever Narrow Backset Sashlock Rebate Kit

To be used in conjunction with our 50mm, 3 lever sashlock. Typically used on a pair of rebated doors to offset the lock and keep faceplates.



Satin Nickel

- Made from steel
- Only for use with 675546 (50mm Narrow Backset 3 Lever Sashlock)



Electro Brass

Product Code

Satin Nickel	To Suit Door Rebate (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG - FIXINGS INCLUDED			
675010	13	1	20

MRL01

Door Bolts

Straight Barrel Bolt

Ideal for securing flush fitting doors in a closed position.

- Made from solid brass



Polished Brass



Polished Chrome



Satin Chrome

Product Code			Size L x W (mm)	Bolt Throw (mm)	Pack Qty (pcs)	Carton Qty (packs)
Polished Brass	Polished Chrome	Satin Chrome				
TIMPAC - FIXINGS INCLUDED						
200945P	200225P	200856P	75 x 25	15	1	10
200328P	200943P	200379P	100 x 25	20	1	10
200496P	200114P	200164P	150 x 25	22	1	10
BAG - EXCLUDES FIXINGS						
200945	200225	200856	75 x 25	15	1	10
200328	200943	200379	100 x 25	20	1	10
200496	200114	200164	150 x 25	22	1	10

BSA02

Contract Flat Section Bolt

A decorative bolt for securing flush mounted doors. Commonly fitted to French doors.

- Made from solid brass



Polished Brass



Polished Chrome



Satin Chrome

Product Code			Size L x W (mm)	Bolt Throw (mm)	Pack Qty (pcs)	Carton Qty (packs)
Polished Brass	Polished Chrome	Satin Chrome				
TIMPAC - FIXINGS INCLUDED						
200336P	200779P	200522P	110 x 25	20	1	10
200852P	200633P	200176P	135 x 30	24	1	10
200136P	200364P	200961P	210 x 35	35	1	10
BAG - EXCLUDES FIXINGS						
200336	200779	200522	110 x 25	20	1	10
200852	200633	200176	135 x 30	24	1	10
200136	200364	200961	210 x 35	35	1	5

BSA02

Lever Action Flush Bolt

Lever action flush bolts are morticed into the face or leading edge of the door providing a flush door surface finish. They are commonly fitted to double doors to secure the slave door leaf in place.

- Made from solid brass



Satin Chrome



Polished Chrome



Polished Brass

Product Code			Size L x W (mm)	Bolt Throw (mm)	Pack Qty (pcs)	Carton Qty (packs)
Polished Brass	Polished Chrome	Satin Chrome				
TIMPAC - FIXINGS INCLUDED						
200393P	200195P	200285P	150 x 19	15	1	10
200643P	200477P	200648P	200 x 19	15	1	10
BAG - EXCLUDES FIXINGS						
200393	200195	200285	150 x 19	15	1	5
200643	200477	200648	200 x 19	15	1	5

BSA02

Necked Barrel Bolt

Ideal for securing recessed fitted doors in a closed position.

- Made from solid brass



Satin Chrome



Polished Chrome



Polished Brass

Product Code			Size L x W (mm)	Bolt Throw (mm)	Pack Qty (pcs)	Carton Qty (packs)
Polished Brass	Polished Chrome	Satin Chrome				
TIMPAC - FIXINGS INCLUDED						
200764P	200694P	200367P	75 x 25	12	1	10
200321P	200996P	200158P	100 x 25	16	1	10
200200P	200555P	200645P	150 x 25	20	1	10
BAG - EXCLUDES FIXINGS						
200764	200694	200367	75 x 25	12	1	10
200321	200996	200158	100 x 25	16	1	10
200200	200555	200645	150 x 25	20	1	10

BSA02

Architectural Flat Section Bolt

A high quality designer bolt commonly used for securing French doors. The bolt comes supplied with all three keeps required for flush and recessed mounted doors.

- Made from solid brass



Polished Brass



Polished Chrome



Satin Chrome

Product Code			Size L x W (mm)	Bolt Throw (mm)	Pack Qty (pcs)	Carton Qty (packs)
Polished Brass	Polished Chrome	Satin Chrome				
TIMPAC - FIXINGS INCLUDED						
200236P	200777P	200464P	100 x 35	25	1	10
200369P	200625P	200222P	150 x 35	25	1	10
200854P	200191P	200946P	210 x 35	25	1	10
BAG - EXCLUDES FIXINGS						
200236	200777	200464	100 x 35	25	1	5
200369	200625	200222	150 x 35	25	1	5
200854	200191	200946	210 x 35	25	1	5

BSA02

Indicator Bolt



Satin Chrome

- Ideal for bathroom and cubicle doors
- Indicator to show vacant or engaged
- External coin release facility
- Max door thickness 50mm



Polished Chrome



Polished Brass

Product Code			Size (mm)	Bolt Throw (mm)	Pack Qty (pcs)	Carton Qty (packs)
Electro Brass	Polished Chrome	Satin Chrome				
TIMPAC - FIXINGS INCLUDED						
200112P	200045P	200320P	66	21	1	10
BAG - EXCLUDES FIXINGS						
200112	200045	200320	66	21	1	40

BSA02

Door & Window Security

Door Rack Bolt

An ideal way to increase security on timber doors. Morticed into the door and operated by a spline / rack bolt key that throws the bolt into the frame. For optimum security it's recommended that the bolts are fitted to the top and the bottom of the door.



Technical Data	
Size (mm)	60 / 31
Case D x Ø (mm)	60 x 16
Backset (mm)	31
Bolt Throw (mm)	18
Bolt Dia. (mm)	13

Each pack contains 2 bolts & 1 key

Spare Rack Bolt Keys - Pack of 2



Product Codes:
TIMPAC: 200333P
BAG: 200333

Product Code						Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
Electro Brass	Polished Chrome	Satin Chrome	White	White				
TIMPAC - FIXINGS INCLUDED								
200020P	200951P	200789P	200456P	60	2	10		
BAG - EXCLUDES FIXINGS								
200020	200951	200789	200456	60	2	50		BSA02

Window Rack Bolt

An ideal way to increase security on timber windows. Morticed into the window and operated by a spline / rack bolt key that throws the bolt into the frame. For optimum security it is recommended that the bolts are fitted to the top and the bottom of the window.



Technical Data	
Size (mm)	42 / 21
Case D x Ø (mm)	42 x 16
Backset (mm)	21
Bolt Throw (mm)	11
Bolt Dia. (mm)	13

Each pack contains 2 bolts & 1 key

Spare Rack Bolt Keys - Pack of 2




Product Codes:
TIMPAC: 200333P
BAG: 200333

Product Code						Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
Electro Brass	Polished Chrome	Satin Chrome	White	White				
TIMPAC - FIXINGS INCLUDED								
949101P	949951P	949456P	949789P	42	2	10		
BAG - EXCLUDES FIXINGS								
949101	949951	949456	949789	42	2	50		WHW01

Hinge Bolt

Hinge bolts provide additional security for outward opening doors that have exposed hinge knuckles. They prevent the door being removed from the frame in the event of the hinge knuckle being attacked by interlocking the door into the frame.



Technical Data	
Size (mm)	48
Bolt Diameter (mm)	12.5
Length (mm)	48

Product Code					Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
Electro Brass	Zinc	Zinc	Zinc	Zinc			
TIMPAC - FIXINGS INCLUDED							
200606P	200999P	48	2	10			
BAG - EXCLUDES FIXINGS							
200606	200999	48	2	50			BSA07

Cabin Hook



Ideal for retaining doors in an open position in domestic and light commercial applications. This cabin hook features knuckled connecting joints for quiet operation.

Product Code						Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
Polished Chrome	Polished Chrome	Satin Chrome	Polished Chrome	Polished Chrome				
TIMPAC - FIXINGS INCLUDED								
200495P	200111P	200123P	75	1	10			
200665P	200759P	200749P	100	1	10			
200436P	200221P	200385P	150	1	10			
BAG - EXCLUDES FIXINGS								
200495	200111	200123	75	1	10			
200665	200759	200749	100	1	10			
200436	200221	200385	150	1	10			BSA03

Door Chains

Door Chain



Electro Brass

When engaged door chains reduce the opening angle of the door enabling the occupant to identify and speak to the caller before the door is released and restrain against a forced attack.


Product Code						Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
Electro Brass	Polished Chrome	Satin Chrome	Polished Chrome	Polished Chrome				
DOOR CHAIN								
BAG - EXCLUDES FIXINGS								
200357	200485	200654	85	1	10			
SECURITY DOOR CHAIN								
TIMPAC - FIXINGS INCLUDED								
200987P	200015P	200471P	44	1	10			
BAG - EXCLUDES FIXINGS								
200987	200015	200471	44	1	10			BSA06

Security Door Chain



Polished Chrome
264

Door Restrictor



Electro Brass

When engaged door restrictors reduce the opening of the door enabling the occupant to identify and speak to the caller before the door is released and restrain against a forced attack. They are easier to operate and quieter than a standard door chain.

Product Code						Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
Polished Chrome	Polished Chrome	Satin Chrome	Polished Chrome	Polished Chrome				
BAG - EXCLUDES FIXINGS								
200741	200258	200963	107	1	10			BSA05

Furniture Fixings

Bales Catch

Used for securing internal doors that require just a push/pull handle. Adjustable roller to adjust the closing tension of the door. Supplied with matching strike plate in electro brass.



Technical Data			
Size (mm)	20		
Case D x Ø (mm)	20 x 21		
Faceplate H x W (mm)	57 x 23		
Product Code			
Electro Brass	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - EXCLUDES FIXINGS			
BC19P	20	2	5 BSA08

Adjustable Roller Catch

Used for securing internal doors that require just a push/pull handle. Adjustable roller to adjust the closing tension of the door. Supplied with matching strike plate in electro brass or nickel plated finishes.



Technical Data			
Size (mm)	39		
Case D x Ø (mm)	39 x 19		
Faceplate H x W (mm)	59 x 23.5		
Product Code			
Electro Brass	Nickel	Size (mm)	Pack Qty (pcs)
TIMPAC - EXCLUDES FIXINGS			
ARCBRASSP	ARCNICKELP	39	1 5 BSA08

Magnetic Catch

A surface mounted light duty magnetic catch for securing cupboard or cabinet doors.



Product Code					
White	Size (mm)	Strength (kg)	Pack Qty (pcs)	Carton Qty (packs)	
TIMPAC - EXCLUDES FIXINGS					
MC4P	40 x 22	4.0	2	5	
MC6P	58 x 22	6.0	2	5	BSA08

Double Ball Catch


A solid brass push fit catch for securing cupboard or cabinet doors.



Product Code					
Electro Brass	Chrome	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)	
TIMPAC - EXCLUDES FIXINGS					
DBC40BRASSP	DBC40CHROME P	43	2	5	
DBC50BRASSP	DBC50CHROME P	50	2	5	BSA08

Double Roller Catch

A surface mounted push fit catch for securing cupboard or cabinet doors.



Product Code			
Zinc	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - EXCLUDES FIXINGS			
DRP	28 x 32	2	5 BSA08

Modesty Block

A single piece block for joint fixing of cabinet panels or similar at 90°.

- Size - 34 x 13 x 13mm
- Screw Hole Ø - 4.8mm



Product Code			
White	Brown	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - EXCLUDES FIXINGS			
MBWHITEB	MBBROWNB	65	5 BAG34
TIMPAC - EXCLUDES FIXINGS			
MBWHITEP	MBBROWNP	10	5 BSA08

Knock Down Block

Used for the assembly of boards at 90°. Secured with a bolt into the thread of the second block which draws the two fittings together.

- Size - 35 x 25 x 12mm
- Screw Hole Ø - 4.9mm



Product Code			
White	Brown	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - EXCLUDES FIXINGS			
KDWHITEP	KDBROWNP	4	5 BSA08

Dummy Draw Connector

Used for the semi-permanent fixing of dummy draw fronts to kitchen carcasses. The design allows for some adjustment during fitting to ensure a flush finish.

- Screw Hole Ø - 3.5mm



Product Code		
White	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - EXCLUDES FIXINGS		
DDCP	2	10 BSA08

Dual Direction Panel Connector

Two piece clip used for flush semi-permanent fixing of panels or dummy drawer fronts. The dual direction design allows fixing onto the base by clipping straight on or at a right angle.

- Screw Hole Ø - 3.5mm



Product Code		
White	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - EXCLUDES FIXINGS		
DDPCP	2	10 BSA08

Joining Biscuits, Plates & Braces



Rigid Joint

Suitable for fixing boards together at right angles.

- Screw Hole Ø - 4.5mm



Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
White			
TIMPAC			
WRJP	32 x 17 x 17	10	10 BSA08

Hinge Hole Cover Cap



Designed to cover unwanted and unsightly holes in all types of kitchen, bedroom and bathroom furniture. To suit a standard 35mm diameter hinge hole.

Product Code	Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC			
35HHCCP	35	4	10 BSA08

Plates and Braces

Mending Plate




Tee Plate



Stretcher Plate



Corner Plate



Angled Brace



Corner Brace



Product Code	Size (mm)	Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	-----------	----------------	----------------	--------------------	--------------------

Mending Plate					
BOX					
75MPL	75 x 16	1.85	50	20	680
100MPL	100 x 16	2.0	50	14	560
TIMPAC					
75MPLP	75 x 16	1.85	4	5	-
100MPLP	100 x 16	2.0	4	5	-

Tee Plate					
BOX					
76TPL	76 x 76 x 16 x 16	2.0	25	28	1680
TIMPAC					
76TPLP	76 x 76 x 16 x 16	2.0	2	5	-

Stretcher Plate					
BOX					
38SPL	38 x 25 x 29	1.8	100	7	350
TIMPAC					
38SPLP	38 x 25 x 29	1.8	4	5	-

Corner Plate					
BOX					
50CPL	50 x 50 x 13	1.5	50	20	840
75CPL	75 x 75 x 16	1.5	50	12	480
TIMPAC					
50CPLP	50 x 50 x 13	1.5	4	5	-
75CPLP	75 x 75 x 16	1.5	4	5	-

Angled Brace					
BOX					
19ABR	19 x 19 x 19	1.0	1,000	5	200
TIMPAC					
19ABRP	19 x 19 x 19	1.0	10	5	-

Corner Brace					
BOX					
25CBR	25 x 25 x 16	1.6	50	44	792
38CBR	38 x 38 x 16	1.6	50	30	1080
50CBR	50 x 50 x 16	1.6	50	20	840
65CBR	65 x 65 x 16	1.7	50	12	600
75CBR	75 x 75 x 16	1.7	50	10	500
100CBR	100 x 100 x 22	2.3	25	10	400
TIMPAC					
25CBRP	25 x 25 x 16	1.6	4	5	-
38CBRP	38 x 38 x 16	1.6	4	5	-
50CBRP	50 x 50 x 16	1.6	4	5	-
65CBRP	65 x 65 x 16	1.7	4	5	-
75CBRP	75 x 75 x 16	1.7	4	5	-
100CBRP	100 x 100 x 22	2.3	2	5	-

Wooden Joining Biscuit



Used for precise edge jointing of timber. The compressed beech wood expands when used with glue for a secure joint.

- FSC Certified
- Thickness - 4mm

Product Code	Size	Board Thick. (mm)	Pack Qty (pcs)	Carton Qty (packs)
BULK BOX				
270185	No.0	8 - 12	1000	10
270228	No.10	13-18	1000	10
270673	No.20	19+	1000	10
TIMPAC				
270364	No.0	8 - 12	100	100
270851	No.10	13-18	100	50
270227	No.20	19+	100	50

Wooden Dowel



Used for accurate, reinforced timber and cabinet jointing. Tapered ends for easier application. Fluted shank for good glue distribution along the entire length and to eliminate trapped air.

- FSC Certified

Product Code	Ø x L (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC			
270491	6 x 30	100	200
270566	8 x 40	100	100
270287	10 x 40	100	100
TIMPAC			
WDOWEL630P	6 x 30	25	10
WDOWEL640P	6 x 40	15	10
WDOWEL830P	8 x 30	15	10
WDOWEL840P	8 x 40	10	10

Plastic Cabinet Connector Bolt

For joining cabinets and kitchen units together.



Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
28PCCBP	28	4	10 BSA08

Worktop Connector

Provides a concealed and strong joint for worktops eliminating the need for surface mounted joining strips. Frequently used in pairs. Brackets require 35mm jig.



Product Code	Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
PACK			
WC6150	M6 x 150	6	24 BRA01

Door Stops & Hooks



Projection Door Stop

Fits to walls and skirting boards and will prevent damage to walls from door handles. The rubber tip prevents damage to the door. High quality plated finishes.



Product Code					
Polished Chrome	Satin Chrome	Polished Brass	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED					
200624P	200888P	200302P	70	1	10
BAG - EXCLUDES FIXINGS					
200624	200888	200302	70	1	10
BSA01					

Oval Door Stop

A floor mounted stop that can be mounted at any point of the door opening. The rubber buffer prevents damage to doors. High quality plated finishes.



Product Code					
Polished Chrome	Satin Chrome	Polished Brass	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED					
200090P	200775P	200330P	47	1	10
BAG - EXCLUDES FIXINGS					
200090	200775	200330	47	1	10
BSA01					

Cylinder Door Stop

A floor mounted stop that can be positioned at any point of the door opening. Concealed fixing for added aesthetics. The rubber buffer prevents damage to doors. High quality plated finishes.



Product Code					
Polished Chrome	Satin Chrome	Polished Brass	Size Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED					
200975P	200049P	200668P	41	1	10
BAG - EXCLUDES FIXINGS					
200975	200049	200668	41	1	10
BSA01					

PVC Door Stop

A floor mounted door stop used to prevent doors from damaging walls.



Product Code					
Black	White	Size Ø x H (mm)	Pack Qty (pcs)	Carton Qty (packs)	
TIMPAC					
DSBLACKP	DSWHITEP	32 x 21	1	10	
BSA01					

Spring Door Stop

A wall or skirting board mounted door stop used to prevent doors from damaging walls.



Product Code					
Electro Brass	Nickel	Size L x W (mm)	Pack Qty (pcs)	Carton Qty (packs)	
TIMPAC					
SSBRASSP	SSNICKELP	78 x 24	2	5	
BSA01					

PVC Door Wedge

A triangular shaped wedge used to temporarily stop doors from closing.



Product Code					
Product Code	Size L x W x H (mm)	Screw Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)	
TIMPAC					
DWEDGE	136 x 43 x 29	4.4	1	5	
BSA01					

Door Hooks

Single Robe Hook

Commonly fitted to doors or walls for hanging hats, coats or bathrobes.



Product Code					
Polished Chrome	Satin Chrome	Polished Brass	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED					
200994P	200347P	200064P	44 x 18	1	10
BAG - EXCLUDES FIXINGS					
200994	200347	200064	44 x 18	1	10
BSA04					

Double Robe Hook

Commonly fitted to doors or walls for hanging hats, coats or bathrobes.



Product Code					
Polished Chrome	Satin Chrome	Polished Brass	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED					
200611P	200207P	200808P	47 x 24	1	10
BAG - EXCLUDES FIXINGS					
200611	200207	200808	47 x 24	1	10
BSA04					

Hat & Coat Hook

Commonly fitted to doors or walls for hanging hats, coats or bathrobes.



Product Code					
Polished Chrome	Satin Chrome	Polished Brass	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED					
200674P	200553P	200257P	125 x 32	1	10
BAG - EXCLUDES FIXINGS					
200674	200553	200257	125 x 32	1	10
BSA04					

Hanging Rails & Systems



Round Wardrobe Rail



Polished Chrome

For wardrobes or shopfitting applications. Ideal for many domestic and light commercial applications.



White

Product Code		Size Ø x L (mm)	Pack Qty (pcs)	MOQ (pcs)
Polished Chrome	White			
BAG				
204121	204111	25 x 1219	1	10
204182	204122	25 x 1829	1	10
204250	204133	25 x 2500	1	10

CBH01

Round End Socket

Polished Chrome



Standard

Locking



White

End support for tube in wardrobes and other shopfitting applications.

Product Code		Type	To Suit Tube Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
Polished Chrome	White				
TIMPAC - FIXINGS INCLUDED					
204025P	204144P	Standard	25	2	10
204005P	-	Locking	25	2	10
BAG - FIXINGS INCLUDED					
204025	204144	Standard	25	2	150
204005	-	Locking	25	2	150

CBH01

Round Brackets



End

Centre



White

End support for tube being suspended within a wardrobe or other shopfitting applications.

Mid support for longer lengths of tube in wardrobes and other shopfitting applications.

Product Code		Type	To Suit Tube Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
Polished Chrome	White				
TIMPAC - FIXINGS INCLUDED					
204125P	204155P	End	25	2	10
204105P	204166P	Centre	25	1	10
BAG - FIXINGS INCLUDED					
204125	204155	End	25	2	150
204105	204166	Centre	25	1	150

CBH01

Oval Wardrobe Rail



For wardrobes or shopfitting applications. Ideal for many domestic and light commercial applications.

Product Code		Size H x W x L (mm)	Pack Qty (pcs)	MOQ (pcs)
Polished Chrome	White			
BAG				
204312		30 x 15 x 1219	1	10
204318		30 x 15 x 1829	1	10
204325		30 x 15 x 2500	1	10

CBH01

Oval End Socket



End support for tube in wardrobes and other shopfitting applications. Open top allowing the tube to be removed without unscrewing the socket.

Product Code	To Suit Tube H x W (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED			
204315P	30 x 15	2	10
BAG - FIXINGS INCLUDED			
204315	30 x 15	2	500

CBH01

Oval Bracket



Mid support for longer lengths of tube in wardrobes and other shopfitting applications. Prevents the tube from bending or breaking.

Product Code	To Suit Tube H x W (mm)	Pack Qty (pcs)	Carton Qty (packs)
TIMPAC - FIXINGS INCLUDED			
204015P	30 x 15	1	10
BAG - FIXINGS INCLUDED			
204015	30 x 15	1	500

CBH01

Steel Handrail Bracket

Ideal for securing timber handrails to the wall.



Zinc



Epoxy White



Epoxy Black

Product Code		Projection (mm)	Pack Qty (pcs)	Carton Qty (packs)
Zinc	White			
TIMPAC - FIXINGS INCLUDED				
712331P	712893P	712146P	63	2
BAG - FIXINGS INCLUDED				
712331	712893	712146	63	1

SNB03

Zinc Handrail Bracket

Ideal for securing timber handrails to the wall. High quality plated finishes for a decorative feature.



Electro Brass



Polished Chrome



Satin Chrome

Product Code		Projection (mm)	Pack Qty (pcs)	Carton Qty (packs)
Electro Brass	White			
TIMPAC - FIXINGS INCLUDED				
712964P	712700P	712327P	64	1
BAG - FIXINGS INCLUDED				
712964	712700	712327	64	1

SNB03

Satin Anodised Aluminium Handrail Bracket

Ideal for securing timber handrails to the wall.

NEW



Product Code		Projection (mm)	Pack Qty (pack)	Carton Qty (packs)
Satin Anodised Aluminium	White			
TIMPAC - FIXINGS INCLUDED				
725079		63	1	5
BAG - FIXINGS INCLUDED				
725079BX		63	1	10

SNB03

Storage & Shelving



Twin Slot Shelving

Twin Slot Upright

Twin slot uprights feature bracket receiving slots at 32mm increments to allow for shelving to be positioned at varying distances apart as required.



Technical Data						
Length (mm)	425	710	996	1218	1598	1979 2391
Fixing Hole Qty	2	3	4	5	6	
Rec. Screw Ø (mm)	5.0					
Rec. Screw G (Imp.)	10					

Product Code	Length (mm)	W x D (mm)	Pack Qty (pcs)	Carton Qty (packs)
BOX				
712500	425	25 x 16	10	20
712412	710	25 x 16	10	20
712325	996	25 x 16	10	20
712785	1218	25 x 16	10	20
712963	1598	25 x 16	10	20
712111	1979	25 x 16	10	20
712357	2391	25 x 16	10	20

SNB01

Twin Slot Shelf Bracket

Used in conjunction with uprights. Available in varying lengths to suit the depth of shelf required. Max weight loadings are shown but consideration should also be given to the wall structure, types of fixing, shelving types and distances between brackets.



Technical Data						
Length (mm)	126	177	227	280	335	382 484
Shelf Depth (mm)	120	170	220	270	320	370 470
Max. Rec. Load (kg)	153	110	86	72	61	59 81
Fixing Hole Qty	2					
Rec. Screw Ø (mm)	5.0					
Rec. Screw G (Imp.)	10					

Product Code	Length (mm)	D x W (mm)	Pack Qty (pcs)	MOQ (pcs)	Carton Qty (packs)
EACH					
712159	126	49.0 x 13.5	1	10	50
712028	177	49.0 x 13.5	1	10	50
712987	227	49.0 x 13.5	1	10	50
712321	280	49.0 x 13.5	1	10	50
712654	335	49.0 x 13.5	1	10	50
712147	382	49.0 x 13.5	1	10	50
712258	484	81.5 x 13.5	1	10	30

SNB01

London Pattern Shelf Bracket



London pattern shelf brackets offer a quick and economic way to create shelving.

Technical Data					
Length (mm)	125	200	250	300	350
Max. Rec. Load (kg)	51	40	36	28	21
Fixing Hole Qty	6				
Rec. Screw Ø (mm)	4.0				
Rec. Screw Gauge (Imp.)	8				

Product Code	Length (mm)	Depth (mm)	Pack Qty (pcs)	MOQ (pcs)	Carton Qty (packs)
EACH					
712523	125	100	1	20	200
712849	200	150	1	20	200
712511	250	200	1	20	100
712607	300	250	1	20	100
712415	350	300	1	20	60

SNB02

Twin Slot Shelf End



Made from sheet metal and are designed to clip directly into the wall upright. They provide additional support and a barrier to prevent items from falling off the shelf end. The shelf end can be fixed to the underside of the shelf for added support.

Technical Data				
Length (mm)	150	200	250	300
Fixing Hole Qty	3			
Rec. Screw Ø (mm)	4.0			
Rec. Screw Gauge (imp.)	8			

Product Code	Length (mm)	H x D (mm)	Pack Qty (pairs)	Carton Qty (packs)
PAIR				
712300	150	152 x 25	1	10
712012	200	152 x 25	1	10
712101	250	152 x 25	1	10
712761	300	152 x 25	1	10

SNB01

Twin Slot Flexible Bookend



Flexible bookends locate directly into the twin slots of the upright and help to prevent items from falling off the shelf end.

Product Code	Length (mm)	Pack Qty (pairs)	Box Qty (packs)	Carton Qty (packs)
PAIR				
712369	200	1	20	60

SNB01

Mitred Shelf Bracket



Mitred brackets are a quick and economic way to create shelving. They feature steel reinforcements at the mitred joint of the bracket to give added strength and durability.

Technical Data				
Length (mm)	200	250	300	350
Max. Rec. Load (kg)	102	68	60	45
Fixing Hole Qty	6			
Rec. Screw Ø (mm)	5.0			
Rec. Screw Gauge (Imp.)	10			

Product Code	Length (mm)	Depth (mm)	Pack Qty (pcs)	Box Qty (pcs)	Carton Qty (packs)
EACH					
712273	200	200	1	10	40
712901	250	250	1	10	40
712005	300	300	1	10	40
712557	350	350	1	10	40

SNB02

TIMCO Padlocks



Brass Padlock

A durable medium security padlock used for a variety of applications.

Security Rating: **3 to 7** Weather Rating:

Product Code	Shackle Size (mm)	SR (mm)	WR (mm)	From 1-10	From 1-5	Keys	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------------	---------	---------	-----------	----------	------	----------------	--------------------

PACK								
Solid Brass								
Open Shackle								
P30	30	5.2	3	4	3	1	12	
P40	40	6.3	5	4	3	1	12	
P40X2	40	6.3	5	4	3	2	4	
P50	50	8.1	6	4	3	1	6	
P60	60	9.5	7	4	3	1	6	
Long Shackle								
P40L	40	6.3	4	4	3	1	12	
P50L	50	8.1	5	4	3	1	6	
Open Shackle - Keyed Alike								
P40KA	40	6.3	5	4	4	4	4	4
SR-SECURITY RATING / WR-WEATHER RATING PAD01								

Combination Padlock

A key-less solution commonly used on luggage, tool boxes and storage lockers.

Security Rating: **1 to 3** Weather Rating:

Product Code	Shackle Size (mm)	SR (mm)	WR (mm)	From 1-10	From 1-5	Dials	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------------	---------	---------	-----------	----------	-------	----------------	--------------------

PACK								
Solid Brass								
CP21	21	3.1	1	2	3	1	12	
CP28	28	5	2	2	4	1	12	
CP38	38	6	3	2	4	1	6	
SR-SECURITY RATING / WR-WEATHER RATING PAD02								

Stainless Steel Padlock

A medium to high security stainless steel padlock designed to handle extreme weather conditions. The shrouded shackle ensures maximum resistance against cutting and prying.

Security Rating: **6** Weather Rating:

Product Code	Shackle Size (mm)	SR (mm)	WR (mm)	From 1-10	From 1-5	Keys	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------------	---------	---------	-----------	----------	------	----------------	--------------------

PACK								
Stainless Steel								
SS50SS	50	8	6	5	3	1	6	
SR-SECURITY RATING / WR-WEATHER RATING PAD07								

Laminated Padlock

An economic padlock ideal for lower security applications.

Security Rating: **4 to 6** Weather Rating:

Product Code	Shackle Size (mm)	SR (mm)	WR (mm)	From 1-10	From 1-5	Keys	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------------	---------	---------	-----------	----------	------	----------------	--------------------

PACK								
Laminated								
Open Shackle								
LSP40	40	6.1	5	2	3	1	12	
LSP50	50	8.8	6	2	3	1	6	
Long Shackle								
LSP40L	40	6.1	4	2	3	1	12	
LSP50L	50	8.8	5	2	3	1	6	
SR-SECURITY RATING / WR-WEATHER RATING PAD04								

Weatherproof Padlock

A laminated padlock with a durable vinyl cover to enhance corrosion resistance and improve weatherproofing.

Security Rating: **5** Weather Rating:

Product Code	Shackle Size (mm)	SR (mm)	WR (mm)	From 1-10	From 1-5	Keys	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------------	---------	---------	-----------	----------	------	----------------	--------------------

PACK								
Laminated with Cover								
WP40	40	8	5	4	3	1	12	
SR-SECURITY RATING / WR-WEATHER RATING PAD06								

Disc Padlock

A corrosion resistant high security padlock used for securing chain and catches where there is a risk of cropping attacks.

Security Rating: **8** Weather Rating:

Product Code	Shackle Size (mm)	SR (mm)	WR (mm)	From 1-10	From 1-5	Keys	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------------	---------	---------	-----------	----------	------	----------------	--------------------

PACK								
Stainless Steel								
DP70	70	9	8	5	3	1	10	
SR-SECURITY RATING / WR-WEATHER RATING PAD03								

Brass Rectangular Padlock

A high security padlock used for securing chain, shuttering and catches where there is a risk of cropping, hacksaw or hammer attacks.

Security Rating: **8** Weather Rating:

Product Code	Shackle Size (mm)	SR (mm)	WR (mm)	From 1-10	From 1-5	Keys	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------------	---------	---------	-----------	----------	------	----------------	--------------------

PACK								
Solid Brass								
RP75	75	11.7	8	4	3	1	4	
SR-SECURITY RATING / WR-WEATHER RATING PAD05								

Armoured Rectangular Padlock

A durable medium to high security padlock used for securing chain, shuttering and catches where there is a risk of cropping or hacksaw attacks.

Security Rating: **9** Weather Rating:

Product Code	Shackle Size (mm)	SR (mm)	WR (mm)	From 1-10	From 1-5	Keys	Pack Qty (pcs)	Carton Qty (packs)
--------------	-------------------	---------	---------	-----------	----------	------	----------------	--------------------

PACK								
Solid Brass								
ARP90	90	12	9	4	3	1	4	
SR-SECURITY RATING / WR-WEATHER RATING PAD05								

Hasps & Staples

See page **289**

Chains & Cables



Cable Lock



Protective vinyl coating to enhance corrosion resistance and scratch prevention. Four dial combination, gives multiple locking option.

Product Code	Length (m)	Cable Ø (mm)	Dials	Pack Qty (pcs)	Carton Qty (packs)
EACH					
CL1000	1	8	4	1	10
CHA01					

Security Chain & Padlock



A hardened steel security chain with a laminated padlock. The anti-crop square links are covered with an anti-scratch nylon protective sleeve. The padlock has a durable vinyl cover to enhance corrosion resistance and improve weatherproofing.

Product Code	Length (m)	Shackle Ø (mm)	Padlock Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH					
SCWP	1	8	40	1	10
CHA01					

Looped Cable



A weather resistant, braided steel security cable for increased strength and flexibility. Protective vinyl coating to enhance corrosion resistance and scratch prevention.

Product Code	Length (m)	Cable Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
LC1800	1.8	10	1	10
LC3000	3	15	1	5
CHA01				


Security Chain



A hardened steel security chain with anti-crop square links, covered with an anti-scratch nylon protective sleeve.

Product Code	Length (m)	Shackle Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
EACH				
SC1000	1	8	1	5
SC1500	1.5	8	1	4
SC2000	2	8	1	6
CHA01				

Key Storage & Accessories



Key Safe

Convenient and secure storage of keys. Solid and reinforced aluminium door with concealed combination dial for improved weather resistance. Provides secure and convenient key storage for care workers, cleaners, tradesmen and access to holiday homes.



Product Code	Size L x W x D (mm)	Dials	Pack Qty (pcs)	Carton Qty (packs)
PACK				
KEYSAFE	120 x 85 x 40	4	1	6
PAD08				

Key Cabinet

Provides safe and easy storage of multiple keys. Steel body with 20 hooks and a changeable 3 digit combination dial. Please note, key tags are for illustration purposes only.



Product Code	Size L x W x D (mm)	Dials	Hooks	Pack Qty (pcs)	Carton Qty (packs)
BOX					
20KEYCAB	200 x 160 x 75	3	20	1	20
PAD08					

Key Accessories



Key Tags

Tidy labelling and coding of keys.

Key Caps

Convenient coding of keys for quick identification.

Product Code	Description	Pack Qty (pcs)	Carton Qty (packs)
PACK			
KEYTAGP	Coloured Key Tags	6	10
KEYCAPP	Coloured Key Caps	10	10
PAD08			



240 | YEARS

OF LOCKMAKING EXCELLENCE

Squire has been at the forefront of international lock making for over 240 years. As an eighth generation independent family-owned lock manufacturer, Squire continues its tradition of offering high-quality, performance-led products.

WHICH CATEGORY TO CHOOSE?

- WORK**
 Use: trade use, toolbox, container, commercial vehicle, outbuilding / warehouse, security gate garage forecourt
- HOME**
 Use: all-round home use, garage, shed, front gate, storage
- LEISURE**
 Use: out and about, recreational gear, suitcase, caravan / camping, bbq, sport locker, marine



SQUIRE QUALITY AND STANDARDS

				<p>Squire products are covered by a variety of industry accreditations. Much of the Squire cycle range and certain padlocks are Sold Secure approved meaning that they have been independently attack tested.</p> <p>Sold Secure products are also supported by Secured by Design which was initiated by the British Police Force.</p> <p>Squire have a number of Stronghold® products that achieve LPCB (Loss Prevention Certification Board) approval which is the UK's most stringent approval body and many other padlocks within the Stronghold range meet the CEN EN 12320 Standard.</p>

SQUIRE 'Stronghold®' Extra High Security Padlocks



Stronghold® Key Padlocks

WORK

A premium range of super-tough, high security padlocks that are approved by independent accreditation bodies Sold Secure and Secured by Design. Made in Britain, these padlocks come in a variety of body widths and shackle versions.

- Extremely corrosion resistant lock
- Hardened boron alloy steel shackle
- Anti-corrosion storm proof cover
- Electrophoretic anti-corrosion finish
- Keyhole cover for protection inside the lock
- Anti-drill protection



Open Shackle Closed Shackle Long Shackle



Product Code	Size (mm)	Shackle W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	LPCB Rating	CEN Rating	Keys	Pack Qty (pcs)
PACK									
Open Shackle									
SQR701789	50	50 x 26	10.0	22 x 26	6 pin	SR2	CEN 4	2	1
SQR701426	50	50 x 26	10.0	22 x 26	5 pin	-	CEN 3	2	1
SQR701025	65	65 x 31.8	12.7	29.5 x 29	6 pin	-	CEN 5	2	1
SQR701963	80	80 x 40	16.0	32 x 32	6 pin	SR3	CEN 6	2	1
Long Shackle									
SQR701456	50	50 x 65	10.0	22 x 65	6 pin	-	CEN 4	2	1
SQR701682	50	50 x 26	10.0	22 x 65	5 pin	-	CEN 3	2	1
Closed Shackle									
SQR701325	50	50 x 26	10.0	16 x 16	6 pin	SR2	CEN 4	2	1
SQR701123	50	50 x 26	10.0	16 x 16	5 pin	-	CEN 3	2	1
SQR701741	65	65 x 31.8	12.7	19 x 19	6 pin	-	CEN 6	2	1

SQU01

Marine - Stronghold® Key Padlock

WORK

- Extremely corrosion resistant lock
- Stainless steel shackle
- Anti-corrosion storm proof cover
- Keyhole cover for protection inside the lock
- Anti-drill protection



Open Shackle

Product Code	Size (mm)	Shackle W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	CEN Rating	Keys	Pack Qty (pcs)
PACK								
Open Shackle								
SQR701351	50	50 x 26	10.0	22 x 26	5 pin	CEN 3	2	1

SQU01

Stronghold® Container Lock

WORK

Part of a premium range of super-tough, high security padlocks that are approved by independent accreditation bodies Sold Secure and Secured by Design.



- Hardened boron alloy steel shackle
- Hardened steel lock body
- Electrophoretic anti-corrosion finish
- Rekeyable 6 pin tumbler lock
- Anti-bump, anti-pick, highly attack resistant

Product Code	Size (mm)	Shackle W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	CEN Rating	Keys	Pack Qty (pcs)
PACK								
Closed Shackle								
SQR701267	75	80 x 26	12.0	27 x 14	6 pin	CEN 4	2	1

SQU01

Stronghold® Combination Padlocks

WORK

A premium range of high performance combination padlocks. Unique in design, these combination locks are manufactured to the highest standards for quality performance.

SQR701843 offers a 11mm rotating hardened steel shackle for extra resistance to attack, solid lock body, 4 wheels offering 10,000 possible combinations and a special pull button mechanism.

SQR701961 / SQR701027 offer a 12.7mm rotating hardened steel shackle for extra resistance to attack, solid lock body and 5 wheels offering 100,000 possible combinations.



4 Dial (SQR701843)

5 Dial (SQR701961)

Wide Clearance 5 Dial (SQR701027)

- Rotating hardened boron alloy steel shackle for extra resistance to attack
- Special pull button mechanism



Product Code	Size (mm)	Shackle W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	No. Of Dials	Pack Qty (pcs)
PACK						
Closed Shackle						
SQR701843	65	65 x 19	11.0	20 x 15	4	1
SQR701961	75	75 x 19	12.7	20 x 15	5	1
SQR701027	85	85 x 19	12.7	37 x 17	5	1

SQU05

SQUIRE Warehouse Lock & Disc Ranges

Armoured Brass Block Locks

WORK

Warehouse locks designed for securing commercial applications these padlocks are made from a solid brass lock body protected by armoured steel for ultra-resistance to attack.

- Hardened steel rotating shackle to resist sawing
- 5 pin tumbler lock mechanism



Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	Keys	Pack Qty (pcs)
PACK							
Open Shackle							
SQR701384	60	60 x 25	10.0	22 x 12	5 pin	3	1
SQR701014	80	80 x 30	11.0	29 x 15	5 pin	3	1

SQU02

Disc Style Padlock

WORK

Stainless Steel lock body with closed shackle design offers high level security for domestic and commercial applications. Offering a 9.5mm hardened steel shackle, hardened steel anti-drill plate and 5 pin tumbler lock mechanism.

- 9.5mm hardened steel shackle
- Hardened steel anti-drill plate
- 5 pin tumbler lock mechanism
- Also available keyed alike



NEW

Product Code	Size (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	Keys	Pack Qty (pcs)
PACK						
Closed Shackle						
SQR701003	70	9.5	17 x 17.5	5 pin	2	1
BOX						
Closed Shackle - Keyed Alike						
SQR701049	70	9.5	17 x 17.5	5 pin	2	1

SQU03

SQUIRE 'Vulcan™' Tough Performance Locks

Vulcan™ Key Padlocks

HOME

A mighty tough range of high performance locks. These uniquely designed key operated padlocks with extra tough boron steel shackles offer a medium to high level of security. Available in open, closed and long shackle versions.



Open Shackle



Closed Shackle



Long Shackle

- Hardened boron alloy steel shackle
- Steel body with die cast satin chrome body cover
- 4 pin tumbler lock mechanism



Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	Keys	Pack Qty (pcs)
PACK							
Open Shackle							
SQR701153	40	44 x 27	7.0	19 x 18	4 pin	2	1
SQR701016	45	48 x 28	8.0	20.5 x 19	4 pin	2	1
SQR701913	50	55 x 33	9.5	22 x 23.5	4 pin	2	1
Long Shackle							
SQR701882	40	44 x 27	7.0	19 x 63	4 pin	2	1
SQR701405	50	55 x 33	9.5	23.5 x 63	4 pin	2	1
Closed Shackle							
SQR701111	45	48 x 28	8.0	14 x 15.2	4 pin	2	1
SQR701355	50	55 x 33	9.5	16 x 19	4 pin	2	1

SQU04

Vulcan™ Combination Padlocks

HOME

Named after Vulcan, the ancient Roman god of fire and metalworking, this mighty tough range of combination padlocks takes some beating. Easy to use in 4 and 5-wheel versions, the Vulcan padlocks are fully recodable and offer up to 100,000 combinations.



Open Shackle



Closed Shackle



Long Shackle

- Hardened boron steel shackle with satin chrome finish
- Double locking & fully recodable
- Satin chrome die cast alloy body
- Push button opening
- New patented design



Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	No. Of Dials	Pack Qty (pcs)
PACK						
Open Shackle						
SQR701701	40	40 x 22	6.0	17 x 20	4	1
SQR701368	50	50 x 26	8.0	22.6 x 26	4	1
SQR701756	60	60 x 33	10.0	28 x 34	5	1
Long Shackle						
SQR701537	40	40 x 22	6.0	17 x 63	4	1
SQR701157	50	50 x 26	8.0	22.6 x 63	4	1
SQR701010	60	60 x 33	10.0	28 x 63	5	1
Closed Shackle						
SQR701001	40	40 x 22	6.0	13 x 17	4	1
SQR701999	60	60 x 33	10.0	22 x 29	5	1

SQU04

SQUIRE 'Stronglock™'

Stronglock™ Key Padlocks

HOME

A medium-duty range of laminated double deadlocking padlocks for home use. Featuring a hardened steel shackle and laminated steel padlock body with anti-corrosion finish. Available in open, closed and long shackle versions.



Open Shackle



Closed Shackle



Long Shackle

- Hardened steel shackle
- Double deadlocking, ball locking, spring locking
- Covered steel padlock body with anti-corrosion finish gives corrosion resistance
- 4 pin tumbler lock mechanism gives over 1,000 key differs
- Medium duty security
- Also available keyed alike



NEW

Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance W x H (mm)	Cylinder Type	Keys	Pack Qty (pcs)
PACK							
Open Shackle							
SQR701352	40	38 x 23	7	16 x 17	4 pin	2	1
SQR701020	45	44 x 24	8	20 x 20	4 pin	2	1
SQR701855	50	54 x 29	9	24 x 24	4 pin	2	1
Long Shackle							
SQR701552	40	38 x 23	7	16 x 39	4 pin	2	1
SQR701008	40	38 x 23	7	16 x 64.8	4 pin	2	1
BLISTER							
Open Shackle - Twin Pack - Keyed Alike							
SQR701291	40	38 x 23	7	16 x 17	4 pin	4	2
BOX							
Open Shackle - Keyed Alike							
SQR701532	50	54 x 29	9	24 x 24	4 pin	2	1

Stronglock™ Key Padlock Including Chain



- 305mm chain included
- Hardened steel shackle
- Double deadlocking, ball locking, spring locking
- Covered steel padlock body with anti-corrosion finish gives corrosion resistance
- 4 pin tumbler lock mechanism gives over 1,000 key differs
- Medium duty security

Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance W x H (mm)	Cylinder Type	Keys	Pack Qty (pcs)
PACK							
Open Shackle - With 305mm Chain included							
SQR701683	40	38 x 23	7	16 x 17	4 pin	2	1

SQUIRE 'Lion' Solid Brass

'Lion' Range - Solid Brass Padlocks

HOME

Premium grade, solid brass padlocks offering an optimal level of security for indoor or outdoor use at home. Iconic double locking Lion padlocks with hardened steel shackles are available in a range of body widths from 30mm and include long shackle and keyed alike versions.

- Offers a superior level of security for indoor or outdoor use at home
- Hardened steel shackle
- Double locking
- Solid brass lock body
- Pin tumbler lock mechanism
- Also available keyed alike



Open Shackle Long Shackle Long Shackle (SQR701023)

Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance W x H (mm)	Cylinder Type	Keys	Pack Qty (pcs)
NEW							
PACK							
Open Shackle							
SQR701437	30	31.5 x 13	5.5	16.5 x 19.5	4 pin	2	1
SQR701113	40	39.5 x 14	6.0	22.5 x 21.1	4 pin	2	1
SQR701754	50	51 x 15.5	8.8	28 x 30	4 pin	2	1
SQR701307	60	60 x 18.6	9.5	33.5 x 35.5	4 pin	2	1
Long Shackle							
SQR701722	40	39.5 x 14	6.0	22.5 x 64	4 pin	2	1
SQR701023	40	39.5 x 14	6.0	22.2 x 100	4 pin	2	1
SQR701004	50	51 x 15.5	8.8	28 x 65	4 pin	2	1
BLISTER							
Open Shackle - Twin Pack - Keyed Alike							
SQR701808	40	39.5 x 14	6.0	22.5 x 21.1	4 pin	4	2
SQR701048	50	51 x 15.5	8.8	28 x 30	4 pin	4	2
BOX							
Open Shackle - Keyed Alike							
SQR701898	40	39.5 x 14	6.0	22.5 x 21.1	4 pin	2	1
SQR701246	50	51 x 15.5	8.8	28 x 30	4 pin	2	1

Marine Grade - 'Lion' Range

LEISURE

- Offers a superior level of security for indoor or outdoor use at home
- Marine grade stainless steel shackle
- Double locking
- Solid brass lock body
- Pin tumbler lock mechanism



Open Shackle Long Shackle

Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance W x H (mm)	Cylinder Type	Keys	Pack Qty (pcs)
PACK							
Open Shackle							
SQR701482	30	31.5 x 13	5.5	16.5 x 19.5	4 pin	2	1
SQR701997	40	39.5 x 14	6.5	22.5 x 22	5 pin	2	1
SQR701689	50	51 x 15.5	8.8	28 x 30	5 pin	2	1
Long Shackle							
SQR701401	40	39.5 x 14	6.5	22.5 x 63	5 pin	2	1

SQUIRE 'CP Range'

CP Range Combination Padlocks HOME

Squire's best-selling, heavy-duty range of recodable combination padlocks. Unique in design, these combination locks are manufactured to the highest standards for quality performance. Easy to use, they are fully recodable and can be coded alike so that one code opens several locks.

- Hardened steel shackle
- Double locking & fully recodable
- Die cast alloy body cover
- Push button opening
- New patented design



Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	No. Of Dials	Pack Qty (pcs)
PACK						
Open Shackle						
SQR701367	40	40 x 22	6.0	17 x 20	4	1
SQR701320	50	50 x 26	8.0	22.6 x 26	4	1
SQR701623	60	60 x 33	10.0	28 x 34	5	1
Long Shackle						
SQR701043	40	40 x 22	6.0	17 x 63	4	1
SQR701841	50	50 x 26	8.0	22.6 x 38.1	4	1
SQR701992	50	50 x 26	8.0	22.6 x 63.5	4	1
SQR701730	50	50 x 26	8.0	22.6 x 100	4	1
SQR701915	60	60 x 33	10.0	28 x 63	5	1
Closed Shackle						
SQR701825	40	40 x 22	6.0	13 x 17	4	1
SQR701061	50	50 x 26	8.0	16 x 22	4	1
SQR701744	60	60 x 33	10.0	22 x 29	5	1

SQU05

Marine - CP Combination Padlocks LEISURE

- Rustproof stainless steel shackle and die cast alloy body
- 4 wheels offering 10,000 possible combinations
- Double locking & fully recodable push button opening
- New patented design



Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	No. Of Dials	Pack Qty (pcs)
PACK						
Open Shackle						
SQR701361	40	40 x 22	6	17 x 20	4	1
SQR701002	50	50 x 26	8	22.6 x 26	4	1
Long Shackle						
SQR701807	40	40 x 22	6	17 x 63	4	1
SQR701444	50	50 x 26	8	22.6 x 63	4	1

SQU05

Defender - Combination Padlock HOME

A small combination padlock, ideal for suitcases and school or gym lockers. Featuring a small 20mm lock body and 3 wheel recodable combination.



- 3 wheel combination
- 20mm body
- Recodable
- Solid steel open shackle
- 1,000 possible combinations

Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	No. Of Dials	Pack Qty (pcs)
PACK						
Open Shackle						
SQR701801	20	20 x 10	3.1	9 x 22	3	1

SQU05

SQUIRE Harsh Environment Padlocks

All Terrain Padlocks HOME

All terrain padlocks comprise of a brass body with stainless steel shackle encased within a protective sleeve for optimal resistance to corrosion.

- All weather, protective body cover for extra resistance to the environment
- Rustproof stainless steel shackle
- Solid brass lock body
- Pin tumbler cylinder



Open Shackle

Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	Keys	Pack Qty (pcs)
PACK							
Open Shackle							
SQR701447	40	44 x 20	6.0	22 x 20	5 pin	2	1
SQR701073	50	58 x 25	8.8	28 x 29	5 pin	2	1

SQU06

Old English Padlocks HOME

Traditional style Old English galvanised steel 4 lever padlocks.

- Featuring a steel shackle and 4-lever lock mechanism
- Key-hole cover for all-weather protection
- Ideal for all outdoor and marine environments



Product Code	Size (mm)	Size W x D (mm)	Shackle Ø (mm)	Shackle Clearance WxH (mm)	Cylinder Type	Keys	Pack Qty (pcs)
PACK							
Open Shackle							
SQR701943	40	51 x 16.5	8.0	18 x 18	4 Lever	2	1
SQR701170	60	64 x 19.7	10.0	21 x 21	4 Lever	2	1

SQU07

SQUIRE Hasps & Staples

Hasps & Staples

Squire's wide range of hasp and staples are designed to deliver an extra level of security. Ideal for securing external storage facilities and sheds.

The SQR701615 hasp and staple fits 13mm shackle padlocks and comes with Sold Secure and Secured by Design approval for new home requirements.



SQR701615

- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double doors



SQR701445



SQR701060



SQR701533

Product Code	Size (mm)	Size L x W (mm)	Staple Clearance (mm)	CEN Rating	Pack Qty (pcs)
PACK					
Hasps & Staples					
SQR701615	231	231 x 76	13	CEN 4	1
SQR701445	216	216 x 54.2	25	-	1
SQR701060	152	152 x 44	12.5	-	1
Hasp & Staple - Intergrated Lock					
SQR701533	152	152 x 44	-	-	1

SQU11

SQUIRE Locking Bolts

Keybolt™ Weatherproof Locking Bolt

All weather, key-operated locking bolt. Allows secure entry to sheds, cupboards, storage areas, cabinets and lockers. Four lever lock mechanism for high pick resistance. Security screws included.

- Steel lock body and bolt encased in a weatherproof cover
- Steel components
- 4 lever lock mechanism
- Interior and exterior use



Product Code	Size (mm)	Size L x W (mm)	Lock Type	Keys	Pack Qty (pcs)
PACK					
SQR701883	113	113 x 68	4 Lever	2	1 SQU15

Combi-Bolt® Recodable Locking Bolts

Recodable die cast combination bolts. Allows convenient keyless and one handed entry to sheds, cupboards, storage areas, cabinets and lockers.

- Die cast lock body
- One handed operation
- Security screws included
- High pick resistance
- Replaces a padlock and hasp & staple



SQR701118

Product Code	Size (mm)	Size L x W (mm)	No. Of Dials	Pack Qty (pcs)
PACK				
SQR701118	92	92 x 35	3	1
SQR701070	120	120 x 50	4	1
SQR701799	150	150 x 60	5	1 SQU14

SQUIRE Chains

Stronghold® High Security Chains

High security hardened alloy steel chains that have achieved the Sold Secure Rating. This ultra-tough chain provides motorcycle and scooter owners with a range of security solutions.

- Hardened alloy steel chain covered with Squire blue sleeves



Ø 8mm



Ø 10mm



Ø 16mm



Product Code	Link Ø(mm)	Length (mm)	Sold Secure Level	Pack Qty (pcs)
PACK				
Motorcycle				
SQR701358	16	1500	Gold (Motorcycle)	1
Bicycle				
SQR701917	8	1200	Silver (Bicycle)	1
SQR701410	10	1200	Gold (Bicycle)	1

SQU12

Hardened Steel Chain



A hardened steel chain covered with Squire grey sleeve.

Product Code	Link Ø (mm)	Length (mm)	Pack Qty (pcs)
PACK			
SQR701030	8	1200	1

SQU12

SQUIRE Anchors

Ground Anchors

Sold Secure Diamond single bridge ground anchors approved for motorcycles. Supplied with security fixings and with a blue powder coated finish.



- Single bridge anchor
- Fully case hardened product to RC 60 spec. Solid construction
- Supplied with four security fixing bolts, steel ball inserts
- Blue powder coated finish

Product Code	Size (mm)	Size L x W (mm)	Clearance (mm)	To Suit Chain Ø up to (mm)	Sold Secure Level	Pack Qty (pcs)
PACK						
SQR701134	160	160 x 120	65 x 60	19	Gold (Motorcycle) & Diamond (Bicycle)	1
SQR701162	200	200 x 150	73 x 76	22	Diamond (Motorcycle)	1

SQU13

Wall Anchors

Hardened steel wall anchors for internal and external use.

- 5mm hardened steel construction
- Powder coated
- Easy to fit
- Supplied with security fittings



Product Code	Size (mm)	Size L x W (mm)	Clearance (mm)	To Suit Chain Ø up to (mm)	Pack Qty (pcs)
PACK					
SQR701924	219	48 x 219	37 x 31	8	1
SQR701735	283	77 x 283	58 x 43	10	1

SQU13

SQUIRE Key Safes

KeyKeep™ 2 - Push Button Key Safe

Durable die cast construction and weather resistant cover designed to withstand attack.

The 12 button recodable combination lock has 4000 possible combinations. You can revoke access at any point by changing the code.

Chosen code can be any number of digits, from a 1-12 digit code.



- Easy to recode
- Discrete appearance, dark colour does not attract attention
- Automatic reset feature for extra security
- Attaches easily to any flat surface. Comes with 4 fixing bolts

Product Code	Size L x W x D (mm)	Internal Size L x W x D (mm)	Pack Qty (pcs)
PACK			
SQR701414	121 x 78 x 57	85 x 68 x 13	1 SQU16

KeyKeep™ 1 - Combination Key Safe



Durable construction, four wheel recodable combination key safe.

- Durable construction
- Four wheel recodable combination lock
- Weather resistant cover
- Easy to fit

Product Code	Size L x W x D (mm)	Pack Qty (pcs)
PACK		
SQR701667	120 x 85 x 35	1 SQU16

SQUIRE Garage Security

Garage Door Protector

Effective and Sold Secure approved, extra security for garage doors. Simple ground fitting in front of garage door. Tilt action arm locks into place to prevent garage door from being opened. Once opened, drive straight over, no removal needed.



- Extra security for up and over garage doors
- High security hardened steel construction
- 5 pin tumbler lock mechanism
- Surface mounted, all in one, integrated product
- Powder coated finish

Product Code	Size (mm)	Size L x W (mm)	Sold Secure Level	Pack Qty (pcs)
PACK				
SQR701600	320	320 x 100	Bronze (Domestic)	1 SQU17



10 YEAR PERSONAL GUARANTEE
John Squire

Toughness Guaranteed
Squire has been a British lock maker since 1780



Gate & Fence Hardware

Gate Hardware


Locks & Handles	281-282
Latches & Catches	283-284
Bolts	285-288
Hasps & Staples	289-290
Exterior Gate & Door Hinges	291-294
Gate Kits	295

Field Gate Hardware

Field Gate Hooks & Eyes	296
Field Gate Hinge Sets	297-298
Field Gate Catches	299
Throw-Over Loops	300
Field Gate Wheels	300

Fence Hardware

Fence Post Supports	301-302
Fencing Accessories	303
Chains & Accessories	304-305



Locks & Handles



Long Throw Locks - Single

Outside



Key Operates Outside Only


An ideal high security lock for gates where key access from the outside is required. The lock can be opened from the inside without the use of a key providing quick and easy access.

The lock features a long throw of 50 or 70mm to clear any gate to frame gaps.

Supplied with a brass escutcheon for a clean flush finish around the lock cylinder or alternatively a rim lock escutcheon handle can be used (sold separately).

- Supplied with 3 keys
- Fixings included

Inside



Technical Data		
Size (mm)	50	70
Max. Door Thickness (mm)	50	70
Keep Size L x W (mm)	125 x 28	
Lock Case Size L x W (mm)	106 x 70	
Cylinder Ø (mm)	26	
No. of Screw Holes	8	
Screw Ø (mm)	5.0	

Epoxy Black	Product Code		
	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BOX			
GLS50	50	1	25
GLS70	70	1	20

GAH01

Long Throw Locks - Double

Outside



Key Operates Outside & Inside


An ideal high security lock for gates where key access from the outside and inside is required.

The lock features a long throw of 50 or 70mm to clear any gate to frame gaps.

Supplied with a brass escutcheon for a clean flush finish around the lock cylinder or alternatively a rim lock escutcheon handle can be used (sold separately).

- Supplied with 3 keys
- Fixings included

Inside



Technical Data		
Size (mm)	50	70
Max. Door Thickness (mm)	50	70
Keep Size L x W (mm)	125 x 28	
Lock Case Size L x W (mm)	106 x 70	
Cylinder Ø (mm)	26	
No. of Screw Holes	8	
Screw Ø (mm)	5.0	

Epoxy Black	Product Code		
	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BOX			
GLD50	50	1	25
GLD70	70	1	20

GAH01

Escutcheon Handle



A high quality pull handle to suit the extended throw locks. The pull handle fits over the rim cylinder of the lock to provide a clean finish to the cylinder hole.



Technical Data	
Size (mm)	200
To Suit Cylinder Ø (mm)	26
Length (mm)	200
Length (inch)	8
No. of Screw Holes	3
Screw Ø (mm)	3.5

Epoxy Black	Product Code			Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	Polished Chrome					
BAG - EXCLUDES FIXINGS						
RLEH8BB	RLEH8CB			200	1	100
TIMBAG - FIXINGS INCLUDED						
427258	427336			200	1	10

GAB01
GAP01

Hot Bed Handle



A durable and hard wearing handle for gates and shed doors.

Technical Data			
Size (mm)	150	175	
Length (mm)	150	175	
Length (inch)	6	7	
No. of Screw Holes			4
Rec. Screw Ø (mm)			4.0

Epoxy Black	Product Code			Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
	Polished Chrome					
BAG - EXCLUDES FIXINGS						
HBH6B				150	1	160
HBH7B				175	1	160
TIMBAG - FIXINGS INCLUDED						
HBH6BP				150	1	20
HBH7BP				175	1	20

GAB05
GAP04

Rim Locks

Rim Dead Lock - 106 x 74



An ideal medium security lock for shed and internal doors.

It is reversible for both left and right hand hung doors and is key operational from both sides.

- Supplied with 2 keys.

Technical Data	
Size (mm)	106 x 74
Lock Case Size L x W (mm)	106 x 74
Keep Size L x W (mm)	75 x 23
Lock Follower Backset (mm)	43
Bolt Throw (mm)	13.5
No. of Screw Holes	5
Rec. Screw Ø (mm)	4.0

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
RDLB	106 x 74	1	10 GAB03
TIMBAG			
427124	106 x 74	1	5 GAP02

Rim Sash Lock Fluted - 156 x 106



An ideal medium security lock for sheds and internal doors.

It is reversible for both left and right hand hung doors and is key operation from both sides.

- Use with rim knob sets to operate the latch.
- Supplied with 2 keys.

Technical Data	
Size (mm)	156 x 106
Lock Case Size L x W (mm)	156 x 106
Keep Size L x W (mm)	92 x 24
Lock Follower Backset (mm)	43
Latch Follower Backset (mm)	105
Bolt Throw (mm)	13.5
No. of Screw Holes	6
Rec. Screw Ø (mm)	4.0

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG			
RSLFB	156 x 106	1	10 GAB03
TIMBAG			
427148	156 x 106	1	5 GAP02

Rim Sash Locks - 143 x 83



Reverse Plate- RSLRPB

An ideal medium security lock for shed and internal doors.

It is reversible for both left and right hand hung doors and is key operational from both sides. Use with rim knob sets to operate the latch.

- Supplied with keep for both inward and outward opening doors and 2 keys.

Technical Data	
Size (mm)	143 x 83
Lock Case Size L x W (mm)	143 x 83
Keep Size L x W (mm)	75 x 23
Lock Follower Backset (mm)	43
Latch Follower Backset (mm)	105
Bolt Throw (mm)	13.5
No. of Screw Holes	5
Rec. Screw Ø (mm)	4.0

Product Code	Opening Type	Size (mm)	Includes Fixings	Pack Qty (pcs)	Carton Qty (packs)
BAG					
RSLB	Inward	143 x 83	No	1	10
RSLRB	Outward	143 x 83	Yes	1	10
RSLRPB	Outward	74 x 22	Yes	1	20 GAB03
TIMBAG					
427695	Inward	143 x 83	Yes	1	5 GAP02

Press Lock



A low security lock commonly fitted to shed and green house doors which is surface mounted for quick and easy installation. The lock bolt engages on or into the door frame and does not require a keep.

- Supplied with 1 key. Additional spare keys are available as one key fits all locks. *PL3LKB supplied with 2 extra long keys.

Technical Data				
Size (mm)	76	100	125	
Lock Case Size L x W (mm)	100 x 76	100 x 100	100 x 125	
Lock Follower Backset (mm)	40	52	64	
Bolt Throw (mm)	15			
No. of Screw Holes	4			
Rec. Screw Ø (mm)	4.0			

Product Code	Size (inch)	Size (mm)	Key Length	Includes Fixings	Pack Qty (pcs)	Carton Qty (packs)
BAG						
PL3BB	3	76	Standard	No	1	100
PL3LKB	3	76	Extra Long*	Yes	1	50
PL4BB	4	100	Standard	No	1	80
PL5BB	5	125	Standard	No	1	50 GAB04
TIMBAG						
427111	3	76	Standard	Yes	1	10
427754	4	100	Standard	Yes	1	10 GAP03

Press Lock Spare Keys (x5)



Spare keys that will operate all press locks.

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BAG		
SPAREPLK	5	50 GAB04

Plastic Rim / Mortice Knob Set



Ideal for use on shed doors and gates. Can be used with rim or mortice locks.

Supplied with two escutcheon plates to cover keyhole cut outs.

Technical Data	
Size (mm)	One Size
Knob Ø (mm)	50
Rose Ø (mm)	56
Escutcheon Ø (mm)	33
Spindle Length (mm)	115
No. of Screw Holes	12
Rec. Screw Ø (mm)	4.0

Product Code	Pack Qty (pcs)	Carton Qty (packs)
BAG		
RPKSB	1	50 GAB03
TIMBAG		
427212	1	5 GAP02

Latches & Catches



Suffolk Latches

External handle allows gate to be opened from the outside.

Medium - Short Thumb Bit
205 x 45mm

For use on light domestic gates.



Heavy - Long Thumb Bit
219 x 50mm

For use on heavy domestic gates.



Technical Data

Type	Medium	Heavy
Backplate Size (mm)	205 x 45	219 x 50
Bar Length (mm)	203	203
Catch Projection (mm)	80	110
Max. Gate Thickness (mm)	50	75
No. of Screw Holes - CSK / Pan	12	14
Screw Ø (mm)	4.0	4.0

Product Code

Epoxy Black	Zinc	Hot Dipped Galvanised	Type	Backplate Size L x W (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG - EXCLUDES FIXINGS						
SLMBB	SLMZB	SLMGB	Medium	205 x 45	1	40
523369	-	523585	Heavy	219 x 50	1	30

LCB01

TIMBAG - FIXINGS INCLUDED

SLMBP	SLMZP	SLMGP	Medium	205 x 45	1	5
-------	-------	-------	--------	----------	---	---

LCP01

Ring Gate Latch

Smooth



Twisted



For use on light domestic gates. External handle allows the gate to be opened from the outside.

The twisted pattern ring handle adds a decorative feature.

Technical Data

Size (mm)	150
Bar Length (mm)	150
Backplate Size L x W (mm)	70 x 70
Spindle Length (mm)	100
Max. Gate Thickness (mm)	75
No. of Screw Holes - Pan	12
Screw Ø (mm)	4.0

Product Code

Epoxy Black	Zinc	Hot Dipped Galvanised	Type	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
BAG - EXCLUDES FIXINGS							
RGL6BB	RGL6ZB	RGL6GB	Smooth	150	6	1	20
TRGL6BB	-	TRGL6GB	Twisted	150	6	1	30

LCB02

TIMBAG - FIXINGS INCLUDED

RGL6BP	RGL6ZP	RGL6GP	Smooth	150	6	1	8
TRGL6BP	-	TRGL6GP	Twisted	150	6	1	8

LCP02

Automatic Gate Catches

Automatic Gate Catch - 50mm

Automatically latches when the gate is shut and are pad-lockable for added security. Ideal for use in light domestic applications.



Heavy Automatic Gate Catch* 50mm

Automatically latches when the gate is shut and are pad-lockable for added security. Ideal for use in heavy domestic, commercial and agricultural applications.



Technical Data

Type	Standard	Heavy
Size (mm)	50	50
Bar Length (mm)	110	115
Backplate Size L x W (mm)	50 x 50	50 x 60
Catch Projection (mm)	50	60
Max. Padlock Shackle Ø (mm)	7	7
No. of Screw Holes - CSK / Pan	6	6
Screw Ø (mm)	4.0	4.0

Product Code

Epoxy Black	Zinc	Hot Dipped Galvanised	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
BAG - EXCLUDES FIXINGS						
AGLMBB	AGLMZB	AGLMGB	50	2	1	100
-	-	AGLHGB*	50	2	1	60

LCB03

TIMBAG - FIXINGS INCLUDED

AGLMBP	AGLMZP	AGLMGP	50	2	1	10
-	-	AGLHGP*	50	2	1	10

LCP03

* Heavy Automatic Gate Catch

Kick Over Stable Latch



Kick over stable latches are ideal for stables and agricultural applications where a hands free operation is required.

Technical Data

Size (mm)	240
Bar Length (mm)	240
Backplate Size L x W (mm)	110 x 45
Seat Brackets Size L x W (mm)	45 x 170
Seat Brackets Backplate Size L x W (mm)	45 x 80
Catch Projection (mm)	140
No. of Screw Holes - Countersunk / Pan	12
Screw Ø (mm)	5.0

Product Code

Hot Dipped Galvanised	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
TIMBAG - FIXINGS INCLUDED				
KOSLG	240	9 1/2	1	10

FGC01

Cabin Hook Cast Iron



Ideal for retaining doors and gates in an open position in heavy domestic and agricultural applications. Made from cast iron for added strength and durability.

Technical Data	
Size (mm)	75 - 300
Backplate Size L x W (mm)	45 x 45
No. of Screw Holes	4
Screw Ø (mm)	4.0

Product Code		Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS					
523467	523656	75	3	1	200
523258	523219	100	4	1	200
523963	523953	150	6	1	150
523458	523632	200	8	1	100
523957	523454	250	10	1	50
523326	523565	300	12	1	50
LCB05					

Product Code		Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
TIMBAG - FIXINGS INCLUDED					
527115	527568	75	3	1	10
527225	527541	100	4	1	10
527998	527114	150	6	1	10
527651	527554	200	8	1	10
527478	527665	250	10	1	10
LCP05					

Turn Button Cast Iron




Turn buttons are used for holding flush fitting doors and gates closed. Use a 4.0 x 30mm screw to attach to door/gate

Product Code		Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc	Hot Dipped Galvanised			
BAG - EXCLUDES FIXINGS					
TB2BB	-	TB2GB	50	2	1
-	TB2ZB	-	52	2	20
-	TB25ZB	-	67	2 ½	20
LCB06					
TIMBAG - FIXINGS INCLUDED					
TB2BP	-	TB2GP	50	2	20
LCP06					

Cabin Hook Wire Pattern



Ideal for retaining doors and gates in an open position in light domestic applications.




Technical Data	
Size (mm)	100 - 300
Backplate Size L x W (mm)	40 x 40
No. of Screw Holes	8
Screw Ø (mm)	4.0

Product Code		Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc				
BAG - EXCLUDES FIXINGS					
WCH4BB	WCH4ZB	100	4	1	200
WCH6BB	WCH6ZB	150	6	1	160
WCH8BB	WCH8ZB	200	8	1	120
WCH10BB	WCH10ZB	250	10	1	120
WCH12BB	WCH12ZB	300	12	1	100
LCB05					

Product Code		Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
TIMBAG - FIXINGS INCLUDED					
WCH4BP	WCH4ZP	100	4	1	10
WCH6BP	WCH6ZP	150	6	1	10
WCH8BP	WCH8ZP	200	8	1	10
LCP05					

Gate Spring



Gate springs provide automatic closure for single action gates.

The spring tension is adjustable for increasing or decreasing the gate closing force.

Technical Data		
Size (mm)	200	250
Spring Length (mm)	141	191
Backplate Size (mm)	30 x 30	30 x 30
No. of Screw Holes	4	4
Screw Ø (mm)	4.0	4.0

Product Code		Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc				
BAG - EXCLUDES FIXINGS					
GS8BB	GS8ZB	200	8	1	80
GS10BB	GS10ZB	250	10	1	80
LCB04					

Product Code		Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
TIMBAG - FIXINGS INCLUDED					
GS8BP	GS8ZP	200	8	1	15
GS10BP	GS10ZP	250	10	1	10
LCP04					

Bolts



Brenton Padbolt



Brenton padbolts are used for securing flush mounted gates and shed doors in domestic and light commercial applications. They are pad-lockable and fixed with carriage bolts for added security.

Technical Data

Bolt Length (mm)	102	100	150	200
Bolt Ø (mm)	12	12	12	12
Bolt Throw (mm)	12	30	45	45
Plate Size (mm)	120 x 45	130 x 45	180 x 45	225 x 45
Staple Keep Size L x W (mm)	83 x 23	56 x 33	56 x 33	56 x 33
Max. Padlock Shackle Ø (mm)	10	10	10	10
No. of Carriage Bolt Holes	4	4	4	4
Carriage Bolt Ø (mm)	M6	M6	M6	M6
No. of Screw Holes	6	6	6	6
Screw Ø (mm)	4.0	4.0	4.0	4.0

Product Code			Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc	Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS						
BP4BB	BP4ZB	BP4GB	100	4	1	80
BP6BB	BP6ZB	BP6GB	150	6	1	60
BP8BB	BP8ZB	BP8GB	200	8	1	40

BTB01

TIMBAG - FIXINGS INCLUDED						
BP4BP	BP4ZP	BP4GP	100	4	1	10
BP6BP	BP6ZP	BP6GP	150	6	1	10
BP8BP	BP8ZP	BP8GP	200	8	1	10

BTP01

BRENTON PADBOLT - ELONGATED KEEP						
BAG - EXCLUDES FIXINGS						
-	282004	-	102	4	1	5

BTB01

Oval Padbolt

Oval padbolts are ideal for securing flush fitting narrow stile gates and doors in domestic and light commercial applications. They are pad-lockable and fixed with carriage bolts for added security.



Technical Data

Bolt Length (mm)	100
Bolt Ø (mm)	12
Bolt Throw (mm)	40
Plate Size L x W (mm)	55 x 100
Staple Keep Size L x W (mm)	73 x 24
Max. Padlock Shackle Ø (mm)	10
No. of Carriage Bolt Holes	4
Carriage Bolt Ø (mm)	M6

Product Code			Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc	Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS						
OP4BB	OP4ZB	OP4GB	100	4	1	60

BTB03

TIMBAG - FIXINGS INCLUDED						
OP4BP	OP4ZP	OP4GP	100	4	1	10

BTP03

Heavy Brenton Padbolt



Heavy brenton padbolts are used for securing flush mounted gates and shed doors in heavy domestic, commercial and agricultural applications. They are pad-lockable and fixed with carriage bolts for added security.

Technical Data

Bolt Length (mm)	150	200	250	300
Bolt Ø (mm)	16	16	16	16
Bolt Throw (mm)	50	50	50	50
Plate Size (mm)	170 x 60	220 x 60	270 x 60	320 x 60
Staple Keep Size L x W (mm)	60 x 40	60 x 40	60 x 40	60 x 40
Max. Padlock Shackle Ø (mm)	14	14	14	14
No. of Carriage Bolt Holes	4	4	4	4
Carriage Bolt Ø (mm)	M6	M6	M6	M6
No. of Screw Holes	6	6	6	6
Screw Ø (mm)	4.0	4.0	4.0	4.0

Product Code		Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised					
BAG - EXCLUDES FIXINGS					
282656		150	6	1	40
282219		200	8	1	35
282953		250	10	1	25
282632		300	12	1	20

BTB01

TIMBAG - FIXINGS INCLUDED					
282258		150	6	1	10
282456		200	8	1	10
282658		250	10	1	10
282477		300	12	1	10

BTP01

Slide Action Padbolt



Technical Data

Bolt Length (mm)	185
Bolt Ø (mm)	9
Bolt Throw (mm)	60
Plate Size L x W (mm)	105 x 72
Staple Keep Size L x W (mm)	76 x 25
Max. Padlock Shackle Ø (mm)	8
No. of Carriage Bolt Holes	8
Carriage Bolt Ø (mm)	M6

Slide action padbolts are ideal for securing flush fitting gates and doors in domestic and light commercial applications when the bolt is exposed externally. They are padlockable and fixed with eight carriage bolts to prevent the bolt being wrenched from the door.

Product Code		Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc				
BAG - EXCLUDES FIXINGS					
282456	282789	185	7 7/8	1	80

BTB04

TIMBAG - FIXINGS INCLUDED					
282714	282585	185	7 7/8	1	10

BTP04

Necked Tower Bolt



Necked tower bolts are used for securing recessed fitting gates and shed doors in a closed position.

Technical Data

Bolt Length (mm)	100	150	200
Bolt Ø (mm)	10	10	11
Bolt Throw (mm)	40	40	50
Plate Size L x W (mm)	118 x 38	165 x 38	225 x 45
Flat Keep Size L x W (mm)	43 x 27	43 x 27	43 x 27
Flat Keep Hole Size (mm)	12	12	12
No. of Screw Holes	8	10	10
Screw Ø (mm)	4.0	4.0	4.0

Product Code		Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS					
TBN4BB	TBN4GB	100	4	1	120
TBN6BB	TBN6GB	150	6	1	100
TBN8BB	TBN8GB	200	8	1	40

Product Code		Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
TIMBAG - FIXINGS INCLUDED					
TBN4BP	TBN4GP	100	4	1	15
TBN6BP	TBN6GP	150	6	1	15
TBN8BP	TBN8GP	200	8	1	15

Heavy Cross Pattern Door Bolt



Heavy cross pattern bolts are typically used for securing large garage doors and gates in industrial and agricultural applications. They are extremely strong, pad-lockable and fixed with carriage bolts for high security.

Technical Data

Bolt Length (mm)	300	450	600
Bolt Ø (mm)	16	16	16
Bolt Throw (mm)	70	150	190
Plate Size L x W (mm)	316 x 64	465 x 64	600 x 64
Staple Keep Size L x W (mm)	95 x 64	145 x 64	145 x 64
Staple Plate Size L x W (mm)	65 x 55	65 x 55	65 x 55
Max. Padlock Shackles Ø (mm)	16	16	16
No. of Carriage Bolt Holes	6	6	6
Carriage Bolt Ø (mm)	M8	M8	M8
No. of Screw Holes	14	14	14
Screw Ø (mm)	5.0	5.0	5.0

Product Code		Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised					
BAG - EXCLUDES FIXINGS					
282639	300	12	1	2	
282264	450	18	1	2	
282852	600	24	1	2	

Straight Tower Bolt



Straight tower bolts are used for securing flush fitting gates and shed doors in a closed position.

Technical Data

Bolt Length (mm)	75	100	150	200	250
Bolt Ø (mm)	10	10	10	12	12
Bolt Throw (mm)	20	25	25	35	35
Plate Size L x W (mm)	95 x 38	118 x 38	165 x 38	225 x 45	276 x 45
Staple Keep Size L x W (mm)	39 x 25	39 x 25	46 x 33	46 x 33	46 x 33
No. of Screw Holes	6	8	10	10	10
Screw Ø (mm)	4.0	4.0	4.0	4.0	4.0

Product Code			Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc	Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS						
TBS3BB	TBS3ZB	TBS3GB	75	3	1	100
TBS4BB	TBS4ZB	TBS4GB	100	4	1	120
TBS6BB	TBS6ZB	TBS6GB	150	6	1	100
TBS8BB	TBS8ZB	TBS8GB	200	8	1	40
TBS10BB	TBS10ZB	TBS10GB	250	10	1	40

Product Code			Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
TIMBAG - FIXINGS INCLUDED						
TBS3BP	TBS3ZP	TBS3GP	75	3	1	15
TBS4BP	TBS4ZP	TBS4GP	100	4	1	15
TBS6BP	TBS6ZP	TBS6GP	150	6	1	15
TBS8BP	TBS8ZP	TBS8GP	200	8	1	15
TBS10BP	TBS10ZP	TBS10GP	250	10	1	15

Spring Loaded Animal Bolt



Ideal for securing flush mounted stable doors and gates in a close position. They are spring loaded to prevent animals working the bolt loose and escaping. Our animal bolts come supplied with a staple keep.

Technical Data

Bolt Length (mm)	143	225	242
Bolt Ø (mm)	10	12	16
Bolt Throw (mm)	40	65	65
Plate Size L x W (mm)	70 x 40	118 x 40	130 x 50
Staple Plate Size L x W (mm)	50 x 50	50 x 50	65 x 55
No. of Screw Holes	8	8	8
Screw Ø (mm)	5.0	5.0	5.0

Product Code		Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised					
BAG - EXCLUDES FIXINGS					
282454	143	5%	1	20	
282565	225	9	1	20	
282417	242	9 1/2	1	20	

Product Code		Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
TIMBAG - FIXINGS INCLUDED					
287878	143	5%	1	5	
287663	225	9	1	5	

Monkey Tail Bolt



Monkey tail bolts are ideal for securing the top and / or bottom of gates and doors. They feature an extended length handle for ease of operation and remain closed under tension. Supplied with a flat plate keep and staple keep for fitting in either flush frame mounting, recess frame mounting or floor mounting applications.

Technical Data		
Bolt Length (mm)	300	450
Square Bolt (mm)	16 x 16	16 x 16
Bolt Throw (mm)	70	70
Plate Size L x W (mm)	200 x 50	250 x 50
Staple Keep Size L x W (mm)	51 x 31	51 x 31
Flat Keep Size L x W (mm)	49 x 49	49 x 49
Flat Keep Hole Size L x W (mm)	16 x 16	16 x 16
No. of Screw Holes	10	10
Screw Ø (mm)	4.0	4.0

Product Code		Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS					
MBS12BB	MBS12GB	300	12	1	20
MBS18BB	MBS18GB	450	18	1	20
BTB08					
TIMBAG - FIXINGS INCLUDED					
MBS12BP	MBS12GP	300	12	1	15
MBS18BP	MBS18GP	450	18	1	15
BTP07					

Bow Handle Bolt



Bow handle bolts are ideal for securing the top and/or bottom of gates and doors. They feature an extended length bow shaped handle for ease of operation and remain closed under tension.

Technical Data		
Bolt Length (mm)	300	450
Square Bolt (mm)	16 x 16	16 x 16
Bolt Throw (mm)	70	70
Plate Size L x W (mm)	180 x 50	220 x 50
Staple Keep Size L x W (mm)	51 x 31	51 x 31
Flat Keep Size L x W (mm)	49 x 49	49 x 49
Flat Keep Hole Size L x W (mm)	16 x 16	16 x 16
No. of Screw Holes	10	10
Screw Ø (mm)	4.0	4.0

Product Code		Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS					
282582	282998	300	12	1	24
282951	282114	450	18	1	12
BTB08					
TIMBAG - FIXINGS INCLUDED					
287665	287771	300	12	1	5
287332	287117	450	18	1	5
BTP07					

Spring Chain Bolt

Spring garage chain bolts are ideal for securing the top of garage doors or gates. The bolt remains closed under spring tension and features a 450mm long pull chain for easy operation to release the bolt.



Technical Data	
Chain Length (mm)	450
Bolt Throw (mm)	30
Plate Size L x W (mm)	188 x 56
Flat Keep Size L x W (mm)	63 x 51
Flat Keep Hole Size L x W (mm)	18 x 18
Square Bolt (mm)	16 x 16
No. of Screw Holes	8
Screw Ø (mm)	4.0

Product Code		Chain Length (mm)	Chain Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc				
TIMBAG - FIXINGS INCLUDED					
CB18BB	CB18ZB	450	18	1	30
BTB06					
TIMBAG - FIXINGS INCLUDED					
CB18BP	CB18ZP	450	18	1	10
BTP05					

Foot Bolt



Garage foot bolts are used for securing the bottom of garage doors and gates. They are foot operated making them ideal for environments where a hands free operation is needed.

Technical Data	
Bolt Length (mm)	200
Square Bolt (mm)	16 x 16
Bolt Throw (mm)	30
Plate Size L x W (mm)	188 x 52
Flat Keep Size L x W (mm)	49 x 49
Flat Keep Hole Size L x W (mm)	18 x 18
No. of Screw Holes	8
Screw Ø (mm)	4.0

Product Code		Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc				
TIMBAG - FIXINGS INCLUDED					
GFB8BB	GFB8ZB	200	8	1	30
BTB07					
TIMBAG - FIXINGS INCLUDED					
GFB8BP	GFB8ZP	200	8	1	8
BTP06					

Cane Bolt



Ideal for lightweight gates, garages and shed doors in light domestic applications. Supplied with socket bolt keep.

Technical Data	
Bolt Length (mm)	300
Bolt Ø (mm)	12
Plate Size L x W (mm)	75 x 40
Socket Keep Size Ø (mm)	16
No. of Screw Holes	4
Screw Ø (mm)	4.0

Product Code	Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black				
BAG - EXCLUDES FIXINGS				
282159	300	12	1	10
				BTB08

TIMBAG - FIXINGS INCLUDED				
287254	300	12	1	10
				BTPO7

Garage Drop Down Bolt



Ideal for securing the bottom of gates and doors in domestic and industrial applications. Extended bolt length for ease of operation and an adjustable bolt throw by moving the keep position.

Technical Data				
Bolt Length (mm)	300	450		
Bolt Ø (mm)	14	14		
Handle Plate Size L x W (mm)	45 x 88	45 x 88		
Keep Plate Size L x W (mm)	45 x 64	45 x 64		
Flat Plate Size L x W (mm)	60 x 29	60 x 29		
Flat Keep Hole Ø (mm)	20	20		
Socket Keep Size Ø x L (mm)	19 x 50	19 x 50		
No. of Screw Holes	16	20		
Screw Ø (mm)	4.0	4.0		

Product Code	Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black				
Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS				
DDB12BB	DDB12GB	300	12	1
				20
DDB18BB	DDB18GB	450	18	1
				16
				BTB08

TIMBAG - FIXINGS INCLUDED				
DDB12BP	DDB12GP	300	12	1
				15
DDB18BP	DDB18GP	450	18	1
				15
				BTPO7

Heavy Locking Drop Down Bolt




Ideal for securing the bottom of gates and doors in commercial and industrial applications. The bolts are padlockable and fixed with carriage bolts for added security. Extended bolt length for ease of operation and an adjustable bolt throw by moving the keep position.

Technical Data	
Bolt Length (mm)	450
Bolt Ø (mm)	14
Plate Size L x W (mm)	95 x 64
Flat Keep Size L x W (mm)	45 x 64
Flat Plate Size L x W (mm)	60 x 29
Flat Keep Hole Ø (mm)	20
Socket Keep Size Ø x L (mm)	19 x 50
Staple Keep Plate Size L x W (mm)	50 x 50
Max. Padlock Shackle Ø (mm)	16
No. of Carriage Bolt Holes	4
Carriage Bolt Ø (mm)	M6
No. of Screw Holes	16
Screw Ø (mm)	4.0

Product Code	Bolt Length (mm)	Bolt Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised				
TIMBAG - FIXINGS INCLUDED				
LDDB18GP	450	18	1	10
				BTPO7

Garage Door Holders

Junior Garage Door Holder Wide Lintel 375mm



523114

For holding garage and barn doors in an open position. Angle of opening can be varied by adjusting the distance of the lintel bracket from the hinge edge. Automatically engages when the door is opened and released by pulling the cord. Ideal for applications where the door cannot be propped open or hands free operation is needed.

- Mounts to the underside of the lintel and requires minimum lintel width of 60mm
- For doors below 900mm wide

Product Code	Type	Lintel Type	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
BAG - EXCLUDES FIXINGS						
523114	Junior	Wide	375	15	1	20
523417	Senior	Wide	600	24	1	20
523998	Senior	Narrow	600	24	1	20
						GAB07

Senior Garage Door Holder Wide Lintel 600mm



523417

For holding garage and barn doors in an open position. Angle of opening can be varied by adjusting the distance of the lintel bracket from the hinge edge. Automatically engages when the door is opened and released by pulling the cord. Ideal for applications where the door cannot be propped open or hands free operation is needed.

- Mounts to the underside of the lintel and requires minimum lintel width of 60mm
- For doors over 900mm wide

Senior Garage Door Holder Narrow Lintel 600mm



523998


For holding garage and barn doors in an open position. Angle of opening can be varied by adjusting the distance of the lintel bracket from the hinge edge. Automatically engages when the door is opened and released by pulling the cord. Ideal for applications where the door cannot be propped open or hands free operation is needed.

- Mounts to the side of the lintel and requires minimum lintel width of 60mm
- For doors over 900mm wide

Technical Data			
Product Code	523114	523417	523998
Size (mm)	375	600	600
To Suit Lintel Type	Wide	Wide	Narrow
Lintel Fixing Plate Size W x L (mm)	45 x 80	45 x 80	44 x 58
Door Fixing Plate Size L x W (mm)	58 x 21	47 x 58	47 x 58
Cord Length (mm)	1020	1020	660
No. of Screw Holes	8	8	8
Screw Ø (mm)	4.0	4.0	4.0

Hasps & Staples

Wire Pattern Hasp & Staple



A low security lightweight hasp and staple for sheds and toolboxes in light domestic applications.

Technical Data

Size (mm)	75	100	150
Fixing Plate Size L x W (mm)	35 x 30	40 x 35	57 x 45
Hasp Plate Size L x W (mm)	45 x 12	65 x 12	100 x 16
Staple Plate Size L x W (mm)	25 x 25	25 x 30	45 x 35
Max. Padlock Shackle Ø (mm)	6.0	6.0	6.0
No. of Screw Holes - Countersunk	7	7	8
Screw Ø (mm)	3.5	3.5	3.5

Product Code

Epoxy Black	Zinc	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
-------------	------	-----------	-------------	----------------	--------------------

BAG - EXCLUDES FIXINGS

WHS3BB	WHS3ZB	75	3	1	500
WHS4BB	WHS4ZB	100	4	1	400
WHS6BB	WHS6ZB	150	6	1	200

TIMBAG - FIXINGS INCLUDED

WHS4BP	WHS4ZP	100	4	1	10
WHS6BP	WHS6ZP	150	6	1	10

Safety Pattern Hasp & Staple

A low security hasp and staple for light domestic gates and shed doors.



Technical Data

Size (mm)	75	115	150
Fixing Plate Size L x W (mm)	30 x 40	40 x 40	58 x 40
Hasp Plate Size L x W (mm)	75 x 39	115 x 39	150 x 38
Staple Plate Size L x W (mm)	40 x 40	40 x 40	40 x 40
Max. Padlock Shackle Ø (mm)	10.0	10.0	10.0
No. of Screw Holes - Countersunk	6	8	8
Screw Ø (mm)	4.0	4.0	4.0

Product Code

Epoxy Black	Zinc	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
-------------	------	-----------	-------------	----------------	--------------------

BAG - EXCLUDES FIXINGS

HS3BB	HS3ZB	75	3	1	160
HS4BB	HS4ZB	115	4½	1	100
HS6BB	HS6ZB	150	6	1	120

TIMBAG - FIXINGS INCLUDED

HS3BP	HS3ZP	75	3	1	15
HS4BP	HS4ZP	115	4½	1	15
HS6BP	HS6ZP	150	6	1	5



Hybrid Hasp & Staple



Hybrid Hasp & Staple for uneven surfaces to be used with a padlock. For internal & external use.

Technical Data

Size (mm)	125
Fixing Plate Size L x W (mm)	30 x 25
Hasp Plate Size L x W (mm)	100 x 30
Staple Plate Size L x W (mm)	25 x 20
Max. Padlock Shackle Ø (mm)	9.5
No. of Screw Holes - Countersunk	7
Screw Ø (mm)	3.0

Product Code


Zinc	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
------	-----------	-------------	----------------	--------------------

BAG - EXCLUDES FIXINGS

472393	125	5	1	200
--------	-----	---	---	-----

Hinged Hasp & Staple

Single



Double



Hinged flexible hasp and staple for use around corners, angles and uneven surfaces where doors do not sit flush with frames.

Technical Data

Size (mm)	160	200
Fixing Plate Size L x W (mm)	45 x 40	45 x 40
Single Hasp Plate Size L1 x L2 x W (mm)	88 x 69 x 46	-
Double Hasp Plate Size L1 x L2 x L3 x W (mm)	-	88 x 45 x 69 x 46
Staple Plate Size L x W (mm)	42 x 44	42 x 44
Max. Padlock Shackle Ø (mm)	13	13
No. of Screw Holes	8	8
Screw Ø (mm)	4.0	4.0

Product Code

Zinc	Type	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
------	------	-----------	-------------	----------------	--------------------

BLISTER PACK - FIXINGS INCLUDED

PHS160	Single	160	6	1	48
PHS200	Double	200	8	1	48

Heavy Secure Bolt On Hasp & Staple



A high security, heavy duty hasp and staple for sheds, gates and doors in heavy domestic, commercial and agricultural applications. Bolt fixed for additional security.

Technical Data		
Size (mm)	200	250
Fixing Plate Size L x W (mm)	105 x 55	158 x 55
Hasp Plate Size L x W (mm)	92 x 55	92 x 55
Staple Plate Size L x W (mm)	65 x 55	65 x 55
Max. Padlock Shackles Ø (mm)	15	15
No. of Carriage Bolt Holes	1	1
Carriage Bolt Ø (mm)	M12	M12
No. of Screw Holes - Countersunk	8	8
Screw Ø (mm)	5.0	5.0

Product Code		Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS					
BHS8BB	BHS8GB	200	8	1	30
BHS10BB	BHS10GB	250	10	1	30
HSB03					
TIMBAG - FIXINGS INCLUDED					
BHS8BP	BHS8GP	200	8	1	8
BHS10BP	BHS10GP	250	10	1	8
HSP03					

Heavy Vertical Bolt On Hasp & Staple



A high security, heavy duty hasp and staple for sheds, gates and doors in heavy domestic, commercial and agricultural applications. The vertical pattern fixing plate makes this ideal for fitting to a narrow stile door or frame. Bolt fixed for additional security.

Technical Data		
Size (mm)	150	
Fixing Plate Size L x W (mm)	50 x 150	
Hasp Plate Size L x W (mm)	92 x 55	
Staple Plate Size L x W (mm)	65 x 55	
Max. Padlock Shackles Ø (mm)	15	
No. of Carriage Bolt Holes	2	
Carriage Bolt Ø (mm)	M12	
No. of Screw Holes - Countersunk	8	
Screw Ø (mm)	5.0	

Product Code		Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS					
VHS6BB	VHS6GB	150	6	1	30
HSB05					
TIMBAG - FIXINGS INCLUDED					
VHS6BP	VHS6GP	150	6	1	8
HSP05					

Heavy Swivel Pattern Hasp & Staple



A high security, heavy duty hasp and staple for sheds, gates and doors in heavy domestic, commercial and agricultural applications. The swivel pattern hasp and staple is commonly fitted to double doors as the hasp drops away and allows the slave leaf to open independently.

Technical Data		
Size (mm)	200	
Fixing Plate Size L x W (mm)	55 x 103	
Hasp Plate Size L x W (mm)	92 x 55	
Staple Plate Size L x W (mm)	65 x 55	
Max. Padlock Shackles Ø (mm)	15	
No. of Screw Holes - Countersunk	8	
Screw Ø (mm)	5.0	

Product Code		Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised				
BAG - EXCLUDES FIXINGS					
SHS8BB	SHS8GB	200	8	1	20
HSB04					
TIMBAG - FIXINGS INCLUDED					
SHS8BP	SHS8GP	200	8	1	10
HSP04					

Heavy Padlock Protection Bar



Technical Data	
Size (mm)	185
Fixing Plate Size L x W (mm)	67 x 56
Hasp Plate Size L x W (mm)	185 x 65
Staple Plate Size L x W (mm)	76 x 56
Max. Padlock Shackles Ø (mm)	12
No. of Carriage Bolt Holes	8
Carriage Bolt Ø (mm)	M6

A high security, heavy duty hasp and staple for sheds, gates and doors in heavy domestic, commercial and agricultural applications. The hasp features a strong cast iron housing to cover and protect the padlock from hammer and cutter attack. Bolt fixed for additional security.

Product Code	To Suit Opening Side	Size (mm)	Size (inch)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised					
BAG - EXCLUDES FIXINGS					
472582	Left	185	7 ½	1	20
472951	Right	185	7 ½	1	20
HSB06					
TIMBAG - FIXINGS INCLUDED					
478225	Left	185	7 ½	1	5
478741	Right	185	7 ½	1	5
HSP06					

SQUIRE
Lockmakers Since 1780

Padlocks

Please see page **272**

10 YEAR PERSONAL GUARANTEE
John Squire

Exterior Gate & Door Hinges



Light Tee Hinge



Ideal for lightweight low use gates, sheds and animal hutches.

Technical Data

Band Length (mm)	100	150	200	250	300
Thickness (mm)	1.5	1.5	1.5	1.5	1.5
Knuckle Ø (mm)	7.5	7.5	7.5	7.5	7.5
Leaf Size L x W (mm)	72 x 20	72 x 20	80 x 20	80 x 20	90 x 20
Max. Gate Weight (kg)	5	5	10	10	10
No. of Screw Holes (Pair)	12	14	14	14	14
Screw Ø (mm)	3.5	3.5	3.5	3.5	3.5

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Product Code		Band Length (mm)	Band Length (inch)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc					
BAG						
LTH4BB	LTH4ZB	100	4	200 - 300	1 Pair	200 Pairs
LTH6BB	LTH6ZB	150	6	300 - 450	1 Pair	120 Pairs
LTH8BB	LTH8ZB	200	8	400 - 600	1 Pair	100 Pairs
LTH10BB	LTH10ZB	250	10	500 - 750	1 Pair	100 Pairs
442268	442214	300	12	600 - 900	1 Pair	50 Pairs


HGB01

TIMBAG - FIXINGS INCLUDED

LTH4B	LTH4Z	100	4	200 - 300	1 Pair	10 Pairs
LTH6B	LTH6Z	150	6	300 - 450	1 Pair	10 Pairs
LTH8B	LTH8Z	200	8	400 - 600	1 Pair	10 Pairs
LTH10B	LTH10Z	250	10	500 - 750	1 Pair	10 Pairs
LTH12B	LTH12Z	300	12	600 - 900	1 Pair	10 Pairs

HGP01

Medium Tee Hinge



Ideal for medium weight regular use gates, shed and garage doors in domestic applications.

Technical Data

Band Length (mm)	250	300	350	375	400	450
Band Thickness (mm)	1.8	2.0	2.0	2.0	2.2	2.2
Knuckle Ø (mm)	8.5	9.5	9.5	9.5	11.5	11.5
Leaf Size L x W (mm)	90 x 25	100 x 25	115 x 25	115 x 25	128 x 30	140 x 30
Max. Gate Weight (kg)	30	30	30	40	40	40
No. of Screw Holes (Pair)	14	14	14	16	18	18
Screw Ø (mm)	4.0	4.0	4.0	4.0	5.0	5.0

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Product Code			Band Length (mm)	Band Length (inch)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc	Hot Dipped Galvanised					
BAG							
MTH10BB	MTH10ZB	MTH10GB	250	10	500 - 750	1 Pair	40 Pairs
MTH12BB	MTH12ZB	MTH12GB	300	12	600 - 900	1 Pair	40 Pairs
MTH14BB	MTH14ZB	MTH14GB	350	14	700 - 1050	1 Pair	30 Pairs
MTH15BB	MTH15ZB	MTH15GB	375	15	750 - 1125	1 Pair	30 Pairs
MTH16BB	MTH16ZB	MTH16GB	400	16	800 - 1200	1 Pair	20 Pairs
MTH18BB	MTH18ZB	MTH18GB	450	18	900 - 1350	1 Pair	20 Pairs

HGB02

TIMBAG - FIXINGS INCLUDED

MTH10B	MTH10Z	MTH10G	250	10	500 - 750	1 Pair	10 Pairs
MTH12B	MTH12Z	MTH12G	300	12	600 - 900	1 Pair	10 Pairs
MTH14B	MTH14Z	MTH14G	350	14	700 - 1050	1 Pair	8 Pairs
MTH15B	MTH15Z	MTH15G	375	15	750 - 1125	1 Pair	10 Pairs
MTH16B	MTH16Z	MTH16G	400	16	800 - 1200	1 Pair	8 Pairs
MTH18B	MTH18Z	MTH18G	450	18	900 - 1350	1 Pair	6 Pairs

HGP02

Gate Range Available in TIMPAC

- Bigger Label
- Colour Coded
- Tamper Proof
- Waterproof
- More Information





Strong Tee Hinge



Ideal for heavy weight high use gates, sheds and garage doors in domestic applications.

Technical Data

Band Length (mm)	250	300	350	400	450	600
Band Thickness (mm)	2.3	2.3	2.3	2.8	2.8	2.8
Knuckle Ø (mm)	12.0	12.0	12.0	14.0	14.0	14.0
Leaf Size L x W (mm)	100 x 20	115 x 30	127 x 30	140 x 30	150 x 30	166 x 40
Max. Gate Weight (kg)	40	40	60	60	80	80
No. of Screw Holes (Pair)	14	18	18	18	18	20
Screw Ø (mm)	4.0	4.0	4.0	4.0	5.0	5.0

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Product Code		Band Length (mm)	Band Length (inch)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised					
BAG						
STH10BB	STH10GB	250	10	500 - 750	1 Pair	40 Pairs
STH12BB	STH12GB	300	12	600 - 900	1 Pair	30 Pairs
STH14BB	STH14GB	350	14	700 - 1050	1 Pair	20 Pairs
STH16BB	STH16GB	400	16	800 - 1200	1 Pair	20 Pairs
STH18BB	STH18GB	450	18	900 - 1350	1 Pair	20 Pairs
STH24BB	STH24GB	600	24	1200 - 1800	1 Pair	10 Pairs

HGB03

TIMBAG - FIXINGS INCLUDED

STH10B	STH10G	250	10	500 - 750	1 Pair	6 Pairs
STH12B	STH12G	300	12	600 - 900	1 Pair	6 Pairs
STH14B	STH14G	350	14	700 - 1050	1 Pair	6 Pairs
STH16B	STH16G	400	16	800 - 1200	1 Pair	8 Pairs
STH18B	STH18G	450	18	900 - 1350	1 Pair	6 Pairs
STH24B	STH24G	600	24	1200 - 1800	1 Pair	4 Pairs

HGP03

Scotch Tee Hinge



Ideal for heavy weight high use gates and shed doors in domestic, commercial and agricultural applications.

Technical Data

Band Length (mm)	100	150	200	250	300	355	400	450	500	600
Thickness (mm)	2.2	2.2	2.2	2.2	2.8	3.0	3.0	3.0	3.0	3.0
Knuckle Ø (mm)	11	12	12	12	12	16	16	16	16	16
Leaf Size L (mm)	90	90	100	100	145	145	175	175	175	175
Leaf Size W (mm)	30	30	30	30	40	40	55	55	55	55
Max. Gate Weight (kg)	10	25	40	50	60	80	80	100	100	100
No. of Screw Holes (Pair)	12	12	12	12	12	16	16	16	16	16
Screw Ø (mm)	4.0	4.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Product Code	Band Length (mm)	Band Length (inch)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised					
BAG					
442270	100	4	200 - 300	1 Pair	50 Pairs
442159	150	6	300 - 450	1 Pair	50 Pairs
442241	200	8	400 - 600	1 Pair	40 Pairs
442657	250	10	500 - 750	1 Pair	30 Pairs
442225	300	12	600 - 900	1 Pair	25 Pairs
442678	350	14	700 - 1050	1 Pair	10 Pairs
442336	400	16	800 - 1200	1 Pair	10 Pairs
442784	450	18	900 - 1350	1 Pair	10 Pairs
442114	500	20	1000 - 1500	1 Pair	8 Pairs
442878	600	24	1200 - 1800	1 Pair	8 Pairs

HGB04

TIMBAG - FIXINGS INCLUDED

447558	100	4	200 - 300	1 Pair	10 Pairs
447254	150	6	300 - 450	1 Pair	10 Pairs
447232	200	8	400 - 600	1 Pair	10 Pairs
447778	250	10	500 - 750	1 Pair	10 Pairs
447669	300	12	600 - 900	1 Pair	10 Pairs
447552	350	14	700 - 1050	1 Pair	8 Pairs
447154	400	16	800 - 1200	1 Pair	8 Pairs
447785	450	18	900 - 1350	1 Pair	4 Pairs
447336	500	20	1000 - 1500	1 Pair	4 Pairs
447123	600	24	1200 - 1800	1 Pair	4 Pairs

HGP04

Medium Strap Hinge



Commonly used for bi-folding garage and shed doors in domestic applications.



Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Technical Data

Band Length (mm)	150	200
Thickness (mm)	2.0	2.0
Overall Length (mm)	300	400
Knuckle Ø (mm)	10.0	10.0
To Suit Gate Width (mm)	300 - 450	400 - 600
Max. Gate Weight (kg)	20	20
No. of Screw Holes (Pair)	12	16
Screw Ø (mm)	4.0	4.0

Product Code	Band Length (mm)	Band Length (inch)	Pack Qty (pcs)	Carton Qty (packs)
Zinc				
BAG				
SH6ZB	150	6	1 Pair	60 Pairs
SH8ZB	200	8	1 Pair	60 Pairs

HGB05

Heavy Reversible Hinge



Heavy reversible hinges are ideal for flush mounted heavy gates, garage and stable doors in domestic, commercial and agricultural applications. The pins of the hinges mount into the hinge cups and prevent gates or doors from being lifted off.

Technical Data											
Band Length (mm)	250	300	350	400	450	500	600	750	900	1050	1200
Band Thickness (mm)	4.8	4.8	4.8	4.8	4.8	4.8	5.6	5.6	5.6	5.6	5.6
Band Width (mm)	40	40	40	40	50	50	50	50	50	50	50
Pin Ø (mm)	12	12	12	12	16	16	16	19	19	19	19
Pin Ø (inch)	½	½	½	½	¾	¾	¾	¾	¾	¾	¾
No. of Bolt Holes (Pair)	2	2	2	2	2	2	2	2	2	2	2
Carriage Bolt Ø (mm)	M10	M10	M10	M10	M10	M10	M10	M10	M10	M10	M10
No. of Screw Holes (Pair)	22	22	22	26	26	26	26	26	30	30	30
Screw Ø (mm)	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Product Code		Band Length (mm)	Band Length (inch)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised					
TIMBAG - FIXINGS INCLUDED						
HRH250B	HRH250G	250	10	500 - 750	1 Pair	5 Pairs
HRH300B	HRH300G	300	12	600 - 900	1 Pair	5 Pairs
HRH350B	HRH350G	350	14	700 - 1050	1 Pair	5 Pairs
HRH400B	HRH400G	400	16	800 - 1200	1 Pair	5 Pairs
HRH450B	HRH450G	450	18	900 - 1350	1 Pair	5 Pairs
HRH500B	HRH500G	500	20	1000 - 1500	1 Pair	5 Pairs
HRH600B	HRH600G	600	24	1200 - 1800	1 Pair	5 Pairs
HRH750B	HRH750G	750	30	1500 - 2250	1 Pair	5 Pairs
HRH900B	HRH900G	900	36	1800 - 2700	1 Pair	5 Pairs
HRH1050B	HRH1050G	1050	42	2100 - 3150	1 Pair	2 Pairs
HRH1200B	HRH1200G	1200	48	2400 - 3600	1 Pair	2 Pairs

FGP02

Adjustable Band & Hook on Plate



Adjustable hook and band hinges are for hanging doors or gates flush with the frame or post. They are ideal for heavy weight, high use doors, gates, garages and stables in domestic, commercial and agricultural applications. They feature an adjustable eye bolt to allow for gate alignment whilst being fitted or at a later stage if any movement occurs.

Technical Data						
Band Length (mm)	350	450	600	750	900	1200
Band Thickness (mm)	5.0	5.0	5.0	5.0	5.0	5.0
Band Width (mm)	50	50	50	60	60	70
Pin Ø (mm)	19	19	19	19	19	19
Pin Ø (inch)	¾	¾	¾	¾	¾	¾
Hook Plate L x W (mm)	160 x 50	160 x 50	200 x 60	200 x 60	200 x 60	200 x 60
No. of Bolt Holes (Pair)	2	2	2	2	2	2
Carriage Bolt Ø (mm)	M10	M10	M10	M10	M10	M10
No. of Screw Holes (Pair)	12	14	14	14	18	20
Screw Ø (mm)	6.0	6.0	6.0	6.0	6.0	6.0

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Product Code		Band Length (mm)	Band Length (inch)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised					
TIMBAG - FIXINGS INCLUDED						
ABH350B	ABH350G	350	14	700 - 1050	1 Pair	4 Pairs
ABH450B	ABH450G	450	18	600 - 900	1 Pair	4 Pairs
ABH600B	ABH600G	600	24	1200 - 1800	1 Pair	4 Pairs
ABH750B	ABH750G	750	30	1500 - 2250	1 Pair	4 Pairs
ABH900B	ABH900G	900	36	1800 - 2700	1 Pair	4 Pairs
ABH1200B	ABH1200G	1200	48	2400 - 3600	1 Pair	2 Pairs

FGH02

Hook on Rectangular Plate



Spare hook on plate for hook and band hinges.

Technical Data			
Pin Ø (mm)	12	16	19
Pin Ø (inch)	½	¾	¾
No. of Screw Holes (Pair)	8	8	8
Screw Ø (mm)	6.0	6.0	6.0

Product Code		Pin Ø (mm)	Pin Ø (inch)	Hook Plate L x W (mm)	To Suit Band Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised							
TIMBAG - FIXINGS INCLUDED							
HRP12G		12	½	115 x 40	250 - 400	1 Pair	20 Pairs
HRP16G		16	¾	160 x 50	450 - 600	1 Pair	20 Pairs
HRP19G		19	¾	200 x 75	750 - 900	1 Pair	10 Pairs

FGH04

Gate Hooks to Build



Gate hooks to build are used for embedding in between layers of the post brickwork and can be used with straight and cranked hook and band hinges.

Product Code		Pin Ø (mm)	Pin Ø (inch)	Length (mm)	To Suit Brickwork	To Suit Band Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised								
TIMBAG - FIXINGS INCLUDED								
GHBSB12G		12	½	60	Single	250 - 400	1 Pair	10 Pairs
GHBDB12G		12	½	180	Double	250 - 400	1 Pair	10 Pairs
GHBSB16G		16	¾	65	Single	450 - 600	1 Pair	10 Pairs
GHBDB16G		16	¾	180	Double	450 - 600	1 Pair	10 Pairs
GHBSB19G		19	¾	65	Single	750 - 900	1 Pair	10 Pairs
GHBDB19G		19	¾	180	Double	750 - 900	1 Pair	10 Pairs

FGH04

Straight Band & Hook on Plate



The straight pattern hook and band hinges are for hanging the door or gate in front of the frame or post. They are ideal for heavy weight, high use doors, gates, garages and stables in domestic and agricultural applications. Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.



Technical Data									
Band Length (mm)	250	300	350	400	450	500	600	750	900
Band Thickness (mm)	4.8	4.8	4.8	4.8	4.8	4.8	5.4	5.4	5.4
Band Width (mm)	40	40	40	40	50	50	50	50	50
Pin Ø (mm)	12	12	12	12	16	16	16	19	19
Pin Ø (inch)	½	½	½	½	5/8	¾	¾	¾	¾
Hook Plate L (mm)	115	115	115	115	160	160	160	200	200
Hook Plate W (mm)	40	40	40	40	50	50	50	75	75
No. of Bolt Holes (Pair)	2	2	2	2	2	2	2	2	2
Carriage Bolt Ø (mm)	M10	M10	M10	M10	M10	M10	M10	M10	M10
No. of Screw Holes (Pair)	12	12	12	14	14	14	14	14	16
Screw Ø (mm)	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Product Code		Band Length (mm)	Band Length (inch)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised					
TIMBAG - FIXINGS INCLUDED						
HBS250B	HBS250G	250	10	500 - 750	1 Pair	5 Pairs
HBS300B	HBS300G	300	12	600 - 900	1 Pair	5 Pairs
HBS350B	HBS350G	350	14	700 - 1050	1 Pair	5 Pairs
HBS400B	HBS400G	400	16	800 - 1200	1 Pair	5 Pairs
HBS450B	HBS450G	450	18	900 - 1350	1 Pair	5 Pairs
HBS500B	HBS500G	500	20	1000 - 1500	1 Pair	5 Pairs
HBS600B	HBS600G	600	24	1200 - 1800	1 Pair	5 Pairs
HBS750B	HBS750G	750	30	1500 - 2250	1 Pair	5 Pairs
HBS900B	HBS900G	900	36	1800 - 2700	1 Pair	5 Pairs

FGH03

Cranked Band & Hook on Plate



The cranked pattern hook and band hinges are for hanging the door or gate flush with the frame or post. They are ideal for heavy weight, high use doors, gates, garages and stables in domestic and agricultural applications. Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.




Technical Data									
Band Length (mm)	250	300	350	400	450	500	600	750	900
Band Thickness (mm)	4.8	4.8	4.8	4.8	4.8	4.8	5.4	5.4	5.4
Band Width (mm)	40	40	40	40	50	50	50	50	50
Pin Ø (mm)	12	12	12	12	16	16	16	19	19
Pin Ø (inch)	½	½	½	½	¾	¾	¾	¾	¾
Hook Plate L (mm)	115	115	115	115	160	160	160	200	200
Hook Plate W (mm)	40	40	40	40	50	50	50	75	75
No. of Bolt Holes (Pair)	2	2	2	2	2	2	2	2	2
Carriage Bolt Ø (mm)	M10	M10	M10	M10	M10	M10	M10	M10	M10
No. of Screw Holes (Pair)	12	12	12	14	14	14	14	14	16
Screw Ø (mm)	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0

Doors/gates over 7ft height, should be fitted with a third hinge to prevent warping.

Product Code		Band Length (mm)	Band Length (inch)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Hot Dipped Galvanised					
TIMBAG - FIXINGS INCLUDED						
HBC250B	HBC250G	250	10	500 - 750	1 Pair	5 Pairs
HBC300B	HBC300G	300	12	600 - 900	1 Pair	5 Pairs
HBC350B	HBC350G	350	14	700 - 1050	1 Pair	5 Pairs
HBC400B	HBC400G	400	16	800 - 1200	1 Pair	5 Pairs
HBC450B	HBC450G	450	18	900 - 1350	1 Pair	5 Pairs
HBC500B	HBC500G	500	20	1000 - 1500	1 Pair	5 Pairs
HBC600B	HBC600G	600	24	1200 - 1800	1 Pair	5 Pairs
HBC750B	HBC750G	750	30	1500 - 2250	1 Pair	5 Pairs
HBC900B	HBC900G	900	36	1800 - 2700	1 Pair	5 Pairs

FGH02

No. of Curved Rail Hinge Set



Curved rail hinge sets are ideal for flush mounted fully framed gates with a curved top ledge.

Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.

Technical Data					
Top Band Length (mm)	300				
Band Width	40				
Band Thickness (mm)	4.8				
Pin Ø (mm)	12				
Pin Ø (inch)	½				
Hook Plate L x W (mm)	160 x 50				
No. of Bolt Holes (Pair)	2				
Carriage Bolt Ø (mm)	M10				
No. of Screw Holes (Pair)	13				
Screw Ø (mm)	6.0				

Product Code		Top Band Length (mm)	Top Band Length (inch)	Bottom Band Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised	Hand					
BAG						
CRHLG	Left	300	12	200	1 Pair	5 Pairs
CRHRG	Right	300	12	200	1 Pair	5 Pairs

HGB05

Gate Kits

Pedestrian Gate Kit



A complete gate kit for medium weight gates in domestic applications. Automatic gate latch is padlockable for additional security.

Kit Contents		
	Medium Tee Hinges	Automatic Gate Latch
Size (mm)	350	50
Qty (pcs)	2	1

Fitting Information	
To Suit Gate	700 - 1050
Max. Gate Weight (kg)	30
Max. Padlock Shackle Ø (mm)	7

Fixings Information	
No. of Pan Screws	6
Pan Screw Size (mm)	4.0 x 30
No. of Countersunk Screws	18
Countersunk Screw Size (mm)	4.0 x 30

Product Code			To Suit Gate (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc	Hot Dipped Galvanised			
TIMBAG - FIXINGS INCLUDED					
427123	427741	427562	700 - 1050	1	5
GAP05					

Side Gate Kit - Ring Latch



A complete gate kit for medium weight gates in domestic applications. Brenton padbolt is padlockable and bolt fixed for additional security.

Kit Contents			
	Medium Tee Hinges	Ring Gate Latch	Brenton Padbolt
Size (mm)	450	150	150
Qty (pcs)	2	1	1

Fitting Information	
To Suit Gate	900 - 1350
Max. Gate Weight (kg)	40
Max. Padlock Shackle Ø (mm)	10

Fixings Information	
No. of Carriage Bolts	4
Carriage Bolt Size (mm)	M6 x 50
No. of Pan Screws	20
Pan Screw Size (mm)	4.0 x 30
No. of Countersunk Screws	20
Countersunk Screw Size (mm)	5.0 x 30

Product Code			To Suit Gate (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc	Hot Dipped Galvanised			
TIMBAG - FIXINGS INCLUDED					
427548	427546	427357	900 - 1350	1	5
GAP06					

Side Gate Kit - Suffolk Latch



A complete gate kit for medium weight gates in domestic applications. Brenton padbolt is padlockable and bolt fixed for additional security.

Kit Contents			
	Medium Tee Hinges	Suffolk Latch	Brenton Padbolt
Size	450	185	150
Qty	2	1	1

Fitting Information	
To Suit Gate	900 - 1350
Max. Gate Weight (kg)	40
Max. Gate Thickness (mm)	50
Max. Padlock Shackle Ø (mm)	10

Fixings Information	
No. of Carriage Bolts	4
Carriage Bolt Size (mm)	M6 x 50
No. of Pan Screws	20
Pan Screw Size (mm)	4.0 x 30
No. of Countersunk Screws	20
Countersunk Screw Size (mm)	5.0 x 30

Product Code			To Suit Gate (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black	Zinc	Hot Dipped Galvanised			
TIMBAG - FIXINGS INCLUDED					
427215	427998	427635	900 - 1350	1	5
GAP06					

Field Gate Hooks & Eyes



Gate & Post Fittings

Gate Hook to Drive



A heavy duty hook for knocking into a timber post and to be used with field gate bands or hook and band hinges. Barbed to prevent the hook from working loose.

Product Code	Size	Pin Ø	Pin Ø	Pack Qty	Carton Qty
Hot Dipped Galvanised	L x W (mm)	(inch)	(mm)	(pcs)	(packs)
BAG - NO FIXINGS REQUIRED					
GHD19GEA	215 x 19	¾"	19	1	10
GHD22GEA	215 x 22	¾"	22	1	10

FGH04

Gate Hook to Bolt



Heavy duty hook to bolt to suit 4" to 10" timber posts and to be used with field gate bands or hook and band hinges. Supplied with square plate washer and hex nuts.

Product Code	Size	Pin Ø	Pin Ø	Pack Qty	Carton Qty
Hot Dipped Galvanised	Ø x L (mm)	(inch)	(mm)	(pcs)	(packs)
BAG - NO FIXINGS REQUIRED					
GHB19325GEA	M20 x 325	¾"	19	1	10
GHB22325G	M22 x 325	¾"	22	2	10

FGH04

Hook on Square Plate



A heavy duty hook on plate to suit field gate bands. Enables the gate to be lifted off for maintenance purposes. Alternatively, mounting upside down will prevent the gate from being lifted off preventing unwanted access.

Technical Data	
No. of Coach Screws	8
Coach Screw Ø (mm)	11

Product Code	Size	Pin Ø	Pin Ø	Pack Qty	Carton Qty
Hot Dipped Galvanised	L x W (mm)	(inch)	(mm)	(pcs)	(packs)
BAG					
HSP19GEA	100 x 100	¾"	19	1	10

FGH04

Adjustable Gate Eye




Ideal for use in hanging timber or metal gates and to be used in conjunction with gate hook with matching pin diameter.



Product Code		Ø x L (mm)	Nut Socket Size (mm)	To Suit Pin Ø (inch/mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG - NO FIXINGS REQUIRED						
AGE12100GEA	AGE12100Z	M12 x 100	19	½" / 12	1	10
AGE16100GEA	AGE16100Z	M16 x 100	24	¾" / 16	1	10
AGE19100GEA	AGE19100Z	M19 x 100	30	¾" / 19	1	10
AGE19150GEA	AGE19150Z	M19 x 150	30	¾" / 19	1	10
AGE19200GEA	AGE19200Z	M19 x 200	30	¾" / 19	1	10
AGE19250GEA	-	M19 x 250	30	¾" / 19	1	10
AGE22150GEA	-	M22 x 150	34	¾" / 22	1	10
AGE22200GEA	-	M22 x 200	34	¾" / 22	1	10
AGE22250GEA	-	M22 x 250	34	¾" / 22	1	10

FGH04

Adjustable Bottom Gate Fitting



The adjustable bottom band allows for adjustment and easy alignment of the gate after fitting and is to be used with a 19mm diameter gate hook.



Technical Data	
Gate Eye Size Ø x L (mm)	M19 x 250
Heel Clip Size L x W x D (mm)	86 x 50 x 32
To Suit Gate Thickness (mm)	75
To Suit Gate Thickness (inch)	3

Product Code	Ø x L (mm)	Nut Socket Size (mm)	To Suit Pin Ø (inch/mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG - NO FIXINGS REQUIRED					
AGF19GEA	M19 x 250	30	¾" / 19	1	10

FGH04

Gate & Post Fittings To Weld

Gate Hook to Weld



Designed for welding onto a flat metal post and used in conjunction with gate eyes or hook and band hinges.

Product Code	Pin Ø (inch)	Pin Ø (mm)	Base Plate L x W (mm)	Centre Pin Projection (mm)	Pack Qty	Carton Qty
BAG - NO FIXINGS REQUIRED						
GHW12S	½"	12	45 x 38	26	2	10
GHW16S	¾"	16	63 x 47	38	2	10
GHW19S	¾"	19	63 x 50	38	2	10
GHW22S	¾"	22	63 x 50	38	2	10

FGH04

Gate Eye to Weld



Designed for welding to a flat metal post or gate and used with gate hook.

Product Code	To Suit Pin Ø (inch)	To Suit Pin Ø (mm)	Base Plate L x W (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG - NO FIXINGS REQUIRED					
GEW12S	½"	12	45 x 38	2	10
GEW16S	¾"	16	63 x 47	2	10
GEW19S	¾"	19	63 x 50	2	10
GEW22S	¾"	22	63 x 50	2	10

FGH04

Field Gate Hinge Sets



Standard Double Strap Hinge Set



Ideal for
Timber
Posts

Ideal for use on field gates and driveway gates that are to be hung on timber posts. The hinge set provides exceptional support to the gate as the top band and bottom strap wrap around the gate and are fixed with cup square bolts to firmly secure in place.

The hook to bolt features a 9mm drilled hole for R clips or linch pins (not included) to be fitted to prevent the gate being lifted off. The hooks to drive are barbed to prevent the gate from working loose.

Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.

- Contents:
- 1 x Top Strap
 - 1 x Bottom Strap
 - 1 x Hook to Drive
 - 1 x Hook to Bolt
 - M10 x 95mm Galvanised Cup Square Bolts
 - M10 Hex Nuts & Washers
 - 6.0 x 40mm Exterior Woodscrews

Field Gate Information			
To Suit Gate Width	3-4ft/ 900-1200mm	4-9ft/ 1200-2700mm	9-12ft/ 2700-3600mm
To Suit Gate Thickness	3"/75mm	3"/75mm	3"/75mm

Product Dimensions			
Top Strap Length	12"/300mm	18"/450mm	24"/600mm
Bottom Strap Length	6"/150mm	6"/150mm	6"/150mm
Hook To Bolt Ø x Length (mm)	M20 x 350	M20 x 350	M20 x 350
Hook To Drive Length (mm)	215	215	215
Pin Ø	3/4"/19mm	3/4"/19mm	3/4"/19mm

Fixings Information			
No. of Carriage Bolts	3	4	4
Carriage Bolt Ø (mm)	M10	M10	M10

Product Code	Top Strap Length (inch)	Top Strap Length (mm)	To Suit Gate Width (ft)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised						
BAG - FIXINGS INCLUDED						
SFH300G	12	300	3-4	900-1200	1	4
SFH450G	18	450	4-9	1200-2700	1	4
SFH600G	24	600	9-12	2700-3600	1	4

FGS01

Double Strap Hinge Set with Hook on Plate



Ideal for
Masonry &
Concrete

Ideal for use on field gates and driveway gates that are to be hung on timber, concrete or masonry posts.

The hinge set provides exceptional support to the gate as the top band and bottom strap wrap around the gate and are fixed with cup square bolts to firmly secure in place.

Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.

- Contents:
- 1 x Top Strap
 - 1 x Bottom Strap
 - 2 x Hook on Plates
 - M10 x 95mm Galvanised Cup Square Bolts
 - M10 Hex Nuts & Washers
 - M10 x 65mm Galvanised Coach Screws
 - 6.0 x 40mm Exterior Woodscrews

Field Gate Information			
To Suit Gate Width	3-4ft/ 900-1200mm	4-9ft/ 1200-2700mm	9-12ft/ 2700-3600mm
To Suit Gate Thickness	3"/75mm	3"/75mm	3"/75mm

Product Dimensions			
Top Strap Length	12"/300mm	18"/450mm	24"/600mm
Bottom Strap Length	6"/150mm	6"/150mm	6"/150mm
Hook on Plate Length x Width (mm)	100 x 100	100 x 100	100 x 100
Pin Ø	3/4"/19mm	3/4"/19mm	3/4"/19mm

Fixings Information			
No. of Coach Screws	8	8	8
Coach Screws Ø (mm)	M10	M10	M10
No. of Carriage Bolts	3	4	4
Carriage Bolt Ø (mm)	M10	M10	M10

Product Code	Top Strap Length (inch)	Top Strap Length (mm)	To Suit Gate Width (ft)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised						
BAG - FIXINGS INCLUDED						
DSFH300G	12	300	3-4	900-1200	1	4
DSFH450G	18	450	4-9	1200-2700	1	4
DSFH600G	24	600	9-12	2700-3600	1	4

FGS01



Adjustable Hinge Set



Ideal for Timber Posts

Ideal for use on field gates and driveway gates that are to be hung on timber posts. The hinge set provides exceptional support to the gate as the top band wraps around the gate and is fixed with cup square bolts to firmly secure in place. The bottom fitting clamps around the heel of the gate and is adjustable to allow for easy gate alignment after fitting. This is particularly useful when hanging pairs of gates. The hook to bolt features a 9mm drilled hole for R clips or lynch pins (not included) to be fitted to prevent the gate being lifted off. The hooks to drive are barbed to prevent the gate from working loose. Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.

- Contents:
- 1 x Top Strap
 - 1 x Adjustable Bottom Fitting
 - 1 x Gate Hook to Drive
 - 1 x Hook to Bolt
 - M10 x 95 Galvanised Cup Square Bolts
 - M10 Hex Nuts & Washers

Adjustable Hinge Set with Hook on Plate



Ideal for Masonry & Concrete

Ideal for use on field gates and driveway gates that are to be hung on timber, concrete or masonry posts. The hinge set provides exceptional support to the gate as the top band wraps around the gate and are fixed with cup square bolts to firmly secure in place. The bottom fitting clamps around the heel of the gate and is adjustable to allow for easy gate alignment after fitting. Depending on the weight distribution of the gate, the top or bottom pin can be mounted upside down to prevent unwanted removal of the gate.

- Contents:
- 1 x Top Strap
 - 1 x Adjustable Bottom Gate Fitting
 - 2 x Hook on Plates
 - M10 x 95 Galvanised Cup Square Bolts
 - M10 Hex Nuts & Washers
 - M10 x 65mm Galvanised Coach Screws

Field Gate Information			
To Suit Gate Width	3-4ft/ 900-1200mm	4-9ft/ 1200-2700mm	9-12ft/ 2700-3600mm
To Suit Gate Thickness	3"/75mm	3"/75mm	3"/75mm

Product Dimensions			
Top Strap Length	12"/300mm	18"/450mm	24"/600mm
Strap Thickness	6mm	6mm	6mm
Hook To Bolt Ø x Length (mm)	M20 x 350	M20 x 350	M20 x 350
Gate Eye Size Ø x Length (mm)	M19 x 250	M19 x 250	M19 x 250
Heel Clip Size Length x Width x Depth (mm)	86 x 50 x 32	86 x 50 x 32	86 x 50 x 32
Hook to Drive Size (mm)	215 x 22	215 x 22	215 x 22
Pin Ø	3/4"/19mm	3/4"/19mm	3/4"/19mm

Fixings Information			
No. of Carriage Bolts	2	3	3
Carriage Bolt Ø (mm)	M10	M10	M10

Product Code	Top Strap Length (inch)	Top Strap Length (mm)	To Suit Gate Width (ft)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG - FIXINGS INCLUDED						
AFH300G	12	300	3-4	900-1200	1	4
AFH450G	18	450	4-9	1200-2700	1	4
AFH600G	24	600	9-12	2700-3600	1	4

FGS01

Field Gate Information			
To Suit Gate Width	3-4ft/ 900-1200mm	4-9ft/ 1200-2700mm	9-12ft/ 2700-3600mm
To Suit Gate Thickness	3"/75mm	3"/75mm	3"/75mm


Product Dimensions			
Top Strap Length	12"/300mm	18"/450mm	24"/600mm
Strap Thickness	6mm	6mm	6mm
Hook on Plate Length x Width (mm)	100 x 100	100 x 100	100 x 100
Gate Eye Size Ø x Length (mm)	M19 x 250	M19 x 250	M19 x 250
Heel Clip Size Length x Width x Depth (mm)	86 x 50 x 32	86 x 50 x 32	86 x 50 x 32
Pin Ø	3/4"/19mm	3/4"/19mm	3/4"/19mm

Product Dimensions			
No. of Coach Screws	8	8	8
Coach Screws Ø (mm)	M10	M10	M10
No. of Carriage Bolts	2	3	3
Carriage Bolt Ø (mm)	M10	M10	M10

Product Code	Top Strap Length (inch)	Top Strap Length (mm)	To Suit Gate Width (ft)	To Suit Gate Width (mm)	Pack Qty (pcs)	Carton Qty (packs)
BAG - FIXINGS INCLUDED						
AFHP300G	12	300	3-4	900-1200	1	4
AFHP450G	18	450	4-9	1200-2700	1	4
AFHP600G	24	600	9-12	2700-3600	1	4

FGH01

Field Gate Catches



Field Gate Spring Fastener Set with Staple Catch



Contents:
1 x Spring Latch Arm
1 x Arm Holding Gate Bracket
1 x Hammer-In Latch Retainer
Exterior Woodscrews

A heavy duty catch for field gates with a high frequency of use. The gate locates behind the peg of the double leg catch automatically when closed.
The catch requires an in front of post gate mounting.



Technical Data	
Size (mm)	610
Overall Length (mm)	610
Handle Length (mm)	310
Spring Keep L x W x H (mm)	250 x 75 x 25
Staple Catch L x W (mm)	180 x 80

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised			

BAG - FIXINGS INCLUDED

SFF610G	610	1	FGC01
---------	-----	---	-------

Field Gate Hunting Type Lift Catch with Cranked Striker



Contents:
1 x Hunting Type Catch
1 x Spike Peg with Washer and Nut
Coach Screws

A heavy duty catch that is ideal for field and equestrian gates. An elongated handle allows gates to be used by horse riders without the need to dismount. The latch automatically engages when the gate is closed and is pad-lockable for additional security.
The catch requires an in front of post gate mounting.




Technical Data	
Size (mm)	425
Overall Length (mm)	425
Backplate L x W (mm)	150 x 30
Catch Projection (mm)	120
Handle Length (mm)	300
Strike Peg Ø x L (mm)	12 x 150

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised			

BAG - FIXINGS INCLUDED

HLC425G	425	1	FGC01
---------	-----	---	-------

Field Gate Self Locking Catch with Cranked Striker



Contents:
1 x Self Locking Catch
1 x Spike Peg with Washer and Nut
Coach Screws

A heavy duty gate catch that is ideal for field and driveway gates. The latch automatically engages when the gate is closed and is pad-lockable for additional security.
The catch requires an in front of post gate mounting.



Technical Data	
Size (mm)	120
Catch Projection (mm)	120
Backplate L x W (mm)	150 x 30
Strike Peg Ø x L (mm)	12 x 150

Product Code	Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised			

BAG - FIXINGS INCLUDED

SLCG	120	1	FGC01
------	-----	---	-------

Throw-Over Loops



Throw-Over Gate Loop



Ideal for securing pairs of gates in a closed position.

Product Code	Length (mm)	Thickness (mm)	To Suit Gate Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised					
BAG - FIXINGS INCLUDED					
TGL150G	150	6	75	1	10
TGL350G	350	6	75	1	10

FGH01

Throw-Over Gate Loop with Lifting Handle



Ideal for securing pairs of gates in a closed position. Features a loop handle for ease of operation, particularly from the saddle of a horse.

Product Code	Length (mm)	Thickness (mm)	To Suit Gate Thickness (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised					
BAG - NO FIXINGS REQUIRED					
TGLH350G	350	6	75	1	10
TGLH450G	450	6	75	1	10

FGH01

Throw-Over Locking Gate Loop



Ideal for securing pairs of gates in a closed position. Features a locking hasp and staple to prevent risk of animal / equipment theft or unwanted access.

Product Code	Length (mm)	Thickness (mm)	Staple Plate Size (mm)	To Suit Gate Thickness (mm)	Max. Padlock Shackles Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised							
BAG - NO FIXINGS REQUIRED							
TLGL450G	450	6	65 x 65	75	12	1	10

FGH01

Field Gate Wheels

Light Duty Spring Loaded Field Gate Wheel



A light duty spring loaded gate wheel that is ideal for domestic and light commercial applications. Provides support at the leading edge of gates and doors and self adjusts to overcome sloping or uneven groundwork.

Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
Zinc			
BAG - FIXINGS INCLUDED			
GW10ZB	270	1	10

GAB06

Technical Data	
Length (mm)	270
Wheel Ø (mm)	100
Backplate Length x Width (mm)	100 x 25
Max. Gate Weight (kg)	50
Max. Spring Compression (mm)	40

Heavy Duty Spring Loaded Field Gate Wheel



A heavy duty spring loaded gate wheel that is ideal for agricultural and heavy commercial applications.

This wheel provides support at the leading edge of gates and doors and self adjusts to overcome sloping or uneven groundwork.



Technical Data	
Length (mm)	370
Wheel Ø (mm)	102
Backplate Length x Width (mm)	165 x 50
Max. Gate Weight (kg)	135
Max. Spring Compression (mm)	50

Product Code	Length (mm)	Pack Qty (pcs)	Carton Qty (packs)
Epoxy Black			
BAG - FIXINGS INCLUDED			
GW14BB	370	1	5

GAB06

Fence Post Supports



Drive in Post Spikes

Drive in post spikes are a quick and easy way to erect fencing and garden posts as they require no digging or concreting into place, saving time and money. They feature a 4 fin steel spike to ensure a solid, permanent, wind resistant fit. Available in a red oxide powder coat to blend in with the fencing and provides medium rust protection or hot dip galvanised for maximum rust protection. Both options can be over painted.

For 4ft fencing use a 600mm spike, for 6ft fencing use a 750mm spike.

Bolt Secure



Both these systems prevents against post rot and decay as it will hold the base of the post above ground level.

Driving Tool



Quick Fit



The quick fit version features inverted fins inside the post holder section that will hold the post in a vice like grip. The system prevents against post rot and decay as it will hold the base of the post above ground level.

Carriage bolts tighten and clamp the post firmly to prevent any post movement, as well as allowing for over / under sized post tolerance. Allows for removal of the post at a later stage if required.

Technical Data

To Suit Post Size (mm)	50 x 50	70 x 70	75 x 75	90 x 90	100 x 100
To Suit Post Size (inch)	2 x 2	2 7/8 x 2 7/8	3 x 3	3 1/2 x 3 1/2	4 x 4
Spike Length (mm)	450	600	600	750	600
Spike Length (inch)	18	24	24	30	24
Post Holder Length (mm)	150	150	150	150	150
Total Length (mm)	600	750	750	900	750

Product Code

Oxide Red Powder Coated	Hot Dipped Galvanised	To Suit Post Size (mm)	Spike Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
BOLT SECURE - EACH						
PSB50450	PSB50450G	50 x 50	450	1	10	330
PSB70600	-	70 x 70	600	1	10	180
PSB75600	PSB75600G	75 x 75	600	1	10	180
PSB75750	PSB75750G	75 x 75	750	1	8	144
PSB90600	-	90 x 90	600	1	8	128
PSB100600	PSB100600G	100 x 100	600	1	8	112
PSB100750	PSB100750G	100 x 100	750	1	6	84
QUICK FIT - EACH						
PSQ75600	PSQ75600G	75 x 75	600	1	10	120
PSQ75750	PSQ75750G	75 x 75	750	1	10	200
PSQ100600	PSQ100600G	100 x 100	600	1	8	128
PSQ100750	PSQ100750G	100 x 100	750	1	6	144
DRIVING TOOL - EACH						
DT75	-	75 x 75	-	1	10	450
DT100	-	100 x 100	-	1	10	360

FCAD1

Bolt Down Shoes

Bolt down fence post shoes are a quick and easy way to erect fencing and garden posts as they require no digging or concreting into place, saving time and money. Designed to be fixed down onto an existing concrete base or wall and are perfect for patio fencing, decking, pergolas or car ports.

Bolt Secure

- Bolts secure and clamp the post firmly in place
- Bolts allow for post removal at a later stage
- Prevents against post rot and decay as it holds the base of the post above ground level
- Can be over painted



Quick Fit

- Inverted fins hold the post in a vice like grip
- Prevents against post rot and decay as it holds the base of the post above ground level
- Can be over painted



Flush Fit - Bolt Secure

- Designed to be fixed down onto an existing concrete base or wall where the post needs to be fitted flush against a wall
- Bolts secure and clamp the post firmly in place
- Bolts allow for post removal at a later stage
- Prevents against post rot and decay
- Can be over painted



Technical Data

To Suit Post Size (mm)	50 to 90	100 x 100	150 x 150
Post Holder Length (mm)	150		
Base Plate Size (mm)	150 x 150	180 x 180	225 x 225
No. of Fixing Holes	4		
Fixing Hole Size (mm)	11.0		

Product Code

Oxide Red Powder Coated	Hot Dipped Galvanised	To Suit Post Size (mm)	To Suit Post Size (inch)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
BOLT SECURE - EACH						
BDB50	BDB50G	50 x 50	2 x 2	1	10	120
BDB70	-	70 x 70	2 7/8 x 2 7/8	1	10	120
BDB75	BDB75G	75 x 75	3 x 3	1	10	480
BDB90	-	90 x 90	3 1/2 x 3 1/2	1	10	120
BDB100	BDB100G	100 x 100	4 x 4	1	10	180
BDB150	BDB150G	150 x 150	6 x 6	1	6	144
QUICK FIT - EACH						
BDQ75	BDQ75G	75 x 75	3 x 3	1	10	480
BDQ100	BDQ100G	100 x 100	4 x 4	1	10	180
FLUSH FIT - BOLT SECURE - EACH						
FBDB75	FBDB75G	75 x 75	3 x 3	1	10	600
FBDB100	FBDB100G	100 x 100	4 x 4	1	10	240

FCAD2

Concrete in Shoe - Bolt Secure

Designed to be set into concrete.

- Fins hold the support firmly in the concrete
- Bolts secure and clamp the post firmly in place
- Bolts allow for post removal at a later stage
- Prevents against post rot and decay as it holds the base of the post above ground level
- Can be over painted



Technical Data			
To Suit Post Size (mm)	75 x 75	100 x 100	
Spike Length (mm)	200	200	
Post Holder Length (mm)	150	150	
Total Length (mm)	350	350	

Product Code		To Suit Post Size (mm)	To Suit Post Size (inch)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Oxide Red Powder Coated	Hot Dipped Galvanised	EACH				
CSB75	CSB75G	75 x 75	3 x 3	1	10	300
CSB100	CSB100G	100 x 100	4 x 4	1	10	160

CA02

Repair Spike - Bolt Secure

Designed for the repair and replacement of rotten or damaged fence posts that have been concreted in.

- The spike drives down between the existing wood post and concrete to leave a solid base for installation of a new post
- Bolts secure and clamp the post firmly in place
- Bolts allow for post removal at a later stage
- Prevents against post rot and decay as it holds the base of the post above ground level
- Can be over painted



Technical Data			
To Suit Post Size (mm)	75 x 75	100 x 100	
Spike Length (mm)	300	300	
Post Holder Length (mm)	150	150	
Total Length (mm)	450	450	

Product Code		To Suit Post Size (mm)	To Suit Post Size (inch)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Oxide Red Powder Coated	Hot Dipped Galvanised	EACH				
RS75	RS75G	75 x 75	3 x 3	1	10	100
RS100	RS100G	100 x 100	4 x 4	1	10	80

FCA03

Post Extenders

Quick Fit



- Raise the height of fence posts by up to 1m
- Fins hold each post in a vice like grip
- Can be painted over to match with a different fence colour

Product Code	To Suit Post Size (mm)	To Suit Post Size (inch)	Length (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Oxide Red Powder Coated	EACH					
PEX75	75 x 75	3 x 3	180	1	10	360
PEX100	100 x 100	4 x 4	180	1	10	320

CA02

Universal



- Raise the height of fence posts by up to 1.2m
- x12 4.0mm screw holes

Product Code	Size L x W x W (mm)	Thickness (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Galvanised	EACH				
UPE180	180 x 60 x 60	2.0	1	25	2200

FCA04

Fence Post Caps

Pyramid Post Cap

- Perfect decorative finish to the top of fence post
- Protects the top of the fence post from weather damage
- Can be painted over to match with a different fence colour



Product Code			To Suit Post Size (mm)	To Suit Post Size (inch)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Oxide Red Powder Coated	Epoxy Black	Zinc	EACH				
FPC50	FPC50B	FPC50G	50 x 50	2 x 2	1	25	5400
FPC75	FPC75B	FPC75G	75 x 75	3 x 3	1	25	3000
FPC100	FPC100B	FPC100G	100 x 100	4 x 4	1	25	4000

FCA05

Ball Post Cap

- Perfect decorative finish to the top of fence post
- Protects the top of the fence post from weather damage
- Can be painted over to match with a different fence colour



Product Code			To Suit Post Size (mm)	To Suit Post Size (inch)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Oxide Red Powder Coated	Epoxy Black	Zinc	EACH				
BPC50	BPC50B	BPC50G	50 x 50	2 x 2	1	45	2700
BPC75	BPC75B	BPC75G	75 x 75	3 x 3	1	30	1080
BPC100	BPC100B	BPC100G	100 x 100	4 x 4	1	24	960

FCA05

Fencing Accessories



Arris Rail Mortise Bracket




Suitable for securing arris rails to a concrete post when building feather edge fencing or to repair a wooden arris rail to an existing post.

- x6 5.0mm screw holes

Product Code	Size L x W (mm)	Thickness (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Galvanised					
EACH					
ARBM200	200 x 62	1.5	1	25	1200
FCA06					

Arris Rail Bracket



Suitable for securing arris rails to a square fence post when building feather edge fencing or to repair a wooden arris rail to an existing post.

- x10 5.0mm screw holes

Product Code	Size L x W (mm)	Thickness (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Galvanised					
EACH					
ARS225	225 x 65	0.75	1	25	2800
ARS300	300 x 65	0.75	1	25	2100
FCA06					

Arris Rail Support Bracket



For fitting arris rails to timber posts when building feather edge fencing or to repair a wooden arris rail to an existing post.

- x4 4.0mm screw holes

Product Code	Size L x W x W (mm)	Thickness (mm)	Pack Qty (pairs)	MOQ Qty (packs)	Pallet Qty (packs)
Galvanised					
EACH					
ARBS	90 x 60 x 60	2.0	1	25	2000
FCA06					

Knee Rail Support Bracket



Designed for securing rails onto birds mouth posts.

Product Code	Size L x W (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Galvanised				
EACH				
KRS46	250 x 46	1	50	300
KRS90	250 x 90	1	50	300
FCA06				

Gravel Board Clip



A quick and easy way to attach timber gravel boards to timber fence posts.

- x2 5.5mm screw holes

Product Code	Size L x W x D (mm)	Thickness (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Galvanised					
EACH					
GB25	150 x 25 x 30	1.5	1	25	3750
GB50	150 x 50 x 30	1.5	1	25	1925
FCA06					

Twin Pin Gravel Board Clip



Suitable for fitting concrete gravel boards to concrete posts. The backplate mounts to the gravel board and the two pins locate into the post.

Product Code	Size L x W (mm)	Thickness (mm)	Pin Ø (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Galvanised						
EACH						
GB2P	150 x 50	4	10	1	25	2400
FCA06						

Panel Clip



A quick and easy way to secure fence panels and trellis to timber, these can also be plugged and screwed into masonry.

- x4 5.0mm screw holes

Product Code	Size L x W x D (mm)	Thickness (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Galvanised					
EACH					
PC44	50 x 44 x 25	1.0	1	100	11200
PC50	50 x 50 x 25	1.0	1	100	10000
FCA06					

Z Clip



For attaching trellis or timber fence panels to posts.

- x4 4.0mm screw holes

Product Code	Size L x W x D (mm)	Thickness (mm)	MOQ Qty (pcs)	Carton Qty (packs)
Galvanised				
EACH				
ZC60	60 x 56 x 15	1.5	100	100
FCA06				

Panel Security Bracket



Designed for securing fence panels to 4" concrete posts and helps prevent unwanted removal or theft of fence panels.

- x2 5.0mm screw holes


Product Code	Size L x W (mm)	Thickness (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Galvanised					
EACH					
PSB233	233 x 40	1.5	1	50	2700
FCA06					

Border Roll Pin



Ideal for securing border roll to the ground. The pin is pre drilled and attached to rear of the border roll using 4.5 x 50mm screws.

Use 3 border roll pins equally spaced per 1.8m of border roll.



Product Code	Size L x W x D (mm)	Pack Qty (pcs)	MOQ Qty (packs)	Pallet Qty (packs)
Galvanised				
EACH				
323450	450 x 23 x 23	1	50	4000
FCA06				

Chains & Accessories



Bow Shackle



Ideal for connecting lengths of chain or fixing to anchor points.



Product Code	Shackle Ø (mm)	Inner Link L (mm)	Inner Link W (mm)	Safe Working Load (kg)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised						
BAG - EXCLUDES FIXINGS						
5BSB	5	19	15	80	20	25
6BSB	6	24	18	100	20	17
8BSB	8	32	24	200	20	10
GAB02						
TIMBAG - FIXINGS INCLUDED						
5BSP	5	20	10	80	5	15
6BSP	6	24	12	100	5	15
8BSP	8	32	16	200	5	15
L=LENGTH W=WIDTH GAP09						

Dee Shackle



Ideal for connecting lengths of chain or fixing to anchor points.

Product Code	Shackle Ø (mm)	Inner Link L (mm)	Inner Link W (mm)	Safe Working Load (kg)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised						
BAG - EXCLUDES FIXINGS						
5DSB	5	20	10	80	20	25
6DSB	6	24	12	100	20	17
8DSB	8	32	16	200	20	10
GAB02						
TIMBAG - FIXINGS INCLUDED						
5DSP	5	20	10	80	5	15
6DSP	6	24	12	100	5	15
8DSP	8	32	16	200	5	15
L=LENGTH W=WIDTH GAP03						

Quick Repair Link



Ideal for connecting lengths of chain or repairing broken chain links.

Product Code	Shackle Ø (mm)	Inner Link L (mm)	Inner Link W (mm)	Safe Working Load (kg)	Pack Qty (pcs)	Carton Qty (packs)
Zinc						
BAG - EXCLUDES FIXINGS						
5QLB	5	51	23	50	10	44
6QLB	6	58	27	85	10	30
8QLB	8	74	34	150	5	32
GAB02						
TIMBAG - FIXINGS INCLUDED						
5QLP	5	51	23	50	5	15
6QLP	6	58	27	85	5	15
8QLP	8	74	34	150	5	15
L=LENGTH W=WIDTH GAP02						

Carbine Hook



Spring loaded hook ideal for connecting lengths of chain or attaching to anchor points.

Product Code	Shackle Ø (mm)	Safe Working Load (kg)	Pack Qty (pcs)	Carton Qty (packs)
Zinc				
BAG - EXCLUDES FIXINGS				
5CHB	5	45	10	50
6CHB	6	75	10	30
8CHB	8	125	10	16
GAB02				
TIMBAG - FIXINGS INCLUDED				
5CHP	5	45	5	15
6CHP	6	75	5	15
8CHP	8	125	5	15
GAP10				

Hook on Plate



Ideal as an anchor point using chain, rope or wire.

Product Code	Plate Size L x W (mm)	Hook Projection (mm)	Screw Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised					
BAG - EXCLUDES FIXINGS					
HP2GB	50 x 50	73	6.0	1	160
GAB02					
TIMBAG - FIXINGS INCLUDED					
HP2GP	50 x 50	73	6.0	1	10
GAP07					

Ring on Plate

Ideal as an anchor point using chain, rope or wire.



Product Code	Plate Size L x W (mm)	Ring Ø (mm)	Screw Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised					
BAG - EXCLUDES FIXINGS					
RP2GB	50 x 50	65	6.0	1	160
GAB02					
TIMBAG - FIXINGS INCLUDED					
RP2GP	50 x 50	65	6.0	1	15
GAP07					

Staple on Plate



Ideal as an anchor point using chain, rope or wire.

Product Code	Plate Size L x W (mm)	Staple Proj. (mm)	Staple Width (mm)	Screw Hole Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised						
BAG - EXCLUDES FIXINGS						
SP2GB	50 x 50	28	15	6.0	1	160
GAB02						
TIMBAG - FIXINGS INCLUDED						
SP2GP	50 x 50	28	15	6.0	1	15
L=LENGTH W=WIDTH GAP07						

Welded Link Chains

NEW SIZES

Single Link Jack Chain

Ideal for the hanging of light fittings, pictures, mirrors, signs and hanging flower baskets. Zinc plated for improved resistance to corrosion.



Welded link chain is ideal for securing farm gates and machinery among a variety of other uses. Not suitable for overhead lifting, load binding or towing.

Product Code	Length (m)	Shackle Ø (mm)	Inner Link L (mm)	Inner Link W (mm)	Safe Working Load (kg)	Pack Qty (pcs)	Carton Qty (packs)
Hot Dipped Galvanised							
EACH							
432HDGC	3.0	4	32	8	80	1	20
642HDGC	2.0	6	42	12	160	1	15
852HDGC	1.5	8	52	16	320	1	10
432HDGC10	10.0	4	32	8	80	1	6
521HDGC10	10.0	5	21	10	125	1	4
642HDGC10	10.0	6	42	12	160	1	3
Zinc BOX							
326BZPC10	10.0	3	26	8	40	1	8

L=LENGTH W=WIDTH GAP08

NEW



Product Code	Length (m)	Shackle Ø (mm)	Safe Working Load (kg)	Pack Qty (pcs)	Carton Qty (packs)
Zinc BOX					
427487	10	3	7.5	1	12

GAP08

Wire Ropes

NEW

Wire rope with 7x7 construction and zinc plating for corrosion resistance. Good degree of flexibility and ideal for stay wires, fencing, hanging signs, garage doors and catenary wire.



Product Code	Length (m)	Shackle Ø (mm)	Pack Qty (pcs)	Carton Qty (packs)
Zinc BOX				
427506	30	2	1	20
427333	20	3	1	25
427004	10	4	1	20

GAP11

Wire Rope Grips

NEW

Wire rope grips used for the formation of an eye or loop at the end of a wire rope. Zinc plated for improved resistance to corrosion.



Product Code	To Suit Rope Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
Zinc BOX			
427819	3	20	50

GAP11

Wire Rope Thimbles

NEW

Wire rope thimbles are used to protect the eyes of cable and rope slings from abrasion by providing a solid steel barrier between the cable strands and other rigging fittings used in the connection. Zinc plated for improved resistance to corrosion.



Product Code	To Suit Rope Size (mm)	Pack Qty (pcs)	Carton Qty (packs)
Zinc BOX			
427110	4	20	50

GAP11

A

Abrasive Brushes	138
Access Panel	241
Accident Book	225
Acetoxy Silicone	192
Acrylic Caulk	182, 193
Adaptor for Rebar Cutter Heads	114
Adhesives	189
Adhesive Hook	64
Adhesive Residue Remover	200
Adhesive Trowel - Square Notch	151
Adjustable Band & Hook on Plate	293
Adjustable Bottom Gate Fitting	296
Adjustable Gate Eye	296
Adjustable Hinge Set	298
Adjustable Roller Catch	265
Adjustable WC/Bidet Fixing Kit	68
Adjustable Wrench	157
Admixture	189
Airbrick	240
Air & Gas Leak Detector	200
Air Wedge	171
All Purpose Filler	196
All Terrain Padlocks	276
Aluminium Hawk	150
Aluminium Nails	109
Angle Bracket	233
Angled Brace	266
Angled Brad Nails	102, 104
Angle Grinder Wire Brush	137
Animal Bolt	286
Annular Ringshank Nails	107, 109-110
Anti-Bacterial Hand Soap	226
Anti-Draught Ventilator	240
Anti-Seize Lubricant	198
Anti-Spatter	200
Applicator Guns	
Foil & Cartridge Gun	172
Professional Sealant Gun	193
PU Foam Gun	173, 195
Resin Gun	98, 172
Sealant Gun	98, 172
Skeleton Gun	98, 172, 193
Appique Drop Down Seal	245
Arris Rail Bracket	303
Auger Bits	116
Automatic Gate Catch	283
Aviation Snips	155
Axes	146

B

Bales Catch	265
Bandings	73
Barbed Staple	108
Bar Clamp	163
Barretine	
Boiled Linseed Oil	205
Danish Oil	205
Decking Oil - All In One	203
Decking Oil - Anti-Slip	203
Log Cabin & Decking Treatment	204
Paint Panther Paint & Varnish Remover	183
Polyurethane Varnish	204
Raw Linseed Oil	205
Teak Oil	205
Timber Cut End Preserver	204
Traditional Floor Wax	205
Universal Preserver	203
Wood Preserver	203
Wood Protective Treatment	203
Wood Reviver	204
Woodworm Killer	204
Quick Drying Floor Varnish	205
Yacht Varnish	204
Barrier Fencing	227
Basin Fixing Kits	68
Bath Plug & Chain	68
Bathroom Lock	262
Bathroom & Sanitary Silicone	192

Bathroom Thumb Turn & Release	255, 260
Batteries	173
Baypole Screw	51
Beanie	213
Beeswax Stick	197
Belt	213
Bevel Brush	137
Bidet/Pan Fixing Kit	68
Blackjax Screw	26
Blades	
Circular Saw Blade	129
Multi-Tool Blade	133
Reciprocating Saw Blade	132
Blow-Out Pump	98
Blue Polypropylene Rope	168
Bodywarmers	211
Bolsters & Chisels	147
Bolt Croppers	157
Bolt Down Shoe	301
Bolts	
Architectural Flat Section Bolt	263
Barrel Bolt	263
Carriage Bolts	55-56, 62
Carriage Bolt & Nut	55-56
Contract Flat Section Bolt	263
Door Rack Bolt	264
Eye Bolt	96
Hinge Bolt	264
Hook Bolt	96
Indicator Bolt	263
Lever Action Flush Bolt	263
Multi-Fix Masonry Bolt	92
Necked Barrel Bolt	263
Throughbolt	94
Window Rack Bolt	264
Bomber Jacket	215
Bonded Abrasives	128
Bonding Agent	189
Border Roll Pin	303
Bow Handle	254
Bow Handle Bolt	287
Bow Shackle	304
Box Spirit Levels	165
Bradawl	160
Brad Nails	102, 104
Brad Point Wood Bit	117
Brass Screw	26
Brass Threaded Screw Cap	27
Brenton Padbolt	285
Brick Hammer	146
Brick Jointers	151
Bricklaying & Tiling Accessories	151
Adhesive Trowel - Square Notch	151
Brick Jointers	151
Grouting Float	151
Plasterers Jab Saw	153
Radius Edging Trowel	151
Bricklaying Trowels	149
Brick, Masonry & Patio Cleaner	206
Brick Reinforcement Coil	234
Bright Nails	107
Briwax Finishing Wax	197
Broaching Cutters & Pilot Pins	121
Brushes & Rollers	175
Builders Bulk Bags	242
Builders Line	168
Builders Sheet	180
Builders Tape	187, 236
Builders Wipes	184
Bungee Cord	228
Button Socket Screw	63

C

C2 Twin-Cut Premium Screws	
C2 Clamp-Fix	11
C2 Deck-Fix	12, 29-30, 39
C2 Exterior Strong-Fix	12
C2 Floor-Fix	13
C2 Strong-Fix	9
C2 Tongue-Fix	13

Cabinet Connector Bolt	266
Cabin Hook	264, 284
Cable Clip	67, 77
Cable Lock	271
Cables	271
Cable Ties	67
Cable Tray Bolt	57
Cable & Wire Cutters	154
Calcium, Lime & Rust Stain Remover	207
Cam Buckle Tie Down Strap	228
Cane Bolt	288
Capping Nails	110
Cap Socket Screw	63
Carbine Hook	304
Carcass Screw	26
Carpenters Kit	117
Carpenters Pencil	169
Carriage Bolts	55, 62
Carriage Bolts & Nuts	56
Casement Stay	252, 257
Catches	260
Caulk	182, 193
Caulk Gun	98, 172, 193
Cavity Anchor	83
Cavity Anchor Setting Tool	83
Cavity Fixings	
Hammer-In Fixing	84
Metal Cavity Anchor	83
Metal Cavity Anchor Setting Tool	83
Metal Speed Plugs with Screw	83
Mixed Tray	76
Nylon Speed Plug	83
Cavity Sleeves	240
Cavity Wall Tie	236
Cavity Wall Weep Vent	239
Ceiling Anchor	86
Ceiling Angle Bracket	86
Cement Board Screw	37
Centrefeed Rolls	184
Chain Bolt	287
Chain Carbine Hook	304
Chain Lubricant	198
Chain Quick Repair Link	304
Chains	271, 278, 305
Single Link Jack Chain	305
Welded Link Chain	305
Chainsaw Oil	199
Chain Shackle	304
Chalk Powder	168
Chemical Anchor Stud	96
Chemical Resin	97
Chucks & Accessories	139
Cill Screw	51
Circular Saw Blade	129
Citrus Cleaner & Degreaser	207
Clad Pin	111
Clamps	
Bar Clamp	163
F & G Clamp	163
Heavy Duty & Quick Change Bar Clamp	163
Spring Clamp Set	163
Quick Corner Clamp Set	163
Classic Screws	
Classic Hinge Screw	19
Classic Multi-Purpose Screw	16-19
Classic Multi-Purpose Screw (Collated)	39
Claw Hammer	145
Cleaners	183
Brick, Masonry & Patio Cleaner	206
Calcium, Lime & Rust Stain Remover	207
Citrus Cleaner & Degreaser	207
Exterior Multi-Purpose Cleaner	206
Exterior Wood Cleaner	206
Glass Cleaner	207
Grout Cleaner	207
Heavy Duty Cleaner & Degreaser	207
Paint Brush Cleaner	183
Path, Patio & Driveway Cleaner	206
Path, Patio & Driveway Sealer	206

PVCu Cleaner	207	Decking Oil - All In One	203	Euro Profile Sashlock.....	262
Clear Adhesive & Sealant	191	Decking Oil - Anti-Slip	203	Executive Vests	214
Clear Instant Grab Adhesive	191	Decking Screw	30	Expanding PU Foam.....	194
Cling Sheet	180	Decorators Knives Set	181	Expanding PU Foam Applicator Gun.....	195
Clipdriver Tool	74	Dee Shackle	304	Expanding PU Foam Cleaner	194
Clipped Head Nails (Collated).....	101	Degreaser	200	Express Nail	86
Clips & Pins	66	Delta Sanding Pad	135	Exterior Carriage Bolts, Nuts & Washers	56
Cloakroom Basin Fixing Kit.....	68	Dense Board Drywall Screw.....	37	Exterior Coach Screw	33
Clout Nails	108	Detail Sanding Sheet	135	External Cowl	240
Coach Screws		Diamond Blades	125	External Wood Adhesive	190
Coach Screw - Exterior.....	33	Diamond Core Bit.....	126	Exterior Wood Cleaner	206
Coach Screw & Nylon Plug	35	Diamond Drill Bit.....	115	Extra Tough Builders Wipes.....	184
Coach Screw - Zinc	35	Diamond Wheels	127-128	Eye Bolt	96
Coarse Thread Drywall Screw	36	Disposable PU Ear Plugs.....	216	Eye Care	225
Collated Nails.....	101-102, 104-105	Divergent Point Staples	105	Eye Protection	217
Collated Screws		Door Bolts	263	Overspecs	218
Decking Screw	38	Door Catches	260	Premium Safety Glasses	217
Drywall Screw	38	Door Chains	264	Premium & Sports Style Safety Glasses.....	217
Flooring Screw	39	Door Handles	254-259	Safety Glasses	218
Self-Drilling Screw.....	38	Door Hooks	267	Safety Goggles	219
Woodscrew.....	39	Double Robe Hook	267	Slimfit Safety Glasses.....	217
Combination Pliers	156	Hat & Coat Hook.....	267	EZ Joist Clip	71
Combination Square.....	167	Single Robe Hook.....	267	F	
Concrete Anchor	94	Door Latches	260	Face Shield	219
Concrete Bolt.....	94	Door Locks	261	F Clamp	163
Concrete Fixing.....	92	Door Restrictor.....	264	Fence Panel Clip	303
Concrete In Shoe.....	302	Door Security	264	Fence Post Cap	302
Cone Cutter	120	Door Stops	252, 267	Ball Post Cap	302
Connector Plate.....	233	Door Wedge	267	Pyramid Post Cap.....	302
Contact Adhesive.....	189	Double Ball Catch.....	265	Fence Post Shoe	301
Contractors 3L Lock Door Pack.....	255	Double Ended Impact Driver Bits.....	140	Fence Post Spike	301
Contractors Lever Handles	255	Double Phosphor Bronze Washered Hinge.....	246	Fibre Cement Board Screw	43
Contractors Paint Brushes	175	Double Quick Lock Pipe Clip.....	71	Field Gate Catches	299
Contractors Roller, Frame & Tray Set.....	177	Double Roller Catch	265	Field Gate Hinge Sets	297
Copper Adaptor	70	Double Strap Hinge Set	297	Field Gate Hooks & Eyes	296
Copper Anti-Seize Spray	198	Dowel	266	Field Gate Wheels	300
Copper Clout Nails	109	Dowty Type Washer	45	File Cleaning Brush	162, 171
Copper Loose Nails	109	Drainage Weep	239	Files	162
Copper Roofing Accessories	109	Drilling & Driver Sets	122-123	Filler Hardener	196
Cordless Nail Gun Cleaner	200	Drill Vent	239	Fillers	195
COREFIX.....	80	Drill Wire Brush	138	Fine Surface Filler	181, 195
Corner Brace	266	Drive in Post Spike	301	Fine Thread Collated Drywall Screw	38
Corner Plate	266	Drive In Post Spike Driving Tool.....	301	Fine Thread Drywall Screw.....	36
Countersink.....	120	Driver Bits	140-142	Finger Plates.....	254
Coupler	70	Driver Bit Sets.....	143	Finishing Nailer Fuel Cell	103
Coveralls	224	Drive Screw Nails	108	Finishing Paint	201
Cover Caps		Drop Down Garage Bolt	288	Finishing Wax	197
Brass Threaded Screw Cap	27	Drop In Anchor	94	Fire Door Foam	194
Hex Head Cover Cap	45	Drop In Anchor Setting Tool	94	Fire Door Hinges	244
Hinged Screw Cap.....	28	Dry Diamond Cores	126	Fire Door Signs.....	227
Hinge Hole Cover Cap	266	Dry Fix Ridge Pack	239	Fire Rated Intumescent & Acoustic Acrylic Sealant.....	193
Plastic Cover Cap for Metal Insulation Fixing	87	Drylining Disc.....	135	Fire Rated Silicone	192
Self-Adhesive Cover Cap.....	28	Drywall Adhesive Fill & Fix Expanding PU Foam	194	FIRMAHOLD	
Two Piece Screw Cap	28	Drywall Bracket	234	Collated Nails.....	100
Covered Escutcheon.....	253	Drywall Screw	36-37	Clipped Head Nails	101-102
Cowl	240	Drywall Screw (Collated)	38	Fuel Cells	103
Cramp	235	D Shaped Cabinet Handle	254	First Aid	225
Cranked Band & Hook on Plate.....	294	D Shaped Pull Handle On Rose	254	First Fix Collated Nails	101-102, 104
Crimped Steel Wire Brushes	137	Dual Direction Panel Connector	265	First Fix Fuel Cell	103
Cross Pein Hammer	145	Dummy Draw Connector	265	Fishtailed Cramp.....	235
Crown / Coronet Hinges.....	256	Dust Sheets.....	179	Fixing Band.....	234
Cup Grinding Wheel.....	128	E		Flange Clip.....	86
Cup Hooks.....	65	Ear Defenders	216	Flap Disc.....	138
Curly Tail Casement Fastener	256	Ear Plugs	216	Flat Connector Plate.....	233
Curtain Hook	64	Edleston Handles.....	258-259	Flat Twin & Earth Cable Clip	67
Curved Rail Hinge	294	Elasticated Waist Trousers	215	Flat Wood Bit	117
Cut Clasp Nails	107	Electrical Tape	187	Flat Wood Bit Set.....	123
Cut Flooring Brad Nails	107	Electricians Scissors	154	Fleece	215
Cut Tack	110	Element Screw	51	Fleece Neck Warmer	213
Cutters		ELH Clout Nails	108	Fleur De Lys Ornate Lever Handle	257
End Cutters.....	157	Elysee Pipe Fittings.....	69	Fleur De Lys Pull Handle	257
Side Cutters	156	End Cutters	157	Flexible Bookend	269
Cutting & Tapping Lubricant.....	198	End Plugs	70	Flexidriver Tool	74
Cylinder Door Pulls	253	End Socket	268	Flooring Nails	107
D		Energiser Batteries	173	Flooring Screw	13
Damp Proofing	236	Engine Oil	199	Flooring Screw (Collated)	39
Danish Oil	205	EPDM Washer	45	Flush Fit Bolt Down Shoe	301
Deadbolt.....	260	Escutcheons	253, 260	Flush Pull.....	252
De-Burring Countersink	120	Escutcheon Handle.....	281	Flyscreen Vent.....	241

Foam Applicator Gun	173
Foam Mini Roller Sleeve Refills	176
Foil Applicator Gun Nozzle.....	172
Foil & Cartridge Applicator Gun	172
Folding Utility Knife.....	153
Foot Bolt.....	287
Forged Eye & Shield.....	96
Forged Hook & Shield	96
Form A Washer	60
Form B Washer	61
Form C Washer	61
Frame Fixing	88
Framing Anchor.....	233
Framing & Carpenter's Square.....	167
Framing Nailer Fuel Cell.....	103
Full Sanding Sheet.....	136
G	
Galvanised Nails	75, 107-108
Galvanising Paint.....	201
Garage Drop Down Bolt	288
Gate Bottom Fitting.....	296
Gate Catch.....	283
Gate Eye	296
Gate Handle.....	281
Gate Hinge.....	291
Gate Hook	293, 296, 298
Gate Hook to Drive.....	296
Gate Kit.....	295
Gate Knob	282
Gate Latch	283
Gate Lock	281
Gate & Post Fittings To Weld.....	296
Gate Spring	284
Gate Wheel.....	300
Gauging Trowel.....	149
G Clamp.....	163
General Purpose Brushes.....	176
General Purpose Pliers Set	156
Glass Cleaner	207
Glass Drill Bit	115
Glasses	217-218
Overspecs	218
Premium & Sports Style Safety Glasses	217
Safety Glasses.....	218
Slimfit Safety Glasses.....	217
Glass & Tile Scraper.....	171
Glazing Shovel.....	171
Gloves.....	221-223
Aqua Thermal Grip Gloves.....	223
Durable Grip Gloves	222
Eco-Grip Gloves	222
High Cut Gloves.....	221
Impact Cut Gloves.....	221
Light Grip Gloves.....	221
Medium Cut Gloves.....	221
Nitrile Gloves.....	223
PVC Gauntlets.....	223
PVC Grip Gloves	223
Secure Grip Gloves	222
Toughlight Grip Gloves	222
Warm Grip Gloves	222
Waterproof Grip Gloves	223
Goggles.....	219
Grab Adhesive.....	191
Grab Packs	9, 15, 21, 62
Gravel Board Clip	303
Grease Remover.....	200
Greases.....	199
Grille Vent.....	241
Grip & Fill - Solvent Free.....	190
Grout Cleaner	207
Grouting Float.....	151
H	
Half Zip Overhead Fleeces.....	211
HallClip Lead Flashing Fixing Clips	110
HallHook Slate Roof Repair Hook	110
Hammers	
Brick Hammer	146
Claw Hammer.....	145
Cross Pein Hammer	145
Lump Hammer	146
Sledgehammer	146
Hammer Bits	113
Hammer Fixing	88
Hammer-In Fixing.....	84
Hammer Tacker	105, 170
Hand Brush	171
Hand Cleaner.....	226
Hand Cream	226
Handles	
Contractors Handles.....	255
Edleston Handles.....	258-259
Fleur De Lys Ornate Lever Handles.....	257
Fleur De Lys Pull Handles.....	257
Narrow Style Lever Handles.....	257
Radmore Handles	258-259
Shavington Handles.....	258-259
Traditional Lever Handles	257
Victorian Scroll Handles	258-259
Victorian Straight Handles	258-259
Zeta Handles.....	258-259
Handrail Bracket	268
Hand Riveter.....	64, 170
Hand Sanitiser.....	226
Hand Saws	152
Hand Soap.....	226
Handy Hook.....	66
Hanging Rail	268
Hard Wax Oil.....	197
Hasp & Staple.....	277, 289-290
Hat & Coat Hooks.....	252
Heavy Brenton Padbolt	285
Heavy Cross Pattern Door Bolt.....	286
Heavy Duty Cleaner & Degreaser	207
Heavy Duty Stapler.....	105, 170
Heavy Duty Staples.....	105
Heavy Locking Drop Down Bolt	288
Heavy Secure Bolt on Hasp & Staple	290
Heavy Swivel Pattern Hasp & Staple.....	290
Heavy Vertical Bolt on Hasp & Staple.....	290
Helical Bar	234
Helical Flat Roof Fixing.....	234
Herringbone Joist Strut	233
Hex Connector Nut	60
Hex Dome Nut	60
Hex Full Nut	59
Hex Head Cover Cap	45
Hex Key	161
Hex Serrated Flange Nut	59
High Temperature Paint	201
Hinge Cutter	117
Hinged Hasp & Staple	289
Hinged Pipe Clips.....	71
Hinged Screw Cap	28
Hinge Hole Cover Cap.....	266
Hinges - External	
Band & Hook on Plate.....	293-294
Curved Rail Hinge Set	294
Field Gate Hinge Sets.....	297-298
Gate Kits.....	295
Reversible Hinge	293
Strap Hinge	292
Tee Hinge	291
Hinges - Internal	
Backflap Hinge	251
Ball Bearing Stormproof Hinge.....	250
Butterfly Hinges.....	256
Butt Hinge	247-248, 250
Counter Flap Hinge.....	250
Crown / Coronet Hinges	256
Fire Door Hinges	244
Flush Hinge	249
Hurlinge Hinge	249
Lift Off Hinge.....	250
Parliament Hinge	251
Performance Raced Hinge.....	246
Piano Hinge.....	251
Rising Butt Hinge.....	250
Security Hinge.....	248
Solid Drawn Hinge.....	248
Spear Hinges.....	256
Stormproof Hinge.....	250
Twin Ball Bearing Hinge.....	246
Unequal Hinges	256
Washed Hinge	246-247
Hinge Screw	19
Hip Iron	234
Hit & Miss Vent	241
Hi-Vis Clothing.....	214-215
Hole Cleaning Brushes.....	98
Hole Cleaning Pump	98
Holesaw & Accessories	124
Hoodies.....	211
Hook Bolt.....	96
Hook & Loop Strap.....	67
Hook on Plate	304
Hook on Rectangular Plate.....	293
Hook on Square Plate	296
Hooks	
Adhesive Hook	64
Curtain Hook	64
Mixed Tray	77
Screw Eye.....	65
Screw Hook	65
Vine Eye.....	65
Hooks (Fieldgate)	296
Horseshoe Shims	237
Hose Clips	73, 77
Hot Bed Handle.....	281
Housing & Screws	73
HSS Drill Bits	118-120, 122-123
Hunting Type Lift Catch	299
Hybrid Hasp & Staple.....	289
I	
Impact Driver Bit Adaptors.....	141
Impact Driver Bit Holders.....	141
Impact Driver Bits & Sets	140
Impact HSS Drill Bits	141
Impact Sockets.....	141
Industry Pack	9, 15, 21, 29-30
Instant Bond Mitre Kit	189
Instant Contact Adhesive	189
Instant Grab Adhesive	191
Instant Paintable Caulk.....	182
Insulation Disc.....	87
Insulation Fixing	87
Insulation Retaining Disc	236
Insulation Tape	187
Internal D3 Wood Adhesive.....	190
Internal Door Latch Packs	255, 258
Contractors.....	255
Edleston Lever On Rose	258
Radmore Lever On Rose	258
Shavington Lever On Rose.....	258
Victorian Scroll	258
Victorian Straight.....	258
Zeta	258
Internal Grille Vent	241
Intumescent & Acoustic Acrylic Sealant.....	193
Intumescent Fire & Smoke Seals.....	244
Intumescent Hinge Pad.....	244
Intumescent Pipe Collars.....	72
Intumescent Pipe Wraps.....	72
Intumescent Seals.....	72, 244-245
Invisiweep Wall Weep	239
Ironmongery Screws.....	26
J	
Jack Chain	305
Jagged Plasterboard Nails	108
Jigsaw Blades.....	130
Jobber Drill Bits & Sets	118-119, 122
Jointing Biscuit	266
Jointing Knife	150
Joist Hanger	230
Jubilee Clips, Packs & Kits	73-74

Jubilee Dispensers 73-74

K

 Key Cabinet 271
 Key Cap 271
 Keyless Chuck 139
 Keyless Chuck & SDS Plus Adaptor 139
 Key Safe 271
 Key Tag 77, 271
 Kick Over Stable Latch 283
 Knee Pads 216
 Knee Rail Support Bracket 303
 Knife 153
 Knob 282
 Knock Down Block 265
 Knurled Brass Inset Screw Cup 27

L

 Label Remover 200
 Ladder Hook 66
 Laminated Padlock 270
 Latches 260
 Lazy Tongue Riveter 64, 170
 Leak Detector Spray 200
 Letter Plate 253
 Lever Action Flush Bolt 253
 Lever Door Handles 255-259
 Lifting Sling 228
 Light Duty Stapler 105, 170
 Light Duty Staples 105
 Lipped Drop In Anchor 94
 Liquid Mortar 196
 Lithium Grease 199
 LMN Silicone 192
 Locking Bolts 277
 Locking Pliers 157
 Locks
 Bathroom Locks 262
 Sashlock Rebate Kit 261
 Sashlocks 261
 Loft Access Door 241
 Loft Door Operating Pole 241
 Log Cabin & Decking Treatment 204
 Log Roll Pin 303
 London Pattern Shelf Bracket 269
 Long Leg Timber Hanger 231
 Long Nose Pliers 156
 Long Throw Locks 281
 Looped Cable 271
 Loose Bolt Shield Anchor 95
 Louvre Vent 241
 Low Odour Turps Substitutes 183
 Low Odour White Spirits 183
 Lubricants 198
 Lump Hammer 146

M

 Machine Screw 49, 51
 Magnetic Bit Holder 142
 Magnetic Catch 265
 Magnetic Socket Driver 141
 Mallets 147
 Margin Trowel Set 149
 Marker Pen 169
 Marxman Professional Marking Tool 169
 Masonry Bolster and Cold Chisel 147
 Masonry Bolts 92-93
 Masonry & Concrete Screws 89-91
 Masonry Drill Bit 115
 Masonry Drill Set 123
 Masonry Fixing 88
 Masonry Hanger 230
 Masonry Nails 110
 Masonry Paint Brushes 175
 Masonry Rollers 177
 MDPE Pipe Clip 71
 Measuring Wheel 166
 Medium Tee Hinge 291
 Mending Plate 266
 Metal Cavity Anchor 83

 Metal Cavity Anchor Setting Tool 94
 Metal Expansion Plug 85
 Metal Framing Screw 46
 Metal Insulation Disc 87
 Metal Insulation Fixing 87
 Metal Oval Stress Plate 87
 Metal Paint 201
 Metal Speed Plug with Screw 83
 Metolux 196
 Metolux 1 Part Wood Filler 196
 Metolux 2 Part Styrene Free Wood Filler 196
 Metolux Hardener 196
 Metolux Metoset Liquid Mortar 196
 Metoset Liquid Mortar 196
 Mickey Pin 110
 Microfibre Cleaning Cloths 184
 Mineralised Methylated Spirit 183
 Mini Roller Frames 178
 Mini Timber Hanger 231
 Mirror Plate 65
 Mirror Screw 27
 Mitre Box 152
 Mitred Shelf Bracket 269
 Mixed Hose Clip 73
 Mixed Pins & Nails 75
 Mixed Screw Tray 24, 47, 75
 Mixed Set Screws, Nuts & Washers 76
 Mixed Trays 75
 Mixed Woodscrews 75
 Mixing Nozzle 98
 Mixing Paddles 143, 151
 Modesty Block 265
 Monkey Tail Bolt 287
 Moulding Pry Bar 148
 Movement Ties & Debonding Sleeves 235
 Multiband & Multiband Handy Packs 73-74
 Multi-Fix 9 in 1 Instant Grab Adhesive 191
 Multi-Fix Masonry Bolt 92
 Multi-Functional Hanger 230
 Multi-Function Fencing Pliers 157
 Multi-Purpose Adhesive 189
 Multi-Purpose Block Brush 176
 Multi-Purpose Cleaner 206
 Multi-Purpose Drill Bit 115
 Multi-Purpose Lubricant 198
 Multi-Purpose Masonry Bolt 92
 Multi-Purpose Powder Filler 181, 195
 Multi-Tool Blades & Sets 133-134

N

 Nail In Anchor 88
 Nail In Pipe Clip 72
 Nail Plate 233
 Nails
 Aluminium Clout Nails 109
 Annular Ringshank 107, 109-110
 Barbed Staples 108
 Bright Nails 107
 Clout 108-109
 Copper 109
 Cut Clasp 107
 Cut Flooring Brads 107
 Drive Screw 108
 Galvanised Nails 75, 107-108
 Jagged Plasterboard 108
 Mixed Tray 75
 Oval 107
 Panel Pins 107, 109
 Presser Point Staples 108-109
 Round Lost Head 107, 110
 Round Wire 107-108, 110
 Sheradised Nails 109
 Slab Nail 107
 Spring Head 108
 Square Twist 108-109
 Stainless Steel Loose Nails 110
 Upholstery Nails 110
 Narrow Style Lever Handles 257
 Necked Barrel Bolt 253
 Necked Tower Bolt 286

 Nitrile Gloves 223
 No Tag Timber Hanger 231
 Nozzles 97, 172
 Nuts

 Channel Nuts 60
 Hex Connector Nut 60
 Hex Dome Nut 60
 Hex Full Nut 59
 Hex Serrated Flange Nut 59
 Mixed Tray 76
 Nylon Nut - Type P 60
 Nylon Nut - Type T 59
 Wing Nut 60
 Nylon Frame Fixing 88
 Nylon Hammer Fixing 88
 Nylon Plug 35, 85
 Nylon Speed Plug 83
 Nylon Stripping & Preparation Disc 138

O

 'O' Clip Kits 74
 Oil & Grease Remover 200
 Oils 199
 Oval Bracket 268
 Oval Door Stop 267
 Oval End Socket 268
 Oval Grip Pull Handle 254
 Oval Stress Plate 87
 Oval Wardrobe Rail 268
 Overalls 210
 Workman Overalls 210
 Yardsmen Overalls 210
 Overspecs 218

P

 'P' Clip Kits 74
 Packers 237
 Padbolt 285
 Padlock Protection Bar 290
 Padlocks
 Block Lock 274
 Brass 270, 275
 Combination 270, 273, 276
 Disc 270, 274
 Old English 276
 Rectangular 270, 273-274
 Stainless Steel 270, 273, 275, 276
 Squire Padlocks 273-275
 Weatherproof Padlock 270
 Paint Kettle 178
 Paint Mixer 143, 151, 178
 Paint Panther Paint & Varnish Remove 183
 Paint Roller Extension Poles 178
 Paints 201
 Finishing Paint 201
 Galvanising Paint 201
 Metal Paint 201
 Primer 201
 Stain Concealing Paint 201
 Survey & Spot Markers 202
 Very High Temperature Paint 201
 Paint Scuttles 178
 Pan/Bidet Fixing Kit 68
 Panel Clip 303
 Panel Pin 107, 109
 Panel Security Bracket 303
 Parka Jacket 215
 PASLODE
 Collated Nail & Fuel Packs 104
 Fuel Cell Packs 103
 Path, Patio & Driveway Cleaner 206
 Path, Patio & Driveway Sealer 206
 Pens 169
 Pencils 169
 Penny/Repair Washer 61
 Permanent Marker Pen 169
 Piano Hinge 251
 Picture Hanging 65, 77
 Pipe Clips 71
 Pipe Collars 72

- Pipe Fittings 69
 Pipe Guide 68
 Pipe Liner 70
 Pipe Shears 155
 Pipe Wrench 157
 Plasterboard Nails 108
 Plasterers Jab Saw 153
 Plastering Trowels 150
 Aluminium Hawk 150
 Jointing Knife 150
 Professional Plasterers Trowel 150
 Plasters 225
 Plastic Cabinet Connector Bolt 266
 Plastic Cover Cap for Metal Insulation Fixing 87
 Plastic Grille Vent 241
 Plastic Handle Wire Brush 171
 Plastic Insulation Fixing 87
 Plastic Plug 84
 Plastic Sleeve for Resin 98
 Pliers
 Combination Pliers 156
 Locking Pliers 157
 Long Nose Pliers 156
 Multi-Function Fencing Pliers 157
 Water Pump Pliers 156
 Plug & Chain 68
 Plug & Screw 35, 84
 Pointing Trowel 149
 Polo Shirts 214
 Polyester Resin 97
 Polyester Styrene Free Resin 97
 Polymer Headed Nails 111
 Polythene Dust Sheet 180
 Polyurethane Varnish 204
 Post Caps 302
 Post Extenders 302
 Post Level 165
 Powertool Sanding 135
 Precision Screwdriver Set 160
 Preparation Disc 138
 Presser Point Staples 108-109
 Press Lock 282
 Primer 189, 201
 Projecting Bolt Shield Anchors 95
 Projection Door Stop 267
 Protective Cling Sheet 180
 Protective Films 179
 Protective Zipper Door 180
 Pry Bars 148
 Moulding Pry Bar 148
 Utility Bar 148
 Wrecking and Pry Bar Set 148
 Wrecking Bar 148
 PU Foam Applicator Gun 173, 195
 Punched 1/3 Sanding Sheets 135
 PU Wood Adhesive 190
 PVA Bond 189
 PVCu Cleaner 207
- Q**
 Quick Corner Clamp Set 163
 Quick Drying Floor Varnish 205
 Quick Lock Pipe Clips 71
 Quick Lock Spacer 71
 Quick Release Magnetic Bit Holder 142
 Quick Repair Link 304
- R**
 Radiator Key 68
 Radiator Pipe Guide & Seal 68
 Radius Edging Trowel 151
 Radmore Handles 258-259
 Rad-Seal Pipe Guide & Seal 68
 Rafter Square 167
 Rain Jacket & Trousers 212
 Rainwater Screws 25
 Random Orbital Sanding Disc 135
 Rasp Plane 153
 Rasps 162
 Ratcheting Screwdriver & Bit Set 160
 Ratchet Strap 228
 Raw Linseed Oil 205
 Ready Mixed Surface Filler 181, 195
 Rebar Cutter 114
 Rebate Kit 261-262
 Reciprocating Saw Blades & Set 132
 Reducing Set 70
 Reinforced Frame Screw 51-52
 Reinforcement Coil 234
 Repair/Penny Washer 61
 Repair Spike 302
 Resin 97
 Resin Accessories 98
 Restraint Strap 232
 Reversible Hinge 293
 Rigid Joint 266
 Rim Locks 282
 Rim/Mortice Knob Set 282
 Ring Gate Latch 283
 Ring On Plate 304
 Riveter 170
 Rivets 64
 Roller Catch 265
 Roller Plastic Trays 178
 Roll Forged Jobber Drill Bit 118-119, 122
 Roll Out Dry Fix Ridge Pack 239
 Roof Fixing (Flat) 234
 Roofing Bolts 57
 Roof Vent 239
 Ropes 168, 305
 Blue Polypropylene Rope 168
 Wire Ropes 305
 Round Brackets 268
 Round Cable Clip 67
 Round Lost Head Nails 107, 110
 Round Wire Nails 107-108, 110
 Rubble Sacks 242
- S**
 Safety Frame Cramp 235
 Safety Glasses 217-218
 Safety Goggles 219
 Safety Masks 220
 Safety Pattern Hasp & Staple 289
 Safety Signs 227
 Safety Utility Knife 153
 Sandbags 242
 Sanding Belt 135
 Sanding Disc 135
 Sanding Sheet 136
 Sandpaper 136
 Sanitary & Bathroom Silicone 192
 Sashlock Rebate Kit 261
 Sashlocks 261-262
 Saws 152
 Sawtooth Hanger 65
 SBR Bond 189
 Scaffolder's Short Impact Socket 141
 Scaffold Spirit Level 165
 Scissors 154
 Scotch Tee Hinge 292
 Screw Cup 27
 Screwdriver 159-160
 Screw Eye 65
 Screw Hook 65
 Screws
 Coach Screw 33, 35, 85
 Collated Drywall Screw 38
 Collated Screw 38-39
 Drywall Screw 36
 Ironmongery Screw 26
 Machine Screw 49, 51
 Metal Framing Screw 46
 Mirror Screw 27
 Multi-Purpose Screw 9-10, 15-19
 Rainwater Screw 25
 Self-Drilling Screw 37
 Self-Tapping Screw 75
 Socket Screw 63
 Window Screw 51-53
 Woodscrews 21-25, 75
 Scroll Necked Bolt 256
 SDS Magnetic Bit Holder 142
 SDS Max Bit & Steels 114
 SDS Plus Adaptor 139
 SDS Plus Hammer Bits 113
 SDS Shank Rebar Cutter 114
 Sealant 192
 Sealant Gun 98, 172, 193
 Sealant Profiler Set 182
 Sealant Remover 192
 Sealant Remover & Profiler Kit 182
 Second Fix Fuel Cell 103
 Security Chain 271, 278
 Self Amalgamating Tape 187
 Self-Drilling Collated Drywall Screw 38
 Self-Drilling Drywall Screw 37
 Self-Drilling Point Cement Board Screw 37
 Self-Drilling Screws 37, 41-43
 Self-Tapping Screw 47, 75
 Set Screws 58-59
 Setting Tools
 Cavity Anchor Setting Tool 83
 Drop In Anchors Setting Tool 94
 Shavington Handles 258-259
 Sheet Cutter 180
 Shelf End 269
 Sherardised Nails 109
 Shield Anchor 95
 Shims 237
 Shoe Covers 224
 Short Impact Socket 141
 Short & Long Sleeve Trade T-Shirts 211
 Shorts 209
 Side Cutters 156
 Side Gate Kits 295
 Silicone 192
 Silicone Lubricant 198
 Single Handed Keyless Chuck 139
 Single Link Jack Chain 305
 Single Open Pipe Clip 71
 Single Quick Lock Pipe Clip 71
 Single Robe Hook 252
 Sink Plug & Chain 68
 Skeleton Gun 98, 172, 193
 Slab Nails 107
 Slash Point Screw 43
 Sledgehammer 146
 Slide Action Padbolt 285
 Snap Hook 64
 Snap Off Utility Knife 153
 Snap Off Utility Knife Blades 153
 Snappit Kit 72
 Socks 213
 Socket Drivers 142
 Socket Screw 63
 Soffit Vent 239
 Softshell Jackets 211, 215
 Solid Brass Screw 26
 Solid Brass Screw Cap/Cup 27
 SOLO Screws
 SOLO Woodscrew 20, 22
 SOLO Woodscrew (Collated) 39
 Spanner 158
 Spear Hinges 256
 Specialist Window Screw 51
 Speed Auger 116
 Speed Plug 83
 Speed Plug with Screw 83
 Spirit Levels 164-165
 Sponges 184
 Spot Marker 202
 Spray Wax 197
 Spring Chain Bolt 287
 Spring Clamp Set 163
 Spring Door Stop 267
 Spring Fastener Set 299
 Spring Head Nails 108
 Spring Loaded Animal Bolt 286

Spring Toggles	83	Underground Tape	188	Vertical Flange Clip	86
Spring Washer	61	Tap Repair Washer	45, 76	Very High Temperature Paint.....	201
Square Plate Washer.....	61	Tarpaulin	227	Vest (Hi-Vis)	214
Squares		TCT Hinge Cutter	117	Vine Eye	65
Combination Square	167	TCT Multi-Purpose Drill Bit	115	Vinylester Styrene Free Resin	97
Framing & Carpenter's Square	167	Teak Oil.....	205	Vulcan Padlocks	274
Rafter Square	167	Tee Hinge	291		
Try Square.....	167	Tea Plate	266	W	
Square Twist Nails	108-109	Telescopic Underfloor Ventilation	240	Wall Starter Kit.....	232
Squire Security	273	Tenon Saw & Mitre Box Kit	152	Wall Weep.....	239
Squire Anchors.....	278	Tenon Saws	152	Wardrobe Rail	268
Squire Chains	278	Textured Heavy Duty Wipes	184	Washed Masonry Nails	110
Squire Combination Padlocks.....	276	Threaded Bars	57	Washers	
Squire Garage Door Protector.....	279	Thread Seal Tape	187	Dowty Type Washer	45
Squire Hasps & Staples.....	277	Throughbolt	94	EPDM Washer	45
Squire Key Safes	279	Throw Lock	281	Form A Washers.....	60
Squire Locking Bolts	277	Throw-Over Gate Loop	300	Form C Washer	61
Squire Padlocks.....	273-275	Tie Down Bungee Balls	227	Mixed Tray	76
Stable Latch	283	Tie Down Clips.....	227	Penny/Repair Washer	61
Stain Concealing Paint	201	Tie Down Strap	228	Spring Washer	61
Stainless Steel Cable Tie	67	Ties		Square Plate Washer	61
Stainless Steel Loose Nails	110	Movement Ties.....	235	Tap Repair Washer.....	45, 76
Stainless Steel Self-Tapping Screws	48	Screw-in Frame Tie	235	Waterbar	234
Stair Protection	179	Timber Frame Tie	235	Waterproof Lined Rain Jackets.....	212
Standard & Euro Profile Escutcheon.....	260	Window Board Tie	235	Waterproof Trousers.....	212
Standard Timber Hanger.....	231	Tile Drill Bit	115	Water Pump Pliers	156
Staple On Plate	304	Tile & Glass Scraper.....	182	Wax Filler Stick	197
Stapler	105	Timber Connector.....	234	WC Pan Fixing Kit	68
Staples	105	Timber Cut End Preserver.....	204	Weather Bar Screw	51
Barbed Staples	108	Timber Hanger	231	Wedge Pattern Casement Fastener	252
Presser Point Staples	108-109	Timber Screws	32	Wedge Strip.....	237
Steel Ruler.....	167	Timloc	238	Welded Link Chain	305
Steel Wire Wool	136	Internal Grille Vents.....	241	Welder's Anti-Spatter	200
Stella-Fix	82	Roof Line & Above	239	Wet & Dry Sanding Sheet	136
Step Drill	120	Through-Wall Ventilation.....	240	Whiteboard Pen	169
Stockinette Roll	184	Underfloor Ventilation.....	240	White Lithium Grease	199
Straight Band & Hook on Plate	294	Weeps & Drill Vents.....	239	Window Board Tie	235
Straight Barrel Bolt	253	Tin Snips	155	Window Screw	51
Strap Hinge	292	Toilet Roll Holder.....	252	Window Security	264
Stress Plate	87	Tongue & Groove Screw	13	Wing Nut	60
Stretcher Plate.....	266	Toolbox Spirit Level.....	165	Wing-Tip Self-Drilling Screw	44
Stripping Disc.....	138	Tool Clips	66	Wipes	184
Stripping Knife.....	181	Tool Hook	66	Wiping Rag	184
Stronglock Key Padlocks	275	Tower Bolt	286	Wire Brush	138
Strong Tee Hinge	292	Tradesmans Pliers Set	156	Wire Hand Brush.....	171
Stubby Screwdriver Set	160	Tradesmans Scissors	154	Wirehangers.....	86
Styrene Free Resin	97	Trade Socks.....	213	Wire Pattern Hasp & Staple	289
Styrene Free Wood Filler	196	Traditional Floor Wax.....	205	Wire Rope.....	305
Suffolk Latches.....	283	Traditional Lever Handles.....	257	Wire Rope Grips.....	305
Sugar Soap.....	183	Trousers.....	209, 215	Wire Rope Thimbles.....	305
Support Pole	180	Trowels	149-150	Wire Strippers	154
Surface Preparation Filling Knives Set.....	181	Truss Clip	233	Wire Wool	136
Surface Screw Cup	27	Try Square.....	167	Wood Adhesive	190
Survey & Spot Marker.....	202	Tubular Deadbolt	260	Wood Bit & Wood Auger Bit	116
Sweatshirt	214	Tubular Latch.....	260	Wood Bit Set	123
		Turn Button	284	Wood Chisels.....	158
T		Twin-Cut Point Cement Board Screw	37	Wooden Dowel	266
Tape Measures	166	Twin Slot Shelving.....	269	Wooden Handle Wire Brush	171
Tapes		Twin-Threaded Screw & Plug	25	Wooden Jointing Biscuit	266
Aluminium Foil Tape	187	Twin-Threaded Woodscrew	24	Wood Filler	196
Anti-Slip Tape	188	Twisted Knot Steel Wire Brushes.....	137	Wood Filler Hardener	196
Barrier Tape.....	188	Twisted Ring Gate Latch.....	283	Wood Preserver	203
Cloth Tape.....	186	Two Piece Screw Cap	28	Wood Protective Treatment.....	203
Damp Proof Membrane Joint Tape.....	187			Wood Reviver	204
Double Sided Cloth Tape	186	U		Woodscrews	20-25, 75
Drywall Joint Tape	187	Underfloor Ventilation.....	240	Woodworm Killer	204
Extreme Temp. Aluminium Foil Tape.....	187	Universal Framing Anchor	233	Work-Top Connector.....	266
Hazard Cloth Tape.....	188	Universal Intumescent Tubular Latch, Deadlock & Sashlock Kits	245	Workwear.....	209, 213
Hazard Tape.....	188	Universal Preserver	203	Wrecking and Pry Bar Set.....	148
Heavy Duty Cloth Tape	186	Unpunched 1/3 Sanding Sheet.....	135	Wrecking Bar	148
High Strength PVC Builders Tape	187	Unreinforced Frame Screw	53	Wrenches.....	157
High Visibility Wet Paint Tape	188	Upholstery Nail.....	110		
Hook and Loop Tape.....	186	Utility Bar.....	148	Y	
Masking Tape	180, 186	Utility Hook.....	66	Yacht Varnish.....	204
Packaging Tape.....	186	Utility Knife & Blades.....	153		
PTFE Thread Seal Tape	187			Z	
PVC Builders Tape	187	V		Zamac Nail In Anchor.....	88
PVC Insulation Tape.....	187	Vents.....	241	Z Clip	303
Reinforced Aluminium Foil Tape	187	Ventilator.....	240	ZIP-FIX Cavity Fixings	81
Self Amalgamating Tape	187			Zirconium Flap Disc	138



Merlin Accessories Ltd
Unit G, Nickel Close
Winnall Trading Estate
Winchester
SO23 7RJ

01962 842002

Opening Hours
Monday to Thursday: 7:30 - 17:30
Friday: 7:30 - 17:00